

Anders G Holst

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4954083/anders-g-holst-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

6,831
citations

39
h-index

82
g-index

90
ext. papers

8,586
ext. citations

7.9
avg, IF

5.53
L-index

#	Paper	IF	Citations
87	Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2016 , 375, 1834-1844	59.2	2547
86	Risk factors for venous thromboembolism: results from the Copenhagen City Heart Study. <i>Circulation</i> , 2010 , 121, 1896-903	16.7	269
85	Biobank-driven genomic discovery yields new insight into atrial fibrillation biology. <i>Nature Genetics</i> , 2018 , 50, 1234-1239	36.3	254
84	Nationwide study of sudden cardiac death in persons aged 1-35 years. <i>European Heart Journal</i> , 2011 , 32, 983-90	9.5	225
83	Efficacy and Safety of Once-Weekly Semaglutide Versus Exenatide ER in Subjects With Type 2 Diabetes (SUSTAIN 3): A 56-Week, Open-Label, Randomized Clinical Trial. <i>Diabetes Care</i> , 2018 , 41, 258-266	14.6	208
82	New population-based exome data are questioning the pathogenicity of previously cardiomyopathy-associated genetic variants. <i>European Journal of Human Genetics</i> , 2013 , 21, 918-28	5.3	177
81	Incidence and etiology of sports-related sudden cardiac death in Denmark--implications for preparticipation screening. <i>Heart Rhythm</i> , 2010 , 7, 1365-71	6.7	153
80	Vigorous physical activity impairs myocardial function in patients with arrhythmogenic right ventricular cardiomyopathy and in mutation positive family members. <i>European Journal of Heart Failure</i> , 2014 , 16, 1337-44	12.3	150
79	Integrating genetic, transcriptional, and functional analyses to identify 5 novel genes for atrial fibrillation. <i>Circulation</i> , 2014 , 130, 1225-35	16.7	143
78	Right bundle branch block: prevalence, risk factors, and outcome in the general population: results from the Copenhagen City Heart Study. <i>European Heart Journal</i> , 2013 , 34, 138-46	9.5	143
77	High prevalence of genetic variants previously associated with LQT syndrome in new exome data. <i>European Journal of Human Genetics</i> , 2012 , 20, 905-8	5.3	109
76	High prevalence of long QT syndrome-associated SCN5A variants in patients with early-onset lone atrial fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 450-9		103
75	Epilepsy and risk of death and sudden unexpected death in the young: a nationwide study. <i>Epilepsia</i> , 2013 , 54, 1613-20	6.4	102
74	P-wave duration and the risk of atrial fibrillation: Results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2015 , 12, 1887-95	6.7	99
73	Burden of sudden cardiac death in persons aged 1 to 49 years: nationwide study in Denmark. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 205-11	6.4	98
72	J-shaped association between QTc interval duration and the risk of atrial fibrillation: results from the Copenhagen ECG study. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2557-64	15.1	90
71	High prevalence of genetic variants previously associated with Brugada syndrome in new exome data. <i>Clinical Genetics</i> , 2013 , 84, 489-95	4	88

70	Role of common and rare variants in SCN10A: results from the Brugada syndrome QRS locus gene discovery collaborative study. <i>Cardiovascular Research</i> , 2015 , 106, 520-9	9.9	86
69	Sports-related sudden cardiac death in a competitive and a noncompetitive athlete population aged 12 to 49 years: data from an unselected nationwide study in Denmark. <i>Heart Rhythm</i> , 2014 , 11, 1673-81	6.7	81
68	Risk of atrial fibrillation as a function of the electrocardiographic PR interval: results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2013 , 10, 1249-56	6.7	79
67	A novel KCND3 gain-of-function mutation associated with early-onset of persistent lone atrial fibrillation. <i>Cardiovascular Research</i> , 2013 , 98, 488-95	9.9	77
66	Risk prediction of cardiovascular death based on the QTc interval: evaluating age and gender differences in a large primary care population. <i>European Heart Journal</i> , 2014 , 35, 1335-44	9.5	74
65	Association of Traditional Cardiovascular Risk Factors With Venous Thromboembolism: An Individual Participant Data Meta-Analysis of Prospective Studies. <i>Circulation</i> , 2017 , 135, 7-16	16.7	66
64	New exome data question the pathogenicity of genetic variants previously associated with catecholaminergic polymorphic ventricular tachycardia. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 481-9		64
63	Rare truncating variants in the sarcomeric protein titin associate with familial and early-onset atrial fibrillation. <i>Nature Communications</i> , 2018 , 9, 4316	17.4	58
62	The diagnostic performance of imaging methods in ARVC using the 2010 Task Force criteria. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 1219-25	4.1	56
61	SCN1Bb R214Q found in 3 patients: 1 with Brugada syndrome and 2 with lone atrial fibrillation. <i>Heart Rhythm</i> , 2012 , 9, 770-3	6.7	55
60	The genetic component of Brugada syndrome. <i>Frontiers in Physiology</i> , 2013 , 4, 179	4.6	53
59	Semaglutide Effects on Cardiovascular Outcomes in People With Overweight or Obesity (SELECT) rationale and design. <i>American Heart Journal</i> , 2020 , 229, 61-69	4.9	53
58	Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2017 , 376, 891-2	59.2	49
57	Mutations in genes encoding cardiac ion channels previously associated with sudden infant death syndrome (SIDS) are present with high frequency in new exome data. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1104-9	3.8	49
56	Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet, The</i> , 2021 , 398, 1507-1516	4.0	47
55	Semaglutide induces weight loss in subjects with type 2 diabetes regardless of baseline BMI or gastrointestinal adverse events in the SUSTAIN 1 to 5 trials. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2210-2219	6.7	44
54	Common and rare variants in SCN10A modulate the risk of atrial fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 64-73		42
53	Next-generation sequencing of 34 genes in sudden unexplained death victims in forensics and in patients with channelopathic cardiac diseases. <i>International Journal of Legal Medicine</i> , 2015 , 129, 793-800 ^{2,1}		41

52	Genetic loci on chromosomes 4q25, 7p31, and 12p12 are associated with onset of lone atrial fibrillation before the age of 40 years. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 191-5	3.8	40
51	Screening of KCNN3 in patients with early-onset lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 963-7	3.9	40
50	Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2771-2781	15.1	40
49	Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017 , 187, 122-132	4.9	39
48	Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation: Insights From Patients at Risk Monitored Long Term With an Implantable Loop Recorder. <i>Circulation</i> , 2020 , 141, 1510-1522	16.7	39
47	A novel nonsense variant in Nav1.5 cofactor MOG1 eliminates its sodium current increasing effect and may increase the risk of arrhythmias. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 523.e17-23	3.8	37
46	Common and Rare Variants in SCN10A Modulate the Risk of Atrial Fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 64-73		36
45	Effect of Semaglutide on the Pharmacokinetics of Metformin, Warfarin, Atorvastatin and Digoxin in Healthy Subjects. <i>Clinical Pharmacokinetics</i> , 2017 , 56, 1391-1401	6.2	26
44	Electrocardiographic Tpeak-Tend interval and risk of cardiovascular morbidity and mortality: Results from the Copenhagen ECG study. <i>Heart Rhythm</i> , 2016 , 13, 915-24	6.7	25
43	Visit-to-Visit Variability of Hemoglobin A in People Without Diabetes and Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Diabetes Care</i> , 2019 , 42, 134-141	14.6	24
42	Low disease prevalence and inappropriate implantable cardioverter defibrillator shock rate in Brugada syndrome: a nationwide study. <i>Europace</i> , 2012 , 14, 1025-9	3.9	23
41	Incomplete right bundle branch block: a novel electrocardiographic marker for lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 182-7	3.9	21
40	Risk Prediction of Atrial Fibrillation Based on Electrocardiographic Interatrial Block. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	21
39	Cardiac symptoms before sudden cardiac death caused by coronary artery disease: a nationwide study among young Danish people. <i>Heart</i> , 2013 , 99, 938-43	5.1	20
38	Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. <i>American Heart Journal</i> , 2020 , 219, 117-127	4.9	20
37	Specificity of elevated intercostal space ECG recording for the type 1 Brugada ECG pattern. <i>Annals of Noninvasive Electrocardiology</i> , 2012 , 17, 108-12	1.5	19
36	Sodium current and potassium transient outward current genes in Brugada syndrome: screening and bioinformatics. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 196-200	3.8	19
35	Common polymorphisms in KCNJ5 [corrected] are associated with early-onset lone atrial fibrillation in Caucasians. <i>Cardiology</i> , 2011 , 118, 116-20	1.6	18

34	Electrocardiographic PR Interval Duration and Cardiovascular Risk: Results From the Copenhagen ECG Study. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 674-681	3.8	17
33	The role of the sodium current complex in a nonreferred nationwide cohort of sudden infant death syndrome. <i>Heart Rhythm</i> , 2015 , 12, 1241-9	6.7	17
32	Reductions in insulin resistance are mediated primarily via weight loss in subjects with type 2 diabetes on semaglutide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 ,	5.6	16
31	Sick sinus syndrome, progressive cardiac conduction disease, atrial flutter and ventricular tachycardia caused by a novel SCN5A mutation. <i>Cardiology</i> , 2010 , 115, 311-6	1.6	16
30	Sudden unexpected death in infancy in Denmark. <i>Scandinavian Cardiovascular Journal</i> , 2011 , 45, 14-20	2	16
29	Effect of diabetes duration on the relationship between glycaemic control and risk of death in older adults with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 231-242	6.7	16
28	Electrocardiographic Preexcitation and Risk of Cardiovascular Morbidity and Mortality: Results From the Copenhagen ECG Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	15
27	Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017 , 241, 229-234	3.2	15
26	Strategy for clinical evaluation and screening of sudden cardiac death relatives. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 619-35	3.1	15
25	Heart transplantation in arrhythmogenic right ventricular cardiomyopathy - Experience from the Nordic ARVC Registry. <i>International Journal of Cardiology</i> , 2018 , 250, 201-206	3.2	14
24	Association Between Heart Rate at Rest and Incident Atrial Fibrillation (from the Copenhagen Electrocardiographic Study). <i>American Journal of Cardiology</i> , 2016 , 118, 708-13	3	13
23	Effect of once-weekly semaglutide on the counterregulatory response to hypoglycaemia in people with type 2 diabetes: A randomized, placebo-controlled, double-blind, crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2565-2573	6.7	11
22	Electrocardiographic precordial ST-segment deviations and the risk of cardiovascular death: results from the Copenhagen ECG Study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000549	6	11
21	Left anterior fascicular block and the risk of cardiovascular outcomes. <i>JAMA Internal Medicine</i> , 2014 , 174, 1001-3	11.5	10
20	Effects of semaglutide on risk of cardiovascular events across a continuum of cardiovascular risk: combined post hoc analysis of the SUSTAIN and PIONEER trials. <i>Cardiovascular Diabetology</i> , 2020 , 19, 156	8.7	10
19	Differences in investigations of sudden unexpected deaths in young people in a nationwide setting. <i>International Journal of Legal Medicine</i> , 2012 , 126, 223-9	3.1	9
18	Thyroid dysfunction and electrocardiographic changes in subjects without arrhythmias: a cross-sectional study of primary healthcare subjects from Copenhagen. <i>BMJ Open</i> , 2019 , 9, e023854	3	8
17	A nationwide, retrospective analysis of symptoms, comorbidities, medical care and autopsy findings in cases of fatal pulmonary embolism in younger patients. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1723-9	15.4	8

16	Genetic modifier of the QTc interval associated with early-onset atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1234-40	3.8	7
15	The relationship between serum potassium concentrations and electrocardiographic characteristics in 163,547 individuals from primary care. <i>Journal of Electrocardiology</i> , 2019 , 57, 104-111	1.4	6
14	Prior myocardial infarction in the young: predisposes to a high relative risk but low absolute risk of a sudden cardiac death. <i>Europace</i> , 2013 , 15, 48-54	3.9	6
13	Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021 , 22, 621-628	3.6	6
12	Primary Prevention of Sudden Cardiac Death With Implantable Cardioverter-Defibrillator Therapy in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy. <i>American Journal of Cardiology</i> , 2019 , 123, 1156-1162	3	5
11	Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019 , 6, e000905	3	5
10	Efficacy and safety of once-weekly semaglutide vs exenatide ER after 56 Weeks in subjects with type 2 diabetes (SUSTAIN 3). <i>Diabetes Research and Clinical Practice</i> , 2016 , 120, S51	7.4	5
9	Incidence, Predictors, and Success of Ventricular Tachycardia Catheter Ablation in Arrhythmogenic Right Ventricular Cardiomyopathy (from the Nordic ARVC Registry). <i>American Journal of Cardiology</i> , 2020 , 125, 803-811	3	3
8	Efficacy and Safety of Once-Weekly Semaglutide vs. Exenatide ER after 56 Weeks in Subjects with Type 2 Diabetes (SUSTAIN 3). <i>Canadian Journal of Diabetes</i> , 2016 , 40, S41	2.1	3
7	Electrocardiographic T-wave morphology and risk of mortality. <i>International Journal of Cardiology</i> , 2021 , 328, 199-205	3.2	3
6	Letter by Olesen et al regarding article, "MOG1: a new susceptibility gene for Brugada syndrome". <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, e22; author reply e23		2
5	Long-Term Prognostic Value of Less-Stringent Electrocardiographic Q Waves and Fourth Universal Definition of Myocardial Infarction Q Waves. <i>American Journal of Medicine</i> , 2020 , 133, 582-589.e7	2.4	2
4	Reply to the Editor Incidence of Sports-Related Sudden Cardiac Death: The Danish Paradox. <i>Heart Rhythm</i> , 2010 , 7, 1918-1919	6.7	1
3	Chloroquine, but not hydroxychloroquine, prolongs the QT interval in a primary care population		1
2	Early glycaemic changes after initiation of oral antidiabetic medication and risk of major adverse cardiovascular events: results from a large primary care population of patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 486-495	6.4	0
1	Reply to the Editor--Regarding the Role of Advanced Interatrial Block Pattern as a Predictor of Atrial Fibrillation. <i>Heart Rhythm</i> , 2016 , 13, e87-8	6.7	