

Anders G Holst

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4954083/anders-g-holst-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

6,831
citations

39
h-index

82
g-index

90
ext. papers

8,586
ext. citations

7.9
avg, IF

5.53
L-index

#	Paper	IF	Citations
87	Early glycaemic changes after initiation of oral antidiabetic medication and risk of major adverse cardiovascular events: results from a large primary care population of patients with type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021 , 7, 486-495	6.4	0
86	Electrocardiographic T-wave morphology and risk of mortality. <i>International Journal of Cardiology</i> , 2021 , 328, 199-205	3.2	3
85	Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021 , 22, 621-628	3.6	6
84	Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet, The</i> , 2021 , 398, 1507-1516	4.0	47
83	Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation: Insights From Patients at Risk Monitored Long Term With an Implantable Loop Recorder. <i>Circulation</i> , 2020 , 141, 1510-1522	16.7	39
82	Long-Term Prognostic Value of Less-Stringent Electrocardiographic Q Waves and Fourth Universal Definition of Myocardial Infarction Q Waves. <i>American Journal of Medicine</i> , 2020 , 133, 582-589.e7	2.4	2
81	Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. <i>American Heart Journal</i> , 2020 , 219, 117-127	4.9	20
80	Incidence, Predictors, and Success of Ventricular Tachycardia Catheter Ablation in Arrhythmogenic Right Ventricular Cardiomyopathy (from the Nordic ARVC Registry). <i>American Journal of Cardiology</i> , 2020 , 125, 803-811	3	3
79	Effects of semaglutide on risk of cardiovascular events across a continuum of cardiovascular risk: combined post hoc analysis of the SUSTAIN and PIONEER trials. <i>Cardiovascular Diabetology</i> , 2020 , 19, 156	8.7	10
78	Semaglutide Effects on Cardiovascular Outcomes in People With Overweight or Obesity (SELECT) rationale and design. <i>American Heart Journal</i> , 2020 , 229, 61-69	4.9	53
77	Effect of diabetes duration on the relationship between glycaemic control and risk of death in older adults with type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 231-242	6.7	16
76	Primary Prevention of Sudden Cardiac Death With Implantable Cardioverter-Defibrillator Therapy in Patients With Arrhythmogenic Right Ventricular Cardiomyopathy. <i>American Journal of Cardiology</i> , 2019 , 123, 1156-1162	3	5
75	Thyroid dysfunction and electrocardiographic changes in subjects without arrhythmias: a cross-sectional study of primary healthcare subjects from Copenhagen. <i>BMJ Open</i> , 2019 , 9, e023854	3	8
74	Reductions in insulin resistance are mediated primarily via weight loss in subjects with type 2 diabetes on semaglutide. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 ,	5.6	16
73	Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019 , 6, e000905	3	5
72	The relationship between serum potassium concentrations and electrocardiographic characteristics in 163,547 individuals from primary care. <i>Journal of Electrocardiology</i> , 2019 , 57, 104-111	1.4	6
71	Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2771-2781	15.1	40

70	Visit-to-Visit Variability of Hemoglobin A in People Without Diabetes and Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Diabetes Care</i> , 2019 , 42, 134-141	14.6	24
69	Heart transplantation in arrhythmogenic right ventricular cardiomyopathy - Experience from the Nordic ARVC Registry. <i>International Journal of Cardiology</i> , 2018 , 250, 201-206	3.2	14
68	Biobank-driven genomic discovery yields new insight into atrial fibrillation biology. <i>Nature Genetics</i> , 2018 , 50, 1234-1239	36.3	254
67	Effect of once-weekly semaglutide on the counterregulatory response to hypoglycaemia in people with type 2 diabetes: A randomized, placebo-controlled, double-blind, crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2565-2573	6.7	11
66	Efficacy and Safety of Once-Weekly Semaglutide Versus Exenatide ER in Subjects With Type 2 Diabetes (SUSTAIN 3): A 56-Week, Open-Label, Randomized Clinical Trial. <i>Diabetes Care</i> , 2018 , 41, 258-266	14.6	208
65	Rare truncating variants in the sarcomeric protein titin associate with familial and early-onset atrial fibrillation. <i>Nature Communications</i> , 2018 , 9, 4316	17.4	58
64	Semaglutide induces weight loss in subjects with type 2 diabetes regardless of baseline BMI or gastrointestinal adverse events in the SUSTAIN 1 to 5 trials. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2210-2219	6.7	44
63	Risk Prediction of Atrial Fibrillation Based on Electrocardiographic Interatrial Block. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	21
62	Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2017 , 376, 891-2	59.2	49
61	Electrocardiographic PR Interval Duration and Cardiovascular Risk: Results From the Copenhagen ECG Study. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 674-681	3.8	17
60	Effect of Semaglutide on the Pharmacokinetics of Metformin, Warfarin, Atorvastatin and Digoxin in Healthy Subjects. <i>Clinical Pharmacokinetics</i> , 2017 , 56, 1391-1401	6.2	26
59	Electrocardiographic Preexcitation and Risk of Cardiovascular Morbidity and Mortality: Results From the Copenhagen ECG Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	15
58	Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017 , 241, 229-234	3.2	15
57	Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017 , 187, 122-132	4.9	39
56	Association of Traditional Cardiovascular Risk Factors With Venous Thromboembolism: An Individual Participant Data Meta-Analysis of Prospective Studies. <i>Circulation</i> , 2017 , 135, 7-16	16.7	66
55	Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2016 , 375, 1834-1844	59.2	2547
54	Electrocardiographic Tpeak-Tend interval and risk of cardiovascular morbidity and mortality: Results from the Copenhagen ECG study. <i>Heart Rhythm</i> , 2016 , 13, 915-24	6.7	25
53	Efficacy and safety of once-weekly semaglutide vs exenatide ER after 56 Weeks in subjects with type 2 diabetes (SUSTAIN 3). <i>Diabetes Research and Clinical Practice</i> , 2016 , 120, S51	7.4	5

52	Reply to the Editor--Regarding the Role of Advanced Interatrial Block Pattern as a Predictor of Atrial Fibrillation. <i>Heart Rhythm</i> , 2016 , 13, e87-8	6.7	
51	Efficacy and Safety of Once-Weekly Semaglutide vs. Exenatide ER after 56 Weeks in Subjects with Type 2 Diabetes (SUSTAIN 3). <i>Canadian Journal of Diabetes</i> , 2016 , 40, S41	2.1	3
50	Association Between Heart Rate at Rest and Incident Atrial Fibrillation (from the Copenhagen Electrocardiographic Study). <i>American Journal of Cardiology</i> , 2016 , 118, 708-13	3	13
49	P-wave duration and the risk of atrial fibrillation: Results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2015 , 12, 1887-95	6.7	99
48	Next-generation sequencing of 34 genes in sudden unexplained death victims in forensics and in patients with channelopathic cardiac diseases. <i>International Journal of Legal Medicine</i> , 2015 , 129, 793-800 ¹		41
47	Common and Rare Variants in SCN10A Modulate the Risk of Atrial Fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 64-73		36
46	The role of the sodium current complex in a nonreferred nationwide cohort of sudden infant death syndrome. <i>Heart Rhythm</i> , 2015 , 12, 1241-9	6.7	17
45	Role of common and rare variants in SCN10A: results from the Brugada syndrome QRS locus gene discovery collaborative study. <i>Cardiovascular Research</i> , 2015 , 106, 520-9	9.9	86
44	Common and rare variants in SCN10A modulate the risk of atrial fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 64-73		42
43	The diagnostic performance of imaging methods in ARVC using the 2010 Task Force criteria. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 1219-25	4.1	56
42	Integrating genetic, transcriptional, and functional analyses to identify 5 novel genes for atrial fibrillation. <i>Circulation</i> , 2014 , 130, 1225-35	16.7	143
41	Sports-related sudden cardiac death in a competitive and a noncompetitive athlete population aged 12 to 49 years: data from an unselected nationwide study in Denmark. <i>Heart Rhythm</i> , 2014 , 11, 1673-81	6.7	81
40	Burden of sudden cardiac death in persons aged 1 to 49 years: nationwide study in Denmark. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 205-11	6.4	98
39	Vigorous physical activity impairs myocardial function in patients with arrhythmogenic right ventricular cardiomyopathy and in mutation positive family members. <i>European Journal of Heart Failure</i> , 2014 , 16, 1337-44	12.3	150
38	Risk prediction of cardiovascular death based on the QTc interval: evaluating age and gender differences in a large primary care population. <i>European Heart Journal</i> , 2014 , 35, 1335-44	9.5	74
37	Electrocardiographic precordial ST-segment deviations and the risk of cardiovascular death: results from the Copenhagen ECG Study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000549	6	11
36	Left anterior fascicular block and the risk of cardiovascular outcomes. <i>JAMA Internal Medicine</i> , 2014 , 174, 1001-3	11.5	10
35	Risk of atrial fibrillation as a function of the electrocardiographic PR interval: results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2013 , 10, 1249-56	6.7	79

34	New population-based exome data are questioning the pathogenicity of previously cardiomyopathy-associated genetic variants. <i>European Journal of Human Genetics</i> , 2013 , 21, 918-28	5.3	177
33	Epilepsy and risk of death and sudden unexpected death in the young: a nationwide study. <i>Epilepsia</i> , 2013 , 54, 1613-20	6.4	102
32	Mutations in genes encoding cardiac ion channels previously associated with sudden infant death syndrome (SIDS) are present with high frequency in new exome data. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1104-9	3.8	49
31	High prevalence of genetic variants previously associated with Brugada syndrome in new exome data. <i>Clinical Genetics</i> , 2013 , 84, 489-95	4	88
30	Genetic modifier of the QTc interval associated with early-onset atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1234-40	3.8	7
29	J-shaped association between QTc interval duration and the risk of atrial fibrillation: results from the Copenhagen ECG study. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2557-64	15.1	90
28	A novel KCND3 gain-of-function mutation associated with early-onset of persistent lone atrial fibrillation. <i>Cardiovascular Research</i> , 2013 , 98, 488-95	9.9	77
27	Prior myocardial infarction in the young: predisposes to a high relative risk but low absolute risk of a sudden cardiac death. <i>Europace</i> , 2013 , 15, 48-54	3.9	6
26	The genetic component of Brugada syndrome. <i>Frontiers in Physiology</i> , 2013 , 4, 179	4.6	53
25	New exome data question the pathogenicity of genetic variants previously associated with catecholaminergic polymorphic ventricular tachycardia. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 481-9		64
24	Right bundle branch block: prevalence, risk factors, and outcome in the general population: results from the Copenhagen City Heart Study. <i>European Heart Journal</i> , 2013 , 34, 138-46	9.5	143
23	Cardiac symptoms before sudden cardiac death caused by coronary artery disease: a nationwide study among young Danish people. <i>Heart</i> , 2013 , 99, 938-43	5.1	20
22	Specificity of elevated intercostal space ECG recording for the type 1 Brugada ECG pattern. <i>Annals of Noninvasive Electrocardiology</i> , 2012 , 17, 108-12	1.5	19
21	Differences in investigations of sudden unexpected deaths in young people in a nationwide setting. <i>International Journal of Legal Medicine</i> , 2012 , 126, 223-9	3.1	9
20	Sodium current and potassium transient outward current genes in Brugada syndrome: screening and bioinformatics. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 196-200	3.8	19
19	Genetic loci on chromosomes 4q25, 7p31, and 12p12 are associated with onset of lone atrial fibrillation before the age of 40 years. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 191-5	3.8	40
18	SCN1Bb R214Q found in 3 patients: 1 with Brugada syndrome and 2 with lone atrial fibrillation. <i>Heart Rhythm</i> , 2012 , 9, 770-3	6.7	55
17	High prevalence of long QT syndrome-associated SCN5A variants in patients with early-onset lone atrial fibrillation. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5, 450-9		103

16	High prevalence of genetic variants previously associated with LQT syndrome in new exome data. <i>European Journal of Human Genetics</i> , 2012 , 20, 905-8	5.3	109
15	Low disease prevalence and inappropriate implantable cardioverter defibrillator shock rate in Brugada syndrome: a nationwide study. <i>Europace</i> , 2012 , 14, 1025-9	3.9	23
14	A novel nonsense variant in Nav1.5 cofactor MOG1 eliminates its sodium current increasing effect and may increase the risk of arrhythmias. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 523.e17-23	3.8	37
13	Sudden unexpected death in infancy in Denmark. <i>Scandinavian Cardiovascular Journal</i> , 2011 , 45, 14-20	2	16
12	Nationwide study of sudden cardiac death in persons aged 1-35 years. <i>European Heart Journal</i> , 2011 , 32, 983-90	9.5	225
11	Letter by Olesen et al regarding article, "MOG1: a new susceptibility gene for Brugada syndrome". <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, e22; author reply e23		2
10	Common polymorphisms in KCNJ5 [corrected] are associated with early-onset lone atrial fibrillation in Caucasians. <i>Cardiology</i> , 2011 , 118, 116-20	1.6	18
9	Incomplete right bundle branch block: a novel electrocardiographic marker for lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 182-7	3.9	21
8	Screening of KCNN3 in patients with early-onset lone atrial fibrillation. <i>Europace</i> , 2011 , 13, 963-7	3.9	40
7	Strategy for clinical evaluation and screening of sudden cardiac death relatives. <i>Fundamental and Clinical Pharmacology</i> , 2010 , 24, 619-35	3.1	15
6	Sick sinus syndrome, progressive cardiac conduction disease, atrial flutter and ventricular tachycardia caused by a novel SCN5A mutation. <i>Cardiology</i> , 2010 , 115, 311-6	1.6	16
5	Incidence and etiology of sports-related sudden cardiac death in Denmark--implications for preparticipation screening. <i>Heart Rhythm</i> , 2010 , 7, 1365-71	6.7	153
4	Reply to the Editor Incidence of Sports-Related Sudden Cardiac Death: The Danish Paradox. <i>Heart Rhythm</i> , 2010 , 7, 1918-1919	6.7	1
3	Risk factors for venous thromboembolism: results from the Copenhagen City Heart Study. <i>Circulation</i> , 2010 , 121, 1896-903	16.7	269
2	A nationwide, retrospective analysis of symptoms, comorbidities, medical care and autopsy findings in cases of fatal pulmonary embolism in younger patients. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1723-9	15.4	8
1	Chloroquine, but not hydroxychloroquine, prolongs the QT interval in a primary care population		1