

# LuÃ-s Otavio Sarian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/495430/publications.pdf>

Version: 2024-02-01

137  
papers

2,591  
citations

218662  
26  
h-index

265191  
42  
g-index

151  
all docs

151  
docs citations

151  
times ranked

3827  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis of placenta accreta spectrum in high-risk women using ultrasonography or magnetic resonance imaging: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 428-436.	1.7	20
2	Assessment of the performance of the O-RADS MRI score for the evaluation of adnexal masses, with technical notes. <i>Radiologia Brasileira</i> , 2022, 55, 137-144.	0.7	7
3	Aerobic Fitness is a Predictor of Body Composition in Women With Breast Cancer at Diagnosis. <i>Clinical Breast Cancer</i> , 2021, 21, e245-e251.	2.4	1
4	GSTP1 and ABCB1 Polymorphisms Predicting Toxicities and Clinical Management on Carboplatin and Paclitaxel-Based Chemotherapy in Ovarian Cancer. <i>Clinical and Translational Science</i> , 2021, 14, 720-728.	3.1	15
5	Long-term outcomes of concomitant cisplatin plus radiotherapy versus radiotherapy alone in patients with stage IIIB squamous cervical cancer: A randomized controlled trial. <i>Gynecologic Oncology</i> , 2021, 160, 379-383.	1.4	7
6	Elimination of cervical cancer in low- and middle-income countries: Inequality of access and fragile healthcare systems. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 152, 7-11.	2.3	23
7	Association between breast cancer risk and levonorgestrel-releasing intrauterine system. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1750-1750.	2.8	0
8	ASO Author Reflections: A Roadmap to Early Detection of Patients at Increased Risk of Developing Persistent Lymphedema After Breast Cancer Surgery Has Been Outlined: What to Offer Them Remains Elusive. <i>Annals of Surgical Oncology</i> , 2021, 28, 8677-8678.	1.5	0
9	Longitudinal, Long-Term Comparison of Single- versus Multipoint Upper Limb Circumference Periodical Measurements as a Tool to Predict Persistent Lymphedema in Women Treated Surgically for Breast Cancer: An Optimized Strategy to Early Diagnose Lymphedema and Avoid Permanent Sequelae in Breast Cancer Survivors. <i>Annals of Surgical Oncology</i> , 2021, 28, 8665-8676.	1.5	6
10	Maintenance of Muscle Mass and Cardiorespiratory Fitness to Cancer Patients During COVID-19 Era and After SARS-CoV-2 Vaccine. <i>Frontiers in Physiology</i> , 2021, 12, 655955.	2.8	2
11	Physical and functional well-being and symptoms of ovarian cancer in women undergoing first-line of chemotherapy: a one-year follow-up. <i>Supportive Care in Cancer</i> , 2021, 29, 7421-7430.	2.2	1
12	ASO Visual Abstract: Longitudinal, Long-Term Comparison of Single-Versus Multi-Point Upper Limb Circumference Periodical Measurements as a Tool to Predict Persistent Lymphedema in Women Treated Surgically for Breast Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 541-542.	1.5	0
13	Evaluation of PD-L1 and tumor infiltrating lymphocytes in paired pretreatment biopsies and post neoadjuvant chemotherapy surgical specimens of breast carcinoma. <i>Scientific Reports</i> , 2021, 11, 22478.	3.3	8
14	Improving the performance of IOTA simple rules: sonographic assessment of adnexal masses with resource-effective use of a magnetic resonance scoring (ADNEX MR scoring system). <i>Abdominal Radiology</i> , 2020, 45, 3218-3229.	2.1	20
15	Preoperative Differentiation of Benign and Malignant Non-epithelial Ovarian Tumors: Clinical Features and Tumor Markers. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020, 42, 555-561.	0.8	5
16	Sentinel lymph node biopsy vs no axillary surgery in early breast cancer clinically and ultrasonographically node negative: A prospective randomized controlled trial—VENUS trial. <i>Breast Journal</i> , 2020, 26, 2087-2089.	1.0	3
17	Aerobic Exercise-Induced Changes in Cardiorespiratory Fitness in Breast Cancer Patients Receiving Chemotherapy: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2020, 12, 2240.	3.7	29
18	Diagnostic Value of the Neutrophil/Lymphocyte Ratio, Platelet/Lymphocyte Ratio, and Thrombocytosis in the Preoperative Investigation of Ovarian Masses. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020, 42, 397-403.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Breast Cancer in Men: Clinical and Pathological Analysis of 817 Cases. American Journal of Men's Health, 2020, 14, 155798832090810.	1.6	8
20	Levonorgestrel-releasing intrauterine system and breast cancer risk: A systematic review and meta-analysis. Acta Obstetrica Et Gynecologica Scandinavica, 2020, 99, 970-982.	2.8	47
21	Influence of Gender and Undergraduate Course on the Knowledge about HPV and HPV Vaccine, and Vaccination Rate among Students of a Public University. Revista Brasileira De Ginecologia E Obstetricia, 2020, 42, 096-105.	0.8	8
22	Copy number alterations associated with clinical features in an underrepresented population with breast cancer. Molecular Genetics & Genomic Medicine, 2019, 7, e00750.	1.2	7
23	Clinical Features and Management of Women with Borderline Ovarian Tumors in a Single Center in Brazil. Revista Brasileira De Ginecologia E Obstetricia, 2019, 41, 176-182.	0.8	7
24	Role of discoidin domain receptor 2 (DDR2) and microRNA-182 in survival of women with high-grade serous ovarian cancer. Tumor Biology, 2019, 41, 101042831882398.	1.8	11
25	Immunohistochemistry expression of targeted therapies biomarkers in ovarian clear cell and endometrioid carcinomas (type I) and endometriosis. Human Pathology, 2019, 85, 72-81.	2.0	16
26	BRCA1, Ki67, and $\beta$ -Catenin Immunoexpression Is Not Related to Differentiation, Platinum Response, or Prognosis in Women With Low- and High-Grade Serous Ovarian Carcinoma. International Journal of Gynecological Cancer, 2018, 28, 437-447.	2.5	11
27	Collagen analysis by second-harmonic generation microscopy predicts outcome of luminal breast cancer. Tumor Biology, 2018, 40, 101042831877095.	1.8	41
28	Exosome-mediated breast cancer chemoresistance via miR-155 transfer. Scientific Reports, 2018, 8, 829.	3.3	222
29	Vascular Alterations in Axillary and Brachial Vessels in Patients with Axillary Web Syndrome After Breast Cancer Surgery. Lymphatic Research and Biology, 2018, 16, 287-293.	1.1	12
30	Magnetic resonance imaging of the fetal brain at 3 Tesla. Medicine (United States), 2018, 97, e12602.	1.0	10
31	Endometriosis-Associated Ovarian Cancer: Population Characteristics and Prognosis. International Journal of Gynecological Cancer, 2018, 28, 1251-1257.	2.5	21
32	Multicenter Study Using Desorption-Electrospray-Ionization-Mass-Spectrometry Imaging for Breast-Cancer Diagnosis. Analytical Chemistry, 2018, 90, 11324-11332.	6.5	70
33	Accuracy of the ADNEX MR scoring system based on a simplified MRI protocol for the assessment of adnexal masses. Diagnostic and Interventional Radiology, 2018, 24, 63-71.	1.5	34
34	WT1, p53 and p16 expression in the diagnosis of low- and high-grade serous ovarian carcinomas and their relation to prognosis. Oncotarget, 2018, 9, 15818-15827.	1.8	30
35	Prevalence of CD30 immunostaining in neoplastic mast cells. Medicine (United States), 2018, 97, e10642.	1.0	10
36	Long term effects of manual lymphatic drainage and active exercises on physical morbidities, lymphoscintigraphy parameters and lymphedema formation in patients operated due to breast cancer: A clinical trial. PLoS ONE, 2018, 13, e0189176.	2.5	28

#	ARTICLE	IF	CITATIONS
37	Power Doppler Ultrasonography and Shear Wave Elastography as Complementary Imaging Methods for Suspected Local Breast Cancer Recurrence. Journal of Ultrasound in Medicine, 2018, 37, 1493-1501.	1.7	6
38	Performance of the <sc>IOTA ADNEX</sc> model in preoperative discrimination of adnexal masses in a gynecological oncology center. Ultrasound in Obstetrics and Gynecology, 2017, 49, 778-783.	1.7	50
39	Development of a Ki-67-based clinical trial assay for neoadjuvant endocrine therapy response monitoring in breast cancer. Breast Cancer Research and Treatment, 2017, 165, 355-364.	2.5	26
40	Expression of unusual immunohistochemical markers in mucinous breast carcinoma. Acta Histochemica, 2017, 119, 327-336.	1.8	10
41	Manual Lymphatic Drainage and Active Exercise Effects on Lymphatic Function Do Not Translate Into Morbidities in Women Who Underwent Breast Cancer Surgery. Archives of Physical Medicine and Rehabilitation, 2017, 98, 256-263.	0.9	8
42	Preoperative Measurement of Serum C-Reactive Protein: Is it Useful in the Differential Diagnosis of Adnexal Masses?. International Journal of Biological Markers, 2017, 32, 83-89.	1.8	4
43	Bacterial vaginosis and inflammatory response showed association with severity of cervical neoplasia in HPVâ€positive women. Diagnostic Cytopathology, 2016, 44, 80-86.	1.0	33
44	Assessment of the Cancer Risk of the Fat-Grafted Breast in a Murine Model. Aesthetic Surgery Journal, 2016, 37, sjw209.	1.6	2
45	Cysts within Otherwise Probably Benign Solid Breast Masses and the Risk of Malignancy. Revista Brasileira De Ginecologia E Obstetricia, 2016, 38, 170-176.	0.8	1
46	Lymphatic Function in the Early Postoperative Period of Breast Cancer Has No Short-Term Clinical Impact. Lymphatic Research and Biology, 2016, 14, 220-225.	1.1	3
47	Molecular Subtypes of Breast Cancer Are Not Associated with the Clinical Under- or Overstaging of Breast Cancer. Revista Brasileira De Ginecologia E Obstetricia, 2016, 38, 239-245.	0.8	0
48	Cyclooxygenase-2 (COX2) and p53 protein expression are interdependent in breast cancer but not associated with clinico-pathological surrogate subtypes, tumor aggressiveness and patient survival.. Acta Histochemica, 2016, 118, 176-182.	1.8	8
49	Comparing the Copenhagen Index (CPH-I) and Risk of Ovarian Malignancy Algorithm (ROMA): Two equivalent ways to differentiate malignant from benign ovarian tumors before surgery?. Gynecologic Oncology, 2016, 140, 481-485.	1.4	29
50	Performance of the Risk of Malignancy Index for Discriminating Malignant Tumors in Women With Adnexal Masses. Journal of Ultrasound in Medicine, 2016, 35, 143-152.	1.7	14
51	Prognostic significance of PD-L1 and PD-L2 in breast cancer. Human Pathology, 2016, 47, 78-84.	2.0	197
52	Exosomes-mediate microRNAs transfer in breast cancer chemoresistance regulation. American Journal of Cancer Research, 2016, 6, 2129-2139.	1.4	29
53	Omentum for Mammary Disorders: A 30-Year Systematic Review. Annals of Surgical Oncology, 2015, 22, 2540-2550.	1.5	19
54	Surgical Treatment of Microinvasive Cervical Cancer: Analysis of Pathologic Features With Implications on Radicality. International Journal of Gynecological Cancer, 2015, 25, 694-698.	2.5	25

#	ARTICLE	IF	CITATIONS
55	Increased metabolic activity detected by FLIM in human breast cancer cells with desmoplastic reaction: a pilot study. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
56	Strict Criteria for Selection of Laparoscopy for Women with Adnexal Mass. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2014, 18, e2014.00215.	1.1	0
57	Axillary web syndrome self-assessment questionnaire: Initial development and validation. <i>Breast</i> , 2014, 23, 836-843.	2.2	14
58	Incidence, predictive factors, and prognosis for winged scapula in breast cancer patients after axillary dissection. <i>Supportive Care in Cancer</i> , 2014, 22, 1611-1617.	2.2	10
59	Concomitant Cisplatin Plus Radiotherapy and High-Dose-Rate Brachytherapy Versus Radiotherapy Alone for Stage IIIB Epidermoid Cervical Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 542-547.	1.6	34
60	A portrait of single and multiple HPV type infections in Brazilian women of different age strata with squamous or glandular cervical lesions. <i>BMC Infectious Diseases</i> , 2014, 14, 214.	2.9	18
61	Analysis of the contribution of immunologically-detectable HER2, steroid receptors and of the triple-negative tumor status to disease-free and overall survival of women with epithelial ovarian cancer. <i>Acta Histochemica</i> , 2014, 116, 440-447.	1.8	27
62	Aluminum concentrations in central and peripheral areas of malignant breast lesions do not differ from those in normal breast tissues. <i>BMC Cancer</i> , 2013, 13, 104.	2.6	12
63	Tissue Aluminum Concentration Does Not Affect the Genomic Stability of ERBB2, C-MYC, and CCND1 Genes in Breast Cancer. <i>Biological Trace Element Research</i> , 2013, 154, 345-351.	3.5	9
64	Clinical effects of A4889G and T6235C polymorphisms in cytochrome P-450 CYP1A1 for breast cancer patients treated with tamoxifen: implications for tumor aggressiveness and patient survival. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 529-535.	2.3	5
65	Simple rules for ultrasonographic subcategorization of BI-RADS-US 4 breast masses. <i>European Journal of Radiology</i> , 2013, 82, 1231-1235.	2.6	22
66	Symptoms, CA125 and HE4 for the preoperative prediction of ovarian malignancy in Brazilian women with ovarian masses. <i>BMC Cancer</i> , 2013, 13, 423.	2.6	19
67	Efficacy of Concomitant Cisplatin Plus Radiation Therapy and High-Dose-Rate Brachytherapy Versus Radiation Therapy Alone for Stage IIIB Epidermoid Cervical Cancer: A 10-Year Randomized Controlled Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, S4.	0.8	1
68	Competing-Risks Regression Models in Analysis of Biomarkers as Predictors of High-risk Human Papillomavirus (HPV) Infection Outcomes and Incident CIN in the LAMS Cohort. <i>International Journal of Gynecological Pathology</i> , 2013, 32, 406-415.	1.4	2
69	HE4 can Help Discriminate Women with Malignant Ovarian Tumors only if CA125 Levels are Elevated. <i>International Journal of Biological Markers</i> , 2013, 28, 377-386.	1.8	2
70	Immediate Breast Reconstruction with a Latissimus Dorsi Flap Has No Detrimental Effects on Shoulder Motion or Postsurgical Complications up to 1 Year after Surgery. <i>Plastic and Reconstructive Surgery</i> , 2013, 131, 673e-680e.	1.4	29
71	Survival of women with ovarian carcinomas and borderline tumors is not affected by estrogen and progesterone receptor status. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 167.	2.2	7
72	Diagnostic and therapeutic challenges in the management of glandular abnormalities of the cervix. <i>Expert Review of Obstetrics and Gynecology</i> , 2012, 7, 49-58.	0.4	3

#	ARTICLE	IF	CITATIONS
73	Complex Breast Masses. Journal of Ultrasound in Medicine, 2012, 31, 581-587.	1.7	6
74	Ultrasound criteria and CA 125 as predictive variables of ovarian cancer in women with adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2012, 40, 360-366.	1.7	50
75	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2012, 460, 577-585.	2.8	43
76	Expression of cyclooxygenase-2 (COX-2) and p53 in neighboring invasive and in situ components of breast tumors. Acta Histochemica, 2012, 114, 226-231.	1.8	6
77	Hormonal Contraceptives and the Length of Their Use Are Not Independent Risk Factors for High-Risk HPV Infections or High-Grade CIN. Gynecologic and Obstetric Investigation, 2011, 71, 93-103.	1.6	27
78	Value of HPV-DNA test in women with cytological diagnosis of atypical glandular cells (AGC). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 159, 160-164.	1.1	20
79	Reduced Prevalence of the C825T Polymorphism of the G-Protein Beta Subunit Gene in Women with Breast Cancer. International Journal of Biological Markers, 2011, 26, 234-240.	1.8	2
80	Prognostic Significance of GRP78 Expression Patterns in Breast Cancer Patients Receiving Adjuvant Chemotherapy. International Journal of Biological Markers, 2011, 26, 188-196.	1.8	11
81	Prognostic significance of GRP78 expression patterns advanced breast cancer. Breast, 2011, 20, S24.	2.2	0
82	Long term recovery of shoulder motion capacity after mastectomy is significantly worse in women with advanced breast cancer. Breast, 2011, 20, S35.	2.2	0
83	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Screening Studies. International Journal of STD and AIDS, 2011, 22, 315-323.	1.1	4
84	Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. International Journal of STD and AIDS, 2011, 22, 263-272.	1.1	9
85	Immediate Breast Reconstruction With Transverse Latissimus Dorsi Flap Does Not Affect the Short-term Recovery of Shoulder Range of Motion After Mastectomy. Annals of Plastic Surgery, 2010, 64, 402-408.	0.9	26
86	p300 Expression is Related to High-risk Human Papillomavirus Infections and Severity of Cervical Intraepithelial Neoplasia But Not to Viral or Disease Outcomes in a Longitudinal Setting. International Journal of Gynecological Pathology, 2010, 29, 135-145.	1.4	6
87	Waist Circumference and Waist to Hip Ratio Do Not Contribute Additional Information on Hormone Receptor Status of Breast Tumors in Obese Women. Breast Journal, 2010, 16, 323-324.	1.0	2
88	Up-regulation of Lipocalin 2 Is Associated With High-Risk Human Papillomavirus and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of Infections or Incident Cervical Intraepithelial Neoplasia. American Journal of Clinical Pathology, 2010, 134, 50-59.	0.7	11
89	Up-Regulation of 14-3-3Îf (Stratifyn) Is Associated With High-Grade CIN and High-Risk Human Papillomavirus (HPV) at Baseline but Does Not Predict Outcomes of HR-HPV Infections or Incident CIN in the LAMS Study. American Journal of Clinical Pathology, 2010, 133, 232-240.	0.7	4
90	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. Journal of Medical Screening, 2010, 17, 195-203.	2.3	12



#	ARTICLE	IF	CITATIONS
91	AvaliaÃo psicolÃgica dos cuidadores de mulheres com cÃncer pelo General Comfort Questionnaire. Paideia, 2010, 20, 229-237.	0.1	16
92	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. International Journal of Biological Markers, 2009, 24, 238-244.	1.8	0
93	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. Sao Paulo Medical Journal, 2009, 127, 122-127.	0.9	6
94	Up-Regulation of Plasminogen Activator Inhibitor-2 Is Associated With High-Risk HPV and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of High-Risk HPV Infections or Incident CIN. American Journal of Clinical Pathology, 2009, 132, 883-892.	0.7	6
95	Relationship between body mass index, waist circumference and waist to hip ratio and the steroid hormone receptor status in breast carcinoma of pre- and postmenopausal women. Breast, 2009, 18, 8-12.	2.2	14
96	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2009, 455, 505-515.	2.8	26
97	Smoking worsens the prognosis of mild abnormalities in cervical cytology. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 514-520.	2.8	15
98	Human Papillomavirus-specific Genotypes in Cervical Lesions of Women Referred for Smears With Atypical Glandular Cells or Adenocarcinoma In Situ. International Journal of Gynecological Pathology, 2009, 28, 272-278.	1.4	17
99	Increased Risk of Oncogenic Human Papillomavirus Infections and Incident High-Grade Cervical Intraepithelial Neoplasia Among Smokers. Sexually Transmitted Diseases, 2009, 36, 241-248.	1.7	24
100	Persistent High-Risk Human Papillomavirus Infections and Other End-Point Markers of Progressive Cervical Disease Among Women Prospectively Followed up in the New Independent States of the Former Soviet Union and the Latin American Screening Study Cohorts. International Journal of Gynecological Cancer, 2009, 19, 934-942.	2.5	20
101	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. International Journal of Biological Markers, 2009, 24, 238-244.	1.8	1
102	Increased detection of clue cells in smears from cervical intraepithelial lesions with reduced expression of COXâ€². Diagnostic Cytopathology, 2008, 36, 705-709.	1.0	9
103	Implications of a Postoperative Rehabilitation Program on Quality of Life in Women with Primary Breast Cancer Treated with Sentinel Lymph Node Biopsy or Complete Axillary Lymph Node Dissection. Annals of Surgical Oncology, 2008, 15, 3342-3349.	1.5	13
104	Expression of p16INK4a and cervical infection with high-risk human papillomavirus are not related to p53 activity in cervical intraepithelial neoplasia. International Journal of Gynecological Cancer, 2008, 18, 1060-1064.	2.5	6
105	Endocervical glandular cell abnormalities in conventional cervical smears: evaluation of the performance of cytomorphological criteria and HPV testing in predicting neoplasia. Cytopathology, 2008, 19, 34-43.	0.7	20
106	Recovery of DNA for the detection and genotyping of human papillomavirus from clinical cervical specimens stored for up to 2 years in a universal collection medium with denaturing reagent. Journal of Virological Methods, 2008, 147, 333-337.	2.1	8
107	Atypical glandular cells and adenocarcinoma in situ according to the Bethesda 2001 classification: Cytohistological correlation and clinical implications. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 139, 79-85.	1.1	33
108	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. International Journal of STD and AIDS, 2008, 19, 251-258.	1.1	10

#	ARTICLE	IF	CITATIONS
109	Value of Conventional Pap Smear, Liquid-Based Cytology, Visual Inspection and Human Papillomavirus Testing as Optional Screening Tools Among Latin American Women < 35 and = 35 Years of Age. <i>Acta Cytologica</i> , 2008, 52, 641-653.	1.3	15
110	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008, 15, 97-104.	2.3	7
111	Self-sampling for human papillomavirus (HPV) testing as cervical cancer screening option. Experience from the LAMS study. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2008, 29, 327-32.	0.2	15
112	Human papillomavirus (HPV) infections as risk factors for cytological and histological abnormalities in baseline PAP smear-negative women followed-up for 2 years in the LAMS study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 133, 239-246.	1.1	13
113	The impact of a community intervention to improve cervical cancer screening uptake in the Amazon region of Brazil. <i>Sao Paulo Medical Journal</i> , 2007, 125, 42-45.	0.9	5
114	AssociaÃ§Ã£o entre idade ao inÃcio da atividade sexual e subsequÃente infecÃ§Ã£o por papilomavÃrus humano: resultados de um programa de rastreamento brasileiro. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2007, 29, .	0.8	13
115	Interlaboratory Quality Control in Gynecologic Cytopathology Using the Novel CONQUISTADOR Software. <i>Acta Cytologica</i> , 2007, 51, 872-881.	1.3	3
116	Cell proliferation activity unrelated to COX-2 expression in ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2007, 17, 607-614.	2.5	13
117	Variants of Human Papillomavirus Types 16 and 18. <i>International Journal of Gynecological Pathology</i> , 2006, 25, 393-397.	1.4	19
118	Evaluation of the Complexity of Postoperative Care Following Breast and Gynecologic Cancer Surgery. <i>Cancer Nursing</i> , 2006, 29, 499-505.	1.5	1
119	Human papillomavirus testing as an optional screening tool in low-resource settings of Latin America: experience from the Latin American Screening study. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 955-962.	2.5	34
120	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006, 85, 444-450.	2.8	11
121	Expression of cyclooxygenase-2 (COX-2) and Ki67 as related to disease severity and HPV detection in squamous lesions of the cervix. <i>Gynecologic Oncology</i> , 2006, 102, 537-541.	1.4	33
122	Human papillomavirus testing as an optional screening tool in low-resource settings of Latin America: experience from the Latin American Screening study. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 955-962.	2.5	13
123	Conventional Pap Smear and Liquid-Based Cytology as Screening Tools in Low-Resource Settings in Latin America. <i>Acta Cytologica</i> , 2005, 49, 500-506.	1.3	31
124	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005, 126, 197-201.	2.1	13
125	Human Papillomavirus Detection by Hybrid Capture II and Residual or Recurrent High-Grade Squamous Cervical Intraepithelial Neoplasia after Large Loop Excision of the Transformation Zone (LLETZ). <i>Tumori</i> , 2005, 91, 188-192.	1.1	9
126	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America: This report refers to partial results from the LAMS (Latin American Screening) study. <i>Journal of Medical Screening</i> , 2005, 12, 142-149.	2.3	126



#	ARTICLE	IF	CITATIONS
127	DepressÃo e ansiedade nos cuidadores de mulheres em fase terminal de cÃncer de mama e ginecolÃgico. Revista Brasileira De Ginecologia E Obstetricia, 2005, 27, 737-743.	0.8	10
128	Human papillomavirus detection by hybrid capture II and residual or recurrent high-grade squamous cervical intraepithelial neoplasia after large loop excision of the transformation zone (LLETZ). Tumori, 2005, 91, 188-92.	1.1	3
129	AvaliaÃo de mÃtodos alternativos Ã citologia no rastreamento de lesÃes cervicais: detecÃo de DNA-HPV e inspeÃo visual. Revista Brasileira De Ginecologia E Obstetricia, 2004, 26, 269-275.	0.8	2
130	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. Gynecologic Oncology, 2004, 94, 181-186.	1.4	41
131	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. Gynecologic Oncology, 2004, 95, 618-623.	1.4	57
132	Factors associated with HPV persistence after treatment for high-grade cervical intra-epithelial neoplasia with large loop excision of the transformation zone (LLETZ). Journal of Clinical Virology, 2004, 31, 270-274.	3.1	68
133	Resultados histolÃgicos e detecÃo do HPV em mulheres com cÃlulas escamosas atÃpicas de significado indeterminado e lesÃo escamosa intra-epitelial de baixo grau na colpocitologia oncolÃgica. Revista Brasileira De Ginecologia E Obstetricia, 2004, 26, 457-462.	0.8	1
134	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. Sao Paulo Medical Journal, 2003, 121, 238-243.	0.9	24
135	Carga viral do papilomavirus humano na prediÃo da gravidade de lesÃes cervicais em mulheres com atÃpias celulares na colpocitologia oncolÃgica. Revista Brasileira De Ginecologia E Obstetricia, 2003, 25, 365-370.	0.8	0
136	PRODUÃO DE VÃDEO EDUCATIVO PARA PREVENÃO DE LINFEDEMA: RELATO DA EXPERIÃNCIA DE UM PROJETO DE EXTENSÃO. Revista ConexÃo UEPC, 0, 17, 1-17.	0.1	0
137	Achados multiparamÃtricos de ressonÃncia magnÃtica em massas anexiais. , 0, , .		0