

LuÃ-s Otavio Sarian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/495430/publications.pdf>

Version: 2024-02-01

137
papers

2,591
citations

249298

26
h-index

299063

42
g-index

151
all docs

151
docs citations

151
times ranked

4040
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis of placenta accreta spectrum in high-risk women using ultrasonography or magnetic resonance imaging: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 428-436.	0.9	20
2	Assessment of the performance of the O-RADS MRI score for the evaluation of adnexal masses, with technical notes. <i>Radiologia Brasileira</i> , 2022, 55, 137-144.	0.3	7
3	Aerobic Fitness is a Predictor of Body Composition in Women With Breast Cancer at Diagnosis. <i>Clinical Breast Cancer</i> , 2021, 21, e245-e251.	1.1	1
4	<i>GSTP1</i> and <i>ABCB1</i> Polymorphisms Predicting Toxicities and Clinical Management on Carboplatin and Paclitaxel-Based Chemotherapy in Ovarian Cancer. <i>Clinical and Translational Science</i> , 2021, 14, 720-728.	1.5	15
5	Long-term outcomes of concomitant cisplatin plus radiotherapy versus radiotherapy alone in patients with stage IIIB squamous cervical cancer: A randomized controlled trial. <i>Gynecologic Oncology</i> , 2021, 160, 379-383.	0.6	7
6	Elimination of cervical cancer in low- and middle-income countries: Inequality of access and fragile healthcare systems. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 152, 7-11.	1.0	23
7	Association between breast cancer risk and levonorgestrel-releasing intrauterine system. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1750-1750.	1.3	0
8	ASO Author Reflections: A Roadmap to Early Detection of Patients at Increased Risk of Developing Persistent Lymphedema After Breast Cancer Surgery Has Been Outlined: What to Offer Them Remains Elusive. <i>Annals of Surgical Oncology</i> , 2021, 28, 8677-8678.	0.7	0
9	Longitudinal, Long-Term Comparison of Single- versus Multipoint Upper Limb Circumference Periodical Measurements as a Tool to Predict Persistent Lymphedema in Women Treated Surgically for Breast Cancer: An Optimized Strategy to Early Diagnose Lymphedema and Avoid Permanent Sequelae in Breast Cancer Survivors. <i>Annals of Surgical Oncology</i> , 2021, 28, 8665-8676.	0.7	6
10	Maintenance of Muscle Mass and Cardiorespiratory Fitness to Cancer Patients During COVID-19 Era and After SARS-CoV-2 Vaccine. <i>Frontiers in Physiology</i> , 2021, 12, 655955.	1.3	2
11	Physical and functional well-being and symptoms of ovarian cancer in women undergoing first-line of chemotherapy: a one-year follow-up. <i>Supportive Care in Cancer</i> , 2021, 29, 7421-7430.	1.0	1
12	ASO Visual Abstract: Longitudinal, Long-Term Comparison of Single-Versus Multi-Point Upper Limb Circumference Periodical Measurements as a Tool to Predict Persistent Lymphedema in Women Treated Surgically for Breast Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 541-542.	0.7	0
13	Evaluation of PD-L1 and tumor infiltrating lymphocytes in paired pretreatment biopsies and post neoadjuvant chemotherapy surgical specimens of breast carcinoma. <i>Scientific Reports</i> , 2021, 11, 22478.	1.6	8
14	Improving the performance of IOTA simple rules: sonographic assessment of adnexal masses with resource-effective use of a magnetic resonance scoring (ADNEX MR scoring system). <i>Abdominal Radiology</i> , 2020, 45, 3218-3229.	1.0	20
15	Preoperative Differentiation of Benign and Malignant Non-epithelial Ovarian Tumors: Clinical Features and Tumor Markers. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020, 42, 555-561.	0.3	5
16	Sentinel lymph node biopsy vs no axillary surgery in early breast cancer clinically and ultrasonographically node negative: A prospective randomized controlled trial – VENUS trial. <i>Breast Journal</i> , 2020, 26, 2087-2089.	0.4	3
17	Aerobic Exercise-Induced Changes in Cardiorespiratory Fitness in Breast Cancer Patients Receiving Chemotherapy: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2020, 12, 2240.	1.7	29
18	Diagnostic Value of the Neutrophil/Lymphocyte Ratio, Platelet/Lymphocyte Ratio, and Thrombocytosis in the Preoperative Investigation of Ovarian Masses. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020, 42, 397-403.	0.3	5

#	ARTICLE	IF	CITATIONS
19	Breast Cancer in Men: Clinical and Pathological Analysis of 817 Cases. <i>American Journal of Men's Health</i> , 2020, 14, 155798832090810.	0.7	8
20	Levonorgestrel-releasing intrauterine system and breast cancer risk: A systematic review and meta-analysis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020, 99, 970-982.	1.3	47
21	Influence of Gender and Undergraduate Course on the Knowledge about HPV and HPV Vaccine, and Vaccination Rate among Students of a Public University. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2020, 42, 096-105.	0.3	8
22	Copy number alterations associated with clinical features in an underrepresented population with breast cancer. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e00750.	0.6	7
23	Clinical Features and Management of Women with Borderline Ovarian Tumors in a Single Center in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019, 41, 176-182.	0.3	7
24	Role of discoidin domain receptor 2 (DDR2) and microRNA-182 in survival of women with high-grade serous ovarian cancer. <i>Tumor Biology</i> , 2019, 41, 101042831882398.	0.8	11
25	Immunohistochemistry expression of targeted therapies biomarkers in ovarian clear cell and endometrioid carcinomas (type I) and endometriosis. <i>Human Pathology</i> , 2019, 85, 72-81.	1.1	16
26	BRCA1, Ki67, and β -Catenin Immunoexpression Is Not Related to Differentiation, Platinum Response, or Prognosis in Women With Low- and High-Grade Serous Ovarian Carcinoma. <i>International Journal of Gynecological Cancer</i> , 2018, 28, 437-447.	1.2	11
27	Collagen analysis by second-harmonic generation microscopy predicts outcome of luminal breast cancer. <i>Tumor Biology</i> , 2018, 40, 101042831877095.	0.8	41
28	Exosome-mediated breast cancer chemoresistance via miR-155 transfer. <i>Scientific Reports</i> , 2018, 8, 829.	1.6	222
29	Vascular Alterations in Axillary and Brachial Vessels in Patients with Axillary Web Syndrome After Breast Cancer Surgery. <i>Lymphatic Research and Biology</i> , 2018, 16, 287-293.	0.5	12
30	Magnetic resonance imaging of the fetal brain at 3 Tesla. <i>Medicine (United States)</i> , 2018, 97, e12602.	0.4	10
31	Endometriosis-Associated Ovarian Cancer: Population Characteristics and Prognosis. <i>International Journal of Gynecological Cancer</i> , 2018, 28, 1251-1257.	1.2	21
32	Multicenter Study Using Desorption-Electrospray-Ionization-Mass-Spectrometry Imaging for Breast-Cancer Diagnosis. <i>Analytical Chemistry</i> , 2018, 90, 11324-11332.	3.2	70
33	Accuracy of the ADNEX MR scoring system based on a simplified MRI protocol for the assessment of adnexal masses. <i>Diagnostic and Interventional Radiology</i> , 2018, 24, 63-71.	0.7	34
34	WT1, p53 and p16 expression in the diagnosis of low- and high-grade serous ovarian carcinomas and their relation to prognosis. <i>Oncotarget</i> , 2018, 9, 15818-15827.	0.8	30
35	Prevalence of CD30 immunostaining in neoplastic mast cells. <i>Medicine (United States)</i> , 2018, 97, e10642.	0.4	10
36	Long term effects of manual lymphatic drainage and active exercises on physical morbidities, lymphoscintigraphy parameters and lymphedema formation in patients operated due to breast cancer: A clinical trial. <i>PLoS ONE</i> , 2018, 13, e0189176.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Power Doppler Ultrasonography and Shear Wave Elastography as Complementary Imaging Methods for Suspected Local Breast Cancer Recurrence. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 1493-1501.	0.8	6
38	Performance of the IOTA ADNEX model in preoperative discrimination of adnexal masses in a gynecological oncology center. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 778-783.	0.9	50
39	Development of a Ki-67-based clinical trial assay for neoadjuvant endocrine therapy response monitoring in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 355-364.	1.1	26
40	Expression of unusual immunohistochemical markers in mucinous breast carcinoma. <i>Acta Histochemica</i> , 2017, 119, 327-336.	0.9	10
41	Manual Lymphatic Drainage and Active Exercise Effects on Lymphatic Function Do Not Translate Into Morbidities in Women Who Underwent Breast Cancer Surgery. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 256-263.	0.5	8
42	Preoperative Measurement of Serum C-Reactive Protein: Is it Useful in the Differential Diagnosis of Adnexal Masses?. <i>International Journal of Biological Markers</i> , 2017, 32, 83-89.	0.7	4
43	Bacterial vaginosis and inflammatory response showed association with severity of cervical neoplasia in HPV-positive women. <i>Diagnostic Cytopathology</i> , 2016, 44, 80-86.	0.5	33
44	Assessment of the Cancer Risk of the Fat-Grafted Breast in a Murine Model. <i>Aesthetic Surgery Journal</i> , 2016, 37, sjw209.	0.9	2
45	Cysts within Otherwise Probably Benign Solid Breast Masses and the Risk of Malignancy. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 170-176.	0.3	1
46	Lymphatic Function in the Early Postoperative Period of Breast Cancer Has No Short-Term Clinical Impact. <i>Lymphatic Research and Biology</i> , 2016, 14, 220-225.	0.5	3
47	Molecular Subtypes of Breast Cancer Are Not Associated with the Clinical Under- or Overstaging of Breast Cancer. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 239-245.	0.3	0
48	Cyclooxygenase-2 (COX2) and p53 protein expression are interdependent in breast cancer but not associated with clinico-pathological surrogate subtypes, tumor aggressiveness and patient survival.. <i>Acta Histochemica</i> , 2016, 118, 176-182.	0.9	8
49	Comparing the Copenhagen Index (CPH-I) and Risk of Ovarian Malignancy Algorithm (ROMA): Two equivalent ways to differentiate malignant from benign ovarian tumors before surgery?. <i>Gynecologic Oncology</i> , 2016, 140, 481-485.	0.6	29
50	Performance of the Risk of Malignancy Index for Discriminating Malignant Tumors in Women With Adnexal Masses. <i>Journal of Ultrasound in Medicine</i> , 2016, 35, 143-152.	0.8	14
51	Prognostic significance of PD-L1 and PD-L2 in breast cancer. <i>Human Pathology</i> , 2016, 47, 78-84.	1.1	197
52	Exosomes-mediate microRNAs transfer in breast cancer chemoresistance regulation. <i>American Journal of Cancer Research</i> , 2016, 6, 2129-2139.	1.4	29
53	Omentum for Mammary Disorders: A 30-Year Systematic Review. <i>Annals of Surgical Oncology</i> , 2015, 22, 2540-2550.	0.7	19
54	Surgical Treatment of Microinvasive Cervical Cancer: Analysis of Pathologic Features With Implications on Radicality. <i>International Journal of Gynecological Cancer</i> , 2015, 25, 694-698.	1.2	25

#	ARTICLE	IF	CITATIONS
55	Increased metabolic activity detected by FLIM in human breast cancer cells with desmoplastic reaction: a pilot study. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
56	Strict Criteria for Selection of Laparoscopy for Women with Adnexal Mass. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2014, 18, e2014.00215.	0.5	0
57	Axillary web syndrome self-assessment questionnaire: Initial development and validation. <i>Breast</i> , 2014, 23, 836-843.	0.9	14
58	Incidence, predictive factors, and prognosis for winged scapula in breast cancer patients after axillary dissection. <i>Supportive Care in Cancer</i> , 2014, 22, 1611-1617.	1.0	10
59	Concomitant Cisplatin Plus Radiotherapy and High-Dose-Rate Brachytherapy Versus Radiotherapy Alone for Stage IIIB Epidermoid Cervical Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 542-547.	0.8	34
60	A portrait of single and multiple HPV type infections in Brazilian women of different age strata with squamous or glandular cervical lesions. <i>BMC Infectious Diseases</i> , 2014, 14, 214.	1.3	18
61	Analysis of the contribution of immunologically-detectable HER2, steroid receptors and of the triple-negative tumor status to disease-free and overall survival of women with epithelial ovarian cancer. <i>Acta Histochemica</i> , 2014, 116, 440-447.	0.9	27
62	Aluminum concentrations in central and peripheral areas of malignant breast lesions do not differ from those in normal breast tissues. <i>BMC Cancer</i> , 2013, 13, 104.	1.1	12
63	Tissue Aluminum Concentration Does Not Affect the Genomic Stability of ERBB2, C-MYC, and CCND1 Genes in Breast Cancer. <i>Biological Trace Element Research</i> , 2013, 154, 345-351.	1.9	9
64	Clinical effects of A4889G and T6235C polymorphisms in cytochrome P-450 CYP1A1 for breast cancer patients treated with tamoxifen: implications for tumor aggressiveness and patient survival. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 529-535.	1.1	5
65	Simple rules for ultrasonographic subcategorization of BI-RADS-US 4 breast masses. <i>European Journal of Radiology</i> , 2013, 82, 1231-1235.	1.2	22
66	Symptoms, CA125 and HE4 for the preoperative prediction of ovarian malignancy in Brazilian women with ovarian masses. <i>BMC Cancer</i> , 2013, 13, 423.	1.1	19
67	Efficacy of Concomitant Cisplatin Plus Radiation Therapy and High-Dose-Rate Brachytherapy Versus Radiation Therapy Alone for Stage IIIB Epidermoid Cervical Cancer: A 10-Year Randomized Controlled Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, S4.	0.4	1
68	Competing-Risks Regression Models in Analysis of Biomarkers as Predictors of High-risk Human Papillomavirus (HPV) Infection Outcomes and Incident CIN in the LAMS Cohort. <i>International Journal of Gynecological Pathology</i> , 2013, 32, 406-415.	0.9	2
69	HE4 can Help Discriminate Women with Malignant Ovarian Tumors only if CA125 Levels are Elevated. <i>International Journal of Biological Markers</i> , 2013, 28, 377-386.	0.7	2
70	Immediate Breast Reconstruction with a Latissimus Dorsi Flap Has No Detrimental Effects on Shoulder Motion or Postsurgical Complications up to 1 Year after Surgery. <i>Plastic and Reconstructive Surgery</i> , 2013, 131, 673e-680e.	0.7	29
71	Survival of women with ovarian carcinomas and borderline tumors is not affected by estrogen and progesterone receptor status. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 167.	1.0	7
72	Diagnostic and therapeutic challenges in the management of glandular abnormalities of the cervix. <i>Expert Review of Obstetrics and Gynecology</i> , 2012, 7, 49-58.	0.4	3

#	ARTICLE	IF	CITATIONS
73	Complex Breast Masses. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 581-587.	0.8	6
74	Ultrasound criteria and CA 125 as predictive variables of ovarian cancer in women with adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 360-366.	0.9	50
75	Performance characteristics of Pap test, VIA, VILI, HR-HPV testing, cervicography, and colposcopy in diagnosis of significant cervical pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 577-585.	1.4	43
76	Expression of cyclooxygenase-2 (COX-2) and p53 in neighboring invasive and in situ components of breast tumors. <i>Acta Histochemica</i> , 2012, 114, 226-231.	0.9	6
77	Hormonal Contraceptives and the Length of Their Use Are Not Independent Risk Factors for High-Risk HPV Infections or High-Grade CIN. <i>Gynecologic and Obstetric Investigation</i> , 2011, 71, 93-103.	0.7	27
78	Value of HPV-DNA test in women with cytological diagnosis of atypical glandular cells (AGC). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 160-164.	0.5	20
79	Reduced Prevalence of the C825T Polymorphism of the G-Protein Beta Subunit Gene in Women with Breast Cancer. <i>International Journal of Biological Markers</i> , 2011, 26, 234-240.	0.7	2
80	Prognostic Significance of GRP78 Expression Patterns in Breast Cancer Patients Receiving Adjuvant Chemotherapy. <i>International Journal of Biological Markers</i> , 2011, 26, 188-196.	0.7	11
81	Prognostic significance of GRP78 expression patterns advanced breast cancer. <i>Breast</i> , 2011, 20, S24.	0.9	0
82	Long term recovery of shoulder motion capacity after mastectomy is significantly worse in women with advanced breast cancer. <i>Breast</i> , 2011, 20, S35.	0.9	0
83	Risk estimates for persistent high-risk human papillomavirus infections as surrogate endpoints of progressive cervical disease critically depend on reference category: analysis of the combined prospective cohort of the New Independent States of the Former Soviet Union and Latin American Screening Studies. <i>International Journal of STD and AIDS</i> , 2011, 22, 315-323.	0.5	4
84	Co-factors of high-risk human papillomavirus infections display unique profiles in incident CIN1, CIN2 and CIN3. <i>International Journal of STD and AIDS</i> , 2011, 22, 263-272.	0.5	9
85	Immediate Breast Reconstruction With Transverse Latissimus Dorsi Flap Does Not Affect the Short-term Recovery of Shoulder Range of Motion After Mastectomy. <i>Annals of Plastic Surgery</i> , 2010, 64, 402-408.	0.5	26
86	p300 Expression is Related to High-risk Human Papillomavirus Infections and Severity of Cervical Intraepithelial Neoplasia But Not to Viral or Disease Outcomes in a Longitudinal Setting. <i>International Journal of Gynecological Pathology</i> , 2010, 29, 135-145.	0.9	6
87	Waist Circumference and Waist to Hip Ratio Do Not Contribute Additional Information on Hormone Receptor Status of Breast Tumors in Obese Women. <i>Breast Journal</i> , 2010, 16, 323-324.	0.4	2
88	Up-regulation of Lipocalin 2 Is Associated With High-Risk Human Papillomavirus and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of Infections or Incident Cervical Intraepithelial Neoplasia. <i>American Journal of Clinical Pathology</i> , 2010, 134, 50-59.	0.4	11
89	Up-Regulation of 14-3-3 β (Stratifin) Is Associated With High-Grade CIN and High-Risk Human Papillomavirus (HPV) at Baseline but Does Not Predict Outcomes of HR-HPV Infections or Incident CIN in the LAMS Study. <i>American Journal of Clinical Pathology</i> , 2010, 133, 232-240.	0.4	4
90	Optional screening strategies for cervical cancer using standalone tests and their combinations among low- and medium-income populations in Latin America and Eastern Europe. <i>Journal of Medical Screening</i> , 2010, 17, 195-203.	1.1	12

#	ARTICLE	IF	CITATIONS
91	AvaliaÃo psicolÃgica dos cuidadores de mulheres com cÃncer pelo General Comfort Questionnaire. <i>Paideia</i> , 2010, 20, 229-237.	0.1	16
92	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009, 24, 238-244.	0.7	0
93	Phylogenetic classification of human papillomavirus genotypes in high-grade cervical intraepithelial neoplasia in women from a densely populated Brazilian urban region. <i>Sao Paulo Medical Journal</i> , 2009, 127, 122-127.	0.4	6
94	Up-Regulation of Plasminogen Activator Inhibitor-2 Is Associated With High-Risk HPV and Grade of Cervical Lesion at Baseline but Does Not Predict Outcomes of High-Risk HPV Infections or Incident CIN. <i>American Journal of Clinical Pathology</i> , 2009, 132, 883-892.	0.4	6
95	Relationship between body mass index, waist circumference and waist to hip ratio and the steroid hormone receptor status in breast carcinoma of pre- and postmenopausal women. <i>Breast</i> , 2009, 18, 8-12.	0.9	14
96	Immunosuppressive cytokine Interleukin-10 (IL-10) is up-regulated in high-grade CIN but not associated with high-risk human papillomavirus (HPV) at baseline, outcomes of HR-HPV infections or incident CIN in the LAMS cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 505-515.	1.4	26
97	Smoking worsens the prognosis of mild abnormalities in cervical cytology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 514-520.	1.3	15
98	Human Papillomavirus-specific Genotypes in Cervical Lesions of Women Referred for Smears With Atypical Glandular Cells or Adenocarcinoma In Situ. <i>International Journal of Gynecological Pathology</i> , 2009, 28, 272-278.	0.9	17
99	Increased Risk of Oncogenic Human Papillomavirus Infections and Incident High-Grade Cervical Intraepithelial Neoplasia Among Smokers. <i>Sexually Transmitted Diseases</i> , 2009, 36, 241-248.	0.8	24
100	Persistent High-Risk Human Papillomavirus Infections and Other End-Point Markers of Progressive Cervical Disease Among Women Prospectively Followed up in the New Independent States of the Former Soviet Union and the Latin American Screening Study Cohorts. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 934-942.	1.2	20
101	Comparative evaluation of the erbB2 and hormone receptor status of neighboring invasive and in situ components of ductal carcinomas of the breast. <i>International Journal of Biological Markers</i> , 2009, 24, 238-244.	0.7	1
102	Increased detection of clue cells in smears from cervical intraepithelial lesions with reduced expression of COXâ€². <i>Diagnostic Cytopathology</i> , 2008, 36, 705-709.	0.5	9
103	Implications of a Postoperative Rehabilitation Program on Quality of Life in Women with Primary Breast Cancer Treated with Sentinel Lymph Node Biopsy or Complete Axillary Lymph Node Dissection. <i>Annals of Surgical Oncology</i> , 2008, 15, 3342-3349.	0.7	13
104	Expression of p16INK4a and cervical infection with high-risk human papillomavirus are not related to p53 activity in cervical intraepithelial neoplasia. <i>International Journal of Gynecological Cancer</i> , 2008, 18, 1060-1064.	1.2	6
105	Endocervical glandular cell abnormalities in conventional cervical smears: evaluation of the performance of cytomorphological criteria and HPV testing in predicting neoplasia. <i>Cytopathology</i> , 2008, 19, 34-43.	0.4	20
106	Recovery of DNA for the detection and genotyping of human papillomavirus from clinical cervical specimens stored for up to 2 years in a universal collection medium with denaturing reagent. <i>Journal of Virological Methods</i> , 2008, 147, 333-337.	1.0	8
107	Atypical glandular cells and adenocarcinoma in situ according to the Bethesda 2001 classification: Cytohistological correlation and clinical implications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 139, 79-85.	0.5	33
108	Drug addiction is not an independent risk factor for oncogenic human papillomavirus infections or high-grade cervical intraepithelial neoplasia: case-control study nested within the Latin American Screening study cohort. <i>International Journal of STD and AIDS</i> , 2008, 19, 251-258.	0.5	10

#	ARTICLE	IF	CITATIONS
109	Value of Conventional Pap Smear, Liquid-Based Cytology, Visual Inspection and Human Papillomavirus Testing as Optional Screening Tools Among Latin American Women < 35 and = 35 Years of Age. <i>Acta Cytologica</i> , 2008, 52, 641-653.	0.7	15
110	Safety of screening with Human papillomavirus testing for cervical cancer at three-year intervals in a high-risk population: experience from the LAMS study. <i>Journal of Medical Screening</i> , 2008, 15, 97-104.	1.1	7
111	Self-sampling for human papillomavirus (HPV) testing as cervical cancer screening option. Experience from the LAMS study. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2008, 29, 327-32.	0.3	15
112	Human papillomavirus (HPV) infections as risk factors for cytological and histological abnormalities in baseline PAP smear-negative women followed-up for 2 years in the LAMS study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 133, 239-246.	0.5	13
113	The impact of a community intervention to improve cervical cancer screening uptake in the Amazon region of Brazil. <i>Sao Paulo Medical Journal</i> , 2007, 125, 42-45.	0.4	5
114	AssociaÃ§Ã£o entre idade ao inÃcio da atividade sexual e subsequente infecÃ§Ã£o por papilomavÃrus humano: resultados de um programa de rastreamento brasileiro. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2007, 29, .	0.3	13
115	Interlaboratory Quality Control in Gynecologic Cytopathology Using the Novel CONQUISTADOR Software. <i>Acta Cytologica</i> , 2007, 51, 872-881.	0.7	3
116	Cell proliferation activity unrelated to COX-2 expression in ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2007, 17, 607-614.	1.2	13
117	Variants of Human Papillomavirus Types 16 and 18. <i>International Journal of Gynecological Pathology</i> , 2006, 25, 393-397.	0.9	19
118	Evaluation of the Complexity of Postoperative Care Following Breast and Gynecologic Cancer Surgery. <i>Cancer Nursing</i> , 2006, 29, 499-505.	0.7	1
119	Human papillomavirus testing as an optional screening tool in low-resource settings of Latin America: experience from the Latin American Screening study. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 955-962.	1.2	34
120	Performance of Pap smear and human papilloma virus testing in the follow-up of women with cervical intraepithelial neoplasia grade 1 managed conservatively. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006, 85, 444-450.	1.3	11
121	Expression of cyclooxygenase-2 (COX-2) and Ki67 as related to disease severity and HPV detection in squamous lesions of the cervix. <i>Gynecologic Oncology</i> , 2006, 102, 537-541.	0.6	33
122	Human papillomavirus testing as an optional screening tool in low-resource settings of Latin America: experience from the Latin American Screening study. <i>International Journal of Gynecological Cancer</i> , 2006, 16, 955-962.	1.2	13
123	Conventional Pap Smear and Liquid-Based Cytology as Screening Tools in Low-Resource Settings in Latin America. <i>Acta Cytologica</i> , 2005, 49, 500-506.	0.7	31
124	DNA recovery from Hybrid Capture II samples stored in specimen transport medium with denaturing reagent, for the detection of human papillomavirus by PCR. <i>Journal of Virological Methods</i> , 2005, 126, 197-201.	1.0	13
125	Human Papillomavirus Detection by Hybrid Capture II and Residual or Recurrent High-Grade Squamous Cervical Intraepithelial Neoplasia after Large Loop Excision of the Transformation Zone (LLETZ). <i>Tumori</i> , 2005, 91, 188-192.	0.6	9
126	Evaluation of visual inspection with acetic acid (VIA), Lugol's iodine (VILI), cervical cytology and HPV testing as cervical screening tools in Latin America: This report refers to partial results from the LAMS (Latin American Screening) study. <i>Journal of Medical Screening</i> , 2005, 12, 142-149.	1.1	126

#	ARTICLE	IF	CITATIONS
127	Depressão e ansiedade nos cuidadores de mulheres em fase terminal de câncer de mama e ginecológico. Revista Brasileira De Ginecologia E Obstetria, 2005, 27, 737-743.	0.3	10
128	Human papillomavirus detection by hybrid capture II and residual or recurrent high-grade squamous cervical intraepithelial neoplasia after large loop excision of the transformation zone (LLETZ). Tumori, 2005, 91, 188-92.	0.6	3
129	Avaliação de métodos alternativos à citologia no rastreamento de lesões cervicais: detecção de DNA-HPV e inspeção visual. Revista Brasileira De Ginecologia E Obstetria, 2004, 26, 269-275.	0.3	2
130	HPV DNA test and Pap smear in detection of residual and recurrent disease following loop electrosurgical excision procedure of high-grade cervical intraepithelial neoplasia. Gynecologic Oncology, 2004, 94, 181-186.	0.6	41
131	Human papillomavirus DNA detection and histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in their Pap smears. Gynecologic Oncology, 2004, 95, 618-623.	0.6	57
132	Factors associated with HPV persistence after treatment for high-grade cervical intra-epithelial neoplasia with large loop excision of the transformation zone (LLETZ). Journal of Clinical Virology, 2004, 31, 270-274.	1.6	68
133	Resultados histológicos e detecção do HPV em mulheres com células escamosas atípicas de significado indeterminado e lesão escamosa intra-epitelial de baixo grau na colpocitologia oncológica. Revista Brasileira De Ginecologia E Obstetria, 2004, 26, 457-462.	0.3	1
134	Human papillomavirus viral load in predicting high-grade CIN in women with cervical smears showing only atypical squamous cells or low-grade squamous intraepithelial lesion. Sao Paulo Medical Journal, 2003, 121, 238-243.	0.4	24
135	Carga viral do papilomavirus humano na predição da gravidade de lesões cervicais em mulheres com atipias celulares na colpocitologia oncológica. Revista Brasileira De Ginecologia E Obstetria, 2003, 25, 365-370.	0.3	0
136	PRODUÇÃO DE VÍDEO EDUCATIVO PARA PREVENÇÃO DE LINFEDEMA: RELATO DA EXPERIÊNCIA DE UM PROJETO DE EXTENSÃO. Revista Conexão UEPG, 0, 17, 1-17.	1.7	0
137	Achados multiparamétricos de ressonância magnética em massas anexiais. , 0, , .		0