

Frederic Mourcin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4954685/publications.pdf>

Version: 2024-02-01

23
papers

1,515
citations

430874

18
h-index

642732

23
g-index

25
all docs

25
docs citations

25
times ranked

3168
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of the HVEM Tumor Suppressor in Lymphoma and Restoration by Modified CAR-T Cells. <i>Cell</i> , 2016, 167, 405-418.e13.	28.9	204
2	MafB Restricts M-CSF-Dependent Myeloid Commitment Divisions of Hematopoietic Stem Cells. <i>Cell</i> , 2009, 138, 300-313.	28.9	144
3	Impaired efferocytosis and neutrophil extracellular trap clearance by macrophages in ARDS. <i>European Respiratory Journal</i> , 2018, 52, 1702590.	6.7	132
4	Characterization of a Transitional Preplasmablast Population in the Process of Human B Cell to Plasma Cell Differentiation. <i>Journal of Immunology</i> , 2011, 187, 3931-3941.	0.8	123
5	Immunofibroblasts are pivotal drivers of tertiary lymphoid structure formation and local pathology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13490-13497.	7.1	115
6	DC-SIGN ⁺ expressing macrophages trigger activation of mannose 6-phosphate receptor in follicular lymphoma. <i>Blood</i> , 2015, 126, 1911-1920.	1.4	109
7	IL-4/CXCL12 loop is a key regulator of lymphoid stroma function in follicular lymphoma. <i>Blood</i> , 2017, 129, 2507-2518.	1.4	80
8	Galectin-1 ⁺ expressing stromal cells constitute a specific niche for pre-BII cell development in mouse bone marrow. <i>Blood</i> , 2011, 117, 6552-6561.	1.4	77
9	Single administration of stem cell factor, FLT-3 ligand, megakaryocyte growth and development factor, and interleukin-3 in combination soon after irradiation prevents nonhuman primates from myelosuppression: long-term follow-up of hematopoiesis. <i>Blood</i> , 2004, 103, 878-885.	1.4	73
10	Enhanced Indoleamine 2,3-Dioxygenase Activity in Patients with Severe Sepsis and Septic Shock. <i>Journal of Infectious Diseases</i> , 2010, 201, 956-966.	4.0	66
11	Neutrophils trigger a NF- κ B dependent polarization of tumor-supportive stromal cells in germinal center B-cell lymphomas. <i>Oncotarget</i> , 2015, 6, 16471-16487.	1.8	60
12	Liposuction Preserves the Morphological Integrity of the Microvascular Network: Flow Cytometry and Confocal Microscopy Evidence in a Controlled Study. <i>Aesthetic Surgery Journal</i> , 2016, 36, 609-618.	1.6	49
13	Stromal Cell Contribution to Human Follicular Lymphoma Pathogenesis. <i>Frontiers in Immunology</i> , 2012, 3, 280.	4.8	46
14	Follicular lymphoma triggers phenotypic and functional remodeling of the human lymphoid stromal cell landscape. <i>Immunity</i> , 2021, 54, 1788-1806.e7.	14.3	43
15	Galectin-1 is a powerful marker to distinguish chondroblastic osteosarcoma and conventional chondrosarcoma. <i>Human Pathology</i> , 2010, 41, 1220-1230.	2.0	41
16	Microenvironment signaling driving lymphomagenesis. <i>Current Opinion in Hematology</i> , 2018, 25, 335-345.	2.5	36
17	Loss of IL-22 inhibits autoantibody formation in collagen ⁺ induced arthritis in mice. <i>European Journal of Immunology</i> , 2016, 46, 1404-1414.	2.9	30
18	Mesenchymal Stem Cells Support Expansion of In Vitro Irradiated CD34 ⁺ Cells in the Presence of SCF, FLT3 Ligand, TPO and IL3: Potential Application to Autologous Cell Therapy in Accidentally Irradiated Victims. <i>Radiation Research</i> , 2005, 164, 1-9.	1.5	21

#	ARTICLE	IF	CITATIONS
19	A novel 3D culture model recapitulates primary FL B-cell features and promotes their survival. <i>Blood Advances</i> , 2021, 5, 5372-5386.	5.2	18
20	Effect of Soman Poisoning on Populations of Bone Marrow and Peripheral Blood Cells in Mice. <i>NeuroToxicology</i> , 2005, 26, 89-98.	3.0	17
21	Ex vivo expansion marginally amplifies repopulating cells from baboon peripheral blood mobilized CD34+ cells. <i>British Journal of Haematology</i> , 2002, 117, 924-934.	2.5	16
22	Designed Surface Topographies Control ICAM-1 Expression in Tonsil-Derived Human Stromal Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2018, 6, 87.	4.1	10
23	DC-SIGN Binds Preferentially Highly Glycosylated IgM to Trigger Classical BCR Signaling in Follicular Lymphoma. <i>Blood</i> , 2014, 124, 2968-2968.	1.4	2