

Robert O Messing

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4954919/publications.pdf>

Version: 2024-02-01

160
papers

10,635
citations

25034

57
h-index

34986

98
g-index

171
all docs

171
docs citations

171
times ranked

9440
citing authors

#	ARTICLE	IF	CITATIONS
1	Blood and brain gene expression signatures of chronic intermittent ethanol consumption in mice. <i>PLoS Computational Biology</i> , 2022, 18, e1009800.	3.2	6
2	Corticosteroid sensitization drives opioid addiction. <i>Molecular Psychiatry</i> , 2022, 27, 2492-2501.	7.9	12
3	Differential regulation of alcohol consumption and reward by the transcriptional cofactor LMO4. <i>Molecular Psychiatry</i> , 2021, 26, 2175-2186.	7.9	8
4	Deletion of <i>Tlr3</i> reduces acute tolerance to alcohol and alcohol consumption in the intermittent access procedure in male mice. <i>Addiction Biology</i> , 2021, 26, e12932.	2.6	12
5	Inverse Correlation of TRIM32 and Protein Kinase C δ in T Helper Type 2-Biased Inflammation. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1297-1307.e3.	0.7	4
6	Alcohol and the Nervous System. , 2021, , 627-635.		1
7	Modulation of GABA_{A} receptors expressed in <i>X. laevis</i> oocytes using a propofol photoswitch tethered to the transmembrane helix. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	4
8	Protein kinase $\text{C}\delta$ as a neuronal mechanism for headache in a chronic intermittent nitroglycerin model of migraine in mice. <i>Pain</i> , 2021, 162, 2499-2511.	4.2	5
9	A neural substrate of compulsive alcohol use. <i>Science Advances</i> , 2021, 7, .	10.3	46
10	Promoting activity of $\alpha 4\beta 2$ nicotinic cholinergic receptors reduces ethanol consumption. <i>Neuropsychopharmacology</i> , 2020, 45, 301-308.	5.4	7
11	Apremilast regulates acute effects of ethanol and other GABAergic drugs via protein kinase A-dependent signaling. <i>Neuropharmacology</i> , 2020, 178, 108220.	4.1	5
12	Abstinence-dependent dissociable central amygdala microcircuits control drug craving. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8126-8134.	7.1	48
13	Dissecting the Roles of GABA and Neuropeptides from Rat Central Amygdala CRF Neurons in Anxiety and Fear Learning. <i>Cell Reports</i> , 2019, 29, 13-21.e4.	6.4	66
14	Inactivation of a CRF-dependent amygdalofugal pathway reverses addiction-like behaviors in alcohol-dependent rats. <i>Nature Communications</i> , 2019, 10, 1238.	12.8	106
15	A Pathway-Based Genomic Approach to Identify Medications: Application to Alcohol Use Disorder. <i>Brain Sciences</i> , 2019, 9, 381.	2.3	6
16	Toll-like receptor 3 activation increases voluntary alcohol intake in C57BL/6J male mice. <i>Brain, Behavior, and Immunity</i> , 2019, 77, 55-65.	4.1	43
17	Killing the Bu δ : accumbal PKM δ blunts cocaine seeking and reward. <i>Neuropsychopharmacology</i> , 2019, 44, 463-464.	5.4	0
18	Toll-like receptor 3 dynamics in female C57BL/6J mice: Regulation of alcohol intake. <i>Brain, Behavior, and Immunity</i> , 2019, 77, 66-76.	4.1	29

#	ARTICLE	IF	CITATIONS
19	A Corticotropin Releasing Factor Network in the Extended Amygdala for Anxiety. <i>Journal of Neuroscience</i> , 2019, 39, 1030-1043.	3.6	93
20	Apremilast Alters Behavioral Responses to Ethanol in Mice: II. Increased Sedation, Intoxication, and Reduced Acute Functional Tolerance. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 939-951.	2.4	19
21	Apremilast Alters Behavioral Responses to Ethanol in Mice: I. Reduced Consumption and Preference. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 926-938.	2.4	19
22	Novel Small-Molecule Inhibitors of Protein Kinase C Epsilon Reduce Ethanol Consumption in Mice. <i>Biological Psychiatry</i> , 2018, 84, 193-201.	1.3	18
23	Optogenetic characterization of CeA CRF pathways in alcohol dependence. <i>Alcohol</i> , 2017, 60, 235.	1.7	2
24	The Corticotropin Releasing Factor Receptor 1 in Alcohol Use Disorder: Still a Valid Drug Target?. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1986-1999.	2.4	34
25	How do we drink despite consequences: Exploring the hypothesis that the Insula instigates AUDs. <i>Alcohol</i> , 2017, 60, 211.	1.7	0
26	Selective chemical genetic inhibition of protein kinase C epsilon reduces ethanol consumption in mice. <i>Neuropharmacology</i> , 2016, 107, 40-48.	4.1	9
27	Binge Drinking With Protein Kinase C Epsilon: A Role for Mammalian Target of Rapamycin Complex 2?. <i>Biological Psychiatry</i> , 2016, 79, 425-426.	1.3	0
28	PKC ϵ -targeted intervention relieves chronic pain in a murine sickle cell disease model. <i>Journal of Clinical Investigation</i> , 2016, 126, 3053-3057.	8.2	31
29	PKC μ phosphorylates $\alpha 4\beta 2$ nicotinic ACh receptors and promotes recovery from desensitization. <i>British Journal of Pharmacology</i> , 2015, 172, 4430-4441.	5.4	16
30	A Transgenic Rat for Investigating the Anatomy and Function of Corticotrophin Releasing Factor Circuits. <i>Frontiers in Neuroscience</i> , 2015, 9, 487.	2.8	107
31	Generation and Characterization of ATP Analog-specific Protein Kinase C δ . <i>Journal of Biological Chemistry</i> , 2015, 290, 1936-1951.	3.4	10
32	Ligand requirements for involvement of PKC μ in synergistic analgesic interactions between spinal δ and γ opioid receptors. <i>British Journal of Pharmacology</i> , 2015, 172, 642-653.	5.4	20
33	A Selective Role for Lmo4 in Cue-Reward Learning. <i>Journal of Neuroscience</i> , 2015, 35, 9638-9647.	3.6	7
34	Identification of lipocalin-2 as a PKC δ phosphorylation substrate in neutrophils. <i>Journal of Biomedical Science</i> , 2015, 22, 21.	7.0	15
35	D-Serine and D-Cycloserine Reduce Compulsive Alcohol Intake in Rats. <i>Neuropsychopharmacology</i> , 2015, 40, 2357-2367.	5.4	66
36	Alcohol and the Nervous System. , 2014, , 713-724.		6

#	ARTICLE	IF	CITATIONS
37	Deletion of <i>Prkcz</i> Increases Intermittent Ethanol Consumption in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 170-178.	2.4	21
38	Peripheral systems. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 125, 513-525.	1.8	19
39	Alcohol dependence: molecular and behavioral evidence. <i>Trends in Pharmacological Sciences</i> , 2014, 35, 317-323.	8.7	84
40	Cortical activation of accumbens hyperpolarization-active NMDARs mediates aversion-resistant alcohol intake. <i>Nature Neuroscience</i> , 2013, 16, 1094-1100.	14.8	281
41	Have the <i>Annals</i> editors added value?. <i>Annals of Neurology</i> , 2013, 74, A7-9.	5.3	0
42	<i>Prkcz</i> null mice show normal learning and memory. <i>Nature</i> , 2013, 493, 416-419.	27.8	229
43	SEB, a CRF receptor-like GPCR, regulates locomotor activity states, stress responses and ethanol tolerance in <i>Caenorhabditis elegans</i> . <i>Genes, Brain and Behavior</i> , 2013, 12, 250-262.	2.2	31
44	Protein Kinase C μ Is Required for Spinal Analgesic Synergy between Delta Opioid and Alpha-2A Adrenergic Receptor Agonist Pairs. <i>Journal of Neuroscience</i> , 2013, 33, 13538-13546.	3.6	16
45	Binge Ethanol Drinking Potentiates Corticotropin Releasing Factor <i>R</i> 1 Receptor Activity in the Ventral Tegmental Area. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1680-1687.	2.4	31
46	<i>Quo vadis?</i> " peering into the future. <i>Annals of Neurology</i> , 2013, 74, A5-7.	5.3	0
47	The Anticonvulsant Levetiracetam Potentiates Alcohol Consumption in Non-Treatment Seeking Alcohol Abusers. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 269-272.	1.4	18
48	Structural and Functional Characterization of an Anesthetic Binding Site in the Second Cysteine-Rich Domain of Protein Kinase C α . <i>Biophysical Journal</i> , 2012, 103, 2331-2340.	0.5	17
49	Responses to ethanol in C57BL/6 versus C57BL/6 \times 129 hybrid mice. <i>Brain and Behavior</i> , 2012, 2, 22-31.	2.2	23
50	Fighting decision fatigue. <i>Annals of Neurology</i> , 2012, 71, A5-A15.	5.3	14
51	PKC μ phosphorylation of the sodium channel NaV1.8 increases channel function and produces mechanical hyperalgesia in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 1306-1315.	8.2	41
52	How Should Addiction-Related Research at the National Institutes of Health be Reorganized?. <i>Frontiers in Psychiatry</i> , 2011, 2, 2.	2.6	2
53	Mouse Model of Middle Cerebral Artery Occlusion. <i>Journal of Visualized Experiments</i> , 2011, , .	0.3	98
54	Should the Reorganization of Addiction-Related Research Across All the National Institutes of Health Be Structural?-The Devil Is Truly in the Details. <i>Alcoholism: Clinical and Experimental Research</i> , 2011, 35, 572-580.	2.4	7

#	ARTICLE	IF	CITATIONS
55	Thanks to Our Authors, Reviewers and Publisher. <i>Annals of Neurology</i> , 2011, 69, A9.	5.3	0
56	Protein kinase C epsilon modulates nicotine consumption and dopamine reward signals in the nucleus accumbens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 16080-16085.	7.1	28
57	Signaling Pathways Mediating Alcohol Effects. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 13, 87-126.	1.7	64
58	Signaling Pathways Mediating Alcohol Effects. <i>Current Topics in Behavioral Neurosciences</i> , 2011, , 87-126.	1.7	61
59	Inhibition of PKC δ reduces cisplatin-induced nephrotoxicity without blocking chemotherapeutic efficacy in mouse models of cancer. <i>Journal of Clinical Investigation</i> , 2011, 121, 2709-2722.	8.2	128
60	Status report: The <i>Annals</i> in 2010. <i>Annals of Neurology</i> , 2010, 67, A5-12.	5.3	2
61	The substrates and binding partners of protein kinase C μ . <i>Biochemical Journal</i> , 2010, 427, 189-196.	3.7	48
62	GABA _A Receptor Trafficking Is Regulated by Protein Kinase C μ and the N-Ethylmaleimide-Sensitive Factor. <i>Journal of Neuroscience</i> , 2010, 30, 13955-13965.	3.6	49
63	PKC δ Promotes Renal Tubular Cell Apoptosis Associated with Proteinuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1115-1124.	6.1	58
64	The Role of the Equilibrative Nucleoside Transporter 1 (ENT1) in Transport and Metabolism of Ribavirin by Human and Wild-Type or Ent1(-/-) Mouse Erythrocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 329, 387-398.	2.5	57
65	PKC ϵ Regulates Behavioral Sensitivity, Binding and Tolerance to the CB1 Receptor Agonist WIN55,212-2. <i>Neuropsychopharmacology</i> , 2009, 34, 1733-1742.	5.4	12
66	Progress report on the <i>Annals</i> . <i>Annals of Neurology</i> , 2009, 65, A13-A15.	5.3	0
67	Amygdala protein kinase C epsilon controls alcohol consumption. <i>Genes, Brain and Behavior</i> , 2009, 8, 493-499.	2.2	50
68	Neurobiological mechanisms contributing to alcohol-stress-anxiety interactions. <i>Alcohol</i> , 2009, 43, 509-519.	1.7	72
69	The N-type calcium channel is a novel target for treating alcohol use disorders. <i>Channels</i> , 2009, 3, 77-81.	2.8	11
70	Alcohol-induced stress in painful alcoholic neuropathy. <i>European Journal of Neuroscience</i> , 2008, 27, 83-92.	2.6	55
71	Protein Kinases and Addiction. <i>Annals of the New York Academy of Sciences</i> , 2008, 1141, 22-57.	3.8	78
72	Amygdala protein kinase C epsilon regulates corticotropin-releasing factor and anxiety-like behavior. <i>Genes, Brain and Behavior</i> , 2008, 7, 323-333.	2.2	45

#	ARTICLE	IF	CITATIONS
73	Neurotoxic catecholamine metabolite in nociceptors contributes to painful peripheral neuropathy. <i>European Journal of Neuroscience</i> , 2008, 28, 1180-1190.	2.6	30
74	A Blocker of N- and T-type Voltage-Gated Calcium Channels Attenuates Ethanol-Induced Intoxication, Place Preference, Self-Administration, and Reinstatement. <i>Journal of Neuroscience</i> , 2008, 28, 11712-11719.	3.6	35
75	Protein kinase C epsilon mediation of CRF- and ethanol-induced GABA release in central amygdala. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8410-8415.	7.1	111
76	Protein Kinase C δ Regulates Ethanol Intoxication and Enhancement of GABA-Stimulated Tonic Current. <i>Journal of Neuroscience</i> , 2008, 28, 11890-11899.	3.6	77
77	The identification and characterization of novel PKC μ phosphorylation sites provide evidence for functional cross-talk within the PKC superfamily. <i>Biochemical Journal</i> , 2008, 411, 319-331.	3.7	35
78	Hypertensive encephalopathy and the blood-brain barrier: is PKC a gatekeeper?. <i>Journal of Clinical Investigation</i> , 2008, 118, 17-20.	8.2	20
79	Protein Kinase C μ Regulates γ -Aminobutyrate Type A Receptor Sensitivity to Ethanol and Benzodiazepines through Phosphorylation of β 2 Subunits. <i>Journal of Biological Chemistry</i> , 2007, 282, 33052-33063.	3.4	91
80	nPKC μ , a P2Y ₂ -R downstream effector in regulated mucin secretion from airway goblet cells. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1445-C1454.	4.6	21
81	Acute Functional Tolerance to Ethanol Mediated by Protein Kinase C ϵ . <i>Neuropsychopharmacology</i> , 2007, 32, 127-136.	5.4	50
82	Increased sensitivity to the aversive effects of ethanol in PKC μ null mice revealed by place conditioning. <i>Behavioral Neuroscience</i> , 2007, 121, 439-442.	1.2	25
83	Severity of alcohol-induced painful peripheral neuropathy in female rats: Role of estrogen and protein kinase (A and C μ). <i>Neuroscience</i> , 2007, 145, 350-356.	2.3	46
84	Early editorial manuscript screening versus obligate peer review: A randomized trial. <i>Annals of Neurology</i> , 2007, 61, A10-A12.	5.3	13
85	Epilepsy genetics: yet more exciting news. <i>Annals of Neurology</i> , 2007, 62, 549-550.	5.3	10
86	A semisynthetic epitope for kinase substrates. <i>Nature Methods</i> , 2007, 4, 511-516.	19.0	278
87	Increased response to morphine in mice lacking protein kinase C epsilon. <i>Genes, Brain and Behavior</i> , 2007, 6, 329-338.	2.2	37
88	The type 1 equilibrative nucleoside transporter regulates anxiety-like behavior in mice. <i>Genes, Brain and Behavior</i> , 2007, 6, 776-783.	2.2	61
89	Ethanol withdrawal induces hyperalgesia mediated by PKC μ . <i>European Journal of Neuroscience</i> , 2006, 24, 197-204.	2.6	74
90	Intracellular signaling pathways that regulate behavioral responses to ethanol. , 2006, 109, 227-237.		91

#	ARTICLE	IF	CITATIONS
91	PKC δ increases endothelin converting enzyme activity and reduces amyloid plaque pathology in transgenic mice. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 8215-8220.	7.1	118
92	PKC μ regulates GABA _A receptor trafficking through NSF. FASEB Journal, 2006, 20, A970.	0.5	0
93	Divergent Contractile and Structural Responses of the Murine Protein Kinase C δ Null Pulmonary Circulation to Chronic Hypoxia. Chest, 2005, 128, 620S-621S.	0.8	2
94	Protein Kinase C Isozymes in Stroke. Trends in Cardiovascular Medicine, 2005, 15, 47-51.	4.9	64
95	Protein kinase C regulation of GABA _A receptors. Cellular and Molecular Life Sciences, 2005, 62, 119-127.	5.4	64
96	Divergent contractile and structural responses of the murine PKC δ null pulmonary circulation to chronic hypoxia. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2005, 289, L1083-L1093.	2.9	20
97	The mGluR5 Antagonist 6-Methyl-2-(phenylethynyl)pyridine Decreases Ethanol Consumption via a Protein Kinase C μ -Dependent Mechanism. Molecular Pharmacology, 2005, 67, 349-355.	2.3	119
98	Role of the Protein Kinase C δ -Raf-1-MEK-1/2-p44/42 MAPK Signaling Cascade in the Activation of Signal Transducers and Activators of Transcription 1 and 3 and Induction of Cyclooxygenase-2 After Ischemic Preconditioning. Circulation, 2005, 112, 1971-1978.	1.6	126
99	Specific Modulation of Na ⁺ Channels in Hippocampal Neurons by Protein Kinase C δ . Journal of Neuroscience, 2005, 25, 507-513.	3.6	62
100	Chronic ethanol exposure induces an N-type calcium channel splice variant with altered channel kinetics. FEBS Letters, 2005, 579, 671-676.	2.8	10
101	Deletion of N-Type Calcium Channels Alters Ethanol Reward and Reduces Ethanol Consumption in Mice. Journal of Neuroscience, 2004, 24, 9862-9869.	3.6	59
102	Preservation of Base-line Hemodynamic Function and Loss of Inducible Cardioprotection in Adult Mice Lacking Protein Kinase C μ . Journal of Biological Chemistry, 2004, 279, 3596-3604.	3.4	102
103	The type 1 equilibrative nucleoside transporter regulates ethanol intoxication and preference. Nature Neuroscience, 2004, 7, 855-861.	14.8	241
104	Protein Kinase C Isozymes and Addiction. Molecular Neurobiology, 2004, 29, 139-154.	4.0	31
105	Neutrophil protein kinase C δ as a mediator of stroke-reperfusion injury. Journal of Clinical Investigation, 2004, 114, 49-56.	8.2	116
106	Neutrophil protein kinase C δ as a mediator of stroke-reperfusion injury. Journal of Clinical Investigation, 2004, 114, 49-56.	8.2	94
107	The Mouse RACK1 Gene Is Regulated by Nuclear Factor- κ B and Contributes to Cell Survival. Molecular Pharmacology, 2003, 64, 1541-1548.	2.3	43
108	Ethanol Differentially Enhances Hippocampal GABA _A Receptor-Mediated Responses in Protein Kinase C δ^3 (PKC δ^3) and PKC μ Null Mice. Journal of Pharmacology and Experimental Therapeutics, 2003, 305, 264-270.	2.5	57

#	ARTICLE	IF	CITATIONS
109	Genetic Approaches to Studying Protein Kinase C: An Introduction. , 2003, 233, 453-454.		0
110	Animal Models in the Study of Protein Kinase C Isozymes. , 2003, 233, 455-474.		6
111	Protein kinase C- δ -null mice have decreased hypoxic pulmonary vasoconstriction. American Journal of Physiology - Heart and Circulatory Physiology, 2003, 284, H1321-H1331.	3.2	44
112	Conditional Rescue of Protein Kinase C δ Regulates Ethanol Preference and Hypnotic Sensitivity in Adult Mice. Journal of Neuroscience, 2002, 22, 9905-9911.	3.6	87
113	Cardioprotection mediated by sphingosine-1-phosphate and ganglioside GM-1 in wild-type and PKC δ knockout mouse hearts. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 282, H1970-H1977.	3.2	158
114	Decreased anxiety-like behavior, reduced stress hormones, and neurosteroid supersensitivity in mice lacking protein kinase C δ . Journal of Clinical Investigation, 2002, 110, 1003-1010.	8.2	58
115	Decreased anxiety-like behavior, reduced stress hormones, and neurosteroid supersensitivity in mice lacking protein kinase C δ . Journal of Clinical Investigation, 2002, 110, 1003-1010.	8.2	114
116	Protein Kinase C δ Suppresses $\text{A}\beta$ Production and Promotes Activation of β -Secretase. Biochemical and Biophysical Research Communications, 2001, 285, 997-1006.	2.1	79
117	Reduced ethanol withdrawal severity and altered withdrawal-induced c-fos expression in various brain regions of mice lacking protein kinase C-epsilon. Neuroscience, 2001, 103, 171-179.	2.3	46
118	Cloning of a novel isoform of the mouse NBMPR-sensitive equilibrative nucleoside transporter (ENT1) lacking a putative phosphorylation site. Gene, 2001, 262, 301-307.	2.2	39
119	Nociceptor Sensitization by Extracellular Signal-Regulated Kinases. Journal of Neuroscience, 2001, 21, 6933-6939.	3.6	184
120	Sex hormones regulate the contribution of PKC δ and PKA signalling in inflammatory pain in the rat. European Journal of Neuroscience, 2001, 13, 2227-2233.	2.6	104
121	Transgenic and Gene "Knockout" Models in Alcohol Research. Alcoholism: Clinical and Experimental Research, 2001, 25, 60S-66S.	2.4	5
122	Alcohol Actions on GABAA Receptors: From Protein Structure to Mouse Behavior. Alcoholism: Clinical and Experimental Research, 2001, 25, 76S-81S.	2.4	39
123	Activation of Protein Kinase A and Atypical Protein Kinase C by A2A Adenosine Receptors Antagonizes Apoptosis Due to Serum Deprivation in PC12 Cells. Journal of Biological Chemistry, 2001, 276, 13838-13846.	3.4	86
124	Alcohol Actions on GABAA Receptors: From Protein Structure to Mouse Behavior. Alcoholism: Clinical and Experimental Research, 2001, 25, 76S-81S.	2.4	21
125	Transgenic and Gene ???Knockout??? Models in Alcohol Research. Alcoholism: Clinical and Experimental Research, 2001, 25, 60S-66S.	2.4	7
126	Reduced operant ethanol self-administration and in vivo mesolimbic dopamine responses to ethanol in PKC δ -deficient mice. European Journal of Neuroscience, 2000, 12, 4131-4140.	2.6	122

#	ARTICLE	IF	CITATIONS
127	Key Role for the Epsilon Isoform of Protein Kinase C in Painful Alcoholic Neuropathy in the Rat. <i>Journal of Neuroscience</i> , 2000, 20, 8614-8619.	3.6	123
128	Chronic Hypersensitivity For Inflammatory Nociceptor Sensitization Mediated by the $\hat{\mu}$ Isozyme of Protein Kinase C. <i>Journal of Neuroscience</i> , 2000, 20, 4680-4685.	3.6	307
129	Protein kinase C isozymes and the regulation of diverse cell responses. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2000, 279, L429-L438.	2.9	617
130	Ethanol Regulates Calcium Channel Subunits by Protein Kinase C $\hat{\nu}$ -dependent and -independent Mechanisms. <i>Journal of Biological Chemistry</i> , 2000, 275, 25717-25722.	3.4	42
131	Genomic Organization and Expression of the Mouse Equilibrative, Nitrobenzylthioinosine-Sensitive Nucleoside Transporter 1 (ENT1) Gene. <i>Biochemical and Biophysical Research Communications</i> , 2000, 277, 200-208.	2.1	26
132	Supersensitivity to allosteric GABAA receptor modulators and alcohol in mice lacking PKC $\hat{\mu}$. <i>Nature Neuroscience</i> , 1999, 2, 997-1002.	14.8	309
133	A Novel Nociceptor Signaling Pathway Revealed in Protein Kinase C $\hat{\mu}$ Mutant Mice. <i>Neuron</i> , 1999, 24, 253-260.	8.1	427
134	Regulation of neuronal voltage-gated calcium channels by ethanol. <i>Neurochemistry International</i> , 1999, 35, 95-101.	3.8	110
135	Protein Kinase C $\hat{\nu}$ Mediates Ethanol-induced Up-regulation of L-type Calcium Channels. <i>Journal of Biological Chemistry</i> , 1998, 273, 16409-16414.	3.4	68
136	Increased Neurogenesis in the Dentate Gyrus After Transient Global Ischemia in Gerbils. <i>Journal of Neuroscience</i> , 1998, 18, 7768-7778.	3.6	1,005
137	An Inhibitory Fragment Derived from Protein Kinase C $\hat{\mu}$ Prevents Enhancement of Nerve Growth Factor Responses by Ethanol and Phorbol Esters. <i>Journal of Biological Chemistry</i> , 1997, 272, 15028-15035.	3.4	94
138	Protein Kinase C Inhibits Adenylyl Cyclase Type VI Activity during Desensitization of the A2a-Adenosine Receptor-mediated cAMP Response. <i>Journal of Biological Chemistry</i> , 1997, 272, 4970-4977.	3.4	105
139	Overexpression of $\hat{\nu}$ -Protein Kinase C Enhances Nerve Growth Factor-induced Phosphorylation of Mitogen-activated Protein Kinases and Neurite Outgrowth. <i>Journal of Biological Chemistry</i> , 1995, 270, 30134-30140.	3.4	136
140	Ethanol enhances growth factor activation of mitogen-activated protein kinases by a protein kinase C-dependent mechanism.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 1891-1895.	7.1	81
141	Somatostatin enhances nerve growth factor-induced neurite outgrowth in PC12 cells. <i>Developmental Brain Research</i> , 1994, 80, 13-18.	1.7	37
142	Neurological reactions in HIV-infected patients treated with trichosanthin. <i>Neuropathology and Applied Neurobiology</i> , 1993, 19, 402-405.	3.2	19
143	Cerebral Aneurysm Presenting as Cough Headache. <i>Headache</i> , 1993, 33, 203-204.	3.9	32
144	The phorbol derivatives thymeleatoxin and 12-deoxyphorbol-13-O-phenylacetate-10-acetate cause translocation and down-regulation of multiple protein kinase C isozymes. <i>FEBS Letters</i> , 1993, 319, 31-34.	2.8	36

#	ARTICLE	IF	CITATIONS
145	Protein kinase C isozymes that mediate enhancement of neurite outgrowth by ethanol and phorbol esters in PC12 cells. <i>Brain Research</i> , 1993, 624, 85-93.	2.2	58
146	Mechanisms that Mediate Ethanol-Induced Increases in Dihydropyridine-Sensitive Calcium Channels. , 1993, , 169-174.		1
147	Ethanol enhances growth factor-induced neurite formation in PC12 cells. <i>Brain Research</i> , 1991, 565, 301-311.	2.2	83
148	Protein Kinase C Participates in Up-Regulation of Dihydropyridine-Sensitive Calcium Channels by Ethanol. <i>Journal of Neurochemistry</i> , 1990, 55, 1383-1389.	3.9	63
149	Comparative Effects of Chronic Exposure to Ethanol and Calcium Channel Antagonists on Calcium Channel Antagonist Receptors in Cultured Neural (PC12) Cells. <i>Journal of Neurochemistry</i> , 1989, 53, 168-172.	3.9	30
150	Calcium channel antagonist receptors in cerebral cortex from alcoholic patients. <i>Brain Research</i> , 1989, 478, 196-198.	2.2	18
151	Interaction of calmodulin inhibitors and protein kinase C inhibitors with voltage-dependent calcium channels. <i>Brain Research</i> , 1987, 404, 401-404.	2.2	69
152	Ethanol-induced component of $^{45}\text{Ca}^{2+}$ uptake in PC12 cells is sensitive to Ca^{2+} channel modulating drugs. <i>Brain Research</i> , 1987, 410, 143-146.	2.2	69
153	Lectin-Induced Enhancement of Voltage-Dependent Calcium Flux and Calcium Channel Antagonist Binding. <i>Journal of Neurochemistry</i> , 1987, 48, 888-894.	3.9	15
154	Inhibition of calcium flux and calcium channel antagonist binding in the PC12 neural cell line by phorbol esters and protein kinase C. <i>Biochemical and Biophysical Research Communications</i> , 1986, 136, 1049-1056.	2.1	47
155	Seizures as a Manifestation of Systemic Disease. <i>Neurologic Clinics</i> , 1986, 4, 563-584.	1.8	46
156	Ethanol regulates calcium channels in clonal neural cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 6213-6215.	7.1	183
157	Inactivation of $^{45}\text{Ca}^{2+}$ uptake by prior depolarization of PC12 cells. <i>Neuroscience Letters</i> , 1985, 62, 377-381.	2.1	15
158	IMMUNOLOGICAL STUDIES IN PATIENTS WITH ACQUIRED IMMUNE DEFICIENCY SYNDROME. <i>Annals of the New York Academy of Sciences</i> , 1984, 437, 513-517.	3.8	1
159	Agitated confusional states in patients with right hemisphere infarctions.. <i>Stroke</i> , 1984, 15, 883-885.	2.0	55
160	Sleep Apnea Syndrome after Poliomyelitis. <i>The American Review of Respiratory Disease</i> , 1983, 127, 129-131.	2.9	41