

Hiram S Cody

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4955231/hiram-s-cody-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

9,153
citations

50
h-index

95
g-index

127
ext. papers

10,185
ext. citations

4
avg, IF

5.54
L-index

#	Paper	IF	Citations
114	ASO Visual Abstract: Association Between Local Anesthetic Dosing, Postoperative Opioid Requirement, and Pain Scores After Lumpectomy and Sentinel Lymph Node Biopsy With Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	1
113	Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy Alone After Neoadjuvant Chemotherapy-A Rare Event. <i>JAMA Oncology</i> , 2021 ,	13.4	4
112	Association Between Local Anesthetic Dosing, Postoperative Opioid Requirement, and Pain Scores After Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , 2021 , 29, 1737	3.1	1
111	Salvage of locally recurrent breast cancer with repeat breast conservation using 45Gy hyperfractionated partial breast re-irradiation. <i>Breast Cancer Research and Treatment</i> , 2021 , 188, 409-414	4.4	3
110	Postdischarge Nonsteroidal Anti-Inflammatory Drugs Are not Associated with Risk of Hematoma after Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , 2021 , 28, 5507-5512	3.1	1
109	ASO Visual Abstract: Post-Discharge Non-Steroidal Anti-Inflammatory Drugs Are Not Associated with Risk of Hematoma After Lumpectomy and Sentinel Lymph Node Biopsy with Multimodal Analgesia. <i>Annals of Surgical Oncology</i> , 2021 , 28, 635-636	3.1	
108	Management of ipsilateral breast tumor recurrence following breast conservation surgery: a comparative study of re-conservation vs mastectomy. <i>Breast Cancer Research and Treatment</i> , 2021 , 187, 105-112	4.4	3
107	Microscopic Extracapsular Extension in Sentinel Lymph Nodes Does Not Mandate Axillary Dissection in Z0011-Eligible Patients. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1617-1624	3.1	7
106	ASO Author Reflections: Sentinel Lymph Node Biopsy for Ductal Carcinoma In Situ with Suspicion for Microinvasion on Core Needle Biopsy. <i>Annals of Surgical Oncology</i> , 2019 , 26, 704	3.1	1
105	Is Sentinel Lymph Node Biopsy Required for a Core Biopsy Diagnosis of Ductal Carcinoma In Situ with Microinvasion?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2738-2746	3.1	6
104	Factors Associated with Reoperation in Breast-Conserving Surgery for Cancer: A Prospective Study of American Society of Breast Surgeon Members. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3321-3336	3.1	15
103	Comparison of Local Recurrence Risk Estimates After Breast-Conserving Surgery for DCIS: DCIS Nomogram Versus Refined Oncotype DX Breast DCIS Score. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3282-3288	3.1	14
102	Detection and Significance of Axillary Lymph Node Micrometastases 2018 , 631-636.e2		
101	Impact of an In Situ Component on Outcome After In-Breast Tumor Recurrence in Patients Treated with Breast-Conserving Therapy. <i>Annals of Surgical Oncology</i> , 2018 , 25, 154-163	3.1	5
100	Skin Flap Necrosis After Mastectomy With Reconstruction: A Prospective Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 257-64	3.1	80
99	Reoperative Sentinel Lymph Node Biopsy: Adding Nuance to the Management of Locally Recurrent Breast Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 9012-9014	3.1	4
98	Radioguided Sentinel Lymph Node Mapping and Biopsy in Breast Cancer 2016 , 115-123		

97	Reoperative Sentinel Lymph Node Biopsy is Feasible for Locally Recurrent Breast Cancer, But is it Worthwhile?. <i>Annals of Surgical Oncology</i> , 2016 , 23, 744-8	3.1	20
96	How Often Does Neoadjuvant Chemotherapy Avoid Axillary Dissection in Patients With Histologically Confirmed Nodal Metastases? Results of a Prospective Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3467-3474	3.1	166
95	Age and Receptor Status Do Not Indicate the Need for Axillary Dissection in Patients with Sentinel Lymph Node Metastases. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3481-3486	3.1	21
94	Late Axillary Recurrence After Negative Sentinel Lymph Node Biopsy is Uncommon. <i>Annals of Surgical Oncology</i> , 2016 , 23, 2456-61	3.1	10
93	Contralateral Prophylactic Mastectomy Consensus Statement from the American Society of Breast Surgeons: Additional Considerations and a Framework for Shared Decision Making. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3106-11	3.1	63
92	Contralateral Prophylactic Mastectomy (CPM) Consensus Statement from the American Society of Breast Surgeons: Data on CPM Outcomes and Risks. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3100-5	3.1	91
91	Presidential Address: "A Part of the Main". <i>Annals of Surgical Oncology</i> , 2015 , 22, 3161-7	3.1	2
90	Sentinel Node Biopsy After Neoadjuvant Chemotherapy for Node-Positive Breast Cancer: Does Axillary Ultrasound Improve Performance?. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3375-8	2.2	5
89	Toolbox to Reduce Lumpectomy Reoperations and Improve Cosmetic Outcome in Breast Cancer Patients: The American Society of Breast Surgeons Consensus Conference. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3174-83	3.1	96
88	Axillary dissection can be avoided in the majority of clinically node-negative patients undergoing breast-conserving therapy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 22-7	3.1	82
87	Sentinel lymph node biopsy for patients with early-stage breast cancer: American Society of Clinical Oncology clinical practice guideline update. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1365-83	2.2	522
86	Extent of microinvasion in ductal carcinoma in situ is not associated with sentinel lymph node metastases. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3330-5	3.1	30
85	Sentinel node biopsy and neoadjuvant chemotherapy. <i>Lancet Oncology</i> , 2013 , 14, 567-8	21.7	1
84	Axillary management in breast cancer: what's new for 2012?. <i>Breast</i> , 2012 , 21, 411-5	3.6	29
83	Axillary node staging for microinvasive breast cancer: is it justified?. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3416-21	3.1	31
82	Characteristics and outcomes of sentinel node-positive breast cancer patients after total mastectomy without axillary-specific treatment. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3762-70	3.1	44
81	Preoperative staging of the axilla in women with invasive breast cancer. <i>Breast Cancer Management</i> , 2012 , 1, 65-72	0.7	2
80	A 10-year trend analysis of sentinel lymph node frozen section and completion axillary dissection for breast cancer: are these procedures becoming obsolete?. <i>Annals of Surgical Oncology</i> , 2012 , 19, 225-32 ¹	3.1	43

79	Radiation field design and regional control in sentinel lymph node-positive breast cancer patients with omission of axillary dissection. <i>Cancer</i> , 2012 , 118, 1994-2003	6.4	21
78	SLN biopsy for large and/or multicentric breast cancers: should we worry?. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 386-7	3.6	2
77	Preoperative ultrasound-guided needle biopsy of axillary nodes in invasive breast cancer: meta-analysis of its accuracy and utility in staging the axilla. <i>Annals of Surgery</i> , 2011 , 254, 243-51	7.8	242
76	The clinical impact and outcomes of immunohistochemistry-only metastasis in breast cancer. <i>American Journal of Surgery</i> , 2010 , 200, 368-73	2.7	11
75	Clinical significance and management of extra-axillary sentinel lymph nodes: worthwhile or irrelevant?. <i>Surgical Oncology Clinics of North America</i> , 2010 , 19, 507-17	2.7	13
74	Predictors of completion axillary lymph node dissection in patients with immunohistochemical metastases to the sentinel lymph node in breast cancer. <i>Annals of Surgical Oncology</i> , 2010 , 17, 1063-8	3.1	13
73	Number of lymph nodes removed in sentinel lymph node-negative breast cancer patients is significantly related to patient age and tumor size: a new source of bias in morbidity assessment?. <i>Cancer</i> , 2010 , 116, 1987-91	6.4	20
72	Sentinel Lymph Node Biopsy Radiotracer Technique at Memorial Sloan-Kettering Cancer Center 2010 , 481-488		
71	How do we evaluate sentinel nodes and interpret the findings?. <i>Current Breast Cancer Reports</i> , 2009 , 1, 12-20	0.8	1
70	Predictors of completion axillary lymph node dissection in patients with positive sentinel lymph nodes. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1952-8	3.1	8
69	Surgical management of the axilla: do intramammary nodes matter?. <i>American Journal of Surgery</i> , 2009 , 198, 532-7	2.7	21
68	Detection and Significance of Axillary Lymph Node Micrometastases 2009 , 1007-1015		
67	Influence of frozen-section analysis of sentinel lymph node and lumpectomy margin status on reoperation rates in patients undergoing breast-conservation therapy. <i>Journal of the American College of Surgeons</i> , 2008 , 206, 76-82	4.4	68
66	Sentinel lymph node biopsy is successful and accurate in male breast carcinoma. <i>Journal of the American College of Surgeons</i> , 2008 , 206, 616-21	4.4	72
65	Reoperative sentinel lymph node biopsy after previous mastectomy. <i>Journal of the American College of Surgeons</i> , 2008 , 207, 543-8	4.4	50
64	Occult axillary node metastases in breast cancer are prognostically significant: results in 368 node-negative patients with 20-year follow-up. <i>Journal of Clinical Oncology</i> , 2008 , 26, 1803-9	2.2	127
63	Does the benefit of sentinel node frozen section vary between patients with invasive duct, invasive lobular, and favorable histologic subtypes of breast cancer?. <i>Annals of Surgery</i> , 2008 , 247, 143-9	7.8	23
62	Experience with 31 sentinel lymph node biopsies for sarcomas and carcinomas in pediatric patients. <i>Cancer</i> , 2008 , 112, 2052-9	6.4	53

61	Is the "10% rule" equally valid for all subsets of sentinel-node-positive breast cancer patients?. <i>Annals of Surgical Oncology</i> , 2008 , 15, 2728-33	3.1	21
60	Reoperative sentinel lymph node biopsy: a new frontier in the management of ipsilateral breast tumor recurrence. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2209-14	3.1	126
59	One-step surgery for breast cancer: back to the future?. <i>World Journal of Surgery</i> , 2007 , 31, 1153-4	3.3	44
58	Doctor, what are my chances of having a positive sentinel node? A validated nomogram for risk estimation. <i>Journal of Clinical Oncology</i> , 2007 , 25, 3670-9	2.2	223
57	A declining rate of completion axillary dissection in sentinel lymph node-positive breast cancer patients is associated with the use of a multivariate nomogram. <i>Annals of Surgery</i> , 2007 , 245, 462-8	7.8	101
56	Axillary Dissection for Breast Cancer. <i>Operative Techniques in General Surgery</i> , 2006 , 8, 66-80		4
55	American Society of Clinical Oncology guideline recommendations for sentinel lymph node biopsy in early-stage breast cancer. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7703-20	2.2	1404
54	The results of frozen section, touch preparation, and cytological smear are comparable for intraoperative examination of sentinel lymph nodes: a study in 133 breast cancer patients. <i>Annals of Surgical Oncology</i> , 2005 , 12, 173-80	3.1	90
53	Is the clinically positive axilla in breast cancer really a contraindication to sentinel lymph node biopsy?. <i>Journal of the American College of Surgeons</i> , 2005 , 200, 10-4	4.4	105
52	Can sentinel lymph node biopsy be omitted in patients with favorable breast cancer histology?. <i>Annals of Surgical Oncology</i> , 2005 , 12, 24-8	3.1	18
51	Breast-Conservation Therapy 2005 , 41-55		
50	Missed micrometastatic disease in breast cancer. <i>Seminars in Oncology</i> , 2004 , 31, 311-7	5.5	10
49	A prospective analysis of the effect of blue-dye volume on sentinel lymph node mapping success and incidence of allergic reaction in patients with breast cancer. <i>Annals of Surgical Oncology</i> , 2004 , 11, 535-41	3.1	58
48	Redefining prognosis in node-negative breast cancer: can sentinel lymph node biopsy raise the threshold for systemic adjuvant therapy?. <i>Annals of Surgical Oncology</i> , 2004 , 11, 227S-30S	3.1	17
47	Immunohistochemically detected tumor cells in the sentinel lymph nodes of patients with breast carcinoma: biologic metastasis or procedural artifact?. <i>Cancer</i> , 2004 , 100, 929-34	6.4	88
46	Cytokeratin-positive cells in sentinel lymph nodes in breast cancer are not random events: experience in patients undergoing prophylactic mastectomy. <i>Cancer</i> , 2004 , 101, 926-33	6.4	47
45	E14. Changing concepts in breast cancer surgery. <i>European Journal of Cancer, Supplement</i> , 2004 , 2, 30-31	1.6	
44	The risk of axillary relapse after sentinel lymph node biopsy for breast cancer is comparable with that of axillary lymph node dissection: a follow-up study of 4008 procedures. <i>Annals of Surgery</i> , 2004 , 240, 462-8; discussion 468-71	7.8	312

43	Point: sentinel lymph node biopsy is indicated for patients with DCIS. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2003 , 1, 199-206	7.3	20
42	A nomogram for predicting the likelihood of additional nodal metastases in breast cancer patients with a positive sentinel node biopsy. <i>Annals of Surgical Oncology</i> , 2003 , 10, 1140-51	3.1	642
41	Sentinel lymph node biopsy for breast cancer: does anybody not need one?. <i>Annals of Surgical Oncology</i> , 2003 , 10, 1131-2	3.1	29
40	The accuracy of sentinel lymph node biopsy in multicentric and multifocal invasive breast cancers. <i>Journal of the American College of Surgeons</i> , 2003 , 197, 529-35	4.4	108
39	Obesity influences outcome of sentinel lymph node biopsy in early-stage breast cancer. <i>Journal of the American College of Surgeons</i> , 2003 , 197, 896-901	4.4	59
38	Reoperative sentinel lymph node biopsy: a new option for patients with primary or locally recurrent breast carcinoma. <i>Journal of the American College of Surgeons</i> , 2002 , 195, 167-72	4.4	105
37	Sensory morbidity after sentinel lymph node biopsy and axillary dissection: a prospective study of 233 women. <i>Annals of Surgical Oncology</i> , 2002 , 9, 654-62	3.1	108
36	Sentinel lymph node drainage in multicentric breast cancers. <i>Breast Journal</i> , 2002 , 8, 356-61	1.2	33
35	Isosulfan blue dye reactions during sentinel lymph node mapping for breast cancer. <i>Anesthesia and Analgesia</i> , 2002 , 95, 385-8, table of contents	3.9	60
34	Isosulfan Blue Dye Reactions During Sentinel Lymph Node Mapping for Breast Cancer. <i>Anesthesia and Analgesia</i> , 2002 , 95, 385-388	3.9	177
33	Current surgical management of breast cancer. <i>Current Opinion in Obstetrics and Gynecology</i> , 2002 , 14, 45-52	2.4	37
32	Complementarity of blue dye and isotope in sentinel node localization for breast cancer: univariate and multivariate analysis of 966 procedures. <i>Annals of Surgical Oncology</i> , 2001 , 8, 13-9	3.1	211
31	Intradermal isotope injection: a highly accurate method of lymphatic mapping in breast carcinoma. <i>Annals of Surgical Oncology</i> , 2001 , 8, 20-4	3.1	78
30	Lymphovascular invasion enhances the prediction of non-sentinel node metastases in breast cancer patients with positive sentinel nodes. <i>Annals of Surgical Oncology</i> , 2001 , 8, 145-9	3.1	149
29	Highest isotope count does not predict sentinel node positivity in all breast cancer patients. <i>Annals of Surgical Oncology</i> , 2001 , 8, 592-7	3.1	64
28	Localization of the sentinel node in breast cancer: identical results with same-day and day-before isotope injection. <i>Annals of Surgical Oncology</i> , 2001 , 8, 682-6	3.1	63
27	Sentinel lymph node biopsy in patients with male breast carcinoma. <i>Cancer</i> , 2001 , 91, 319-323	6.4	62
26	Hereditary breast cancer. <i>Current Problems in Surgery</i> , 2001 , 38, 387-480	2.8	111

25	The breast cancer patient with multiple sentinel nodes: when to stop?. <i>Journal of the American College of Surgeons</i> , 2001 , 192, 692-7	4.4	104
24	A trend analysis of the relative value of blue dye and isotope localization in 2,000 consecutive cases of sentinel node biopsy for breast cancer. <i>Journal of the American College of Surgeons</i> , 2001 , 193, 473-8	4.4	147
23	Comprehensive review of the management of internal mammary lymph node metastases in breast cancer. <i>Journal of the American College of Surgeons</i> , 2001 , 193, 547-55	4.4	77
22	Surgical approach to internal mammary lymph node biopsy. <i>Journal of the American College of Surgeons</i> , 2001 , 193, 709-13	4.4	16
21	Percutaneous biopsy and sentinel lymphadenectomy: minimally invasive diagnosis and treatment of nonpalpable breast cancer. <i>American Journal of Roentgenology</i> , 2001 , 177, 887-91	5.4	14
20	Clinical aspects of sentinel node biopsy. <i>Breast Cancer Research</i> , 2001 , 3, 104-8	8.3	72
19	Intradermal isotope injection is superior to intramammary in sentinel node biopsy for breast cancer. <i>Surgery</i> , 2001 , 130, 432-8	3.6	81
18	Intradermal Isotope Injection: A Highly Accurate Method of Lymphatic Mapping in Breast Carcinoma 2001 , 8, 20		5
17	Lymphovascular Invasion Enhances the Prediction of Non-Sentinel Node Metastases in Breast Cancer Patients With Positive Sentinel Nodes 2001 , 8, 145		4
16	Highest Isotope Count Does Not Predict Sentinel Node Positivity in All Breast Cancer Patients 2001 , 8, 592		2
15	Sentinel lymph node biopsy in patients with male breast carcinoma 2001 , 91, 319		3
14	Sentinel lymphadenectomy accurately predicts nodal status in T2 breast cancer. <i>Journal of the American College of Surgeons</i> , 2000 , 191, 593-9	4.4	66
13	Sentinel lymph node biopsy: is it indicated in patients with high-risk ductal carcinoma-in-situ and ductal carcinoma-in-situ with microinvasion?. <i>Annals of Surgical Oncology</i> , 2000 , 7, 636-42	3.1	263
12	Is routine intraoperative frozen-section examination of sentinel lymph nodes in breast cancer worthwhile?. <i>Annals of Surgical Oncology</i> , 2000 , 7, 651-5	3.1	162
11	Sentinel lymph node biopsy after percutaneous diagnosis of nonpalpable breast cancer. <i>Radiology</i> , 1999 , 211, 835-44	20.5	45
10	Sentinel lymph node mapping in breast cancer. <i>Breast Cancer</i> , 1999 , 6, 13-22	3.4	64
9	Intradermal radiocolloid and intraparenchymal blue dye injection optimize sentinel node identification in breast cancer patients. <i>Annals of Surgical Oncology</i> , 1999 , 6, 450-4	3.1	205
8	State-of-the-art approaches to sentinel node biopsy for breast cancer: study design, patient selection, technique, and quality control at Memorial Sloan-Kettering Cancer Center. <i>Surgical Oncology</i> , 1999 , 8, 85-91	2.5	97

7	Sentinel lymph node biopsy in breast cancer: unfiltered radioisotope is superior to filtered. <i>Journal of the American College of Surgeons</i> , 1999 , 188, 377-81	4.4	83
6	Lessons learned from 500 cases of lymphatic mapping for breast cancer. <i>Annals of Surgery</i> , 1999 , 229, 528-35	7.8	287
5	Credentialing for breast lymphatic mapping: how many cases are enough?. <i>Annals of Surgery</i> , 1999 , 229, 723-6; discussion 726-8	7.8	120
4	Mammographic Screening: A Surgeon's Perspective. <i>Breast Journal</i> , 1997 , 3, 26-31	1.2	1
3	Internal mammary node status: a major prognosticator in axillary node-negative breast cancer. <i>Annals of Surgical Oncology</i> , 1995 , 2, 32-7	3.1	154
2	The impact of mammography in 1096 consecutive patients with breast cancer, 1979-1993: equal value for patients younger and older than age 50 years. <i>Cancer</i> , 1995 , 76, 1579-84	6.4	22
1	Rotter's node metastases. Therapeutic and prognostic considerations in early breast carcinoma. <i>Annals of Surgery</i> , 1984 , 199, 266-70	7.8	29