
Wojciech Kiebzak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/495535/publications.pdf Version: 2024-02-01



MOICIECH KIEBZAK

#	Article	IF	CITATIONS
1	Effectiveness of Chêneau brace treatment for idiopathic scoliosis: prospective study in 79 patients followed to skeletal maturity. Scoliosis, 2011, 6, 2.	0.4	50
2	Anthropometric indices and cut-off points in the diagnosis of metabolic disorders. PLoS ONE, 2020, 15, e0235121.	2.5	32
3	Effectiveness of Kinesio Taping on hypertrophic scars, keloids and scar contractures. Polish Annals of Medicine, 2012, 19, 50-57.	0.3	14
4	Assessment of visual perception in adolescents with a history of central coordination disorder in early life – 15-year follow-up study. Archives of Medical Science, 2012, 5, 879-885.	0.9	13
5	Objective parallel-forms reliability assessment of 3 dimension real time body posture screening tests. BMC Pediatrics, 2014, 14, 221.	1.7	13
6	Fibromyalgia Syndrome – a multidisciplinary approach. Psychiatria Polska, 2015, 49, 801-10.	0.5	8
7	Evaluation of the association between postural control and sagittal curvature of the spine. PLoS ONE, 2020, 15, e0241228.	2.5	7
8	Vojta method in the treatment of developmental hip dysplasia – a case report. Therapeutics and Clinical Risk Management, 2016, Volume 12, 1271-1276.	2.0	6
9	Effect of physiotherapy on spinal alignment in children with postural defects. International Journal of Occupational Medicine and Environmental Health, 2019, 32, 25-32.	1.3	6
10	Cortisol Levels in Infants with Central Coordination Disorders during Vojta Therapy. Children, 2021, 8, 1113.	1.5	6
11	Basic research Early detection of idiopathic scoliosis – analysis of three screening models. Archives of Medical Science, 2015, 11, 1058-64.	0.9	5
12	The influence of specialist kinesitherapy on the spinal function after fenestration surgeries. Polish Annals of Medicine, 2010, 17, 36-43.	0.3	3
13	Efficacy of the use of the McKenzie and Vojta methods to treat discopathy-associated syndromes in the pediatric population. International Journal of Occupational Medicine and Environmental Health, 2019, 32, 33-41.	1.3	3
14	Effect of a nonsurgical treatment program on the gait pattern of idiopathic toe walking: a case report. Therapeutics and Clinical Risk Management, 2016, 12, 139.	2.0	2
15	The eye movement desensitization and reprocessing approach in pain management – A case report of a patient with paraparesis. Polish Annals of Medicine, 2016, 23, 30-33.	0.3	2
16	Application of T1 scale in evaluating effects of long-term therapy. Polish Annals of Medicine, 2016, 23, 118-122.	0.3	1
17	Observation of deep oscillation usage and its effectiveness on burn scars – case report. Studia Medyczne, 2017, 1, 46-50.	0.1	1
18	Managing Toe Walking, a Treatment Side Effect, in a Child With T-Cell Non-Hodgkin's Lymphoma: A Case Report. Frontiers in Pediatrics, 2019, 7, 502.	1.9	1

WOJCIECH KIEBZAK

#	Article	IF	CITATIONS
19	Hip abduction and supported standing affect the ranges of hips extension in spinal muscular atrophy patients. Polish Annals of Medicine, 0, , .	0.3	1
20	Application of Euclidean geometry in the assessment of body posture in a sitting position. Polish Annals of Medicine, 0, , 1-5.	0.3	1
21	Basics of physiological carrying babies. Polish Annals of Medicine, 0, , .	0.3	0
22	Early childhood anomalies of the hip occur at a similar frequency in patients with idiopathic scoliosis and in healthy individuals – questionnaire for parents. Advances in Rehabilitation, 2017, 31, 5-18.	0.6	0
23	Types of improper child carrying. Polish Annals of Medicine, 0, , .	0.3	0