

Penny P Powell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4955731/penny-p-powell-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

18
papers

447
citations

12
h-index

18
g-index

18
ext. papers

517
ext. citations

6.8
avg, IF

3.05
L-index

#	Paper	IF	Citations
18	Enhanced small neutral but not branched chain amino acid transport after epigenetic sodium coupled neutral amino acid transporter-2 (SNAT2) cDNA expression in myoblasts. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 811-822	10.3	1
17	Non-canonical autophagy functions of ATG16L1 in epithelial cells limit lethal infection by influenza A virus. <i>EMBO Journal</i> , 2021 , 40, e105543	13	17
16	Regulation of cytokine signaling through direct interaction between cytokine receptors and the ATG16L1 WD40 domain. <i>Nature Communications</i> , 2020 , 11, 5919	17.4	9
15	Integrative analysis of Paneth cell proteomic and transcriptomic data from intestinal organoids reveals functional processes dependent on autophagy. <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	12
14	The Autophagy Protein ATG16L1 Is Required for Sindbis Virus-Induced eIF2 γ Phosphorylation and Stress Granule Formation. <i>Viruses</i> , 2019 , 12,	6.2	3
13	The ATG5-binding and coiled coil domains of ATG16L1 maintain autophagy and tissue homeostasis in mice independently of the WD domain required for LC3-associated phagocytosis. <i>Autophagy</i> , 2019 , 15, 599-612	10.2	57
12	Extracts of Feijoa Inhibit Toll-Like Receptor 2 Signaling and Activate Autophagy Implicating a Role in Dietary Control of IBD. <i>PLoS ONE</i> , 2015 , 10, e0130910	3.7	10
11	The pestivirus N terminal protease N(pro) redistributes to mitochondria and peroxisomes suggesting new sites for regulation of IRF3 by N(pro.). <i>PLoS ONE</i> , 2014 , 9, e88838	3.7	16
10	Host factors that interact with the pestivirus N-terminal protease, Npro, are components of the ribonucleoprotein complex. <i>Journal of Virology</i> , 2014 , 88, 10340-53	6.6	15
9	The microtubule end-binding protein EB2 is a central regulator of microtubule reorganisation in apico-basal epithelial differentiation. <i>Journal of Cell Science</i> , 2013 , 126, 4000-14	5.3	31
8	Foot-and-mouth disease virus 3C protease induces fragmentation of the Golgi compartment and blocks intra-Golgi transport. <i>Journal of Virology</i> , 2013 , 87, 11721-9	6.6	29
7	Autophagy and formation of tubulovesicular autophagosomes provide a barrier against nonviral gene delivery. <i>Autophagy</i> , 2013 , 9, 667-82	10.2	46
6	Small RNA analysis in Sindbis virus infected human HEK293 cells. <i>PLoS ONE</i> , 2013 , 8, e84070	3.7	10
5	Effectiveness of common household cleaning agents in reducing the viability of human influenza A/H1N1. <i>PLoS ONE</i> , 2010 , 5, e8987	3.7	28
4	The Npro product of classical swine fever virus interacts with IkappaBalpha, the NF-kappaB inhibitor. <i>Journal of General Virology</i> , 2008 , 89, 1881-1889	4.9	45
3	Regulation of porcine classical and nonclassical MHC class I expression. <i>Immunogenetics</i> , 2007 , 59, 377-89	3.2	22
2	Loss of interferon regulatory factor 3 in cells infected with classical swine fever virus involves the N-terminal protease, Npro. <i>Journal of Virology</i> , 2005 , 79, 7239-47	6.6	95

- 1 The WD and linker domains of ATG16L1 required for non-canonical autophagy limit lethal respiratory infection by influenza A virus at epithelial surfaces

1