

Federico Bussolino

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4956262/federico-bussolino-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240 papers	16,996 citations	62 h-index	124 g-index
253 ext. papers	18,313 ext. citations	7.9 avg, IF	5.93 L-index

#	Paper	IF	Citations
240	Oncostatin M is overexpressed in NASH-related hepatocellular carcinoma and promotes cancer cell invasiveness and angiogenesis.. <i>Journal of Pathology</i> , 2022 ,	9.4	2
239	SKP2 drives the sensitivity to neddylation inhibitors and cisplatin in malignant pleural mesothelioma.. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022 , 41, 75	12.8	0
238	Transmembrane Protein TMEM230, a Target of Glioblastoma Therapy. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 703431	6.1	
237	The Oncogene Transcription Factor EB Regulates Vascular Functions. <i>Frontiers in Physiology</i> , 2021 , 12, 640061	4.6	3
236	The role of redox system in metastasis formation. <i>Angiogenesis</i> , 2021 , 24, 435-450	10.6	1
235	Evaluation of the Preclinical Efficacy of Lurbinectedin in Malignant Pleural Mesothelioma. <i>Cancers</i> , 2021 , 13,	6.6	1
234	Clinical and Molecular Features of Epidermal Growth Factor Receptor (EGFR) Mutation Positive Non-Small-Cell Lung Cancer (NSCLC) Patients Treated with Tyrosine Kinase Inhibitors (TKIs): Predictive and Prognostic Role of Co-Mutations. <i>Cancers</i> , 2021 , 13,	6.6	1
233	miR-200c-3p Regulates Epithelial-to-Mesenchymal Transition in Epicardial Mesothelial Cells by Targeting Epicardial Follistatin-Related Protein 1. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
232	TFEB Signalling-Related MicroRNAs and Autophagy. <i>Biomolecules</i> , 2021 , 11,	5.9	4
231	Multifaceted activities of transcription factor EB in cancer onset and progression. <i>Molecular Oncology</i> , 2021 , 15, 327-346	7.9	11
230	Role of TGF β and WNT6 in FGF2 and BMP4-driven endothelial differentiation of murine embryonic stem cells. <i>Angiogenesis</i> , 2021 , 1	10.6	0
229	Genetic perturbation of IFN- γ transcriptional modulators in human endothelial cells uncovers pivotal regulators of angiogenesis. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 3977-3986	6.8	3
228	A regulatory microRNA network controls endothelial cell phenotypic switch during sprouting angiogenesis. <i>ELife</i> , 2020 , 9,	8.9	22
227	HIV Protease Inhibitors Block HPV16-Induced Murine Cervical Carcinoma and Promote Vessel Normalization in Association with MMP-9 Inhibition and TIMP-3 Induction. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 2476-2489	6.1	2
226	Wnt/IL-1 β /IL-8 autocrine circuitries control chemoresistance in mesothelioma initiating cells by inducing ABCB5. <i>International Journal of Cancer</i> , 2020 , 146, 192-207	7.5	20
225	KRAS-Driven Metabolic Rewiring Reveals Novel Actionable Targets in Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 848	5.3	54
224	Potential Diagnostic and Prognostic Role of Microenvironment in Malignant Pleural Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 1458-1471	8.9	29

223	Targeted nanomedicines for applications in preclinical cancer models. <i>Bulletin of Russian State Medical University</i> , 2019 , 5-13	0.4	
222	SerpinB3 Differently Up-Regulates Hypoxia Inducible Factors -1 and -2 in Hepatocellular Carcinoma: Mechanisms Revealing Novel Potential Therapeutic Targets. <i>Cancers</i> , 2019 , 11,	6.6	10
221	Nanomedicine for Imaging and Therapy of Pancreatic Adenocarcinoma. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 307	5.8	17
220	TFEB controls vascular development by regulating the proliferation of endothelial cells. <i>EMBO Journal</i> , 2019 , 38,	13	28
219	PI3K/mTOR inhibition promotes the regression of experimental vascular malformations driven by PIK3CA-activating mutations. <i>Cell Death and Disease</i> , 2018 , 9, 45	9.8	49
218	Bloch surface wave label-free and fluorescence platform for the detection of VEGF biomarker in biological matrices. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 2143-2150	8.5	20
217	Bloch surface wave enhanced biosensor for the direct detection of Angiopoietin-2 tumor biomarker in human plasma. <i>Biomedical Optics Express</i> , 2018 , 9, 529-542	3.5	15
216	Tumor progression: the neuronal input. <i>Annals of Translational Medicine</i> , 2018 , 6, 89	3.2	26
215	Bromodomain inhibition exerts its therapeutic potential in malignant pleural mesothelioma by promoting immunogenic cell death and changing the tumor immune-environment. <i>Oncotmunology</i> , 2018 , 7, e1398874	7.2	29
214	MRCKs are activated by caspase cleavage to assemble an apical actin ring for epithelial cell extrusion. <i>Journal of Cell Biology</i> , 2018 , 217, 231-249	7.3	16
213	Consensus guidelines for the use and interpretation of angiogenesis assays. <i>Angiogenesis</i> , 2018 , 21, 425-537	5.3	285
212	Modulation of Angiopoietin 2 release from endothelial cells and angiogenesis by the synaptic protein Neuroligin 2. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 501, 165-171	3.4	5
211	MicroRNA-mediated regulatory circuits: outlook and perspectives. <i>Physical Biology</i> , 2017 , 14, 045001	3	54
210	Bioengineered tumoral microtissues recapitulate desmoplastic reaction of pancreatic cancer. <i>Acta Biomaterialia</i> , 2017 , 49, 152-166	10.8	41
209	VEGF-Mediated Signal Transduction in Tumor Angiogenesis 2017 ,		2
208	Sema3F (Semaphorin 3F) Selectively Drives an Extraembryonic Proangiogenic Program. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1710-1721	9.4	7
207	VEGF blockade enhances the antitumor effect of BRAFV600E inhibition. <i>EMBO Molecular Medicine</i> , 2017 , 9, 219-237	12	24
206	An Electrical Impedance-Based Method for Quantitative Real-Time Analysis of Semaphorin-Elicited Endothelial Cell Collapse. <i>Methods in Molecular Biology</i> , 2017 , 1493, 195-207	1.4	4

205	Therapy for Cancer: Strategy of Combining Anti-Angiogenic and Target Therapies. <i>Frontiers in Cell and Developmental Biology</i> , 2017 , 5, 101	5.7	38
204	Hydrogel-Terminated Photonic Crystal for Label-Free Detection of Angiopoietin-1. <i>Journal of Lightwave Technology</i> , 2016 , 34, 3641-3645	4	12
203	Novel active agents in patients with advanced NSCLC without driver mutations who have progressed after first-line chemotherapy. <i>ESMO Open</i> , 2016 , 1, e000118	6	4
202	BCAM and LAMA5 Mediate the Recognition between Tumor Cells and the Endothelium in the Metastatic Spreading of KRAS-Mutant Colorectal Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 4923-4933	12.9	34
201	Real-time monitoring of cell protrusion dynamics by impedance responses. <i>Scientific Reports</i> , 2015 , 5, 10206	4.9	18
200	The cholesterol biosynthesis enzyme oxidosqualene cyclase is a new target to impair tumour angiogenesis and metastasis dissemination. <i>Scientific Reports</i> , 2015 , 5, 9054	4.9	33
199	The Neuronal Pentraxin-2 Pathway Is an Unrecognized Target in Human Neuroblastoma, Which Also Offers Prognostic Value in Patients. <i>Cancer Research</i> , 2015 , 75, 4265-71	10.1	16
198	SPAD aptasensor for the detection of circulating protein biomarkers. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 500-507	11.8	17
197	PDK1 regulates focal adhesion disassembly by modulating endocytosis of $\alpha 3$ integrin. <i>Journal of Cell Science</i> , 2015 , 128, 863-77	5.3	15
196	Three-dimensional in vitro assay of endothelial cell invasion and capillary tube morphogenesis. <i>Methods in Molecular Biology</i> , 2015 , 1214, 41-7	1.4	4
195	Semaphorins in cardiovascular medicine. <i>Trends in Molecular Medicine</i> , 2014 , 20, 589-98	11.5	12
194	Angiopoietin-like 7, a novel pro-angiogenetic factor over-expressed in cancer. <i>Angiogenesis</i> , 2014 , 17, 881-96	10.6	40
193	Endothelial podosome rosettes regulate vascular branching in tumour angiogenesis. <i>Nature Cell Biology</i> , 2014 , 16, 931-41, 1-8	23.4	89
192	PDK1-mediated activation of MRCK β regulates directional cell migration and lamellipodia retraction. <i>Journal of Cell Biology</i> , 2014 , 206, 415-34	7.3	31
191	Neurologin 1 induces blood vessel maturation by cooperating with the $\beta 3$ integrin. <i>Journal of Biological Chemistry</i> , 2014 , 289, 19466-76	5.4	23
190	Neurologin 1 induces blood vessel maturation by cooperating with the $\beta 3$ integrin.. <i>Journal of Biological Chemistry</i> , 2014 , 289, 25475	5.4	78
189	Bloch Surface Waves on Dielectric Photonic Crystals for Biological Sensing. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 107-111	0.2	
188	Class 3 semaphorin in angiogenesis and lymphangiogenesis. <i>Chemical Immunology and Allergy</i> , 2014 , 99, 71-88		12

187	Novel phage display-derived neuroblastoma-targeting peptides potentiate the effect of drug nanocarriers in preclinical settings. <i>Journal of Controlled Release</i> , 2013 , 170, 233-41	11.7	35
186	A peptide from the extracellular region of the synaptic protein Neuexin stimulates angiogenesis and the vascular specific tyrosine kinase Tie2. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 432, 574-9	3.4	5
185	The V1/V2 loop of HIV-1 gp120 is necessary for Tat binding and consequent modulation of virus entry. <i>FEBS Letters</i> , 2013 , 587, 2943-51	3.8	7
184	Class 3 semaphorins: physiological vascular normalizing agents for anti-cancer therapy. <i>Journal of Internal Medicine</i> , 2013 , 273, 138-55	10.8	32
183	Emerging lymphae for the fountain of life. <i>EMBO Journal</i> , 2013 , 32, 609-11	13	5
182	A fluorescent one-dimensional photonic crystal for label-free biosensing based on BLOCH surface waves. <i>Sensors</i> , 2013 , 13, 2011-22	3.8	50
181	Modeling human tumor angiogenesis in a three-dimensional culture system. <i>Blood</i> , 2013 , 121, e129-37	2.2	56
180	Differential regulation of neurexin at glutamatergic and GABAergic synapses. <i>Frontiers in Cellular Neuroscience</i> , 2013 , 7, 35	6.1	16
179	Unraveling the influence of endothelial cell density on VEGF-A signaling. <i>Blood</i> , 2012 , 119, 5599-607	2.2	22
178	The miR-126 regulates angiopoietin-1 signaling and vessel maturation by targeting p85. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012 , 1823, 1925-35	4.9	66
177	A complex of β integrin and E-cadherin drives liver metastasis of colorectal cancer cells through hepatic angiopoietin-like 6. <i>EMBO Molecular Medicine</i> , 2012 , 4, 1156-75	12	37
176	IL-12-dependent innate immunity arrests endothelial cells in G0-G1 phase by a p21(Cip1/Waf1)-mediated mechanism. <i>Angiogenesis</i> , 2012 , 15, 713-25	10.6	4
175	The synaptic proteins Neuexin and neuroligin synergize with extracellular matrix-binding vascular endothelial growth factor during zebrafish vascular development. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 1563-72	9.4	17
174	3-phosphoinositide-dependent kinase 1 controls breast tumor growth in a kinase-dependent but Akt-independent manner. <i>Neoplasia</i> , 2012 , 14, 719-31	6.4	53
173	Targeted dual-color silica nanoparticles provide univocal identification of micrometastases in preclinical models of colorectal cancer. <i>International Journal of Nanomedicine</i> , 2012 , 7, 4797-807	7.3	26
172	SERS active Ag nanoparticles in mesoporous silicon: detection of organic molecules and peptide-antibody assays. <i>Journal of Raman Spectroscopy</i> , 2012 , 43, 730-736	2.3	59
171	The R-Ras/RIN2/Rab5 complex controls endothelial cell adhesion and morphogenesis via active integrin endocytosis and Rac signaling. <i>Cell Research</i> , 2012 , 22, 1479-501	24.7	84
170	Targeting oncogenic serine/threonine-protein kinase BRAF in cancer cells inhibits angiogenesis and abrogates hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E353-9	11.5	42

169	Liver X receptor activation reduces angiogenesis by impairing lipid raft localization and signaling of vascular endothelial growth factor receptor-2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 2280-8	9.4	51
168	Semaphorin 4A exerts a proangiogenic effect by enhancing vascular endothelial growth factor-A expression in macrophages. <i>Journal of Immunology</i> , 2012 , 188, 4081-92	5.3	53
167	Neuropilin-1 identifies a subset of bone marrow Gr1- monocytes that can induce tumor vessel normalization and inhibit tumor growth. <i>Cancer Research</i> , 2012 , 72, 6371-81	10.1	44
166	Semaphorin 3A overcomes cancer hypoxia and metastatic dissemination induced by antiangiogenic treatment in mice. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1832-48	15.9	132
165	Ex vivo-expanded bone marrow CD34(+) for acute myocardial infarction treatment: in vitro and in vivo studies. <i>Cytotherapy</i> , 2011 , 13, 1140-52	4.8	7
164	Nervous vascular parallels: axon guidance and beyond. <i>International Journal of Developmental Biology</i> , 2011 , 55, 439-45	1.9	25
163	Priming of the vascular endothelial growth factor signaling pathway by thrombospondin-1, CD36, and spleen tyrosine kinase. <i>Blood</i> , 2011 , 117, 4658-66	2.2	46
162	Mature endothelium and neurons are simultaneously derived from embryonic stem cells by 2D in vitro culture system. <i>Journal of Cellular and Molecular Medicine</i> , 2011 , 15, 2200-15	5.6	4
161	Simplification of a complex signal transduction model using invariants and flow equivalent servers. <i>Theoretical Computer Science</i> , 2011 , 412, 6036-6057	1.1	13
160	Neurexins and neuroligins: synapses look out of the nervous system. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 2655-66	10.3	47
159	A transient kinetic study between signaling proteins: the case of the MEK/ERK interaction. <i>Chemical Science</i> , 2011 , 2, 1804	9.4	7
158	Small GTPase Rab5 participates in chromosome congression and regulates localization of the centromere-associated protein CENP-F to kinetochores. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 17337-42	11.5	41
157	Protein kinase D1 regulates VEGF-A-induced α v β 3 integrin trafficking and endothelial cell migration. <i>Traffic</i> , 2010 , 11, 1107-18	5.7	33
156	Increased expression of α 6 integrin in endothelial cells unveils a proangiogenic role for basement membrane. <i>Cancer Research</i> , 2010 , 70, 5759-69	10.1	49
155	Integrin signaling and lung cancer. <i>Cell Adhesion and Migration</i> , 2010 , 4, 124-9	3.2	40
154	Role of the microenvironment in the specification of endothelial progenitors derived from embryonic stem cells. <i>Microvascular Research</i> , 2010 , 79, 178-83	3.7	14
153	Combined targeting of perivascular and endothelial tumor cells enhances anti-tumor efficacy of liposomal chemotherapy in neuroblastoma. <i>Journal of Controlled Release</i> , 2010 , 145, 66-73	11.7	73
152	Characterization of the neuroligin gene family expression and evolution in zebrafish. <i>Developmental Dynamics</i> , 2010 , 239, 688-702	2.9	13

151	Development of microcantilever-based biosensor array to detect Angiopoietin-1, a marker of tumor angiogenesis. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1193-8	11.8	35
150	Integration of microfluidic and cantilever technology for biosensing application in liquid environment. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 1565-70	11.8	52
149	Microenvironment drives the endothelial or neural fate of differentiating embryonic stem cells coexpressing neuropilin-1 and Flk-1. <i>FASEB Journal</i> , 2009 , 23, 68-78	0.9	14
148	The synaptic proteins neuroligins and neuroligins are widely expressed in the vascular system and contribute to its functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20782-7	11.5	45
147	Semaphorin 3A is an endogenous angiogenesis inhibitor that blocks tumor growth and normalizes tumor vasculature in transgenic mouse models. <i>Journal of Clinical Investigation</i> , 2009 , 119, 3356-72	15.9	145
146	Neuropilin-1/GIPC1 signaling regulates alpha5beta1 integrin traffic and function in endothelial cells. <i>PLoS Biology</i> , 2009 , 7, e25	9.7	215
145	Semaphorins and tumor angiogenesis. <i>Angiogenesis</i> , 2009 , 12, 187-93	10.6	37
144	Fluorescence anisotropy analysis of protein-antibody interaction. <i>Dyes and Pigments</i> , 2009 , 83, 225-229	4.6	16
143	A study of the interaction between fluorescein sodium salt and bovine serum albumin by steady-state fluorescence. <i>Dyes and Pigments</i> , 2009 , 80, 307-313	4.6	121
142	LXR-activating oxysterols induce the expression of inflammatory markers in endothelial cells through LXR-independent mechanisms. <i>Atherosclerosis</i> , 2009 , 207, 38-44	3.1	52
141	Sorafenib blocks tumour growth, angiogenesis and metastatic potential in preclinical models of osteosarcoma through a mechanism potentially involving the inhibition of ERK1/2, MCL-1 and ezrin pathways. <i>Molecular Cancer</i> , 2009 , 8, 118	42.1	131
140	Angiogenesis: a balancing act between integrin activation and inhibition?. <i>European Cytokine Network</i> , 2009 , 20, 191-6	3.3	7
139	On the Use of Stochastic Petri Nets in the Analysis of Signal Transduction Pathways for Angiogenesis Process. <i>Lecture Notes in Computer Science</i> , 2009 , 281-295	0.9	11
138	Diacylglycerol kinase-alpha phosphorylation by Src on Y335 is required for activation, membrane recruitment and Hgf-induced cell motility. <i>Oncogene</i> , 2008 , 27, 942-56	9.2	38
137	Besides adhesion: new perspectives of integrin functions in angiogenesis. <i>Cardiovascular Research</i> , 2008 , 78, 213-22	9.9	46
136	Integrins team up with tyrosine kinase receptors and plexins to control angiogenesis. <i>Current Opinion in Hematology</i> , 2008 , 15, 235-42	3.3	21
135	VRG: A database of vascular dysfunctions related genes. <i>Computers and Mathematics With Applications</i> , 2008 , 55, 1068-1073	2.7	0
134	Integrins: a flexible platform for endothelial vascular tyrosine kinase receptors. <i>Autoimmunity Reviews</i> , 2007 , 7, 18-22	13.6	15

133	Embryonic cleavage modeling as a computational approach to sphere packing problem. <i>Journal of Theoretical Biology</i> , 2007 , 245, 77-82	2.3	3
132	A simulation environment for directional sensing as a phase separation process. <i>Sciencels STKE: Signal Transduction Knowledge Environment</i> , 2007 , 2007, p1		4
131	Essential role of PDK1 in regulating endothelial cell migration. <i>Journal of Cell Biology</i> , 2007 , 176, 1035-47.	7.3	69
130	Comparative genome analysis of the neurexin gene family in <i>Danio rerio</i> : insights into their functions and evolution. <i>Molecular Biology and Evolution</i> , 2007 , 24, 236-52	8.3	28
129	Osteopontin overexpression inhibits in vitro re-endothelialization via integrin engagement. <i>Journal of Biological Chemistry</i> , 2007 , 282, 19676-84	5.4	23
128	A new computational approach to analyze human protein complexes and predict novel protein interactions. <i>Genome Biology</i> , 2007 , 8, R256	18.3	8
127	Phase Separation in Eukaryotic Directional Sensing 2007 , 23-32		
126	Small molecule approaches for promoting ischemic tissue vascularization. <i>Circulation Research</i> , 2006 , 99, 231-3	15.7	1
125	Type I collagen limits VEGFR-2 signaling by a SHP2 protein-tyrosine phosphatase-dependent mechanism 1. <i>Circulation Research</i> , 2006 , 98, 45-54	15.7	53
124	Semaphoring vascular morphogenesis. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2006 , 13, 81-91		43
123	Integrins and angiogenesis: a sticky business. <i>Experimental Cell Research</i> , 2006 , 312, 651-8	4.2	174
122	Loss of inhibitory semaphorin 3A (SEMA3A) autocrine loops in bone marrow endothelial cells of patients with multiple myeloma. <i>Blood</i> , 2006 , 108, 1661-7	2.2	73
121	Gorham-Stout syndrome: a monocyte-mediated cytokine propelled disease. <i>Journal of Bone and Mineral Research</i> , 2006 , 21, 207-18	6.3	53
120	A Computational Model for Eukaryotic Directional Sensing. <i>Lecture Notes in Computer Science</i> , 2006 , 184-195	0.9	
119	Inhibition of vascular endothelial growth factor receptor 2-mediated endothelial cell activation by Axl tyrosine kinase receptor. <i>Blood</i> , 2005 , 105, 1970-6	2.2	90
118	Cell surface-associated Tat modulates HIV-1 infection and spreading through a specific interaction with gp120 viral envelope protein. <i>Blood</i> , 2005 , 105, 2802-11	2.2	38
117	Sema4D induces angiogenesis through Met recruitment by Plexin B1. <i>Blood</i> , 2005 , 105, 4321-9	2.2	194
116	Direct recruitment of CRK and GRB2 to VEGFR-3 induces proliferation, migration, and survival of endothelial cells through the activation of ERK, AKT, and JNK pathways. <i>Blood</i> , 2005 , 106, 3423-31	2.2	129

115	Stable interaction between alpha5beta1 integrin and Tie2 tyrosine kinase receptor regulates endothelial cell response to Ang-1. <i>Journal of Cell Biology</i> , 2005 , 170, 993-1004	7.3	147
114	Diffusion-limited phase separation in eukaryotic chemotaxis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16927-32	11.5	80
113	Identification of CD36 molecular features required for its in vitro angiostatic activity. <i>FASEB Journal</i> , 2005 , 19, 1713-5	0.9	65
112	A Review of Vasculogenesis Models. <i>Journal of Theoretical Medicine</i> , 2005 , 6, 1-19		53
111	Involvement of chemokine receptor 4/stromal cell-derived factor 1 system during osteosarcoma tumor progression. <i>Clinical Cancer Research</i> , 2005 , 11, 490-7	12.9	81
110	Vasculogenic potential of long term repopulating cord blood progenitors. <i>FASEB Journal</i> , 2004 , 18, 1273-5	5.9	19
109	Human immunodeficiency virus type 1 Tat regulates endothelial cell actin cytoskeletal dynamics through PAK1 activation and oxidant production. <i>Journal of Virology</i> , 2004 , 78, 779-89	6.6	52
108	Adaptor ShcA protein binds tyrosine kinase Tie2 receptor and regulates migration and sprouting but not survival of endothelial cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 13224-33	5.4	39
107	Common cues in vascular and axon guidance. <i>Physiology</i> , 2004 , 19, 348-54	9.8	29
106	Activation of diacylglycerol kinase alpha is required for VEGF-induced angiogenic signaling in vitro. <i>Oncogene</i> , 2004 , 23, 4828-38	9.2	62
105	Aminopeptidase A is a functional target in angiogenic blood vessels. <i>Cancer Cell</i> , 2004 , 5, 151-62	24.3	124
104	CCL16 activates an angiogenic program in vascular endothelial cells. <i>Blood</i> , 2004 , 103, 40-9	2.2	73
103	Temporal and spatial modulation of Rho GTPases during in vitro formation of capillary vascular network. Adherens junctions and myosin light chain as targets of Rac1 and RhoA. <i>Journal of Biological Chemistry</i> , 2003 , 278, 50702-13	5.4	58
102	Tumor-host interaction mediates the regression of BK virus-induced vascular tumors in mice: involvement of transforming growth factor-beta1. <i>Carcinogenesis</i> , 2003 , 24, 1435-44	4.6	6
101	Tie-2-dependent activation of RhoA and Rac1 participates in endothelial cell motility triggered by angiopoietin-1. <i>Blood</i> , 2003 , 102, 2482-90	2.2	52
100	Modeling the early stages of vascular network assembly. <i>EMBO Journal</i> , 2003 , 22, 1771-9	13	236
99	Angiopoietin-2 expression in breast cancer correlates with lymph node invasion and short survival. <i>International Journal of Cancer</i> , 2003 , 103, 466-74	7.5	155
98	Insulin-like growth factor binding protein-3 is overexpressed in endothelial cells of mouse breast tumor vessels. <i>International Journal of Cancer</i> , 2003 , 103, 577-86	7.5	25

97	Class 3 semaphorins control vascular morphogenesis by inhibiting integrin function. <i>Nature</i> , 2003 , 424, 391-7	50.4	492
96	Percolation, morphogenesis, and burgers dynamics in blood vessels formation. <i>Physical Review Letters</i> , 2003 , 90, 118101	7.4	180
95	IL-12 regulates an endothelial cell-lymphocyte network: effect on metalloproteinase-9 production. <i>Journal of Immunology</i> , 2003 , 171, 3725-33	5.3	49
94	Hyperthermia inhibits angiogenesis by a plasminogen activator inhibitor 1-dependent mechanism. <i>Cancer Research</i> , 2003 , 63, 1500-7	10.1	53
93	HIV protease inhibitors are potent anti-angiogenic molecules and promote regression of Kaposi sarcoma. <i>Nature Medicine</i> , 2002 , 8, 225-32	50.5	269
92	Ghrelin and des-acyl ghrelin inhibit cell death in cardiomyocytes and endothelial cells through ERK1/2 and PI 3-kinase/AKT. <i>Journal of Cell Biology</i> , 2002 , 159, 1029-37	7.3	600
91	In vivo activation of JAK2/STAT-3 pathway during angiogenesis induced by GM-CSF. <i>FASEB Journal</i> , 2002 , 16, 225-7	0.9	99
90	Recombinant AAV vector encoding human VEGF165 enhances wound healing. <i>Gene Therapy</i> , 2002 , 9, 777-85	4	105
89	Tat-induced platelet-activating factor synthesis contributes to the angiogenic effect of HIV-1 Tat. <i>European Journal of Immunology</i> , 2001 , 31, 376-83	6.1	22
88	Dynamic modules and heterogeneity of function: a lesson from tyrosine kinase receptors in endothelial cells. <i>EMBO Reports</i> , 2001 , 2, 763-7	6.5	24
87	IL-12 inhibition of endothelial cell functions and angiogenesis depends on lymphocyte-endothelial cell cross-talk. <i>Journal of Immunology</i> , 2001 , 166, 3890-9	5.3	132
86	Cytoadherence of Plasmodium falciparum-infected erythrocytes is mediated by a redox-dependent conformational fraction of CD36. <i>Journal of Immunology</i> , 2001 , 167, 6510-7	5.3	14
85	Expression of angiopoietin-1 in human glioblastomas regulates tumor-induced angiogenesis: in vivo and in vitro studies. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 536-41	9.4	44
84	HIV-1 Tat protein stimulates in vivo vascular permeability and lymphomononuclear cell recruitment. <i>Journal of Immunology</i> , 2001 , 166, 1380-8	5.3	42
83	Involvement of a serine protease, but not of neutrophil elastase, in tumor necrosis factor-induced lethal hepatitis and induction of platelet-activating factor. <i>Journal of Hepatology</i> , 2001 , 35, 490-7	13.4	7
82	Interactions between endothelial cells and HIV-1. <i>International Journal of Biochemistry and Cell Biology</i> , 2001 , 33, 371-90	5.6	53
81	Cu(II) and Zn(II) complexes with hyaluronic acid and its sulphated derivative. Effect on the motility of vascular endothelial cells. <i>Journal of Inorganic Biochemistry</i> , 2000 , 81, 229-37	4.2	23
80	Human endothelial cells expressing polyoma middle T induce tumors. <i>Oncogene</i> , 2000 , 19, 3632-41	9.2	24

79	Identification of specific molecular structures of human immunodeficiency virus type 1 Tat relevant for its biological effects on vascular endothelial cells. <i>Journal of Virology</i> , 2000 , 74, 344-53	6.6	58
78	Human immunodeficiency virus transactivator protein (Tat) stimulates chemotaxis, calcium mobilization, and activation of human polymorphonuclear leukocytes: implications for Tat-mediated pathogenesis. <i>Journal of Infectious Diseases</i> , 2000 , 182, 1643-51	7	64
77	Aberrantly glycosylated IgA molecules downregulate the synthesis and secretion of vascular endothelial growth factor in human mesangial cells. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 1242-52	7.4	41
76	Bone Marrow Neovascularization, Plasma Cell Angiogenic Potential, and Matrix Metalloproteinase-2 Secretion Parallel Progression of Human Multiple Myeloma. <i>Blood</i> , 1999 , 93, 3064-3073	3.2	485
75	c-fos-induced growth factor/vascular endothelial growth factor D induces angiogenesis in vivo and in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 9671-6	11.5	216
74	Vascular endothelial growth factor-C stimulates the migration and proliferation of Kaposi's sarcoma cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 27617-22	5.4	75
73	Role of alphavbeta3 integrin in the activation of vascular endothelial growth factor receptor-2. <i>EMBO Journal</i> , 1999 , 18, 882-92	13	521
72	Platelet activating factor is elevated in cerebral spinal fluid and plasma of patients with relapsing-remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 1999 , 94, 212-21	3.5	63
71	Bone Marrow Neovascularization, Plasma Cell Angiogenic Potential, and Matrix Metalloproteinase-2 Secretion Parallel Progression of Human Multiple Myeloma. <i>Blood</i> , 1999 , 93, 3064-3073	3.2	103
70	Human Immunodeficiency Virus-1 (HIV-1)-Tat Protein Promotes Migration of Acquired Immunodeficiency Syndrome-Related Lymphoma Cells and Enhances Their Adhesion to Endothelial Cells. <i>Blood</i> , 1999 , 94, 1747-1754	2.2	18
69	Human Immunodeficiency Virus-1 (HIV-1)-Tat Protein Promotes Migration of Acquired Immunodeficiency Syndrome-Related Lymphoma Cells and Enhances Their Adhesion to Endothelial Cells. <i>Blood</i> , 1999 , 94, 1747-1754	2.2	4
68	Role of Inflammatory Mediators in Angiogenesis 1999 , 37-50		
67	Human lymphoblastoid cells produce extracellular matrix-degrading enzymes and induce endothelial cell proliferation, migration, morphogenesis, and angiogenesis. <i>International Journal of Clinical and Laboratory Research</i> , 1998 , 28, 55-68		79
66	Tumor necrosis factor-alpha regulates expression of vascular endothelial growth factor receptor-2 and of its co-receptor neuropilin-1 in human vascular endothelial cells. <i>Journal of Biological Chemistry</i> , 1998 , 273, 22128-35	5.4	201
65	Role of IL-6 and its soluble receptor in induction of chemokines and leukocyte recruitment. <i>Immunity</i> , 1997 , 6, 315-25	32.3	887
64	Human monocyte-derived and CD34+ cell-derived dendritic cells express functional receptors for platelet activating factor. <i>FEBS Letters</i> , 1997 , 418, 98-100	3.8	42
63	Activation of JAK2 in Human Vascular Endothelial Cells by Granulocyte-Macrophage Colony-Stimulating Factor. <i>Blood</i> , 1997 , 89, 863-872	2.2	37
62	Tat-Human Immunodeficiency Virus-1 Induces Human Monocyte Chemotaxis by Activation of Vascular Endothelial Growth Factor Receptor-1. <i>Blood</i> , 1997 , 90, 1365-1372	2.2	102

61	Molecular mechanisms of blood vessel formation. <i>Trends in Biochemical Sciences</i> , 1997 , 22, 251-6	10.3	369
60	Cytokine regulation of endothelial cell function: from molecular level to the bedside. <i>Trends in Immunology</i> , 1997 , 18, 231-40		334
59	Tat ^H Human Immunodeficiency Virus-1 Induces Human Monocyte Chemotaxis by Activation of Vascular Endothelial Growth Factor Receptor-1. <i>Blood</i> , 1997 , 90, 1365-1372	2.2	3
58	Anti-tumor activity of cytokines against opportunistic vascular tumors in mice. <i>International Journal of Cancer</i> , 1996 , 65, 700-8	7.5	10
57	Microvessel count is predictive of patients' survival in laryngeal squamous-cell carcinoma. <i>International Journal of Cancer</i> , 1996 , 69, 426-7	7.5	3
56	The angiogenesis induced by HIV-1 tat protein is mediated by the Flk-1/KDR receptor on vascular endothelial cells. <i>Nature Medicine</i> , 1996 , 2, 1371-5	50.5	330
55	A possible role for nitric oxide in modulating the functional cyclosporine toxicity by arginine. <i>Kidney International</i> , 1995 , 47, 1507-14	9.9	45
54	In vivo activation of met tyrosine kinase by heterodimeric hepatocyte growth factor molecule promotes angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995 , 15, 1857-65	9.4	78
53	Erythrocyte stages of Plasmodium falciparum exhibit a high nitric oxide synthase (NOS) activity and release an NOS-inducing soluble factor. <i>Journal of Experimental Medicine</i> , 1995 , 182, 677-88	16.6	81
52	Middle T antigen-transformed endothelial cells exhibit an increased activity of nitric oxide synthase. <i>Journal of Experimental Medicine</i> , 1995 , 181, 9-19	16.6	34
51	Multiple roles of platelet-activating factor in the nervous system. <i>Neurochemistry International</i> , 1995 , 26, 425-33	4.4	10
50	Platelet-Activating Factor Produced by Endothelial Cells. A Molecule with Autocrine and Paracrine Properties. <i>FEBS Journal</i> , 1995 , 229, 327-337		2
49	Platelet-activating factor production by human fetal microglia. Effect of lipopolysaccharides and tumor necrosis factor-alpha. <i>Molecular and Chemical Neuropathology</i> , 1995 , 24, 95-106		31
48	Platelet-Activating Factor Produced by Endothelial Cells. A Molecule with Autocrine and Paracrine Properties. <i>FEBS Journal</i> , 1995 , 229, 327-337		65
47	Platelet activating factor produced in vitro by Kaposi's sarcoma cells induces and sustains in vivo angiogenesis. <i>Journal of Clinical Investigation</i> , 1995 , 96, 940-52	15.9	85
46	Platelet-activating factor produced by endothelial cells 1995 , 109-119		
45	Protective effects of L-659,989, a platelet-activating factor receptor antagonist, in myocardial ischemia and reperfusion in rats. <i>Journal of Cardiovascular Pharmacology</i> , 1994 , 23, 7-12	3.1	12
44	Tumor necrosis factor alpha-induced angiogenesis depends on in situ platelet-activating factor biosynthesis. <i>Journal of Experimental Medicine</i> , 1994 , 180, 377-82	16.6	131

43	Involvement of a serine protease in the synthesis of platelet-activating factor by endothelial cells stimulated by tumor necrosis factor-alpha or interleukin-1 alpha. <i>European Journal of Immunology</i> , 1994 , 24, 3131-9	6.1	29
42	Synergism between platelet activating factor and C-C chemokines for arachidonate release in human monocytes. <i>Biochemical and Biophysical Research Communications</i> , 1994 , 199, 761-6	3.4	38
41	Differential expression of the common beta and specific alpha chains of the receptors for GM-CSF, IL-3, and IL-5 in endothelial cells. <i>Experimental Cell Research</i> , 1993 , 206, 311-7	4.2	57
40	Streptokinase induces intravascular release of platelet-activating factor in patients with acute myocardial infarction and stimulates its synthesis by cultured human endothelial cells. <i>Circulation</i> , 1993 , 88, 1476-83	16.7	41
39	Proliferative and migratory responses of murine microvascular endothelial cells to granulocyte-colony-stimulating factor. <i>Journal of Cellular Physiology</i> , 1993 , 155, 89-95	7	59
38	Recent developments in the cell biology of granulocyte-macrophage colony-stimulating factor and granulocyte colony-stimulating factor: activities on endothelial cells. <i>International Journal of Clinical and Laboratory Research</i> , 1993 , 23, 8-12		28
37	Hepatocyte growth factor is a potent angiogenic factor which stimulates endothelial cell motility and growth. <i>Journal of Cell Biology</i> , 1992 , 119, 629-41	7.3	1190
36	Nitrovasodilators inhibit thrombin-induced platelet-activating factor synthesis in human endothelial cells. <i>Biochemical Pharmacology</i> , 1992 , 44, 223-9	6	43
35	Platelet activating factor interaction with tumor necrosis factor and myocardial depressant factor in splanchnic artery occlusion shock. <i>European Journal of Pharmacology</i> , 1992 , 222, 13-9	5.3	33
34	Cytokine regulation of endothelial cell function. <i>FASEB Journal</i> , 1992 , 6, 2591-9	0.9	574
33	Tumor necrosis factor alters cytoskeletal organization and barrier function of endothelial cells. <i>International Archives of Allergy and Immunology</i> , 1991 , 96, 84-91	3.7	47
32	Dictyostelium cells produce platelet-activating factor in response to cAMP. <i>FEBS Journal</i> , 1991 , 196, 609-15		19
31	The molecular action of tumor necrosis factor-alpha. <i>FEBS Journal</i> , 1991 , 202, 3-14		205
30	GM-CSF and phorbol esters modulate GM-CSF receptor expression by independent mechanisms. <i>Journal of Cellular Physiology</i> , 1991 , 148, 24-34	7	8
29	Na ⁺ /H ⁺ antiporter has different properties in human B lymphocytes according to CD5 expression and malignant phenotype. <i>European Journal of Immunology</i> , 1991 , 21, 583-8	6.1	10
28	Protein kinase C and cyclic AMP modulate thrombin-induced platelet-activating factor synthesis in human endothelial cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991 , 1093, 55-64	4.9	39
27	In vitro and in vivo activation of endothelial cells by colony-stimulating factors. <i>Journal of Clinical Investigation</i> , 1991 , 87, 986-95	15.9	231
26	Role of platelet activating factor in the adhesion process of polymorphonuclear neutrophils to endothelial cells. <i>Advances in Experimental Medicine and Biology</i> , 1991 , 297, 55-64	3.6	6

25	Release of platelet-activating factor in systemic lupus erythematosus. <i>International Archives of Allergy and Immunology</i> , 1990 , 91, 244-56	3.7	68
24	Tumor necrosis factor induces contraction of mesangial cells and alters their cytoskeletons. <i>Kidney International</i> , 1990 , 38, 795-802	9.9	35
23	Effect of leukocyte stimulation on rabbit immune complex glomerulonephritis. <i>Kidney International</i> , 1990 , 38, 1047-55	9.9	15
22	An anti-inflammatory protein secreted from the rat seminal vesicle epithelium inhibits the synthesis of platelet-activating factor and the release of arachidonic acid and prostacyclin. <i>FEBS Journal</i> , 1990 , 192, 481-5		17
21	In vivo priming of human normal neutrophils by granulocyte-macrophage colony stimulating factor: effect on the production of platelet activating factor. <i>British Journal of Haematology</i> , 1990 , 75, 333-9	4.5	10
20	Role of Na ⁺ /H ⁺ exchange in the granulocyte-macrophage colony-stimulating factor-dependent growth of a leukemic cell line. <i>Journal of Cellular Physiology</i> , 1990 , 143, 133-9	7	7
19	Evidence for a role of the Na ⁺ /H ⁺ exchanger in the colony-stimulating-factor-induced ornithine decarboxylase activity and proliferation of the human cell line M-07e. <i>Journal of Cellular Physiology</i> , 1990 , 145, 147-54	7	8
18	Acetylcholine-induced production of platelet-activating factor by human fetal brain cells in culture. <i>Journal of Neuroscience Research</i> , 1990 , 27, 706-11	4.4	72
17	Antiinflammatory peptides (antiflammins) inhibit synthesis of platelet-activating factor, neutrophil aggregation and chemotaxis, and intradermal inflammatory reactions. <i>Journal of Experimental Medicine</i> , 1990 , 171, 913-27	16.6	79
16	Role of cytokines and platelet-activating factor in microvascular immune injury. <i>International Archives of Allergy and Immunology</i> , 1989 , 88, 88-100	3.7	88
15	Tumor necrosis factor stimulates human neutrophils to release leukotriene B4 and platelet-activating factor. Induction of phospholipase A2 and acetyl-CoA:1-alkyl-sn-glycero-3-phosphocholine O2-acetyltransferase activity and inhibition by antiproteinase. <i>FEBS Journal</i> , 1989 , 182, 661-6		57
14	Granulocyte- and granulocyte-macrophage-colony stimulating factors induce human endothelial cells to migrate and proliferate. <i>Nature</i> , 1989 , 337, 471-3	50.4	558
13	Is there a case for PAF antagonists in the treatment of ischemic states?. <i>Trends in Pharmacological Sciences</i> , 1989 , 10, 23-30	13.2	110
12	Acetylcholine and dopamine promote the production of platelet activating factor in immature cells of chick embryonic retina. <i>Journal of Neurochemistry</i> , 1988 , 51, 1755-9	6	48
11	Naturally occurring anti-band-3 antibodies and complement together mediate phagocytosis of oxidatively stressed human erythrocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987 , 84, 7368-72	11.5	195
10	Intravascular release of platelet activating factor in children with sepsis. <i>Thrombosis Research</i> , 1987 , 48, 619-20	8.2	48
9	Measurement of phagocytosis utilizing [¹⁴ C]cyanate-labelled human red cells and monocytes. <i>British Journal of Haematology</i> , 1987 , 66, 271-4	4.5	19
8	Platelet-activating factor--a powerful lipid autacoid possibly involved in microangiopathy. <i>Acta Haematologica</i> , 1986 , 75, 129-40	2.7	26

7	Interleukin 1 stimulates platelet activating factor production in cultured human endothelial cells. <i>Pharmacological Research Communications</i> , 1986 , 18 Suppl, 133-7		14
6	Platelet-activating factor phosphatidate, but not platelet-activating factor, is a powerful calcium ionophore in the human red cell. <i>Cell Calcium</i> , 1984 , 5, 463-73	4	7
5	Specific binding of 1-[3H]-O-alkyl-2-acetyl-sn-glycerol-3-phosphoryl choline (platelet-activating factor, PAF) by human polymorphonuclear neutrophils. <i>Agents and Actions</i> , 1984 , 15, 15-17		14
4	Platelet-activating factor-mediated contraction of rabbit lung strips: pharmacologic modulation. <i>Immunopharmacology</i> , 1983 , 6, 87-96		22
3	In vitro spasmogenic effect on rabbit lung tissue of 1-O-octadecyl-2-acetyl-sn-glycerol-3-phosphorylcholine (platelet-activating factor): Specific desensitization after in vivo infusion. <i>Agents and Actions</i> , 1983 , 13, 507-509		3
2	Neutropenia induced by platelet-activating factor (PAF-acether) released from neutrophils: the inhibitory effect of prostacyclin (PGI ₂). <i>Agents and Actions</i> , 1981 , 11, 550-3		27
1	Effect of prostacyclin on platelet-activating factor induced rabbit and platelet aggregation. <i>Prostaglandins</i> , 1980 , 20, 781-91		21