

Donald J Chisholm

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4956938/donald-j-chisholm-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

13,733
citations

57
h-index

116
g-index

168
ext. papers

14,640
ext. citations

7.8
avg, IF

5.83
L-index

#	Paper	IF	Citations
161	Plasma Bile Acids More Closely Align With Insulin Resistance, Visceral and Hepatic Adiposity Than Total Adiposity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1131-e1139	5.6	2
160	Longitudinal Changes in Insulin Resistance in Normal Weight, Overweight and Obese Individuals. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
159	Muscle Sympathetic Nerve Activity Is Associated with Liver Insulin Sensitivity in Obese Non-Diabetic Men. <i>Frontiers in Physiology</i> , 2017 , 8, 101	4.6	3
158	Skeletal muscle and plasma lipidomic signatures of insulin resistance and overweight/obesity in humans. <i>Obesity</i> , 2016 , 24, 908-16	8	101
157	Control of adipocyte differentiation in different fat depots; implications for pathophysiology or therapy. <i>Frontiers in Endocrinology</i> , 2015 , 6, 1	5.7	107
156	Eradicating hepatitis C virus ameliorates insulin resistance without change in adipose depots. <i>Journal of Viral Hepatitis</i> , 2014 , 21, 325-32	3.4	18
155	ISL1 regulates peroxisome proliferator-activated receptor β activation and early adipogenesis via bone morphogenetic protein 4-dependent and -independent mechanisms. <i>Molecular and Cellular Biology</i> , 2014 , 34, 3607-17	4.8	8
154	Effects of type 1 diabetes, sprint training and sex on skeletal muscle sarcoplasmic reticulum Ca ²⁺ uptake and Ca ²⁺ -ATPase activity. <i>Journal of Physiology</i> , 2014 , 592, 523-35	3.9	26
153	Glycemic effects and safety of L-Glutamine supplementation with or without sitagliptin in type 2 diabetes patients-a randomized study. <i>PLoS ONE</i> , 2014 , 9, e113366	3.7	17
152	Adiposity and insulin resistance in humans: the role of the different tissue and cellular lipid depots. <i>Endocrine Reviews</i> , 2013 , 34, 463-500	27.2	156
151	Impaired Akt phosphorylation in insulin-resistant human muscle is accompanied by selective and heterogeneous downstream defects. <i>Diabetologia</i> , 2013 , 56, 875-85	10.3	63
150	How sweet it is: intestinal sweet taste receptors in type 2 diabetes. <i>Diabetes</i> , 2013 , 62, 3336-7	0.9	4
149	Insulin-sensitive obesity in humans - a 'favorable fat' phenotype?. <i>Trends in Endocrinology and Metabolism</i> , 2012 , 23, 116-24	8.8	92
148	Glutamine reduces postprandial glycemia and augments the glucagon-like peptide-1 response in type 2 diabetes patients. <i>Journal of Nutrition</i> , 2011 , 141, 1233-8	4.1	70
147	Subcutaneous and visceral adipose tissue gene expression of serum adipokines that predict type 2 diabetes. <i>Obesity</i> , 2010 , 18, 884-9	8	188
146	Intrinsic depot-specific differences in the secretome of adipose tissue, preadipocytes, and adipose tissue-derived microvascular endothelial cells. <i>Diabetes</i> , 2010 , 59, 3008-16	0.9	90
145	Chronic hepatitis C is associated with peripheral rather than hepatic insulin resistance. <i>Gastroenterology</i> , 2010 , 138, 932-41.e1-3	13.3	111

144	Subcutaneous and visceral adipose tissue FTO gene expression and adiposity, insulin action, glucose metabolism, and inflammatory adipokines in type 2 diabetes mellitus and in health. <i>Obesity Surgery</i> , 2010 , 20, 108-13	3.7	27
143	Adipocyte fatty acid binding protein levels relate to inflammation and fibrosis in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2009 , 49, 1926-34	11.2	119
142	Reply:. <i>Hepatology</i> , 2009 , 50, 327-328	11.2	
141	Decorin is a secreted protein associated with obesity and type 2 diabetes. <i>International Journal of Obesity</i> , 2008 , 32, 1113-21	5.5	44
140	Islet-1: a potentially important role for an islet cell gene in visceral fat. <i>Obesity</i> , 2008 , 16, 356-62	8	8
139	The effects of high-intensity intermittent exercise training on fat loss and fasting insulin levels of young women. <i>International Journal of Obesity</i> , 2008 , 32, 684-91	5.5	306
138	The addition of rosiglitazone to insulin in adolescents with type 1 diabetes and poor glycaemic control: a randomized-controlled trial. <i>Pediatric Diabetes</i> , 2008 , 9, 326-34	3.6	21
137	Impact of growth hormone and dehydroepiandrosterone on protein metabolism in glucocorticoid-treated patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 688-95	5.6	9
136	Sprint training increases muscle oxidative metabolism during high-intensity exercise in patients with type 1 diabetes. <i>Diabetes Care</i> , 2008 , 31, 2097-102	14.6	40
135	Studies of regional adipose transplantation reveal a unique and beneficial interaction between subcutaneous adipose tissue and the intra-abdominal compartment. <i>Diabetologia</i> , 2008 , 51, 900-2	10.3	67
134	Visceral fat: a key mediator of steatohepatitis in metabolic liver disease. <i>Hepatology</i> , 2008 , 48, 449-57	11.2	418
133	Metabolic response of trained and untrained women during high-intensity intermittent cycle exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007 , 293, R2370-5	3.2	52
132	Impact of acute and chronic low-dose glucocorticoids on protein metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3923-9	5.6	16
131	Markers of mitochondrial biogenesis and metabolism are lower in overweight and obese insulin-resistant subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1467-73	5.6	138
130	Potential antiinflammatory role of insulin via the preferential polarization of effector T cells toward a T helper 2 phenotype. <i>Endocrinology</i> , 2007 , 148, 346-53	4.8	126
129	High-intensity training improves plasma glucose and acid-base regulation during intermittent maximal exercise in type 1 diabetes. <i>Diabetes Care</i> , 2007 , 30, 1269-71	14.6	44
128	Effect of postprandial insulinemia and insulin resistance on measurement of arterial stiffness (augmentation index). <i>International Journal of Cardiology</i> , 2007 , 114, 50-6	3.2	59
127	Insulin levels in insulin resistance: phantom of the metabolic opera?. <i>Medical Journal of Australia</i> , 2006 , 185, 159-61	4	25

126	Diabetes guidelines: easier to preach than to practise?. <i>Medical Journal of Australia</i> , 2006 , 185, 305-9	4	63
125	Effects of sprint training on extrarenal potassium regulation with intense exercise in Type 1 diabetes. <i>Journal of Applied Physiology</i> , 2006 , 100, 26-34	3.7	24
124	Relationship of adiponectin with insulin sensitivity in humans, independent of lipid availability. <i>Obesity</i> , 2006 , 14, 228-34	8	56
123	In vivo, nucleoside reverse-transcriptase inhibitors alter expression of both mitochondrial and lipid metabolism genes in the absence of depletion of mitochondrial DNA. <i>Journal of Infectious Diseases</i> , 2005 , 191, 1686-96	7	143
122	Circulating fatty acids, non-high density lipoprotein cholesterol, and insulin-infused fat oxidation acutely influence whole body insulin sensitivity in nondiabetic men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1035-40	5.6	23
121	Beneficial postprandial effect of a small amount of alcohol on diabetes and cardiovascular risk factors: modification by insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 661-72	5.6	81
120	Exercise increases adiponectin levels and insulin sensitivity in humans. <i>Diabetes Care</i> , 2004 , 27, 629-30	14.6	166
119	Diabetes care and complications in a remote primary health care setting. <i>Diabetes Research and Clinical Practice</i> , 2004 , 64, 77-83	7.4	22
118	Multiple indexes of lipid availability are independently related to whole body insulin action in healthy humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 793-8	5.6	30
117	Target-seeking behavior of plasma glucose with exercise in type 1 diabetes. <i>Diabetes Care</i> , 2003 , 26, 297-301	14.6	19
116	Endocrinology in the 21st century. <i>Medical Journal of Australia</i> , 2003 , 179, 378	4	
115	1: Epidemiology and prevention of type 2 diabetes and the metabolic syndrome. <i>Medical Journal of Australia</i> , 2003 , 179, 379-383	4	54
114	Central fat predicts deterioration of insulin secretion index and fasting glycaemia: 6-year follow-up of subjects at varying risk of Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2003 , 20, 294-300	3.5	25
113	Insulin action, regional fat, and myocyte lipid: altered relationships with increased adiposity. <i>Obesity</i> , 2003 , 11, 1295-305		57
112	Fat oxidation, body composition and insulin sensitivity in diabetic and normoglycaemic obese adults 5 years after weight loss. <i>International Journal of Obesity</i> , 2003 , 27, 1212-8	5.5	14
111	Nicotinic acid-induced insulin resistance is related to increased circulating fatty acids and fat oxidation but not muscle lipid content. <i>Metabolism: Clinical and Experimental</i> , 2003 , 52, 699-704	12.7	81
110	Changes in aerobic capacity and visceral fat but not myocyte lipid levels predict increased insulin action after exercise in overweight and obese men. <i>Diabetes Care</i> , 2003 , 26, 1706-13	14.6	109
109	Type 1 diabetes is not associated with increased central abdominal obesity. <i>Diabetes Care</i> , 2003 , 26, 2703; author reply 2703-4	14.6	5

108	Regional intra-subject variability in abdominal adiposity limits usefulness of computed tomography. <i>Obesity</i> , 2002 , 10, 260-5		55
107	Insulin resistance, intra-abdominal fat, cardiovascular risk factors, and androgens in healthy young women with type 1 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 1036-40 ^{5,6}		53
106	Long-term high-fat feeding leads to severe insulin resistance but not diabetes in Wistar rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 282, E1231-8	6	89
105	Altered myocellular and abdominal fat partitioning predict disturbance in insulin action in HIV protease inhibitor-related lipodystrophy. <i>Diabetes</i> , 2002 , 51, 3163-9	0.9	104
104	Anti-retroviral therapy, insulin resistance and lipodystrophy. <i>Diabetes, Obesity and Metabolism</i> , 2001 , 3, 67-71	6.7	21
103	Independent influences of central fat and skeletal muscle lipids on insulin sensitivity. <i>Obesity</i> , 2001 , 9, 535-43		36
102	Adrenal apoplexy: an inconspicuous cause of hypotension in the intensive care patient. <i>Medical Journal of Australia</i> , 2001 , 175, 384-5	4	2
101	Predicting the occurrence of diabetes mellitus in recipients of heart transplants. <i>Diabetic Medicine</i> , 2000 , 17, 15-9	3.5	71
100	Clinical trials and clinical practice--bridging the gaps in type 2 diabetes. An evidence-based approach to risk factor modification in type 2 diabetes. <i>Australian and New Zealand Journal of Medicine</i> , 2000 , 30, 483-91		3
99	Long-chain acyl-CoA esters as indicators of lipid metabolism and insulin sensitivity in rat and human muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 279, E554-60	6	184
98	Expression of genes involved in lipid metabolism correlate with peroxisome proliferator-activated receptor gamma expression in human skeletal muscle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4293-7	5.6	65
97	Expression of Genes Involved in Lipid Metabolism Correlate with Peroxisome Proliferator-Activated Receptor γ Expression in Human Skeletal Muscle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 4293-4297	5.6	67
96	Author's response to the letter 'Predicting the occurrence of diabetes mellitus in recipients of heart transplants'. <i>Diabetic Medicine</i> , 2000 , 17, 624	3.5	
95	Diagnosis, prediction, and natural course of HIV-1 protease-inhibitor-associated lipodystrophy, hyperlipidaemia, and diabetes mellitus: a cohort study. <i>Lancet, The</i> , 1999 , 353, 2093-9	40	1319
94	NEFA elevation during a hyperglycaemic clamp enhances insulin secretion. <i>Diabetic Medicine</i> , 1998 , 15, 327-33	3.5	13
93	Abnormal fat distribution and use of protease inhibitors. <i>Lancet, The</i> , 1998 , 351, 1736	40	64
92	Pathogenesis of HIV-1-protease inhibitor-associated peripheral lipodystrophy, hyperlipidaemia, and insulin resistance. <i>Lancet, The</i> , 1998 , 351, 1881-3	40	933
91	Five-hour fatty acid elevation increases muscle lipids and impairs glycogen synthesis in the rat. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 1121-6	12.7	98

90	The metabolically obese, normal-weight individual revisited. <i>Diabetes</i> , 1998 , 47, 699-713	0.9	640
89	Beneficial effect on average lipid levels from energy restriction and fat loss in obese individuals with or without type 2 diabetes. <i>Diabetes Care</i> , 1998 , 21, 695-700	14.6	50
88	Can the effectiveness of physical activity programs be improved? Response to Clark. <i>Diabetes Care</i> , 1998 , 21, 195-6	14.6	4
87	The determinants of glycemic responses to diet restriction and weight loss in obesity and NIDDM. <i>Diabetes Care</i> , 1998 , 21, 687-94	14.6	114
86	A syndrome of peripheral lipodystrophy, hyperlipidaemia and insulin resistance in patients receiving HIV protease inhibitors. <i>Aids</i> , 1998 , 12, F51-8	3.5	1799
85	Obesity: genes, glands or gluttony?. <i>Reproduction, Fertility and Development</i> , 1998 , 10, 49-53	1.8	10
84	Diet-induced muscle insulin resistance in rats is ameliorated by acute dietary lipid withdrawal or a single bout of exercise: parallel relationship between insulin stimulation of glucose uptake and suppression of long-chain fatty acyl-CoA. <i>Diabetes</i> , 1997 , 46, 2022-8	0.9	152
83	Relationship of a novel polymorphic marker near the human obese (OB) gene to fat mass in healthy women. <i>Obesity</i> , 1997 , 5, 430-3		24
82	The insulin sensitizer, BRL 49653, reduces systemic fatty acid supply and utilization and tissue lipid availability in the rat. <i>Metabolism: Clinical and Experimental</i> , 1997 , 46, 935-42	12.7	109
81	Will older sedentary people with non-insulin-dependent diabetes mellitus start exercising? A health promotion model. <i>Diabetes Research and Clinical Practice</i> , 1997 , 37, 121-8	7.4	34
80	Pathogenesis of the insulin resistance syndrome (syndrome X). <i>Clinical and Experimental Pharmacology and Physiology</i> , 1997 , 24, 782-4	3	48
79	Mechanisms of liver and muscle insulin resistance induced by chronic high-fat feeding. <i>Diabetes</i> , 1997 , 46, 1768-1774	0.9	92
78	Diet-induced muscle insulin resistance in rats is ameliorated by acute dietary lipid withdrawal or a single bout of exercise: parallel relationship between insulin stimulation of glucose uptake and suppression of long-chain fatty acyl-CoA. <i>Diabetes</i> , 1997 , 46, 2022-2028	0.9	37
77	Alterations in the expression and cellular localization of protein kinase C isozymes epsilon and theta are associated with insulin resistance in skeletal muscle of the high-fat-fed rat. <i>Diabetes</i> , 1997 , 46, 169-178	0.9	70
76	Diabetes mellitus associated with pentamidine use in HIV-infected patients. <i>Medical Journal of Australia</i> , 1996 , 165, 587-8	4	21
75	Glycemic responses to exercise in IDDM after simple and complex carbohydrate supplementation. <i>Diabetes Care</i> , 1996 , 19, 575-9	14.6	16
74	Measurement of central adiposity. A bet each way?. <i>Diabetes Care</i> , 1996 , 19, 1033-4	14.6	15
73	Exercise and insulin-dependent diabetes mellitus (IDDM): benefits and pitfalls. <i>Australian and New Zealand Journal of Medicine</i> , 1996 , 26, 827-33		2

72	Abdominal fat and insulin resistance in normal and overweight women: Direct measurements reveal a strong relationship in subjects at both low and high risk of NIDDM. <i>Diabetes</i> , 1996 , 45, 633-638	0.9	132
71	Importance of early insulin levels on prandial glycaemic responses and thermogenesis in non-insulin-dependent diabetes mellitus. <i>Diabetic Medicine</i> , 1995 , 12, 523-30	3.5	7
70	Cushing's syndrome from an inhaled glucocorticoid. <i>Medical Journal of Australia</i> , 1994 , 160, 611-615	4	15
69	A new antidiabetic agent, BRL 49653, reduces lipid availability and improves insulin action and glucoregulation in the rat. <i>Diabetes</i> , 1994 , 43, 1203-1210	0.9	47
68	The relation between insulin sensitivity and the fatty-acid composition of skeletal-muscle phospholipids. <i>New England Journal of Medicine</i> , 1993 , 328, 238-44	59.2	698
67	Application of physicians' predictions of meal and exercise effects on blood glucose control to a computer simulation. <i>Diabetic Medicine</i> , 1993 , 10, 744-50	3.5	4
66	A milestone in diabetes management. <i>Medical Journal of Australia</i> , 1993 , 159, 721-723	4	14
65	The problem of hypoglycaemia--Somogyi or not. <i>Medical Journal of Australia</i> , 1993 , 159, 485-6	4	1
64	Potent effects of human galanin in man: growth hormone secretion and vagal blockade. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1993 , 77, 90-93	5.6	32
63	Assessment of experts' approach to insulin therapy and development of a simulator for diabetes insulin adjustment. <i>Diabetes Care</i> , 1992 , 15, 221-31	14.6	6
62	The effects of sympathetic nervous system activation and psychological stress on glucose metabolism and blood pressure in subjects with type 2 (non-insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , 1992 , 35, 835-43	10.3	39
61	Impact of octreotide, a long-acting somatostatin analogue, on glucose tolerance and insulin sensitivity in acromegaly. <i>Clinical Endocrinology</i> , 1992 , 36, 271-9	3.4	64
60	Will computers replace or complement the diabetes educator?. <i>Medical Journal of Australia</i> , 1992 , 157, 489-91	4	7
59	Pancreas/islet cell transplantation: a medical and ethical dilemma. <i>Medical Journal of Australia</i> , 1992 , 157, 579-80	4	2
58	Glucoregulation during exercise in NIDDM. <i>Diabetes Care</i> , 1991 , 14, 350	14.6	1
57	Meal-time intranasal insulin delivery in type 2 diabetes. <i>Diabetic Medicine</i> , 1991 , 8, 366-70	3.5	22
56	Comparison of the effects on insulin sensitivity of high carbohydrate and high fat diets in normal subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991 , 72, 432-7	5.6	121
55	Development of muscle insulin resistance after liver insulin resistance in high-fat-fed rats. <i>Diabetes</i> , 1991 , 40, 1397-1403	0.9	92

54	Effects of exercise training and dietary manipulation on insulin-regulatable glucose-transporter mRNA in rat muscle. <i>Diabetes</i> , 1991 , 40, 275-279	0.9	12
53	Influence of dietary fat composition on development of insulin resistance in rats. Relationship to muscle triglyceride and omega-3 fatty acids in muscle phospholipid. <i>Diabetes</i> , 1991 , 40, 280-289	0.9	224
52	Impact of intensive educational approach to dietary change in NIDDM. <i>Diabetes Care</i> , 1990 , 13, 841-7	14.6	54
51	A potent in vivo effect of ciglitazone on muscle insulin resistance induced by high fat feeding of rats. <i>Metabolism: Clinical and Experimental</i> , 1989 , 38, 1089-93	12.7	55
50	Factors in sexual dysfunction in diabetic female volunteer subjects. <i>Medical Journal of Australia</i> , 1989 , 151, 550-2	4	35
49	Effects of fish oil supplementation on glucose and lipid metabolism in NIDDM. <i>Diabetes</i> , 1989 , 38, 1314-1319	13.9	39
48	Effect of d-fenfluramine on basal glucose turnover and fat-feeding-induced insulin resistance in rats. <i>Diabetes</i> , 1989 , 38, 499-503	0.9	9
47	Regulation of hepatic glucose output during moderate exercise in non-insulin-dependent diabetes. <i>Metabolism: Clinical and Experimental</i> , 1988 , 37, 966-72	12.7	32
46	Acute psychological stress does not cause hyperglycemia in noninsulin dependent diabetes mellitus despite an increased sensitivity to sympathomimetic agents. <i>The Diabetes Educator</i> , 1988 , 14, 229	2.5	1
45	An effective approach to lipid improvement in poorly controlled noninsulin dependent diabetes mellitus. <i>The Diabetes Educator</i> , 1988 , 14, 235	2.5	1
44	Effects of nonesterified fatty acid availability on tissue-specific glucose utilization in rats in vivo. <i>Journal of Clinical Investigation</i> , 1988 , 82, 293-9	15.9	91
43	Physiological importance of deficiency in early prandial insulin secretion in non-insulin-dependent diabetes. <i>Diabetes</i> , 1988 , 37, 736-744	0.9	68
42	Fish oil prevents insulin resistance induced by high-fat feeding in rats. <i>Science</i> , 1987 , 237, 885-8	33.3	561
41	Cephalic phase metabolic responses in normal weight adults. <i>Metabolism: Clinical and Experimental</i> , 1987 , 36, 721-5	12.7	91
40	Insulin therapy in patients with poorly controlled non-insulin dependent diabetes mellitus. <i>Medical Journal of Australia</i> , 1987 , 146, 240-2	4	1
39	Outpatient initiation of insulin therapy in patients with diabetes mellitus. <i>Medical Journal of Australia</i> , 1987 , 146, 19-22	4	9
38	In vivo insulin resistance in individual peripheral tissues of the high fat fed rat: assessment by euglycaemic clamp plus deoxyglucose administration. <i>Diabetologia</i> , 1986 , 29, 192-8	10.3	165
37	Blood glucose control by intermittent loop closure in the basal mode: computer simulation studies with a diabetic model. <i>Diabetes Care</i> , 1985 , 8, 553-61	14.6	93

36	Pharmacokinetics of insulin. Implications for continuous subcutaneous insulin infusion therapy. <i>Clinical Pharmacokinetics</i> , 1985 , 10, 303-14	6.2	18
35	Exercise-induced hepatic glucose output is precisely sensitive to the rate of systemic glucose supply. <i>Metabolism: Clinical and Experimental</i> , 1985 , 34, 431-6	12.7	55
34	In vivo dose response curves of insulin action in heart: anomalous effects at high insulin doses. <i>Journal of Molecular and Cellular Cardiology</i> , 1985 , 17, 981-5	5.8	14
33	Effects of exercise training on in vivo insulin action in individual tissues of the rat. <i>Journal of Clinical Investigation</i> , 1985 , 76, 657-66	15.9	97
32	Insulin dosage reduction. <i>Medical Journal of Australia</i> , 1984 , 141, 789-791	4	
31	A semi-closed loop computer-assisted insulin infusion system. <i>Medical Journal of Australia</i> , 1984 , 141, 784-789	4	16
30	Effect of exercise training on whole-body insulin sensitivity and responsiveness. <i>Journal of Applied Physiology</i> , 1984 , 56, 1217-22	3.7	54
29	THYROID DISEASE: THE FACTS by R. I. S. Bayliss.. <i>Australian and New Zealand Journal of Medicine</i> , 1984 , 14, 162-162		
28	Hypoglycemic episodes during continuous subcutaneous insulin infusion: decreased frequency but increased susceptibility. <i>Australian and New Zealand Journal of Medicine</i> , 1984 , 14, 255-9		6
27	Comparison of potency of porcine insulin and semisynthetic human insulin at 3 dose levels using the euglycaemic clamp. <i>Hormone and Metabolic Research</i> , 1983 , 15, 415-8	3.1	10
26	Comparison of plateau insulin levels achieved by intravenous or subcutaneous insulin infusion: evidence for low rates of subcutaneous degradation. <i>Diabetes Care</i> , 1983 , 6, 118-21	14.6	7
25	Influence of obesity on basal glucagon levels in non-diabetic and diabetic Nauruans. <i>Clinical Endocrinology</i> , 1983 , 19, 721-5	3.4	3
24	The effect of hyperinsulinemia on glucose homeostasis during moderate exercise in man. <i>Diabetes</i> , 1982 , 31, 603-8	0.9	23
23	An evaluation of dynamic pituitary function tests in patients with pituitary tumours. <i>Australian and New Zealand Journal of Medicine</i> , 1982 , 12, 231-40		4
22	Cardiac beat to beat variation: age related changes in the normal population and abnormalities in diabetics. <i>Australian and New Zealand Journal of Medicine</i> , 1981 , 11, 614-20		15
21	Timing of insulin delivery with meals. <i>Hormone and Metabolic Research</i> , 1981 , 13, 365-7	3.1	75
20	Programming of insulin delivery with meals during subcutaneous insulin infusion. <i>Diabetes Care</i> , 1981 , 4, 265-8	14.6	10
19	Insulin precipitation in artificial infusion devices. <i>Diabetologia</i> , 1981 , 21, 554-7	10.3	19

18	Glucagon metabolism in normal subjects and in cirrhotic patients before and after portasystemic venous shunt surgery. <i>Clinical Endocrinology</i> , 1979 , 11, 413-24	3.4	19
17	Glucagon--new concepts about and "old" hormone. <i>Australian and New Zealand Journal of Medicine</i> , 1979 , 9, 733-43		5
16	Effect of portasystemic venous shunt surgery on hyperglucagonaemia in cirrhosis: paired studies of pre- and post-shunted subjects. <i>Gut</i> , 1979 , 20, 817-24	19.2	29
15	The relationship of insulin response to a glucose stimulus over a wide range of glucose tolerance. <i>Diabetologia</i> , 1978 , 15, 23-7	10.3	64
14	Nature and biologic activity of "extrapancreatic glucagon": studies in pancreatectomized cats. <i>Metabolism: Clinical and Experimental</i> , 1978 , 27, 261-73	12.7	18
13	Relationship between alpha and beta cell function before and after metabolic control in ketotic diabetic subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1978 , 46, 131-9	5.6	12
12	Ketoacidosis in pancreatectomized man. <i>New England Journal of Medicine</i> , 1977 , 296, 1250-3	59.2	92
11	THE MULTIPLE FORMS OF CIRCULATING α -LUCAGON— <i>Australian and New Zealand Journal of Medicine</i> , 1977 , 7, 686-686		
10	Glucagon and diabetes. II. Complete suppression of glucagon by insulin in human diabetes. <i>Clinical Endocrinology</i> , 1977 , 6, 277-84	3.4	11
9	Glucagon and diabetes. I. The failure of hyperglucagonaemia to influence the response of established diabetic ketoacidosis to therapy. <i>Clinical Endocrinology</i> , 1977 , 6, 417-23	3.4	2
8	Insulin therapy: Recent advances in ketoacidosis, hyperosmolar coma and insulin to test. <i>Medical Journal of Australia</i> , 1976 , 2, 494-8	4	2
7	Interaction of Secretin and Insulin on Human Forearm Metabolism. <i>European Journal of Clinical Investigation</i> , 1975 , 5, 487-494	4.6	11
6	Effects of secretin on insulin secretion and glucose tolerance. <i>Canadian Journal of Physiology and Pharmacology</i> , 1975 , 53, 1115-21	2.4	9
5	Effects of portacaval anastomosis on glucose tolerance in the dog: evidence of an interaction between the gut and the liver in oral glucose disposal. <i>Metabolism: Clinical and Experimental</i> , 1975 , 24, 1157-68	12.7	46
4	Secretin and insulin release in acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1972 , 35, 108-12	5.6	5
3	Comparison of secretin response to oral intraduodenal or intravenous glucose administration. <i>Hormone and Metabolic Research</i> , 1971 , 3, 180-3	3.1	17
2	The gastrointestinal stimulus to insulin release. II. A dual action of secretin. <i>Journal of Clinical Investigation</i> , 1970 , 49, 524-9	15.9	46
1	The gastrointestinal stimulus to insulin release. I. Secretin. <i>Journal of Clinical Investigation</i> , 1969 , 48, 1453-60	56.0	99

