

Eduardo Moura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4956995/publications.pdf>

Version: 2024-02-01

25
papers

501
citations

758635

12
h-index

676716

22
g-index

25
all docs

25
docs citations

25
times ranked

741
citing authors

#	ARTICLE	IF	CITATIONS
1	Acute salt loading induces sympathetic nervous system overdrive in mice lacking salt-inducible kinase 1 (SIK1). <i>Hypertension Research</i> , 2019, 42, 1114-1124.	1.5	10
2	Flavonoids as dopaminergic neuromodulators. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 495-501.	1.5	13
3	Blood pressure decrease in spontaneously hypertensive rats following renal denervation or dopamine β -hydroxylase inhibition with etamicastat. <i>Hypertension Research</i> , 2015, 38, 605-612.	1.5	19
4	Urinary profile of catecholamines and metabolites in Parkinson patients with deep brain stimulation. <i>European Journal of Neurology</i> , 2014, 21, 353-356.	1.7	6
5	Locus Coeruleus Is Involved in Weight Loss in a Rat Model of Parkinson's Disease: An Effect Reversed by Deep Brain Stimulation. <i>Brain Stimulation</i> , 2013, 6, 845-855.	0.7	25
6	Follow-up of renal function in Parkinson patients with bilateral deep brain stimulation. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 836-837.	1.1	0
7	Effects of raftilose on serum biochemistry and liver morphology in rats fed with normal or high-fat diet. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 1468-1472.	1.5	8
8	Catechol-O-methyltransferase activity is higher in psoriasis patients and is down-regulated by narrowband ultraviolet B treatment. <i>European Journal of Dermatology</i> , 2013, 23, 49-52.	0.3	6
9	β -Adrenoceptors modulate DOPA uptake in opossum kidney cells and in the mouse kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F928-F938.	1.3	3
10	Effect of Clonidine on Renal Sodium Handling in Spontaneously Hypertensive Rats. <i>Journal of Pharmacological Sciences</i> , 2012, 119, 122-130.	1.1	8
11	Adrenal β -adrenergic receptors in the aging normotensive and spontaneously hypertensive rat. <i>Neurobiology of Aging</i> , 2012, 33, 969-978.	1.5	8
12	Weight variation before and after surgery in Parkinson's disease: A noradrenergic modulation?. <i>Movement Disorders</i> , 2012, 27, 1078-1082.	2.2	21
13	Ultraviolet B radiation differentially modifies catechol-O-methyltransferase activity in keratinocytes and melanoma cells. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2012, 28, 137-141.	0.7	3
14	Narrowband ultraviolet B treatment for psoriasis increases serum vitamin A levels. <i>British Journal of Dermatology</i> , 2012, 167, 958-960.	1.4	6
15	β -Adrenoceptor-Mediated Inhibition of Catecholamine Release from the Adrenal Medulla of Spontaneously Hypertensive Rats is Preserved in the Early Stages of Hypertension. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 109, 253-260.	1.2	7
16	Inhibition of basal and ultraviolet B-induced melanogenesis by cannabinoid CB1 receptors: a keratinocyte-dependent effect. <i>Archives of Dermatological Research</i> , 2011, 303, 201-210.	1.1	32
17	Influence of dietary supplementation with dextrin or oligofructose on the hepatic redox balance in rats. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1735-1739.	1.5	13
18	Acute renal failure in patients with bilateral deep brain stimulation. <i>Movement Disorders</i> , 2010, 25, 2462-2464.	2.2	5

#	ARTICLE	IF	CITATIONS
19	Effect of Clonidine on Tyrosine Hydroxylase Activity in the Adrenal Medulla and Brain of Spontaneously Hypertensive Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009, 104, 113-121.	1.2	12
20	Catecholamine synthesis and metabolism in the central nervous system of mice lacking α 2-adrenoceptor subtypes. <i>British Journal of Pharmacology</i> , 2009, 158, 726-737.	2.7	9
21	Heterozygous α 2C-adrenoceptor-deficient mice develop heart failure after transverse aortic constriction. <i>Cardiovascular Research</i> , 2007, 75, 728-737.	1.8	41
22	α 2-Adrenoceptor subtypes: Unexpected functions for receptors and ligands derived from gene-targeted mouse models. <i>Neurochemistry International</i> , 2007, 51, 277-281.	1.9	103
23	α 2-Adrenoceptor subtypes involved in the regulation of catecholamine release from the adrenal medulla of mice. <i>British Journal of Pharmacology</i> , 2006, 149, 1049-1058.	2.7	70
24	Deletion of the neuropeptide Y (NPY) Y1 receptor gene reveals a regulatory role of NPY on catecholamine synthesis and secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10497-10502.	3.3	49
25	Decreased tyrosine hydroxylase activity in the adrenals of spontaneously hypertensive rats. <i>Life Sciences</i> , 2005, 76, 2953-2964.	2.0	24