Ulf Bickmeyer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4957768/publications.pdf Version: 2024-02-01



HIE RICKMEVED

#	Article	IF	CITATIONS
1	Shrimp and microplastics: A case study with the Atlantic ditch shrimp Palaemon varians. Ecotoxicology and Environmental Safety, 2022, 234, 113394.	2.9	23
2	Exposure to dissolved TNT causes multilevel biological effects in Baltic mussels (Mytilus spp.). Marine Environmental Research, 2021, 167, 105264.	1.1	13
3	Permanent ectoplasmic structures in deep-sea <i>Cibicides</i> and <i>Cibicidoides</i> taxa – long-term observations at in situ pressure. Biogeosciences, 2021, 18, 3903-3915.	1.3	2
4	In Vitro Effects of Paralytic Shellfish Toxins and Lytic Extracellular Compounds Produced by Alexandrium Strains on Hemocyte Integrity and Function in Mytilus edulis. Toxins, 2021, 13, 544.	1.5	5
5	Gymnodimine A and 13-desMethyl Spirolide C Alter Intracellular Calcium Levels via Acetylcholine Receptors. Toxins, 2020, 12, 751.	1.5	4
6	Fish embryo vulnerability to combined acidification and warming coincides with low capacity for homeostatic regulation. Journal of Experimental Biology, 2020, 223, .	0.8	26
7	Fluorescence measurements of the marine flatworm Macrostomum lignano during exposure to TNT and 4-ADNT. Marine Environmental Research, 2020, 161, 105041.	1.1	5
8	Copper and cadmium administration induce toxicity and oxidative stress in the marine flatworm Macrostomum lignano. Aquatic Toxicology, 2020, 221, 105428.	1.9	12
9	SiR-actin-labelled granules in foraminifera: patterns, dynamics, and hypotheses. Biogeosciences, 2020, 17, 995-1011.	1.3	4
10	Effects of sponge-derived Ageladine A on the photosynthesis of different microalgal species and strains. PLoS ONE, 2020, 15, e0244095.	1.1	1
11	Sponge-derived Ageladine A affects the in vivo fluorescence emission spectra of microalgae. PLoS ONE, 2020, 15, e0242464.	1.1	6
12	Foraminiferal Ultrastructure: A perspective From Fluorescent and Fluorogenic Probes. Journal of Geophysical Research G: Biogeosciences, 2019, 124, 2823-2850.	1.3	10
13	An aerobic eukaryotic parasite with functional mitochondria that likely lacks a mitochondrial genome. Science Advances, 2019, 5, eaav1110.	4.7	76
14	Enhancement of photosynthesis in Synechococcus bacillaris by sponge-derived Ageladine A. PLoS ONE, 2019, 14, e0213771.	1.1	6
15	Form and function of F-actin during biomineralization revealed from live experiments on foraminifera. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 4111-4116.	3.3	44
16	Separate and combined effects of neurotoxic and lytic compounds of Alexandrium strains on Mytilus edulis feeding activity and hemocyte function. Fish and Shellfish Immunology, 2019, 84, 414-422.	1.6	21
17	Effects of ocean acidification increase embryonic sensitivity to thermal extremes in Atlantic cod, <i>Gadus morhua</i> . Global Change Biology, 2017, 23, 1499-1510.	4.2	50
18	Electrophysiological Investigation of Different Methods of Anesthesia in Lobster and Crayfish. PLoS ONE, 2016, 11, e0162894.	1.1	36

ULF BICKMEYER

#	Article	IF	CITATIONS
19	Spatial compartmentalization of free radical formation and mitochondrial heterogeneity in bivalve gills revealed by live-imaging techniques. Frontiers in Zoology, 2016, 13, 4.	0.9	16
20	Adjustments of molecular key components of branchial ion and pH regulation in Atlantic cod (Gadus) Tj ETQo Biochemistry and Molecular Biology, 2016, 193, 33-46.)/ 0 0 rgBT (0 0.7	Overlock 10 Tf 26
21	The Chemically Synthesized Ageladine A-Derivative LysoGlow84 Stains Lysosomes in Viable Mammalian Brain Cells and Specific Structures in the Marine Flatworm Macrostomum lignano. Marine Drugs, 2015, 13, 920-935.	2.2	9
22	Perspectives on the synthesis and use of ageladine A. Tetrahedron Letters, 2015, 56, 4363-4366.	0.7	11
23	CO2-induced fertilization impairment in Strongylocentrotus droebachiensis collected in the Arctic. Helgoland Marine Research, 2014, 68, 341-356.	1.3	12
24	Uptake of Fluorescent Iron Oxide Nanoparticles by Oligodendroglial OLN-93 Cells. Neurochemical Research, 2014, 39, 372-383.	1.6	22
25	Endocytotic uptake of iron oxide nanoparticles by cultured brain microglial cells. Acta Biomaterialia, 2013, 9, 8454-8465.	4.1	64
26	The physiological response of the marine platyhelminth Macrostomum lignano to different environmental oxygen concentrations. Journal of Experimental Biology, 2013, 216, 2741-51.	0.8	30
27	Reporter Dyes Demonstrate Functional Expression of Multidrug Resistance Proteins in the Marine Flatworm Macrostomum lignano: The Sponge-Derived Dye Ageladine A Is Not a Substrate of These Transporters. Marine Drugs, 2013, 11, 3951-3969.	2.2	7
28	Incorporated nematocysts in Aeolidiella stephanieae (Gastropoda, Opisthobranchia, Aeolidoidea) mature by acidification shown by the pH sensitive fluorescing alkaloid Ageladine A. Toxicon, 2012, 60, 1108-1116.	0.8	19
29	The Alkaloid Ageladine A, Originally Isolated from Marine Sponges, Used for pH-Sensitive Imaging of Transparent Marine Animals. Marine Drugs, 2012, 10, 223-233.	2.2	15
30	Mode of action of membrane-disruptive lytic compounds from the marine dinoflagellate Alexandrium tamarense. Toxicon, 2011, 58, 247-258.	0.8	41
31	Siphonodictyal B1 from a Marine Sponge Increases Intracellular Calcium Levels Comparable to the Ca2+-ATPase (SERCA) Inhibitor Thapsigargin. Marine Biotechnology, 2010, 12, 267-272.	1.1	8
32	Tracking of fast moving neuronal vesicles with ageladine A. Biochemical and Biophysical Research Communications, 2010, 402, 489-494.	1.0	13
33	Measuring Ca2+-signalling at fertilization in the sea urchin Psammechinus miliaris: Alterations of this Ca2+-signal by copper and 2,4,6-tribromophenol. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2009, 150, 261-269.	1.3	14
34	Inhibition of multidrug/xenobiotic resistance transporter by MK571 improves dye (Fura 2) accumulation in crustacean tissues from lobster, shrimp, and isopod. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2009, 150, 368-371.	1.3	17
35	Inhibition of multidrug resistance transporters in the diatom Thalassiosira rotula facilitates dye staining. Plant Physiology and Biochemistry, 2008, 46, 100-103.	2.8	18
36	Multidrug resistance transporter in the midgut gland and the brain of crustaceans. Comparative Biochemistry and Physiology Part A, Molecular & amp; Integrative Physiology, 2008, 151, S2-S3.	0.8	2

ULF BICKMEYER

#	Article	IF	CITATIONS
37	Ageladine A, a pyrrole–imidazole alkaloid from marine sponges, is a pH sensitive membrane permeable dye. Biochemical and Biophysical Research Communications, 2008, 373, 419-422.	1.0	31
38	Disturbance of voltage-induced cellular calcium entry by marine dimeric and tetrameric pyrrole–imidazole alkaloids. Toxicon, 2007, 50, 490-497.	0.8	13
39	Functional neuroanatomy of the rhinophore of Archidoris pseudoargus. Helgoland Marine Research, 2007, 61, 135-142.	1.3	3
40	Bromophenols, both present in marine organisms and in industrial flame retardants, disturb cellular Ca2+ signaling in neuroendocrine cells (PC12). Aquatic Toxicology, 2006, 76, 37-45.	1.9	69
41	The marine secondary metabolites 2,4-dibromophenol and 2,4,6-tribromophenol differentially modulate voltage dependent ion currents in neuroendocrine (PC12) cells. Aquatic Toxicology, 2006, 79, 384-390.	1.9	13
42	Functional neuroanatomy of the rhinophore of Aplysia punctata. Frontiers in Zoology, 2006, 3, 6.	0.9	33
43	A secondary metabolite, 4,5-dibromopyrrole-2-carboxylic acid, from marine sponges of the genus Agelas alters cellular calcium signals. Environmental Toxicology and Pharmacology, 2005, 19, 423-427.	2.0	10
44	Bromoageliferin and dibromoageliferin, secondary metabolites from the marine sponge Agelas conifera, inhibit voltage-operated, but not store-operated calcium entry in PC12 cells. Toxicon, 2005, 45, 627-632.	0.8	34
45	Brominated pyrrole alkaloids from marine Agelas sponges reduce depolarization-induced cellular calcium elevation. Toxicon, 2004, 44, 45-45.	0.8	0
46	Brominated pyrrole alkaloids from marine Agelas sponges reduce depolarization-induced cellular calcium elevation. Toxicon, 2004, 44, 45-51.	0.8	51
47	The 5-Hydroxytryptamine(4a) Receptor Is Palmitoylated at Two Different Sites, and Acylation Is Critically Involved in Regulation of Receptor Constitutive Activity. Journal of Biological Chemistry, 2002, 277, 2534-2546.	1.6	62
48	5-HT-receptor-induced changes of the intracellular cAMP level monitored by a hyperpolarization-activated cation channel. Pflugers Archiv European Journal of Physiology, 2002, 443, 418-426.	1.3	30
49	Differential modulation ofIhby 5-HT receptors in mouse CA1 hippocampal neurons. European Journal of Neuroscience, 2002, 16, 209-218.	1.2	99
50	Activating convergent signal pathways in respiratory neurons of the ventral medullary group. Respiratory Research, 2001, 2, 4.1.	1.4	1
51	5-Hydroxytryptamine 4(a) receptor expressed in Sf9 cells is palmitoylated in an agonist-dependent manner. Biochemical Journal, 2001, 353, 627-634.	1.7	49
52	5-Hydroxytryptamine 4(a) receptor expressed in Sf9 cells is palmitoylated in an agonist-dependent manner. Biochemical Journal, 2001, 353, 627.	1.7	29
53	Blockade of voltage-operated calcium channels, increase in spontaneous catecholamine release and elevation of intracellular calcium levels in bovine chromaffin cells by the plant alkaloid tetrandrine. Naunyn-Schmiedeberg's Archives of Pharmacology, 1998, 357, 441-445.	1.4	12
54	Congener specific effects by polychlorinated biphenyls on catecholamine content and release in chromaffin cells. Archives of Toxicology, 1997, 71, 416-421.	1.9	24

ULF BICKMEYER

#	Article	IF	CITATIONS
55	Tetrandrine blocks voltage-dependent calcium entry and inhibits the bradykinin-induced elevation of intracellular calcium in NG108-15 cells. NeuroToxicology, 1996, 17, 335-41.	1.4	7
56	Effects of inorganic mercury (Hg2+) on calcium channel currents and catecholamine release from bovine chromaffin cells. Archives of Toxicology, 1995, 69, 191-196.	1.9	22
57	Effects of deltamethrin on catecholamine secretion of bovine chromaffin cells. Archives of Toxicology, 1994, 68, 532-534.	1.9	9
58	Effects of tetrandrine on calcium channel currents of bovine chromaffin cells. Neuropharmacology, 1994, 33, 885-890.	2.0	17
59	Omega AGA toxin IVA blocks high-voltage-activated calcium channel currents in cultured pars intercerebralis neurosecretory cells of adult locusta migratoria. Neuroscience Letters, 1994, 181, 113-116.	1.0	18
60	Calcium Channel Currents in Cultured Pars Intercerebralis Neurosecretory Cells of Adult <i>Locusta Migratoria</i> . Journal of Experimental Biology, 1994, 197, 393-398.	0.8	17
61	Tetrandrine effects on calcium currents in cultured neurones of foetal mice. NeuroReport, 1993, 4, 938-940.	0.6	14
62	Development of calcium currents in cultures of mouse spinal cord and dorsal root ganglion neurones. NeuroReport, 1993, 4, 131-134.	0.6	15
63	Locust Medial Neurosecretory Cells <i>in vitro</i> : Morphology, Electrophysiological Properties and Effects of Temperature. Journal of Experimental Biology, 1993, 183, 323-339.	0.8	16
64	The bimodal auditory-vibratory system of the thoracic ventral nerve cord inLocusta migratoria (Acrididae, Locustinae, Oedipodini). The Journal of Experimental Zoology, 1992, 264, 381-394.	1.4	13
65	Acoustic behaviour of Ephippiger ephippiger fiebig (Orthoptera, Tettigoniidae) within a habitat of Southern France. Behavioural Processes, 1991, 23, 125-135.	0.5	11
66	TOOTH IMPACT RATE ALTERATION IN THE SONG OF MALES OF <i>EPHIPPIGER EPHIPPIGER </i> FIEBIG (ORTHOPTERA, TETTIGONIIDAE) AND ITS CONSEQUENCES FOR PHONOTACTIC BEHAVIOUR OF FEMALES. Bioacoustics, 1991, 3, 1-16.	0.7	17
67	Importance of Tooth Impact Rate in Acoustic Communication in Bushcrickets. , 1990, , 248-253.		2