

Kristin Verbeke

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4958543/kristin-verbeke-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

11,127
citations

44
h-index

105
g-index

129
ext. papers

14,296
ext. citations

6.9
avg, IF

6.52
L-index

#	Paper	IF	Citations
106	CNCM I-3690 decreases subjective academic stress in healthy adults: a randomized placebo-controlled trial.. <i>Gut Microbes</i> , 2022 , 14, 2031695	8.8	2
105	When the mind says one thing, but the HPA axis says another: Lack of coherence between subjective and neuroendocrine stress response trajectories in healthy men.. <i>Psychoneuroendocrinology</i> , 2022 , 139, 105692	5	1
104	Structural factors governing starch digestion and glycemic responses and how they can be modified by enzymatic approaches: A review and a guide. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 5965-5991	16.4	3
103	Time-Restricted Feeding in Mice Prevents the Disruption of the Peripheral Circadian Clocks and Its Metabolic Impact during Chronic Jetlag. <i>Nutrients</i> , 2021 , 13,	6.7	2
102	Short chain fatty acids and its producing organisms: An overlooked therapy for IBD?. <i>EBioMedicine</i> , 2021 , 66, 103293	8.8	41
101	European guideline on indications, performance and clinical impact of C-breath tests in adult and pediatric patients: An EAGEN, ESNM, and ESPGHAN consensus, supported by EPC. <i>United European Gastroenterology Journal</i> , 2021 , 9, 598-625	5.3	8
100	Vasovagal reactions following venepuncture result in aberrant stress-induced cortisol levels. <i>Psychoneuroendocrinology</i> , 2021 , 128, 105220	5	2
99	Chronodisruption by chronic jetlag impacts metabolic and gastrointestinal homeostasis in male mice. <i>Acta Physiologica</i> , 2021 , e13703	5.6	1
98	Wheat bran with reduced particle size increases serum SCFAs in obese subjects without improving health parameters compared with a maltodextrin placebo. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1328-1341	7	1
97	How Microbial Food Fermentation Supports a Tolerant Gut. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000036	5.9	0
96	Premilling pearling for producing wheat fractions with distinct digestibility and fermentability. <i>Cereal Chemistry</i> , 2021 , 98, 759-773	2.4	1
95	Changes in kynurenine pathway metabolites after acute psychosocial stress in healthy males: a single-arm pilot study. <i>Stress</i> , 2021 , 1-11	3	1
94	Efficacy and safety of spore-forming probiotics in the treatment of functional dyspepsia: a pilot randomised, double-blind, placebo-controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 784-792	18.8	15
93	Colon-delivered short-chain fatty acids attenuate the cortisol response to psychosocial stress in healthy men: a randomized, placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2020 , 45, 2257-2266	8.7	38
92	A survey on the impact of the COVID-19 pandemic on motility and functional investigations in Europe and considerations for recommencing activities in the early recovery phase. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13926	4	7
91	The Role of Gut Dysbiosis in the Bone-Vascular Axis in Chronic Kidney Disease. <i>Toxins</i> , 2020 , 12,	4.9	12
90	Night-time feeding of Bmal1 ^{-/-} mice restores SCFA rhythms and their effect on ghrelin. <i>Journal of Endocrinology</i> , 2020 , 245, 155-164	4.7	8

89	Accuracy of Nutrient Calculations Using the Consumer-Focused Online App MyFitnessPal: Validation Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18237	7.6	9
88	Gut Microbiota-Induced Changes in β -Hydroxybutyrate Metabolism Are Linked to Altered Sociability and Depression in Alcohol Use Disorder. <i>Cell Reports</i> , 2020 , 33, 108238	10.6	32
87	Dietary assessment with the online platform MyFitnessPal: a reliable method?. <i>Proceedings of the Nutrition Society</i> , 2020 , 79,	2.9	2
86	The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of synbiotics. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 687-701	24.2	249
85	Modifying wheat bran to improve its health benefits. <i>Critical Reviews in Food Science and Nutrition</i> , 2020 , 60, 1104-1122	11.5	20
84	Codeine delays gastric emptying through inhibition of gastric motility as assessed with a novel diagnostic intragastric balloon catheter. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13733	4	10
83	Acotiamide affects antral motility, but has no effect on fundic motility, gastric emptying or symptom perception in healthy participants. <i>Neurogastroenterology and Motility</i> , 2019 , 31, e13540	4	3
82	Role for diet in normal gut barrier function: developing guidance within the framework of food-labeling regulations. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G17-G39	5.1	37
81	The role of short-chain fatty acids in microbiota-gut-brain communication. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2019 , 16, 461-478	24.2	637
80	Establishing What Constitutes a Healthy Human Gut Microbiome: State of the Science, Regulatory Considerations, and Future Directions. <i>Journal of Nutrition</i> , 2019 , 149, 1882-1895	4.1	91
79	Update on lactose malabsorption and intolerance: pathogenesis, diagnosis and clinical management. <i>Gut</i> , 2019 , 68, 2080-2091	19.2	100
78	Metformin induces weight loss associated with gut microbiota alteration in non-diabetic obese women: a randomized double-blind clinical trial. <i>European Journal of Endocrinology</i> , 2019 , 180, 165-176	6.5	28
77	Nourishing the gut microbiota: The potential of prebiotics in microbiota-gut-brain axis research. <i>Behavioral and Brain Sciences</i> , 2019 , 42,	0.9	2
76	The circadian clock regulates the diurnal levels of microbial short-chain fatty acids and their rhythmic effects on colon contractility in mice. <i>Acta Physiologica</i> , 2019 , 225, e13193	5.6	32
75	Introducing insoluble wheat bran as a gut microbiota niche in an in vitro dynamic gut model stimulates propionate and butyrate production and induces colon region specific shifts in the luminal and mucosal microbial community. <i>Environmental Microbiology</i> , 2018 , 20, 3406-3426	5.2	22
74	Butyrate Producers as Potential Next-Generation Probiotics: Safety Assessment of the Administration of to Healthy Volunteers. <i>MSystems</i> , 2018 , 3,	7.6	45
73	Specific members of the predominant gut microbiota predict pouchitis following colectomy and IPAA in UC. <i>Gut</i> , 2017 , 66, 79-88	19.2	81
72	Prebiotic inulin-type fructans induce specific changes in the human gut microbiota. <i>Gut</i> , 2017 , 66, 1968-1974	19.4	236

71	Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017 , 14, 491-502	24.2	1963
70	The role of nutrient sensing in the metabolic changes after gastric bypass surgery. <i>Journal of Endocrinology</i> , 2017 , 232, 363-376	4.7	9
69	Fat binding capacity and modulation of the gut microbiota both determine the effect of wheat bran fractions on adiposity. <i>Scientific Reports</i> , 2017 , 7, 5621	4.9	33
68	Supplementation of oligofructose, but not sucralose, decreases high-fat diet induced body weight gain in mice independent of gustducin-mediated gut hormone release. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600716	5.9	12
67	Wheat Bran Does Not Affect Postprandial Plasma Short-Chain Fatty Acids from C-inulin Fermentation in Healthy Subjects. <i>Nutrients</i> , 2017 , 9,	6.7	12
66	Prebiotics, Fermentable Dietary Fiber, and Health Claims. <i>Advances in Nutrition</i> , 2016 , 7, 1-4	10	44
65	A Critical Look at Prebiotics Within the Dietary Fiber Concept. <i>Annual Review of Food Science and Technology</i> , 2016 , 7, 167-90	14.7	92
64	The Influence of CKD on Colonic Microbial Metabolism. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1389-99	12.7	82
63	Donor Species Richness Determines Faecal Microbiota Transplantation Success in Inflammatory Bowel Disease. <i>Journal of Crohns and Colitis</i> , 2016 , 10, 387-94	1.5	183
62	Effects of Cereal, Fruit and Vegetable Fibers on Human Faecal Weight and Transit Time: A Comprehensive Review of Intervention Trials. <i>Nutrients</i> , 2016 , 8, 130	6.7	40
61	The Influence of Prebiotic Arabinoxylan Oligosaccharides on Microbiota Derived Uremic Retention Solutes in Patients with Chronic Kidney Disease: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0153893	3.7	61
60	Wheat bran extract alters colonic fermentation and microbial composition, but does not affect faecal water toxicity: a randomised controlled trial in healthy subjects. <i>British Journal of Nutrition</i> , 2015 , 113, 225-38	3.6	30
59	Inflammation-Induced Downregulation of Butyrate Uptake and Oxidation Is Not Caused by a Reduced Gene Expression. <i>Journal of Cellular Physiology</i> , 2015 , 230, 418-26	7	7
58	Faecal metabolite profiling identifies medium-chain fatty acids as discriminating compounds in IBD. <i>Gut</i> , 2015 , 64, 447-58	19.2	116
57	Dysbiosis of the gut microbiota in disease. <i>Microbial Ecology in Health and Disease</i> , 2015 , 26, 26191		604
56	Progressive decline in tacrolimus clearance after renal transplantation is partially explained by decreasing CYP3A4 activity and increasing haematocrit. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 548-59	3.8	39
55	Response to Tacrolimus pharmacokinetics after kidney transplantation--Influence of changes in haematocrit and steroid doses <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 1473-4	3.8	1
54	Additional Value of CH ₄ Measurement in a Combined (13)C/H ₂ Lactose Malabsorption Breath Test: A Retrospective Analysis. <i>Nutrients</i> , 2015 , 7, 7469-85	6.7	16

53	Contribution of Colonic Fermentation and Fecal Water Toxicity to the Pathophysiology of Lactose-Intolerance. <i>Nutrients</i> , 2015 , 7, 7505-22	6.7	13
52	Quantification of in Vivo Colonic Short Chain Fatty Acid Production from Inulin. <i>Nutrients</i> , 2015 , 7, 8916-897	3.7	83
51	The Influence of Dietary Protein Intake on Mammalian Tryptophan and Phenolic Metabolites. <i>PLoS ONE</i> , 2015 , 10, e0140820	3.7	62
50	Effects of cereal fiber on bowel function: A systematic review of intervention trials. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8952-63	5.6	56
49	Psychological stress and corticotropin-releasing hormone increase intestinal permeability in humans by a mast cell-dependent mechanism. <i>Gut</i> , 2014 , 63, 1293-9	19.2	308
48	Intestinal permeability, gut-bacterial dysbiosis, and behavioral markers of alcohol-dependence severity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4485-93	11.5	455
47	Cardiovascular disease relates to intestinal uptake of p-cresol in patients with chronic kidney disease. <i>BMC Nephrology</i> , 2014 , 15, 87	2.7	40
46	A decrease of the butyrate-producing species <i>Roseburia hominis</i> and <i>Faecalibacterium prausnitzii</i> defines dysbiosis in patients with ulcerative colitis. <i>Gut</i> , 2014 , 63, 1275-83	19.2	925
45	Prebiotics and synbiotics: how do they affect health? 2014 , 47-61		1
44	Effects of wheat bran extract containing arabinoxylan oligosaccharides on gastrointestinal parameters in healthy preadolescent children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 58, 647-53	2.8	40
43	High dose of prebiotics reduces fecal water cytotoxicity in healthy subjects. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 2206-18	5.9	15
42	From intestinal permeability to dysmotility: the biobreeding rat as a model for functional gastrointestinal disorders. <i>PLoS ONE</i> , 2014 , 9, e111132	3.7	14
41	Tolerance and the effect of high doses of wheat bran extract, containing arabinoxylan-oligosaccharides, and oligofructose on faecal output: a double-blind, randomised, placebo-controlled, cross-over trial. <i>Journal of Nutritional Science</i> , 2014 , 3, e49	2.7	11
40	Renal clearance and intestinal generation of p-cresyl sulfate and indoxyl sulfate in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1508-14	6.9	76
39	Effect of AXOS on fecal water cytotoxicity and genotoxicity: a randomized, double-blind, placebo-controlled, cross-over study. <i>FASEB Journal</i> , 2013 , 27, 110.7	0.9	
38	Relevance of protein fermentation to gut health. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 184-96	9.9	358
37	Functional analysis of colonic bacterial metabolism: relevant to health?. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 302, G1-9	5.1	137
36	Impaired butyrate oxidation in ulcerative colitis is due to decreased butyrate uptake and a defect in the oxidation pathway. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 1127-36	4.5	56

35	Decreased mucosal sulfide detoxification is related to an impaired butyrate oxidation in ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 2371-80	4.5	31
34	Consumption of breads containing in situ-produced arabinoxylan oligosaccharides alters gastrointestinal effects in healthy volunteers. <i>Journal of Nutrition</i> , 2012 , 142, 470-7	4.1	53
33	Effects of a wheat bran extract containing arabinoxylan oligosaccharides on gastrointestinal health parameters in healthy adult human volunteers: a double-blind, randomised, placebo-controlled, cross-over trial. <i>British Journal of Nutrition</i> , 2012 , 108, 2229-42	3.6	84
32	Modulation of protein fermentation does not affect fecal water toxicity: a randomized cross-over study in healthy subjects. <i>PLoS ONE</i> , 2012 , 7, e52387	3.7	52
31	High-throughput method for comparative analysis of denaturing gradient gel electrophoresis profiles from human fecal samples reveals significant increases in two bifidobacterial species after inulin-type prebiotic intake. <i>FEMS Microbiology Ecology</i> , 2011 , 75, 343-9	4.3	32
30	Impact of the synbiotic combination of <i>Lactobacillus casei</i> shirota and oligofructose-enriched inulin on the fecal volatile metabolite profile in healthy subjects. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 714-22	5.9	23
29	The impact of pre- and/or probiotics on human colonic metabolism: does it affect human health?. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 46-57	5.9	111
28	A highly sensitive liquid chromatography tandem mass spectrometry method for simultaneous quantification of midazolam, 1-hydroxymidazolam and 4-hydroxymidazolam in human plasma. <i>Biomedical Chromatography</i> , 2011 , 25, 1091-8	1.7	17
27	Prebiotic and other health-related effects of cereal-derived arabinoxylans, arabinoxylan-oligosaccharides, and xylooligosaccharides. <i>Critical Reviews in Food Science and Nutrition</i> , 2011 , 51, 178-94	11.5	380
26	Dysbiosis of the faecal microbiota in patients with Crohn's disease and their unaffected relatives. <i>Gut</i> , 2011 , 60, 631-7	19.2	640
25	p-Cresyl sulfate serum concentrations in haemodialysis patients are reduced by the prebiotic oligofructose-enriched inulin. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 219-24	4.3	204
24	T2026 A Dietary Intervention With Arabinoxylan Oligosaccharides Reduces Colonic Protein Fermentation in Healthy Subjects: Results From Faecal Metabolite Fingerprint Analysis. <i>Gastroenterology</i> , 2010 , 138, S-616	13.3	3
23	Tolerance of arabinoxylan-oligosaccharides and their prebiotic activity in healthy subjects: a randomised, placebo-controlled cross-over study. <i>British Journal of Nutrition</i> , 2010 , 103, 703-13	3.6	111
22	p-Cresol and cardiovascular risk in mild-to-moderate kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010 , 5, 1182-9	6.9	217
21	The prebiotic, oligofructose-enriched inulin modulates the faecal metabolite profile: an in vitro analysis. <i>Molecular Nutrition and Food Research</i> , 2010 , 54, 1791-801	5.9	38
20	Application of a multi-analytical toolset to a 16th century ointment: Identification as lead plaster mixed with beeswax. <i>Microchemical Journal</i> , 2010 , 95, 227-234	4.8	22
19	Uremic toxins originating from colonic microbial metabolism. <i>Kidney International</i> , 2009 , S12-9	9.9	275
18	The uremic retention solute p-cresyl sulfate and markers of endothelial damage. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 891-901	7.4	194

17	Development of a screening method to determine the pattern of fermentation metabolites in faecal samples using on-line purge-and-trap gas chromatographic-mass spectrometric analysis. <i>Journal of Chromatography A</i> , 2009 , 1216, 1476-83	4.5	53
16	Gastric emptying in healthy newborns fed an intact protein formula, a partially and an extensively hydrolysed formula. <i>Clinical Nutrition</i> , 2008 , 27, 264-8	5.9	51
15	Effect of arabinoxylo-oligosaccharides on proximal gastrointestinal motility and digestion in healthy volunteers. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2008 , 3, e220-e225		2
14	Dose-response effect of arabinoxylooligosaccharides on gastrointestinal motility and on colonic bacterial metabolism in healthy volunteers. <i>Journal of the American College of Nutrition</i> , 2008 , 27, 512-8	3.5	49
13	Brassicaceae seed oil identified as illuminant in Nilotic shells from a first millennium AD Coptic church in Bawit, Egypt. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 783-93	4.4	26
12	Effects of <i>Lactobacillus casei</i> Shirota, <i>Bifidobacterium breve</i> , and oligofructose-enriched inulin on colonic nitrogen-protein metabolism in healthy humans. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, G358-68	5.1	128
11	Influence of resistant starch alone or combined with wheat bran on gastric emptying and protein digestion in healthy volunteers. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 1187-93	2.4	6
10	Influence of long-term administration of lactulose and <i>Saccharomyces boulardii</i> on the colonic generation of phenolic compounds in healthy human subjects. <i>Journal of the American College of Nutrition</i> , 2006 , 25, 541-9	3.5	32
9	The influence of inulin on the absorption of nitrogen and the production of metabolites of protein fermentation in the colon. <i>British Journal of Nutrition</i> , 2006 , 96, 1078-86	3.6	47
8	Gas chromatographic-mass spectrometric analysis for measurement of p-cresol and its conjugated metabolites in uremic and normal serum. <i>Clinical Chemistry</i> , 2005 , 51, 1535-8	5.5	145
7	Preparation, analysis and biodistribution in mice of iodine-123 labelled derivatives of hypericin. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004 , 47, 191-198	1.9	22
6	Synthesis, radio-LC-MS analysis and biological evaluation of ^{99m} Tc-techmazenil. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004 , 47, 199-208	1.9	4
5	Validation of a new test meal for a protein digestion breath test in humans. <i>Journal of Nutrition</i> , 2004 , 134, 806-10	4.1	19
4	Evidence for impaired assimilation of protein in chronic renal failure. <i>Kidney International</i> , 2003 , 64, 2196-203	2.03	89
3	Optimization of the preparation of ^{99m} Tc-labeled Hynic-derivatized Annexin V for human use. <i>Nuclear Medicine and Biology</i> , 2003 , 30, 771-8	2.1	31
2	Development of a conjugate of (^{99m} Tc)-EC with aminomethylenediphosphonate in the search for a bone tracer with fast clearance from soft tissue. <i>Bioconjugate Chemistry</i> , 2002 , 13, 16-22	6.3	31
1	Dietary fibre and the gut-brain axis: microbiota-dependent and independent mechanisms of action	1-39	0