

Urs E Studer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4958593/publications.pdf>

Version: 2024-02-01

142
papers

11,390
citations

27035

58
h-index

32181

105
g-index

149
all docs

149
docs citations

149
times ranked

6040
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term Outcomes of Cystectomy and Crossfolded Ileal Reservoir Combined with an Afferent Tubular Segment for Heterotopic Continent Urinary Diversion: A Longitudinal Single-centre Study. <i>European Urology Focus</i> , 2021, 7, 629-637.	1.6	4
2	Functional Results, Complications Associated with the Serosa-lined Tunnel, and Quality of Life with a Cross-folded Ileal Reservoir Combined with an Afferent Tubular Isoperistaltic Segment for Heterotopic Continent Urinary Diversion: An Observational Long-term Cohort Analysis. <i>European Urology Focus</i> , 2021, 7, 869-876.	1.6	4
3	Seminal Vesical Sparing Cystectomy for Bladder Cancer is Feasible with Good Functional Results without Impairing Oncological Outcomes: A Longitudinal Long-Term Propensity-Matched Single Center Study. <i>Journal of Urology</i> , 2021, 205, 1629-1640.	0.2	4
4	Nerve-sparing radical cystectomy has a beneficial impact on urinary continence after orthotopic bladder substitution, which becomes even more apparent over time. <i>BJU International</i> , 2018, 121, 935-944.	1.3	27
5	More extended lymph node dissection template at radical prostatectomy detects metastases in the common iliac region and in the fossa of Marcille. <i>BJU International</i> , 2018, 121, 725-731.	1.3	16
6	Patients with an Orthotopic Low Pressure Bladder Substitute Enjoy Long-Term Good Function. <i>Journal of Urology</i> , 2016, 196, 1172-1180.	0.2	28
7	Editorial Comment. <i>Journal of Urology</i> , 2016, 196, 1557-1557.	0.2	0
8	Current Status of Lymph Node Imaging in Bladder and Prostate Cancer. <i>Urology</i> , 2016, 96, 1-7.	0.5	34
9	The Impact of Pelvic Venous Pressure on Blood Loss during Open Radical Cystectomy and Urinary Diversion: Results of a Secondary Analysis of a Randomized Clinical Trial. <i>Journal of Urology</i> , 2015, 194, 146-152.	0.2	3
10	Orthotopic Ileal Bladder Substitution in Women: Factors Influencing Urinary Incontinence and Hypercontinence. <i>European Urology</i> , 2015, 68, 664-671.	0.9	41
11	The Surgeon Makes the Difference, Not the Instrument Used. <i>European Urology</i> , 2015, 67, 1051-1052.	0.9	8
12	Urinary Diversion: How Experts Divert. <i>Urology</i> , 2015, 85, 233-238.	0.5	59
13	Superior Functional Outcome after Radical Cystectomy and Orthotopic Bladder Substitution with Restrictive Intraoperative Fluid Management: A Followup Study of a Randomized Clinical Trial. <i>Journal of Urology</i> , 2015, 193, 173-178.	0.2	19
14	Checklists: Key Tips and What to Avoid. , 2015, , 3-49.		0
15	Outcomes of radical cystectomy with extended lymphadenectomy alone in patients with lymph node-positive bladder cancer who are unfit for or who decline adjuvant chemotherapy. <i>BJU International</i> , 2014, 113, 554-560.	1.3	43
16	Diffusion-Weighted Magnetic Resonance Imaging Detects Significant Prostate Cancer with High Probability. <i>Journal of Urology</i> , 2014, 192, 737-742.	0.2	21
17	Differences in Time to Disease Progression Do Not Predict for Cancer-specific Survival in Patients Receiving Immediate or Deferred Androgen-deprivation Therapy for Prostate Cancer: Final Results of EORTC Randomized Trial 30891 with 12 Years of Follow-up. <i>European Urology</i> , 2014, 66, 829-838.	0.9	56
18	Removal of Limited Nodal Disease in Patients Undergoing Radical Prostatectomy: Long-Term Results Confirm a Chance for Cure. <i>Journal of Urology</i> , 2014, 191, 1280-1285.	0.2	75

#	ARTICLE	IF	CITATIONS
19	Metastases in Normal-sized Pelvic Lymph Nodes: Detection with Diffusion-weighted MR Imaging. <i>Radiology</i> , 2014, 273, 125-135.	3.6	171
20	Intraoperative Continuous Norepinephrine Infusion Combined with Restrictive Deferred Hydration Significantly Reduces the Need for Blood Transfusion in Patients Undergoing Open Radical Cystectomy: Results of a Prospective Randomised Trial. <i>European Urology</i> , 2014, 66, 352-360.	0.9	56
21	Bacillus Calmette-Guérin Failure in Patients with Non-muscle-invasive Urothelial Carcinoma of the Bladder May Be Due to the Urologist's Failure to Detect Urothelial Carcinoma of the Upper Urinary Tract and Urethra. <i>European Urology</i> , 2014, 65, 825-831.	0.9	27
22	Restrictive Deferred Hydration Combined with Preemptive Norepinephrine Infusion during Radical Cystectomy Reduces Postoperative Complications and Hospitalization Time. <i>Anesthesiology</i> , 2014, 120, 365-377.	1.3	149
23	Unaltered oncological outcomes of radical cystectomy with extended lymphadenectomy over three decades. <i>BJU International</i> , 2013, 112, E51-8.	1.3	82
24	Local recurrence after retropubic radical prostatectomy for prostate cancer does not exclusively occur at the anastomotic site. <i>BJU International</i> , 2013, 112, E243-9.	1.3	24
25	Reply. <i>BJU International</i> , 2013, 111, E143-5.	1.3	0
26	Ultrasmall superparamagnetic particles of iron oxide allow for the detection of metastases in normal sized pelvic lymph nodes of patients with bladder and/or prostate cancer. <i>European Journal of Cancer</i> , 2013, 49, 616-624.	1.3	97
27	Stricture of the Afferent Isoperistaltic Tubular Segment: A Late and Rare Cause of Bilateral Dilatation of the Upper Urinary Tract After Ileal Bladder Substitution. <i>Urology</i> , 2013, 82, 466-470.	0.5	2
28	A Historical Landmark Study Comes to Its End. <i>European Urology</i> , 2013, 63, 436-437.	0.9	0
29	It's Time to Change the Treatment Paradigm for Prostate Cancer!. <i>European Urology</i> , 2013, 63, 97-99.	0.9	4
30	ICUD-EAU International Consultation on Bladder Cancer 2012: Urinary Diversion. <i>European Urology</i> , 2013, 63, 67-80.	0.9	238
31	Combined Ultrasmall Superparamagnetic Particles of Iron Oxide-enhanced and Diffusion-weighted Magnetic Resonance Imaging Facilitates Detection of Metastases in Normal-sized Pelvic Lymph Nodes of Patients with Bladder and Prostate Cancer. <i>European Urology</i> , 2013, 64, 953-960.	0.9	146
32	Ureteroileal Strictures After Urinary Diversion with an Ileal Segment—Is There a Place for Endourological Treatment at All?. <i>Journal of Urology</i> , 2013, 190, 585-590.	0.2	74
33	Occlusion of Seminal Vesicles Increases Sexual Activity in a Mouse Model. <i>European Urology</i> , 2012, 62, 855-862.	0.9	13
34	Re: Shahrokh F. Shariat, Behfar Ehdai, Michael Rink, et al. Clinical Nodal Staging Scores for Bladder Cancer: A Proposal for Preoperative Risk Assessment. <i>Eur Urol</i> 2012;61:237-42. <i>European Urology</i> , 2012, 62, e61-e62.	0.9	3
35	Editorial Comment. <i>Urology</i> , 2012, 80, 1087.	0.5	0
36	Contemporary Role of Androgen Deprivation Therapy for Prostate Cancer. <i>European Urology</i> , 2012, 61, 11-25.	0.9	206

#	ARTICLE	IF	CITATIONS
37	Long-term Renal Function After Urinary Diversion by Ileal Conduit or Orthotopic Ileal Bladder Substitution. <i>European Urology</i> , 2012, 61, 491-497.	0.9	100
38	Lymphadenectomy for Bladder Cancer: Indications and Controversies. <i>Urologic Clinics of North America</i> , 2011, 38, 397-405.	0.8	19
39	Super Extended Versus Extended Pelvic Lymph Node Dissection in Patients Undergoing Radical Cystectomy for Bladder Cancer: A Comparative Study. <i>Journal of Urology</i> , 2011, 186, 1261-1268.	0.2	212
40	Readaptation of the Peritoneum Following Extended Pelvic Lymphadenectomy and Cystectomy Has a Significant Beneficial Impact on Early Postoperative Recovery and Complications: Results of a Prospective Randomized Trial. <i>European Urology</i> , 2011, 59, 204-210.	0.9	49
41	Reply to Yiping Zhu and Dingwei Ye's Letter to the Editor re: Beat Roth, Frédéric D. Birkhäuser, Pascal Zehnder, et al. Readaptation of the Peritoneum Following Extended Pelvic Lymphadenectomy and Cystectomy Has a Significant Beneficial Impact on Early Postoperative Recovery and Complications: Results of a Prospective Randomized Trial. <i>Eur Urol</i> 2011;59:204-210. <i>European Urology</i> , 2011, 59, e16.	0.9	0
42	Reply to Florian Jentzmk, Andres Jan Schrader and Mark Schrader's Letter to the Editor re: Beat Roth, Frédéric D. Birkhäuser, Pascal Zehnder, et al. Readaptation of the Peritoneum Following Extended Pelvic Lymphadenectomy and Cystectomy Has a Significant Beneficial Impact on Early Postoperative Recovery and Complications: Results of a Prospective Randomized Trial. <i>Eur Urol</i> 2011;59:204-210. <i>European Urology</i> , 2011, 59, e19.	0.9	0
43	Irrigation of Continent Catheterizable Ileal Pouches: Tap Water Can Replace Sterile Solutions Because It Is Safe, Easy, and Economical. <i>European Urology</i> , 2011, 59, 518-523.	0.9	19
44	A Prospective Randomised Trial Comparing the Modified HM3 with the MODULITH® SLX-F2 Lithotripter. <i>European Urology</i> , 2011, 59, 637-644.	0.9	53
45	Reply to Jens Rassweiler's Letter to the Editor re: Pascal Zehnder, Beat Roth, Frédéric Birkhäuser, et al. A Prospective Randomised Trial Comparing the Modified HM3 with the MODULITH® SLX-F2 Lithotripter. <i>Eur Urol</i> 2011;59:637-644. <i>European Urology</i> , 2011, 60, e16-e17.	0.9	0
46	Bowel Function Remains Subjectively Unchanged After Ileal Resection for Construction of Continent Ileal Reservoirs. <i>European Urology</i> , 2011, 60, 585-590.	0.9	14
47	Antegrade Perfusion With Bacillus Calmette-Guérin in Patients With Non-muscle-Invasive Urothelial Carcinoma of the Upper Urinary Tract: Who May Benefit?. <i>European Urology</i> , 2011, 60, 955-960.	0.9	110
48	Lymph Node Dissection in Renal Cell Carcinoma. <i>European Urology</i> , 2011, 60, 1212-1220.	0.9	120
49	A New Multimodality Technique Accurately Maps the Primary Lymphatic Landing Sites of the Bladder. <i>European Urology</i> , 2010, 57, 205-211.	0.9	150
50	A Critical Analysis of Orthotopic Bladder Substitutes in Adult Patients with Bladder Cancer: Is There a Perfect Solution?. <i>European Urology</i> , 2010, 58, 374-383.	0.9	52
51	Do Patients Benefit from Routine Follow-up to Detect Recurrences After Radical Cystectomy and Ileal Orthotopic Bladder Substitution?. <i>European Urology</i> , 2010, 58, 486-494.	0.9	106
52	Individualized Seminal Vesicle Sparing Cystoprostatectomy Combined With Ileal Orthotopic Bladder Substitution Achieves Good Functional Results. <i>Journal of Urology</i> , 2010, 183, 1337-1342.	0.2	49
53	Should Pelvic Lymph Node Dissection be Performed With Radical Prostatectomy?. <i>Journal of Urology</i> , 2010, 183, 1285-1287.	0.2	3
54	What can be concluded from the ERSPC and PLCO trial data?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010, 28, 668-669.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Selection Bias Is Not a Good Reason for Advising More Than 5 Years of Adjuvant Hormonal Therapy for All Patients With Locally Advanced Prostate Cancer Treated With Radiotherapy. <i>Journal of Clinical Oncology</i> , 2009, 27, e201-e202.	0.8	3
56	Indications, Extent, and Benefits of Pelvic Lymph Node Dissection for Patients with Bladder and Prostate Cancer. <i>Oncologist</i> , 2009, 14, 40-51.	1.9	35
57	Regional lymph node staging in prostate cancer: Prognostic and therapeutic implications. <i>Surgical Oncology</i> , 2009, 18, 213-218.	0.8	10
58	Reply to Alexander I. Hinev's Letter to the Editor re: Martin C. Schumacher, Fiona C. Burkhard, George N. Thalmann, et al. Good Outcome for Patients with Few Lymph Node Metastases After Radical Retropubic Prostatectomy. <i>Eur Urol</i> 2008;54:344-52. <i>European Urology</i> , 2009, 55, e21-e22.	0.9	1
59	Reply to Magdi Mounir Kirolosa's Letter to the Editor re: Urs E. Studer, Laurence Collette, Peter Whelan, et al. Using PSA to Guide Timing of Androgen Deprivation in Patients with T0-4 N0-2 M0 Prostate Cancer Not Suitable for Local Curative Treatment (EORTC 30891). <i>Eur Urol</i> 2008;53:941-9 and re: John Anderson. Androgen Deprivation Therapy: It's All a Matter of Timing. <i>Eur Urol</i> 2008;53:869-71. <i>European Urology</i> , 2009, 55, e45-e46.	0.9	0
60	Lymphadenectomy Combined with Radical Nephrectomy: To Do or Not to Do?. <i>European Urology</i> , 2009, 55, 35-37.	0.9	23
61	Androgen Deprivation Therapy for the Treatment of Prostate Cancer: Consider Both Benefits and Risks. <i>European Urology</i> , 2009, 55, 62-75.	0.9	139
62	Combined Ultrasmall Superparamagnetic Particles of Iron Oxide-Enhanced and Diffusion-Weighted Magnetic Resonance Imaging Reliably Detect Pelvic Lymph Node Metastases in Normal-Sized Nodes of Bladder and Prostate Cancer Patients. <i>European Urology</i> , 2009, 55, 761-769.	0.9	217
63	Pelvic Lymph Node Dissection in Prostate Cancer. <i>European Urology</i> , 2009, 55, 1251-1265.	0.9	431
64	Effect of Urinary Tract Infection on Reservoir Function in Patients With Ileal Bladder Substitute. <i>Journal of Urology</i> , 2009, 181, 2545-2549.	0.2	26
65	How to Obtain Good Results with Orthotopic Bladder Substitution: The 10 Commandments. <i>European Urology Supplements</i> , 2009, 8, 712-717.	0.1	20
66	Harnableitung. , 2009, , 91-116.		1
67	The role of lymphadenectomy in high risk prostate cancer. <i>World Journal of Urology</i> , 2008, 26, 231-236.	1.2	29
68	Extended lymph node dissection for prostate cancer. <i>Current Urology Reports</i> , 2008, 9, 237-242.	1.0	10
69	The orthotopic neobladder. <i>BJU International</i> , 2008, 102, 1307-1313.	1.3	30
70	The Template of the Primary Lymphatic Landing Sites of the Prostate Should Be Revisited: Results of a Multimodality Mapping Study. <i>European Urology</i> , 2008, 53, 118-125.	0.9	343
71	Diabetes Mellitus: Does It Impair Urinary Continence after Radical Cystoprostatectomy and Ileal Orthotopic Bladder Substitution?. <i>European Urology</i> , 2008, 53, 1040-1047.	0.9	13
72	Using PSA to Guide Timing of Androgen Deprivation in Patients with T0-4 N0-2 M0 Prostate Cancer not Suitable for Local Curative Treatment (EORTC 30891). <i>European Urology</i> , 2008, 53, 941-949.	0.9	126

#	ARTICLE	IF	CITATIONS
73	Good Outcome for Patients with Few Lymph Node Metastases After Radical Retropubic Prostatectomy. <i>European Urology</i> , 2008, 54, 344-352.	0.9	188
74	Prevalence of Nephrolithiasis in Patients with Ileal Bladder Substitutes. <i>Urology</i> , 2008, 71, 128-130.	0.5	7
75	To Stent or Not to Stent Perioperatively the Ureteroileal Anastomosis of Ileal Orthotopic Bladder Substitutes and Ileal Conduits? Results of a Prospective Randomized Trial. <i>Journal of Urology</i> , 2008, 179, 582-586.	0.2	94
76	Outcome After Radical Cystectomy With Limited or Extended Pelvic Lymph Node Dissection. <i>Journal of Urology</i> , 2008, 179, 873-878.	0.2	295
77	Should patients with prostate cancer and a risk of nodal metastasis >1% undergo standard or limited PLND?. <i>Nature Reviews Urology</i> , 2008, 5, 10-11.	1.4	2
78	Urinary Diversion. <i>Urology</i> , 2007, 69, 17-49.	0.5	334
79	Radical Cystectomy with an Extended Pelvic Lymphadenectomy: Rationale and Results. <i>Surgical Oncology Clinics of North America</i> , 2007, 16, 233-245.	0.6	32
80	Increased proximal urethral sensory threshold after radical pelvic surgery in women. <i>Neurourology and Urodynamics</i> , 2007, 26, 208-212.	0.8	30
81	Nerve-Sparing Open Radical Retropubic Prostatectomy. <i>European Urology</i> , 2007, 51, 90-97.	0.9	77
82	Detection Rate and Operating Time Required for ^{131}I Probe-Guided Sentinel Lymph Node Resection after Injection of Technetium-99m Nanocolloid into the Prostate with and without Preoperative Imaging. <i>European Urology</i> , 2007, 52, 126-133.	0.9	73
83	Nerve-Sparing Radical Cystectomy and Orthotopic Bladder Replacement in Female Patients. <i>European Urology</i> , 2007, 52, 1006-1014.	0.9	78
84	Role of lymphadenectomy in clinically organ-confined prostate cancer. <i>World Journal of Urology</i> , 2007, 25, 39-44.	1.2	13
85	Long-term results of standard procedures in urology: the ileal neobladder. <i>World Journal of Urology</i> , 2006, , 1.	1.2	1
86	Is There an Indication for Frozen Section Examination of the Ureteral Margins During Cystectomy for Transitional Cell Carcinoma of the Bladder?. <i>Journal of Urology</i> , 2006, 176, 2409-2413.	0.2	64
87	Nerve Sparing Open Radical Retropubic Prostatectomy—Does It Have an Impact on Urinary Continence?. <i>Journal of Urology</i> , 2006, 176, 189-195.	0.2	221
88	Twenty Years Experience With an Ileal Orthotopic Low Pressure Bladder Substitute—Lessons to be Learned. <i>Journal of Urology</i> , 2006, 176, 161-166.	0.2	332
89	Continent urinary diversion. <i>Critical Reviews in Oncology/Hematology</i> , 2006, 57, 255-264.	2.0	45
90	Long-term results of standard procedures in urology: the ileal neobladder. <i>World Journal of Urology</i> , 2006, 24, 305-314.	1.2	276

#	ARTICLE	IF	CITATIONS
91	Is Pelvic Lymph Node Dissection Necessary in Patients with a Serum PSA<10ng/ml Undergoing Radical Prostatectomy for Prostate Cancer?. European Urology, 2006, 50, 272-279.	0.9	94
92	Morbidity from Pelvic Lymphadenectomy in Men Undergoing Radical Prostatectomy. European Urology, 2006, 50, 887-889.	0.9	14
93	Immediate or Deferred Androgen Deprivation for Patients With Prostate Cancer Not Suitable for Local Treatment With Curative Intent: European Organisation for Research and Treatment of Cancer (EORTC) Trial 30891. Journal of Clinical Oncology, 2006, 24, 1868-1876.	0.8	313
94	1388: Anatomic Localization of Prostatic Sentinel Lymph Nodes (SLN) According to Fusion Imaging of Spect and CT Scans after Intraprostatic Injection of Technetium-99M- Nanocolloid. Journal of Urology, 2006, 175, 448-448.	0.2	7
95	Is pelvic lymphadenectomy really necessary in patients with a serum prostate-specific antigen level of <10 ng/ml undergoing radical prostatectomy for prostate cancer?. BJU International, 2005, 95, 275-278.	1.3	21
96	Extracapsular Extension of Pelvic Lymph Node Metastases From Urothelial Carcinoma of the Bladder Is an Independent Prognostic Factor. Journal of Clinical Oncology, 2005, 23, 2358-2365.	0.8	183
97	Clinical Indications and Outcomes with Nerve-sparing Cystectomy in Patients with Bladder Cancer. Urologic Clinics of North America, 2005, 32, 165-175.	0.8	64
98	IS NEWER ALWAYS BETTER? A COMPARATIVE STUDY OF 3 LITHOTRIPTOR GENERATIONS. Journal of Urology, 2005, 173, 2013-2016.	0.2	107
99	Immediate Versus Deferred Hormonal Treatment for Patients With Prostate Cancer Who Are Not Suitable for Curative Local Treatment: Results of the Randomized Trial SAKK 08/88. Journal of Clinical Oncology, 2004, 22, 4109-4118.	0.8	87
100	TREATMENT OF URETHRAL RECURRENCE FOLLOWING RADICAL CYSTECTOMY AND ILEAL BLADDER SUBSTITUTION. Journal of Urology, 2004, 172, 937-942.	0.2	91
101	ATTEMPTED NERVE SPARING SURGERY AND AGE HAVE A SIGNIFICANT EFFECT ON URINARY CONTINENCE AND ERECTILE FUNCTION AFTER RADICAL CYSTOPROSTATECTOMY AND ILEAL ORTHOTOPIC BLADDER SUBSTITUTION. Journal of Urology, 2004, 172, 1323-1327.	0.2	192
102	Disease Progression and Survival of Patients With Positive Lymph Nodes After Radical Prostatectomy. Is there a Chance of Cure?. Journal of Urology, 2003, 169, 849-854.	0.2	427
103	A Prospective Randomized Trial Comparing 2 Lithotriptors for Stone Disintegration and Induced Renal Trauma. Journal of Urology, 2003, 169, 54-57.	0.2	89
104	Lymphadenectomy in Bladder Cancer. EAU Update Series, 2003, 1, 100-107.	0.5	6
105	Radical Cystectomy for Bladder Cancer Today—A Homogeneous Series Without Neoadjuvant Therapy. Journal of Clinical Oncology, 2003, 21, 690-696.	0.8	713
106	Long-Term Voiding Pattern of Patients With Ileal Orthotopic Bladder Substitutes. Journal of Urology, 2002, 167, 2052-2057.	0.2	139
107	Holmium Laser Enucleation of the Prostate Combined with Electrocautery Resection: The Mushroom Technique. Journal of Urology, 2002, 168, 1470-1474.	0.2	85
108	Long-term Experience With Bacillus Calmette-Guerin Therapy of Upper Urinary Tract Transitional Cell Carcinoma in Patients Not Eligible for Surgery. Journal of Urology, 2002, 168, 1381-1385.	0.2	122

#	ARTICLE	IF	CITATIONS
109	Transurethral Microwave Therapy in 200 Patients With a Minimum Followup of 2 Years: Urodynamic and Clinical Results. <i>Journal of Urology</i> , 2002, 167, 2496-2501.	0.2	51
110	Is Ileal Orthotopic Bladder Substitution with an Afferent Tubular Segment Detrimental to the Upper Urinary Tract in the Long Term?. <i>Journal of Urology</i> , 2002, 168, 2030-2034.	0.2	89
111	Is a Limited Lymph Node Dissection An Adequate Staging Procedure for Prostate Cancer?. <i>Journal of Urology</i> , 2002, 168, 514-518.	0.2	345
112	Reliability of Preoperative Values to Determine the Need for Lymphadenectomy in Patients with Prostate Cancer and Meticulous Lymph Node Dissection. <i>European Urology</i> , 2002, 42, 84-92.	0.9	64
113	PARAURETHRAL GLAND CARCINOMA IN A MAN WITH BLADDER EXSTROPHY DIAGNOSED 41 YEARS AFTER BLADDER PLATE RESECTION. <i>Journal of Urology</i> , 2001, 166, 2306-2307.	0.2	2
114	URETHRAL SENSITIVITY AND THE IMPACT ON URINARY CONTINENCE IN PATIENTS WITH AN ILEAL BLADDER SUBSTITUTE AFTER CYSTECTOMY. <i>Journal of Urology</i> , 2001, 165, 1502-1505.	0.2	40
115	FERTILITY AND SEXUAL FUNCTION FOLLOWING ORCHIECTOMY AND 2 CYCLES OF CHEMOTHERAPY FOR STAGE I HIGH RISK NONSEMINOMATOUS GERM CELL CANCER. <i>Journal of Urology</i> , 2001, 165, 441-444.	0.2	65
116	INFLUENCE OF STENT SIZE ON THE SUCCESS OF ANTEGRADE ENDOPYELOTOMY FOR PRIMARY URETEROPELVIC JUNCTION OBSTRUCTION: RESULTS OF 2 CONSECUTIVE SERIES. <i>Journal of Urology</i> , 2001, 166, 902-909.	0.2	35
117	INEFFICIENT URETHRAL MILKING SECONDARY TO URETHRAL DYSFUNCTION AS AN ADDITIONAL RISK FACTOR FOR INCONTINENCE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2001, 166, 2247-2252.	0.2	25
118	SIMULTANEOUS REPLACEMENT OF BOTH URETERS WITH SMALL INTESTINE IN A WOMAN WITH CYSTINURIA. <i>Journal of Urology</i> , 2001, 166, 2315-2316.	0.2	4
119	Why phase III trials of maximal androgen blockade versus castration in M1 prostate cancer rarely show statistically significant differences*. <i>Prostate</i> , 2001, 48, 29-39.	1.2	25
120	FEMALE ORTHOTOPIC BLADDER SUBSTITUTION: A GOOD OPERATION IN THE RIGHT CIRCUMSTANCES. <i>Journal of Urology</i> , 2000, 163, 1501-1504.	0.2	74
121	Keys to success in orthotopic bladder substitution. <i>Canadian Journal of Urology</i> , 1999, 6, 876-877.	0.0	1
122	Indications for continent diversion after cystectomy and factors affecting long-term results. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1998, 4, 172-182.	0.8	31
123	Editorial: Minimizing Morbidity from Reconstructive Bladder Surgery. <i>Journal of Urology</i> , 1997, 157, 2107-2108.	0.2	0
124	Reconstruction of the urinary tract after radical cystectomy: The case for continent urinary diversion. <i>Urology</i> , 1997, 49, 663-667.	0.5	24
125	ILEAL ORTHOTOPIC BLADDER SUBSTITUTES. <i>Urologic Clinics of North America</i> , 1997, 24, 781-793.	0.8	198
126	THE EFFECT OF NERVE SPARING CYSTECTOMY TECHNIQUE ON POSTOPERATIVE CONTINENCE AFTER ORTHOTOPIC BLADDER SUBSTITUTION. <i>Journal of Urology</i> , 1997, 158, 2118-2122.	0.2	102

#	ARTICLE	IF	CITATIONS
127	Transforming growth factor- β 3 is expressed in nondividing basal epithelial cells in normal human prostate and benign prostatic hyperplasia, and is no longer detectable in prostate carcinoma. Prostate, 1997, 31, 103-109.	1.2	25
128	Abnormal p53 expression is rare in clinically localized human prostate cancer: Comparison between immunohistochemical and molecular detection of p53 mutations. , 1997, 31, 209-215.		25
129	Cystectomy and urinary diversion. , 1997, 13, 350-358.		13
130	Abnormal p53 expression is rare in clinically localized human prostate cancer: Comparison between immunohistochemical and molecular detection of p53 mutations. , 1997, 31, 209.		3
131	Antireflux Nipples or Afferent Tubular Segments in 70 Patients with Ileal Low Pressure Bladder Substitutes: Long-term Results of a Prospective Randomized Trial. Journal of Urology, 1996, 156, 1913-1917.	0.2	132
132	No Evidence of Osteopenia 5 to 8 Years After Ileal Orthotopic Bladder Substitution. Journal of Urology, 1996, 155, 71-75.	0.2	49
133	Intravesical Versus Intravesical Plus Intradermal Bacillus Calmette-Guerin: A Prospective Randomized Study In Patient With Recurrent Superficial Bladder Tumors. Journal of Urology, 1996, 155, 483-487.	0.2	83
134	Radical prostatectomy or deferred treatment?. Journal of Surgical Oncology, 1995, 11, 46-49.	1.4	4
135	The ileal orthotopic bladder. Urology, 1995, 45, 185-189.	0.5	40
136	Experience in 100 Patients with an Ileal Low Pressure Bladder Substitute Combined with an Afferent Tubular Isoperistaltic Segment. Journal of Urology, 1995, 154, 49-56.	0.2	201
137	Invasion depth is the most important prognostic factor for transitional-cell carcinoma in a prospective trial of radical cystectomy and adjuvant chemotherapy. International Journal of Cancer, 1994, 57, 15-20.	2.3	21
138	Late results in patients treated with Pi-mesons for bladder cancer. Cancer, 1993, 71, 439-447.	2.0	11
139	Extracorporeal Shock Wave Lithotripsy in Situ or after Push-Up for Upper Ureteral Calculi: A Prospective Randomized Trial. Journal of Urology, 1993, 150, 824-826.	0.2	63
140	Enlargement of Regional Lymph Nodes in Renal Cell Carcinoma is Often not Due to Metastases. Journal of Urology, 1990, 144, 243-245.	0.2	216
141	Percutaneous Bacillus Calmette-Guerin Perfusion of the Upper Urinary Tract for Carcinoma in Situ. Journal of Urology, 1989, 142, 975-977.	0.2	110
142	Preliminary results of a phase I/II study With Pi-Meson (Pion) treatment for bladder cancer. Cancer, 1985, 56, 1943-1952.	2.0	12