

Evan S H Quah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4960708/publications.pdf>

Version: 2024-02-01

76
papers

1,353
citations

430442

18
h-index

476904

29
g-index

79
all docs

79
docs citations

79
times ranked

560
citing authors

#	ARTICLE	IF	CITATIONS
1	The biogeography of bent-toed geckos, <i>Cyrtodactylus</i> (Squamata: Gekkonidae). PeerJ, 2022, 10, e13153.	0.9	11
2	Sex Chromosome Turnover in Bent-Toed Geckos (<i>Cyrtodactylus</i>). Genes, 2021, 12, 116.	1.0	21
3	<i>Acroeimeria</i> cf. <i>cicaki</i> n. comb. (Apicomplexa: Eimeriidae) from Stump-Tailed Gecko, <i>Gehyra mutilata</i> (Sauria: Gekkonidae), from Peninsular Malaysia. Comparative Parasitology, 2021, 88, .	0.0	0
4	On the taxonomic status of <i>Asthenodipsas vertebralis</i> (Boulenger, 1901) (Squamata: Gekkonidae). Zootaxa, 2021, 4949, 24-44.	0.0	0
5	Karstic Landscapes Are Foci of Species Diversity in the World's Third-Largest Vertebrate Genus <i>Cyrtodactylus</i> Gray, 1827 (Reptilia: Squamata; Gekkonidae). Diversity, 2021, 13, 183.	0.7	29
6	Preliminary report on the herpetofaunal diversity of Batu Hampar Recreational Forest, Kedah, Malaysia. Check List, 2021, 17, 791-814.	0.1	5
7	A new species of <i>Hemiphyllodactylus</i> Bleeker (Squamata: Gekkonidae) from Yunnan, China and its phylogenetic relationship to other congeners. Zootaxa, 2021, 4980, 127.	0.2	4
8	Amphibians in Zootaxa: 20 years documenting the global diversity of frogs, salamanders, and caecilians. Zootaxa, 2021, 4979, 5769.	0.2	7
9	Systematics and natural history of mountain reed snakes (genus <i>Macrocalamus</i> ; Calamariinae). Zoological Journal of the Linnean Society, 2020, 188, 1236-1276.	1.0	8
10	Two new species of <i>Cyrtodactylus</i> Gray, 1827 (Squamata: Gekkonidae) from a karstic archipelago in the Salween Basin of southern Myanmar (Burma). Zootaxa, 2020, 4718, zootaxa.4718.2.1.	0.2	16
11	Evolution of habitat preference in 243 species of Bent-toed geckos (Genus <i>Cyrtodactylus</i> Gray, 1827). Zootaxa, 2020, 4718, zootaxa.4718.2.1.	0.8	33
12	Origin, diversity, and conservation of karst-associated Bent-toed Geckos (Genus <i>Cyrtodactylus</i>) in Myanmar (Burma). Israel Journal of Ecology and Evolution, 2020, 66, 202-208.	0.2	3
13	A new acroeimerian (Apicomplexa: Eimeriidae) in spotted house gecko, <i>Gekko monarchus</i> (Schlegel) (Sauria: Gekkonidae) from Peninsular Malaysia. Systematic Parasitology, 2020, 97, 529-534.	0.5	1
14	Integrative taxonomic and geographic variation analyses in <i>Cyrtodactylus aequalis</i> (Squamata: Gekkonidae). Israel Journal of Ecology and Evolution, 2020, 66, 151-179.	0.2	5
15	A taxonomic revision of <i>Asthenodipsas malaccana</i> Peters, 1864 (Squamata: Pareidae) with a description of a new species from Borneo. Zootaxa, 2020, 4729, 1-24.	0.2	3
16	Four new Burmese species of <i>Hemiphyllodactylus</i> Bleeker (Squamata: Gekkonidae) from distantly related parapatric clades from the Shan Plateau and Salween Basin. Zootaxa, 2020, 4758, zootaxa.4758.1.2.	0.2	12
17	A new species of <i>Liopeltis</i> Fitzinger, 1843 (Squamata: Colubridae) from Pulau Tioman, Peninsular Malaysia. Zootaxa, 2020, 4766, 472-484.	0.2	0
18	A new species of <i>Cnemaspis</i> Strauch 1887 (Squamata: Gekkonidae) from the Langkawi Archipelago, Kedah, Peninsular Malaysia with an updated checklist of the herpetofauna of Tuba Island. Zootaxa, 2020, 4767, zootaxa.4767.1.6.	0.2	2

#	ARTICLE	IF	CITATIONS
19	Geographic structure of genetic variation in the Parachute Gecko <i>Ptychozoon lionotum</i> Annandale, 1905 across Indochina and Sundaland with descriptions of three new species. <i>Zootaxa</i> , 2019, 4638, 151-198.	0.2	9
20	A taxonomic reappraisal of the Smooth Slug Snake <i>Asthenodipsas laevis</i> (Boie, 1827) (Squamata: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.2	10
21	A new skink of the genus <i>Subdoluseps</i> (Hardwicke & Gray, 1828) from Peninsular Malaysia. <i>Zootaxa</i> , 2019, 4609, zootaxa.4609.2.10.	0.2	7
22	A new species of Bent-toed Gecko (Squamata, Gekkonidae, <i>Cyrtodactylus</i>) from the Shan Plateau in eastern Myanmar (Burma). <i>Zootaxa</i> , 2019, 4624, zootaxa.4624.3.1.	0.2	11
23	Integrative taxonomy of the Asian skinks <i>Sphenomorphus stellatus</i> (Boulenger, 1900) and <i>S. praesignis</i> (Boulenger, 1900) with the resurrection of <i>S. annamiticus</i> (Boettger, 1901) and the description of a new species from Cambodia. <i>Zootaxa</i> , 2019, 4683, zootaxa.4683.3.4.	0.2	14
24	Discovery of the westernmost population of the genus <i>Ansonia</i> (Stoliczka) (Anura, Bufonidae) with the description of a new species from the Shan Plateau of eastern Myanmar. <i>Zootaxa</i> , 2019, 4656, 545-571.	0.2	4
25	A new species of forest-dwelling <i>Cyrtodactylus</i> Gray (Squamata: Gekkonidae) from the Indawgyi Wildlife Sanctuary, Kachin State, Myanmar. <i>Zootaxa</i> , 2019, 4623, 1-25.	0.2	10
26	The discovery and description of a new species of Bent-toed Gecko of the <i>Cyrtodactylus pulchellus</i> complex (Squamata: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 Malaysia). <i>Zootaxa</i> , 2019, 4668, 51-75.	0.2	12
27	An updated and annotated checklist of the lizards of Peninsular Malaysia, Singapore, and their adjacent archipelagos. <i>Zootaxa</i> , 2019, 4545, 230-248.	0.2	21
28	A new species of crocodile newt <i>Tylototriton</i> (Caudata: Salamandridae) from northern Myanmar (Burma). <i>Journal of Natural History</i> , 2019, 53, 475-495.	0.2	10
29	Co-integration analysis of capture-recapture method in toad, <i>Phrynomantis aspera</i> (Gravenhorst, 1829). <i>Journal of Asia-Pacific Biodiversity</i> , 2019, 12, 7-13.	0.2	0
30	Two more new species of the <i>Cyrtodactylus peguensis</i> group (Squamata: Gekkonidae) from the fringes of the Ayeyarwady Basin, Myanmar. <i>Zootaxa</i> , 2019, 4577, 274.	0.2	11
31	Venomomics of <i>Trimeresurus (Popeia) nebularis</i> , the Cameron Highlands Pit Viper from Malaysia: Insights into Venom Proteome, Toxicity and Neutralization of Antivenom. <i>Toxins</i> , 2019, 11, 95.	1.5	36
32	Unlocking the secrets of banded coral snake (<i>Calliophis intestinalis</i> , Malaysia): A venom with proteome novelty, low toxicity and distinct antigenicity. <i>Journal of Proteomics</i> , 2019, 192, 246-257.	1.2	19
33	Three more new species of <i>Cyrtodactylus</i> (Squamata: Gekkonidae) from the Salween Basin of eastern Myanmar underscore the urgent need for the conservation of karst habitats. <i>Journal of Natural History</i> , 2018, 52, 1243-1294.	0.2	35
34	Twelve new species of <i>Cyrtodactylus</i> Gray (Squamata: Gekkonidae) from isolated limestone habitats in east-central and southern Myanmar demonstrate high localized diversity and unprecedented microendemism. <i>Zoological Journal of the Linnean Society</i> , 2018, 182, 862-959.	1.0	71
35	Systematics, ecomorphology, cryptic speciation and biogeography of the lizard genus <i>Tytthoscincus</i> Linkem, Diesmos & Brown (Squamata: Scincidae) from the sky-island archipelago of Peninsular Malaysia. <i>Zoological Journal of the Linnean Society</i> , 2018, 183, 635-671.	1.0	18
36	Phylogenetic taxonomy of <i>Hemiphyllodactylus</i> Bleeker, 1860 (Squamata: Gekkonidae) with descriptions of three new species from Myanmar. <i>Journal of Natural History</i> , 2018, 52, 881-915.	0.2	14

#	ARTICLE	IF	CITATIONS
37	On the taxonomy and phylogeny of the rare Selangor Mud Snake (<i>Raclitia indica</i>) Gray (Serpentes.) Tj ETQq1 1 0.784314 rgBT /Overlock	0.2	14
38	A re-description of <i>Cyrtodactylus chrysopylos</i> Bauer (Squamata: Gekkonidae) with comments on the adaptive significance of orange coloration in hatchlings and descriptions of two new species from eastern Myanmar (Burma). <i>Zootaxa</i> , 2018, 4527, 151.	0.2	16
39	A new species of Crocodile Newt <i>Tylotriton</i> (Caudata: Salamandridae) from Shan State, Myanmar (Burma). <i>Zootaxa</i> , 2018, 4500, 553-573.	0.2	13
40	Two more new species of <i>Hemiphyllodactylus</i> Bleeker (Squamata: Gekkonidae) from the Shan Hills of eastern Myanmar (Burma). <i>Zootaxa</i> , 2018, 4483, 295-316.	0.2	16
41	On the taxonomy of <i>Lygosoma bampfyldei</i> Bartlett, 1895 (Squamata: Scincidae) with descriptions of new species from Borneo and Peninsular Malaysia and the resurrection of <i>Lygosoma schneideri</i> Werner, 1900. <i>Zootaxa</i> , 2018, 4438, 528.	0.2	7
42	Two new <i>Tytthoscincus</i> Linkem, Diesmos, & Brown (Squamata; Scincidae) from Peninsular Malaysia and another case of microsyntopy between ecologically specialized, unrelated, leaf-litter species. <i>Zootaxa</i> , 2018, 4425, 87.	0.2	5
43	The rediscovery of Schaefer's Spine-jawed Snake (<i>Xenophidion schaeferi</i> Günther & Manthey,) Tj ETQq1 1 0.784314 rgBT /Overlock record of the genus from Sumatra, Indonesia. <i>Zootaxa</i> , 2018, 4441, 366-378.	0.2	5
44	A new <i>Cyrtodactylus</i> Gray, 1827 (Squamata, Gekkonidae) from the Shan Hills and the biogeography of Bent-toed Geckos from eastern Myanmar. <i>Zootaxa</i> , 2018, 4446, 477-500.	0.2	27
45	Checklist of the Herpetofauna of Hutan Lipur Gunung Senyum, Pahang, Peninsular Malaysia. <i>Russian Journal of Herpetology</i> , 2018, 25, 207.	0.2	3
46	A phylogenetic taxonomy of the <i>Cyrtodactylus peguensis</i> group (Reptilia: Squamata: Gekkonidae) with descriptions of two new species from Myanmar. <i>PeerJ</i> , 2018, 6, e5575.	0.9	16
47	A new species of Mud Snake (Serpentes, Homalopsidae, <i>Gyiophis</i> Murphy & Voris, 2014) from Myanmar with a first molecular phylogenetic assessment of the genus. <i>Zootaxa</i> , 2017, 4238, 571.	0.2	6
48	Species delimitation with gene flow: A methodological comparison and population genomics approach to elucidate cryptic species boundaries in Malaysian Torrent Frogs. <i>Molecular Ecology</i> , 2017, 26, 5435-5450.	2.0	56
49	A new species of frog of the genus <i>Abavorana</i> Oliver, Prendini, Kraus & Raxworthy 2015 (Anura: Ranidae) from Gunung Jerai, Kedah, northwestern Peninsular Malaysia. <i>Zootaxa</i> , 2017, 4320, .	0.2	8
50	The phylogenetic relationships of a new Stream Toad of the genus <i>Ansonia</i> Stoliczka, 1870 (Anura:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.2	13
51	Phylogenetic relationships of geckos of the <i>Hemiphyllodactylus harterti</i> group, a new species from Penang Island, Peninsular Malaysia, and a likely case of true cryptic speciation. <i>Zootaxa</i> , 2016, 4107, 367-80.	0.2	19
52	Two new Bent-toed Geckos of the <i>Cyrtodactylus pulchellus</i> complex from Peninsular Malaysia and multiple instances of convergent adaptation to limestone forest ecosystems. <i>Zootaxa</i> , 2016, 4105, 401-29.	0.2	26
53	On the taxonomy and phylogeny of the skinks <i>Lipinia sekayuensis</i> Grismer, Ismail, Awang, Rizal, & Ahmad and <i>Lipinia surda</i> Boulenger from Peninsular Malaysia. <i>Zootaxa</i> , 2016, 4147, 59.	0.2	11
54	Dragons in the mist: three new species of <i>Pseudocalotes</i> Fitzinger (Squamata: Agamidae) from the sky island archipelago of Peninsular Malaysia. <i>Zootaxa</i> , 2016, 4136, 461-90.	0.2	19

#	ARTICLE	IF	CITATIONS
55	Repeated evolution of sympatric, palaeoendemic species in closely related, co-distributed lineages of <i>Hemiphyllodactylus</i> Bleeker, 1860 (Squamata: Gekkonidae) across a sky-island archipelago in Peninsular Malaysia. <i>Zoological Journal of the Linnean Society</i> , 2015, 174, 859-876.	1.0	22
56	The Rediscovery of <i>Sphenomorphus malayanus</i> Doria, 1888 (Squamata: Scincidae) from the Titiwangsa Mountain Range of Peninsular Malaysia and its re-description as <i>S. senja</i> sp. nov.. <i>Zootaxa</i> , 2015, 3931, 63-70.	0.2	25
57	A new insular species of Rock Gecko (<i>Cnemaspis</i> Boulenger) from Pulau Langkawi, Kedah, Peninsular Malaysia. <i>Zootaxa</i> , 2015, 3985, 203-18.	0.2	17
58	First report on the amphibians and reptiles of a remote mountain, Gunung Tebu in northeastern Peninsular Malaysia. <i>Check List</i> , 2015, 11, 1679.	0.1	10
59	An integrative taxonomic review of the agamid genus <i>Bronchocela</i> (Kuhl, 1820) from Peninsular Malaysia with descriptions of new montane and insular endemics. <i>Zootaxa</i> , 2015, 3948, 1.	0.2	28
60	A new species of karst forest-adapted Bent-toed Gecko (genus <i>Cyrtodactylus</i> Gray, 1827) belonging to the <i>C. sworderi</i> complex from a threatened karst forest in Perak, Peninsular Malaysia. <i>Zootaxa</i> , 2014, 3755, 434-46.	0.2	28
61	The phylogenetic relationships of three new species of the <i>Cyrtodactylus pulchellus</i> complex (Squamata: Gekkonidae) from poorly explored regions in northeastern Peninsular Malaysia. <i>Zootaxa</i> , 2014, 3786, 359.	0.2	37
62	A new species of upland Stream Toad of the genus <i>Ansonia</i> Stoliczka, 1870 (Anura: Bufonidae) from northeastern Peninsular Malaysia. <i>Zootaxa</i> , 2014, 3764, 427.	0.2	26
63	A diminutive new species of cave-dwelling Wolf Snake (Colubridae: <i>Lycodon</i> Boie, 1826) from Peninsular Malaysia. <i>Zootaxa</i> , 2014, 3815, 51-67.	0.2	16
64	Systematics and natural history of Southeast Asian Rock Geckos (genus <i>Cnemaspis</i> Strauch, 1887) with descriptions of eight new species from Malaysia, Thailand, and Indonesia. <i>Zootaxa</i> , 2014, 3880, 1-147.	0.2	80
65	Integrative taxonomy uncovers high levels of cryptic species diversity in <i>Hemiphyllodactylus</i> Bleeker, 1860 (Squamata: Gekkonidae) and the description of a new species from Peninsular Malaysia. <i>Zoological Journal of the Linnean Society</i> , 2013, 169, 849-880.	1.0	54
66	A new species of lowland karst dwelling <i>Cnemaspis</i> Strauch 1887 (Squamata: Gekkonidae) from northwestern Peninsular Malaysia. <i>Zootaxa</i> , 2013, 3691, 538.	0.2	18
67	Cryptic speciation within <i>Asthenodipsas vertebralis</i> (Boulenger, 1900) (Squamata: <i>Tj ETQq1 1 0.784314 rgBT /Over</i> <i>A. tropidonotus</i> (Lidth de Jude, 1923) from Sumatra: an integrative taxonomic analysis. <i>Zootaxa</i> , 2013, 3664, 505-24.	0.2	24
68	Phylogenetic relationships and description of a new upland species of Bent-toed Gecko (<i>Cyrtodactylus</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10</i> 239-52.	0.2	23
69	A phylogeny and taxonomy of the Thai-Malay Peninsula Bent-toed Geckos of the <i>Cyrtodactylus pulchellus</i> complex (Squamata: Gekkonidae): combined morphological and molecular analyses with descriptions of seven new species. <i>Zootaxa</i> , 2012, 3520, 1.	0.2	85
70	First Record of <i>Batrachochytrium dendrobatidis</i> Infecting Four Frog Families from Peninsular Malaysia. <i>EcoHealth</i> , 2011, 8, 121-128.	0.9	20
71	Another new, diminutive Rock Gecko (<i>Cnemaspis</i> Strauch) from Peninsular Malaysia and a discussion of resource partitioning in sympatric species pairs. <i>Zootaxa</i> , 2010, 2569, .	0.2	12
72	A new spiny, prehensile-tailed species of <i>Cyrtodactylus</i> (Squamata: Gekkonidae) from Peninsular Malaysia with a preliminary hypothesis of relationships based on morphology. <i>Zootaxa</i> , 2010, 2625, .	0.2	25

#	ARTICLE	IF	CITATIONS
73	A new endemic rock Gecko <i>Cnemaspis</i> Strauch 1887 (Squamata: Gekkonidae) from Gunung Jerai, Kedah, northwestern Peninsular Malaysia. <i>Zootaxa</i> , 2010, 2576, 59.	0.2	4
74	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 0, 71, 101-154.	2.0	25
75	Phylogenetic partitioning of the third-largest vertebrate genus in the world, <i>Cyrtodactylus</i> Gray, 1827 (Reptilia; Squamata; Gekkonidae) and its relevance to taxonomy and conservation. <i>Vertebrate Zoology</i> , 0, 71, 101-154.	2.0	16
76	Phylogenetic and multivariate analyses of <i>Gekko smithii</i> Gray, 1842 recover a new species from Peninsular Malaysia and support the resurrection of <i>G. albomaculatus</i> (Giebel, 1861) from Sumatra. <i>Vertebrate Zoology</i> , 0, 72, 47-80.	2.0	6