Naznin Sultana

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/496077/publications.pdf

Version: 2024-02-01

394421 434195 1,108 61 19 31 citations h-index g-index papers 63 63 63 1688 all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Biowastes of slaughterhouses and wet markets: an overview of waste management for disease prevention. Environmental Science and Pollution Research, 2023, 30, 71780-71793. | 5.3 | 15 |
| 2 | Electrospun nanofiber composite membranes based on cellulose acetate/nano-zeolite for the removal of oil from oily wastewater. Emergent Materials, 2022, 5, 145-153. | 5.7 | 8 |
| 3 | A review on the contamination of SARS-CoV-2 in water bodies: Transmission route, virus recovery and recent biosensor detection techniques. Sensing and Bio-Sensing Research, 2022, 36, 100482. | 4.2 | 7 |
| 4 | Electrospun Biodegradable Bi-Layered Microfiber Membranes for Aluminum Removal from Drinking Water. Micro and Nanosystems, 2021, 13, 82-89. | 0.6 | 2 |
| 5 | Generation of HeLa spheroids in Ca-alginate-PEG microbeads using flicking technique as an improved three-dimensional cell culture system. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 599, 124885. | 4.7 | 1 |
| 6 | Application of conductive poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) (PEDOT:PSS) polymers in potential biomedical engineering. Journal of Pharmaceutical Investigation, 2020, 50, 437-444. | 5.3 | 28 |
| 7 | Electrodeposition of Ginseng/Polyaniline Encapsulated Poly(lactic- <i>co</i> -glycolic Acid) Microcapsule Coating on Stainless Steel 316L at Different Deposition Parameters. Chemical and Pharmaceutical Bulletin, 2019, 67, 445-451. | 1.3 | 5 |
| 8 | Biomineralized Conductive PEDOT:PSS-Coated PLA/PHBV/HA Nanofibrous Membranes. ASAIO Journal, 2018, 64, 415-423. | 1.6 | 9 |
| 9 | Comparison of biophysical properties characterized for microtissues cultured using microencapsulation and liquid crystal based 3D cell culture techniques. Cytotechnology, 2018, 70, 13-29. | 1.6 | 3 |
| 10 | Mechanical and biological properties of scaffold materials. , 2018, , 1-21. | | 16 |
| 11 | Characterization, drug loading and antibacterial activity of nanohydroxyapatite/polycaprolactone (nHA/PCL) electrospun membrane. 3 Biotech, 2017, 7, 249. | 2.2 | 52 |
| 12 | PLA/PHBV electrospun membrane: Fabrication, coating with conductive PEDOT:PSS and antibacterial activity of drug loaded membrane. Cogent Engineering, 2017, 4, 1322479. | 2.2 | 9 |
| 13 | CHARACTERIZATION OF PCL/ZEOLITE ELECTROSPUN MEMBRANE FOR THE REMOVAL OF SILVER IN DRINKING WATER. Jurnal Teknologi (Sciences and Engineering), 2017, 79, . | 0.4 | 1 |
| 14 | FABRICATION AND CHARACTERIZATION OF PCL/HA/PPY COMPOSITE SCAFFOLD USING FREEZE-DRYING TECHNIQUE. Jurnal Teknologi (Sciences and Engineering), 2016, 78, . | 0.4 | 1 |
| 15 | PEDOT:PSS-Containing Nanohydroxyapatite/Chitosan Conductive Bionanocomposite Scaffold: Fabrication and Evaluation. Journal of Nanomaterials, 2016, 2016, 1-12. | 2.7 | 12 |
| 16 | Cellulose acetate electrospun nanofibrous membrane: fabrication, characterization, drug loading and antibacterial properties. Bulletin of Materials Science, 2016, 39, 337-343. | 1.7 | 25 |
| 17 | In vitro cytotoxicity and antibacterial activity of silver-coated electrospun polycaprolactone/gelatine nanofibrous scaffolds. 3 Biotech, 2016, 6, 211. | 2.2 | 30 |
| 18 | Conductive PEDOT:PSS coated polylactide (PLA) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) (PHBV) electrospun membranes: Fabrication and characterization. Materials Science and Engineering C, 2016, 61, 396-410. | 7.3 | 59 |

| # | Article | IF | CITATIONS |
|----|---|------------------|---------------|
| 19 | <i>In Vitro</i> Biological Evaluation of Electrospun Polycaprolactone/Gelatine Nanofibrous Scaffold for Tissue Engineering. Journal of Nanomaterials, 2015, 2015, 1-10. | 2.7 | 24 |
| 20 | Effects of Chitosan Concentration on the Protein Release Behaviour of Electrospun Poly(<mml:math) 0<="" etqq0="" td="" tj=""><td>0 rgBT /O 2.7</td><td>verlock 10 Tf</td></mml:math)> | 0 rgBT /O 2.7 | verlock 10 Tf |
| | Journal of Nanomaterials, 2015, 2015, 1-11. | | |
| 21 | Fabrication and Evaluation of Polycaprolactone/Gelatin-Based Electrospun Nanofibers with Antibacterial Properties. Journal of Nanomaterials, 2015, 2015, 1-8. | 2.7 | 53 |
| 22 | Porous PCL/Chitosan and nHA/PCL/Chitosan Scaffolds for Tissue Engineering Applications: Fabrication and Evaluation. Journal of Nanomaterials, 2015, 2015, 1-8. | 2.7 | 28 |
| 23 | Fabrication and Characterization of Polymer and Composite Scaffolds Using Freeze-Drying Technique. SpringerBriefs in Materials, 2015, , 45-60. | 0.3 | 1 |
| 24 | Electrospun Polycaprolactone (PCL) and PCL/ nano-hydroxyapatite (PCL/nHA)-based nanofibers for bone tissue engineering application. , 2015, , . | | 5 |
| 25 | Chitosan-Based Nanocomposite Scaffolds for Tissue Engineering Applications. Materials and Manufacturing Processes, 2015, 30, 273-278. | 4.7 | 40 |
| 26 | Fabrication of Polymer and Composite Scaffolds Using Electrospinning Techniques. SpringerBriefs in Materials, 2015, , 25-43. | 0.3 | O |
| 27 | Drug loading, drug release and in vitro degradation of poly(caprolactone) electrospun fibers. , 2014, , . | | 2 |
| 28 | Fabrication and <i>In Vitro </i> Evaluation of Nanosized Hydroxyapatite/Chitosan-Based Tissue Engineering Scaffolds. Journal of Nanomaterials, 2014, 2014, 1-8. | 2.7 | 22 |
| 29 | The Fabrication and Characterization of PCL/Rice Husk Derived Bioactive Glass-Ceramic Composite Scaffolds. Journal of Nanomaterials, 2014, 2014, 1-9. | 2.7 | 10 |
| 30 | Fabrication of Nanohydroxyapatite/Poly(caprolactone) Composite Microfibers Using Electrospinning Technique for Tissue Engineering Applications. Journal of Nanomaterials, 2014, 2014, 1-7. | 2.7 | 33 |
| 31 | Bioactivity Assessment of Poly(<i>É></i> -caprolactone)/Hydroxyapatite Electrospun Fibers for Bone Tissue Engineering Application. Journal of Nanomaterials, 2014, 2014, 1-6. | 2.7 | 32 |
| 32 | Fabrication and Characterization of Cellulose Acetate Nanofibers. Advanced Materials Research, 2014, 1030-1032, 78-81. | 0.3 | 0 |
| 33 | Fabrication of BSA Loaded Poly (Caprolactone) (PCL)/Hydroxyapatite (HA) Composite Microsphere for Tissue Engineering Application. Advanced Materials Research, 2014, 1030-1032, 82-85. | 0.3 | O |
| 34 | Natural-Synthetic Polymer Blend Composite Scaffold for Bone Tissue Engineering: Study of <i>In Vitro</i> Degradation and Protein Adsorption. Applied Mechanics and Materials, 2014, 554, 42-46. | 0.2 | 2 |
| 35 | Fabrication and Characterization of Polycaprolactone (PCL)/Gelatin Electrospun Fibers. Applied Mechanics and Materials, 2014, 554, 52-56. | 0.2 | 4 |
| 36 | Effects of parameters on the fabrication of poly(caprolactone) electrospun membrane using electrospinning technique. , 2014, , . | | 1 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Fabrication Techniques and Properties of Scaffolds. SpringerBriefs in Applied Sciences and Technology, 2013, , 19-42. | 0.4 | 2 |
| 38 | Biodegradable Polymer-Based Scaffolds for Bone Tissue Engineering. SpringerBriefs in Applied Sciences and Technology, 2013, , . | 0.4 | 16 |
| 39 | Effects of Chitosan Alkali Pretreatment on the Preparation of Electrospun PCL/Chitosan Blend Nanofibrous Scaffolds for Tissue Engineering Application. Journal of Nanomaterials, 2013, 2013, 1-6. | 2.7 | 35 |
| 40 | Water Absorption and Diffusion Characteristics of Nanohydroxyapatite (nHA) and Poly(hydroxybutyrate-co-hydroxyvalerate-) Based Composite Tissue Engineering Scaffolds and Nonporous Thin Films. Journal of Nanomaterials, 2013, 2013, 1-8. | 2.7 | 44 |
| 41 | Scaffolds for Tissue Engineering. SpringerBriefs in Applied Sciences and Technology, 2013, , 1-17. | 0.4 | 3 |
| 42 | Composite Scaffolds Based on Poly(caprolactone) and Chitosan for Bone Tissue Regeneration. Advanced Science Letters, 2013, 19, 162-165. | 0.2 | 2 |
| 43 | Polycaprolactone Scaffolds and Hydroxyapatite/Polycaprolactone Composite Scaffolds for Bone Tissue Engineering. Journal of Bionanoscience, 2013, 7, 169-173. | 0.4 | 25 |
| 44 | <i>In Vitro</i> Degradation of PHBV Scaffolds and nHA/PHBV Composite Scaffolds Containing Hydroxyapatite Nanoparticles for Bone Tissue Engineering. Journal of Nanomaterials, 2012, 2012, 1-12. | 2.7 | 53 |
| 45 | Factorial Study of Compressive Mechanical Properties and Primaryln VitroOsteoblast Response of PHBV/PLLA Scaffolds. Journal of Nanomaterials, 2012, 2012, 1-8. | 2.7 | 5 |
| 46 | PHBV/PLLA-based composite scaffolds fabricated using an emulsion freezing/freeze-drying technique for bone tissue engineering: surface modification and <i>in vitro</i> biological evaluation. Biofabrication, 2012, 4, 015003. | 7.1 | 110 |
| 47 | Production and characterization of tissue engineering scaffolds based on polyhydroxybutyrate-co-hydroxyvalerate polymers. , 2012, , . | | 0 |
| 48 | Production of hydroxyapatite (HA) nanoparticle and HA/PCL tissue engineering scaffolds for bone tissue engineering. , $2012, , .$ | | 7 |
| 49 | Study of in vitro degradation of biodegradable polymer based thin films and tissue engineering scaffolds. African Journal of Biotechnology, $2011,10,10$ | 0.6 | 6 |
| 50 | Fabrication of HA/PHBV composite scaffolds through the emulsion freezing/freeze-drying process and characterisation of the scaffolds. Journal of Materials Science: Materials in Medicine, 2008, 19, 2555-2561. | 3.6 | 150 |
| 51 | PHBV/PLLA-based composite scaffolds containing nano-sized hydroxyapatite particles for bone tissue engineering. Journal of Experimental Nanoscience, 2008, 3, 121-132. | 2.4 | 42 |
| 52 | <i>In Vitro</i> Degradation and Protein Adsorption Characteristics of PHBV/PLLA Blends and PHBV/PLLA-Based Tissue Engineering Scaffolds. Advanced Materials Research, 2008, 47-50, 1399-1402. | 0.3 | 1 |
| 53 | Fabrication and Characterisation of Polymer and Composite Scaffolds Based on Polyhydroxybutyrate and Polyhydroxybutyrate-Co-Hydroxyvalerate. Key Engineering Materials, 2007, 334-335, 1229-1232. | 0.4 | 14 |
| 54 | Fabrication of BSA Loaded Poly(Caprolactone) (PCL) Microsphere Incorporated Chitosan Scaffolds for Tissues Engineering Application. Applied Mechanics and Materials, 0, 695, 199-202. | 0.2 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Evaluation of PCL/GE-Based Electrospun Nanofibers for Tissue Engineering and Drug Delivery Application. Applied Mechanics and Materials, 0, 695, 332-335. | 0.2 | 4 |
| 56 | Fabrication and Characterization of PCL/GE-Based Electrospun Nanofibers for Tissue Engineering and Drug Delivery Application. Applied Mechanics and Materials, 0, 695, 195-198. | 0.2 | 0 |
| 57 | Preparation and Characterization of Chitosan-Hydroxyapatite Nanoparticles for Gene Therapy. Advanced Materials Research, 0, 1030-1032, 2364-2367. | 0.3 | 3 |
| 58 | Polycaprolactone(PCL)/Chitosan(Cs)-Based Scaffold by Freeze Drying Technique for Tissue Engineering and Drug Delivery Application. Applied Mechanics and Materials, 0, 695, 203-206. | 0.2 | 4 |
| 59 | Fabrication of Poly Caprolactone (PCL) Based Microspheres for Drug Delivery and Tissue Engineering Application. Applied Mechanics and Materials, 0, 695, 191-194. | 0.2 | 1 |
| 60 | Polycaprolactone(PCL)/Gelati(Ge)-Based Electrospun Nanofibers for Tissue Engineering and Drug Delivery Application. Applied Mechanics and Materials, 0, 554, 57-61. | 0.2 | 9 |
| 61 | Fabrication and Characterisation of Polymer and Composite Scaffolds Based on Polyhydroxybutyrate and Polyhydroxybutyrate-Co-Hydroxyvalerate. Key Engineering Materials, 0, , 1229-1232. | 0.4 | 1 |