

Marek Krasnowski

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4961774/marek-krasnowski-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

679
citations

13
h-index

25
g-index

44
ext. papers

734
ext. citations

3.6
avg, IF

4.24
L-index

#	Paper	IF	Citations
41	Nanocrystalline FeAl intermetallic produced by mechanical alloying followed by hot-pressing consolidation. <i>Intermetallics</i> , 2007 , 15, 201-205	3.5	82
40	Phase transformations during mechanical alloying of Fe β 0% Al and subsequent heating of the milling product. <i>Journal of Alloys and Compounds</i> , 2006 , 424, 119-127	5.7	73
39	Nanocrystalline FeAl matrix composites reinforced with TiC obtained by hot-pressing consolidation of mechanically alloyed powders. <i>Intermetallics</i> , 2007 , 15, 1377-1383	3.5	66
38	The FeAl β 0%TiC nanocomposite produced by mechanical alloying and hot-pressing consolidation. <i>Intermetallics</i> , 2002 , 10, 371-376	3.5	61
37	Nanocrystalline AlBe intermetallics light weight alloys with high hardness. <i>Intermetallics</i> , 2010 , 18, 47-50	3.5	57
36	Nanocrystalline and amorphous AlBe alloys containing 60 β 5% of Al synthesised by mechanical alloying and phase transformations induced by heating of milling products. <i>Materials Chemistry and Physics</i> , 2009 , 116, 631-637	4.4	41
35	Nanocomposites obtained by mechanical alloying in FeAlTiC system. <i>Journal of Alloys and Compounds</i> , 2008 , 448, 227-233	5.7	26
34	Bulk amorphous Al β 5Fe β 15 alloy and Al β 5Fe β 15-B composites with amorphous or nanocrystalline-matrix produced by consolidation of mechanically alloyed powders. <i>Intermetallics</i> , 2011 , 19, 1243-1249	3.5	25
33	Nanocrystalline Al β 3Ni β 2 alloy with high hardness produced by mechanical alloying and high-pressure hot-pressing consolidation. <i>Intermetallics</i> , 2013 , 42, 35-40	3.5	19
32	Nanocrystalline or amorphous matrix Al β 6Fe β 15Ti β 15(Co/Mg/Zr) β 5 β %B composites produced by consolidation of mechanically alloyed powders light weight materials with high hardness. <i>Intermetallics</i> , 2012 , 28, 120-127	3.5	19
31	Structural investigations of the Al β 50Fe β 25Ti β 25 powder mixture mechanically alloyed under various conditions. <i>Journal of Alloys and Compounds</i> , 2001 , 319, 296-302	5.7	17
30	Nanocrystalline β phase obtained by mechanical alloying of Al β 60Fe β 15Si β 15Ti β 10 powder mixture followed by consolidation. <i>Journal of Alloys and Compounds</i> , 2009 , 483, 186-189	5.7	15
29	Nanocrystalline NiAl intermetallic alloy with high hardness produced by mechanical alloying and hot-pressing consolidation. <i>Advanced Powder Technology</i> , 2019 , 30, 1312-1318	4.6	13
28	TiCAl composites with nanocrystalline matrix produced by consolidation of milled powders. <i>Advanced Powder Technology</i> , 2015 , 26, 1269-1272	4.6	13
27	Phase transformations during mechanical alloying and subsequent heating of Fe Al B powders. <i>Journal of Alloys and Compounds</i> , 2017 , 706, 110-115	5.7	11
26	Nanocrystalline matrix Al β 3Ni β 2AlAl β 3Ni composites produced by reactive hot-pressing of milled powders. <i>Intermetallics</i> , 2014 , 54, 193-198	3.5	11
25	Al β 3Ni β 2Al composites with nanocrystalline intermetallic matrix produced by consolidation of milled powders. <i>Advanced Powder Technology</i> , 2014 , 25, 1362-1368	4.6	11

24	Nanocrystalline Ni ₃ Al intermetallic produced by hot-pressing consolidation of mechanically alloyed powders. <i>Intermetallics</i> , 2013 , 42, 41-44	3.5	11
23	Electron Microscopy Characterization of Cu-Fe and Ag-Fe Alloys Obtained by Plastic Deformation. <i>Materials Science Forum</i> , 1995 , 195, 13-18	0.4	10
22	Bulk amorphous and nanocrystalline Al ₈₃ Fe ₁₇ alloys prepared by consolidation of mechanically alloyed amorphous powder. <i>Journal of Alloys and Compounds</i> , 2010 , 495, 382-385	5.7	9
21	Electron Microscopy Investigation on the Effect of Plastic Deformation in the Alloying of the Immiscible System Cu-Fe. <i>Microscopy Microanalysis Microstructures</i> , 1995 , 6, 601-609		9
20	FeAl-B composites with nanocrystalline matrix produced by consolidation of mechanically alloyed powders. <i>Journal of Alloys and Compounds</i> , 2019 , 791, 75-80	5.7	8
19	Nanocrystalline Ni ₃ Al-based alloys obtained by recycling of aluminium scraps via mechanical alloying and consolidation. <i>Advanced Powder Technology</i> , 2016 , 27, 305-311	4.6	8
18	Mechanically Alloyed Nanocrystalline Intermetallic Matrix Composites Reinforced with Alumina. <i>Materials Science Forum</i> , 2001 , 360-362, 235-240	0.4	8
17	Nanocrystalline matrix TiC/Al ₃ Ti and TiC/Al ₃ Ti/Al composites produced by reactive hot-pressing of milled powders. <i>Advanced Powder Technology</i> , 2014 , 25, 1082-1086	4.6	7
16	Nanocomposites produced by mechanical alloying of the Al ₅₀ -Fe ₂₅ -Ti ₂₅ powders mixture. <i>Scripta Materialia</i> , 1999 , 12, 455-458		7
15	Structural and morphological properties of in-situ PLD YBCO/STO/YBCO trilayer. <i>Superlattices and Microstructures</i> , 1997 , 21, 487-491	2.8	6
14	Changes in distributions of grain boundary diffusion properties after grain growth in austenitic steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1989 , 112, 199-204	5.3	6
13	Ti-Y ₂ O ₃ Composites with Nanocrystalline and Microcrystalline Matrix. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2012 , 43, 1376-1381	2.3	5
12	Synthesis of FeAl-TiN Nanocomposite by Mechanical Alloying of Al-Fe-Ti Powder Mixture under Nitrogen Atmosphere. <i>Materials Science Forum</i> , 2001 , 360-362, 433-438	0.4	5
11	NiAl-B composites with nanocrystalline intermetallic matrix produced by mechanical alloying and consolidation. <i>Advanced Powder Technology</i> , 2019 , 30, 2742-2750	4.6	4
10	Structure, thermal stability and magnetic properties of mechanically alloyed (Fe-Al)-30vol%B powders. <i>Journal of Alloys and Compounds</i> , 2019 , 776, 215-223	5.7	4
9	Nanocrystalline Ni ₃ Al-based alloys produced by mechanical alloying of Ni-Al-Co powders and consolidation. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010 , 7, 1384-1387		3
8	Nanocrystalline Al ₅ Fe ₂ intermetallic and Al ₅ Fe ₂ /Al composites manufactured by high-pressure consolidation of milled powders. <i>Journal of Alloys and Compounds</i> , 2016 , 656, 82-87	5.7	2
7	Crystallisation of Amorphous Al ₆₀ Fe ₂₀ Ti ₁₅ Ni ₅ Alloy Produced by Mechanical Alloying. <i>Solid State Phenomena</i> , 2010 , 163, 243-246	0.4	2

6	Analysis of the mechanically alloyed Fe ₈₅ Nb ₅ B ₁₀ powder using a non-unique lattice parameter. <i>Journal of Non-Crystalline Solids</i> , 2008 , 354, 5132-5134	3.9	2
5	Bulk amorphous and nanocrystalline Al ₆₀ Fe ₂₀ Ti ₂₀ and Al ₆₅ Fe ₁₈ Ti ₁₂ Ni ₅ alloys. <i>Materials Letters</i> , 2019 , 239, 113-115	3.3	2
4	Characterization of AlO Samples and NiAl-AlO Composite Consolidated by Pulse Plasma Sintering. <i>Materials</i> , 2021 , 14,	3.5	1
3	Phase Transformation in Al ₃ Ni ₂ Alloy during Mechanical Alloying and Heating of Milling Products. <i>Solid State Phenomena</i> , 2013 , 203-204, 272-275	0.4	
2	Synthesis of FeAl-TiN Nanocomposite by Mechanical Alloying of Al-Fe-Ti Powder Mixture under Nitrogen Atmosphere. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2001 , 10, 433-438	0.2	
1	Structural Investigations of the TiC-Fe(Al) Nanocomposite Formed by Mechanical Alloying. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2000 , 8, 302-307	0.2	