## Qiong Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4962255/publications.pdf Version: 2024-02-01



Οιονς Ζηλής

#	Article	IF	CITATIONS
1	Prolongation excitation wavelength of two-photon active photosensitizer for near-infrared light-induced in vitro photodynamic therapy. Journal of Molecular Structure, 2022, 1254, 132030.	3.6	2
2	A multi-photon fluorescence "on-off-on―probe based on organotin (IV) complex for high-sensitive detection of Cu2+. Sensors and Actuators B: Chemical, 2022, 357, 131423.	7.8	6
3	Nucleolar RNA in action: Ultrastructure revealed during protein translation through a terpyridyl manganese(II) complex. Biosensors and Bioelectronics, 2022, 203, 114058.	10.1	3
4	Three-photon absorption iridium( <scp>iii</scp> ) photosensitizers featuring aggregation induced emission. Inorganic Chemistry Frontiers, 2022, 9, 1890-1896.	6.0	10
5	Fine Tuning of Multiphoton AIE Emission Behavior, Organelle Targeting, and Fluorescence Lifetime Imaging of Terpyridine Derivatives by Alkyl Chain Engineering. Analytical Chemistry, 2022, 94, 4335-4342.	6.5	9
6	Highly hydrophilic quaternary ammonium salt containing organotin (IV) carboxylate for visualization of antibacterial action and multi-photon absorption activity. Dyes and Pigments, 2022, 200, 110186.	3.7	3
7	Crystal structures and aggregation-induced emission of a series of three-photon absorption quinoline derivatives. Journal of Molecular Structure, 2022, 1261, 132964.	3.6	0
8	Subcellular discriminated distribution under diverse apoptosis phase using a two-photon active probe with indole moiety. Dyes and Pigments, 2021, 184, 108790.	3.7	2
9	Self-assembled heterometallic complexes showing enhanced two-photon absorption and their distribution in living cells. New Journal of Chemistry, 2021, 45, 4994-5001.	2.8	1
10	Synthesis of trisubstituted hydroxylamines by a visible light-promoted multicomponent reaction. Organic Chemistry Frontiers, 2021, 8, 5982-5987.	4.5	33
11	Terpyridine Zn(II) Complexes with Azide Units for Visualization of Histone Deacetylation in Living Cells under STED Nanoscopy. ACS Sensors, 2021, 6, 3978-3984.	7.8	3
12	An AIE triggered fluorescence probe with three-photon absorption and its biological applications. Talanta, 2021, 234, 122639.	5.5	4
13	Multi-photon absorption organotin complex for bioimaging and promoting ROS generation. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 260, 119923.	3.9	6
14	Functional Platinum(II) Complexes with Four-Photon Absorption Activity, Lysosome Specificity, and Precise Cancer Therapy. Inorganic Chemistry, 2021, 60, 2362-2371.	4.0	19
15	Rational fabrication of a two-photon responsive metal–organic framework for enhanced photodynamic therapy. Inorganic Chemistry Frontiers, 2021, 8, 5234-5239.	6.0	6
16	Halogen-modified carbazole derivatives for lipid droplet-specific bioimaging and two-photon photodynamic therapy. Analyst, The, 2021, 147, 66-71.	3.5	3
17	A novel water-soluble quinoline–indole derivative as a three-photon fluorescent probe for identifying nucleolus RNA and mitochondrial DNA. Chemical Communications, 2020, 56, 1859-1862. 	4.1	20
18	A multi-photon fluorescent probe based on quinoline groups for the highly selective and sensitive detection of lipid droplets. Analyst, The, 2020, 145, 7941-7945.	3.5	10

#	Article	IF	CITATIONS
19	Liveâ€Cell Imaging: A Cyclometalated Iridium (III) Complex as a Microtubule Probe for Correlative Superâ€Resolution Fluorescence and Electron Microscopy (Adv. Mater. 39/2020). Advanced Materials, 2020, 32, 2070296.	21.0	0
20	A three-photon probe for highly selective and sensitive detection of Ag+ bearing an AIE fluorophore. Sensors and Actuators B: Chemical, 2020, 325, 128820.	7.8	12
21	Multiphoton Absorption Iridium(III)–Organotin(IV) Dimetal Complex with AIE Behavior for Both Sensitive Detection of Tyrosine and Antibacterial Activity. ACS Applied Bio Materials, 2020, 3, 8105-8112.	4.6	14
22	Activated Type I and Type II Process for Two-Photon Promoted ROS Generation: The Coordinated Zn Matters. Inorganic Chemistry, 2020, 59, 13671-13678.	4.0	22
23	A Cyclometalated Iridium (III) Complex as a Microtubule Probe for Correlative Superâ€Resolution Fluorescence and Electron Microscopy. Advanced Materials, 2020, 32, e2003901.	21.0	20
24	Carbon Dots: UV–Vis–NIR Fullâ€Range Responsive Carbon Dots with Large Multiphoton Absorption Cross Sections and Deepâ€Red Fluorescence at Nucleoli and In Vivo (Small 19/2020). Small, 2020, 16, 2070107.	10.0	6
25	Functional terpyridyl iron complexes for in vivo photoacoustic imaging. Inorganic Chemistry Frontiers, 2020, 7, 2753-2758.	6.0	6
26	UV–Vis–NIR Fullâ€Range Responsive Carbon Dots with Large Multiphoton Absorption Cross Sections and Deepâ€Red Fluorescence at Nucleoli and In Vivo. Small, 2020, 16, e2000680.	10.0	143
27	A terpyridine-based test strip for the detection of Hg <sup>2+</sup> in various water samples and drinks. Analytical Methods, 2019, 11, 227-231.	2.7	14
28	Fluorescent metal–organic frameworks based on mixed organic ligands: new candidates for highly sensitive detection of TNP. Dalton Transactions, 2019, 48, 1900-1905.	3.3	33
29	A combination of super-resolution fluorescence and magnetic resonance imaging using a Mn( <scp>ii</scp> ) compound. Inorganic Chemistry Frontiers, 2019, 6, 2914-2920.	6.0	10
30	Catalytic properties of a short manganese peroxidase from Irpex lacteus F17 and the role of Glu166 in the Mn2+-independent activity. International Journal of Biological Macromolecules, 2019, 136, 859-869.	7.5	7
31	Enhanced three-photon activity triggered by the AIE behaviour of a novel terpyridine-based Zn( <scp>ii</scp> ) complex bearing a thiophene bridge. Chemical Science, 2019, 10, 7228-7232.	7.4	57
32	NF-κB hijacking theranostic Pt(ll) complex in cancer therapy. Theranostics, 2019, 9, 2158-2166.	10.0	17
33	Identification of fatty liver disease at diverse stages using two-photon absorption of triphenylamine-based BODIPY analogues. Journal of Materials Chemistry B, 2019, 7, 3704-3709.	5.8	13
34	A small molecule emitting in the near infrared region with pH sensitivity for visualization mitochondria under super-resolution microscopy. Talanta, 2019, 199, 140-146.	5.5	6
35	A series of two-photon absorption organotin (IV) cyano carboxylate derivatives for targeting nuclear and visualization of anticancer activities. Journal of Inorganic Biochemistry, 2019, 192, 1-6.	3.5	22
36	A series of two-photon absorption pyridinium sulfonate inner salts targeting endoplasmic reticulum (ER), inducing cellular stress and mitochondria-mediated apoptosis in cancer cells. Journal of Materials Chemistry B, 2018, 6, 1943-1950.	5.8	9

#	Article	IF	CITATIONS
37	Ultra-bright intercellular lipids pseudo di-BODIPY probe with low molecular weight, high quantum yield and large two-photon action cross-sections. Sensors and Actuators B: Chemical, 2018, 261, 161-168.	7.8	7
38	Synthesis, crystal structures, one/two-photon optical properties and bioimaging application of two organic molecules with D–A and D–π–A models containing 6-phenyl-2,2′-bipyridine. New Journal of Chemistry, 2018, 42, 3947-3952.	2.8	4
39	Double labelling of intracellular mitochondria and nucleolus using thiophene pyridium salt with high quantum yield as biosensor and its application in stimulated emission depletion nanoscopy. Analytica Chimica Acta, 2018, 1008, 82-89.	5.4	5
40	KO <sup><i>t</i></sup> Bu-Promoted C4 Selective Coupling Reaction of Phenols and [60]Fullerene: One-Pot Synthesis of 4-[60]Fullerephenols under Transition-Metal-Free Conditions. Journal of Organic Chemistry, 2018, 83, 5431-5437.	3.2	11
41	A benzoic acid terpyridine-based cyclometalated iridium( <scp>iii</scp> ) complex as a two-photon fluorescence probe for imaging nuclear histidine. Chemical Communications, 2018, 54, 3771-3774.	4.1	32
42	Mitochondria-targeted iridium (III) complexes as two-photon fluorogenic probes of cysteine/homocysteine. Sensors and Actuators B: Chemical, 2018, 255, 408-415.	7.8	22
43	Series of C^N^C Cyclometalated Pt(II) Complexes: Synthesis, Crystal Structures, and Nonlinear Optical Properties in the Near-Infrared Region. Inorganic Chemistry, 2018, 57, 14134-14143.	4.0	30
44	Chiral crystals based on achiral ligand and their framework dependent luminescent properties. Inorganic Chemistry Communication, 2018, 97, 149-156.	3.9	5
45	Visualization of mitochondrial DNA in living cells with super-resolution microscopy using thiophene-based terpyridine Zn( <scp>ii</scp> ) complexes. Chemical Communications, 2018, 54, 11288-11291.	4.1	37
46	Two-Photon-Active Organotin(IV) Complexes for Antibacterial Function and Superresolution Bacteria Imaging. Inorganic Chemistry, 2018, 57, 6340-6348.	4.0	43
47	A series of terpyridine derivatives for aggregation-induced emission, two-photon absorption and mitochondrial targeting. Dyes and Pigments, 2018, 158, 225-232.	3.7	10
48	Two-photon fluorescent probe with enhanced absorption cross section for relay recognition of Zn2+/P2O74â^' and in vivo imaging. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 204, 446-451.	3.9	15
49	Organotin(IV) carboxylate complexes containing polyether oxygen chains with two-photon absorption in the near infrared region and their anticancer activity. Dyes and Pigments, 2018, 158, 428-437.	3.7	27
50	D-A type phenanthridine derivatives with aggregation-induced enhanced emission and third-order nonlinear optical properties for bioimaging. Dyes and Pigments, 2018, 159, 142-150.	3.7	15
51	A Series of Zn(II) Terpyridine-Based Nitrate Complexes as Two-Photon Fluorescent Probe for Identifying Apoptotic and Living Cells via Subcellular Immigration. Inorganic Chemistry, 2018, 57, 7676-7683.	4.0	47
52	Small water-soluble pyrimidine hexafluorophosphate derivatives with high two-photon absorption activities in the near-IR region and their biological applications. RSC Advances, 2017, 7, 20068-20075.	3.6	9
53	A series of water-soluble A–ï€â€"A′ typological indolium derivatives with two-photon properties for rapidly detecting HSO <sub>3</sub> <sup>â^'</sup> /SO <sub>3</sub> <sup>2â^'</sup> in living cells. Journal of Materials Chemistry B, 2017, 5, 3862-3869.	5.8	40
54	Halides tuning the subcellular-targeting in two-photon emissive complexes via different uptake mechanisms. Chemical Communications, 2017, 53, 7941-7944.	4.1	10

#	Article	IF	CITATIONS
55	Two-Photon Active Organotin(IV) Carboxylate Complexes for Visualization of Anticancer Action. ACS Biomaterials Science and Engineering, 2017, 3, 836-842.	5.2	40
56	A series of water-soluble pyridinium derivatives with two-photon absorption in the near infrared region for mitochondria targeting under stimulated emission depletion (STED) nanoscopy. Dyes and Pigments, 2017, 147, 90-98.	3.7	17
57	A series of terpyridine-based zinc( <scp>ii</scp> ) complexes assembled for third-order nonlinear optical responses in the near-infrared region and recognizing lipid membranes. Journal of Materials Chemistry B, 2017, 5, 6348-6355.	5.8	23
58	Intracellular "activated" two-photon photodynamic therapy by fluorescent conveyor and photosensitizer co-encapsulating pH-responsive micelles against breast cancer. International Journal of Nanomedicine, 2017, Volume 12, 5189-5201.	6.7	7
59	Lighting the Way to See Inside Two-Photon Absorption Materials: Structure–Property Relationship and Biological Imaging. Materials, 2017, 10, 223.	2.9	50
60	Targeting mitochondrial DNA with a two-photon active Ru(ii) phenanthroline derivative. Journal of Materials Chemistry B, 2016, 4, 2895-2902.	5.8	14
61	Reducing central serotonin in adulthood promotes hippocampal neurogenesis. Scientific Reports, 2016, 6, 20338.	3.3	41
62	Nonlinear optical response and two-photon biological applications of a new family of imidazole-pyrimidine derivatives. Dyes and Pigments, 2016, 126, 286-295.	3.7	17
63	Design, synthesis, linear and nonlinear photophysical properties of novel pyrimidine-based imidazole derivatives. New Journal of Chemistry, 2016, 40, 3456-3463.	2.8	31
64	Light up Live Cell Nuclear Envelope in Real-Time Using a Two-Photon Absorption and AIE Chromophore. Journal of Fluorescence, 2016, 26, 59-65.	2.5	2
65	NIR-region two-photon fluorescent probes for Fe3+/Cu2+ ions based on pyrimidine derivatives with different flexible chain. Sensors and Actuators B: Chemical, 2016, 222, 574-578.	7.8	17
66	Probe for simultaneous membrane and nucleus labeling in living cells and <i>in vivo</i> bioimaging using a two-photon absorption water-soluble Zn( <scp>ii</scp> ) terpyridine complex with a reduced l̃€-conjugation system. Chemical Science, 2016, 8, 142-149.	7.4	57
67	A Series of Imidazole Derivatives: Synthesis, Two-Photon Absorption, and Application for Bioimaging. BioMed Research International, 2015, 2015, 1-8.	1.9	11
68	Dual-Functional Analogous <i>cis</i> -Platinum Complex with High Antitumor Activities and Two-Photon Bioimaging. Biochemistry, 2015, 54, 2177-2180.	2.5	12
69	Structural Induction Effect of a Zwitterion Pyridiniumolate for Metal–Organic Frameworks. Inorganic Chemistry, 2015, 54, 6169-6175.	4.0	34
70	A series of Zn( <scp>ii</scp> ) terpyridine complexes with enhanced two-photon-excited fluorescence for in vitro and in vivo bioimaging. Journal of Materials Chemistry B, 2015, 3, 7213-7221.	5.8	34
71	Highly sensitive and selective detection of biothiols by a new low dose colorimetric and fluorescent probe. RSC Advances, 2015, 5, 62325-62330.	3.6	21
72	Tunable two-photon absorption near-infrared materials containing different electron-donors and a Ï€-bridge center with applications in bioimaging in live cells. Journal of Materials Chemistry C, 2015, 3, 5580-5588.	5.5	19

#	Article	IF	CITATIONS
73	Study of the one-photon and two-photon properties of two water-soluble terpyridines and their zinc complexes. Dalton Transactions, 2015, 44, 8041-8048.	3.3	17
74	Synthesis, crystal structures, and two-photon absorption of a series of cyanoacetic acid triphenylamine derivatives. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2015, 150, 867-878.	3.9	7
75	Thiophene-based terpyridine and its zinc halide complexes: third-order nonlinear optical properties in the near-infrared region. Dalton Transactions, 2015, 44, 1473-1482.	3.3	31
76	Self-assembly of metal ion induced highly emissive fluorophore-triphenylamine nanostructures: enhanced two-photon action cross-section for bioimaging applications. Journal of Materials Chemistry C, 2015, 3, 570-581.	5.5	25
77	Novel ruthenium (II) polypyridyl complexes containing carbazole with flexible substituents: Crystal structure, nonlinear optical properties and DNA-binding interaction. Dyes and Pigments, 2015, 113, 165-173.	3.7	15
78	Hydrosoluble two-photon absorbing materials: A series of sulfonated organic inner salts in biological imaging application. Dyes and Pigments, 2014, 102, 79-87.	3.7	18
79	Blue-shift of photoluminescence induced by coupling effect of a nanohybrid composed of fluorophore–phenothiazine derivative and gold nanoparticles. Journal of Nanoparticle Research, 2014, 16, 1.	1.9	3
80	Two novel six-coordinated cadmium(ii) and zinc(ii) complexes from carbazate β-diketonate: crystal structures, enhanced two-photon absorption and biological imaging application. Dalton Transactions, 2014, 43, 599-608.	3.3	32
81	A low dose, highly selective and sensitive colorimetric and fluorescent probe for biothiols and its application in bioimaging. Chemical Communications, 2014, 50, 14002-14005.	4.1	97
82	Crystal structures, photophysical properties and significantly different two-photon excited fluorescence of the trans- and cis-oligo(phenylene vinylene). RSC Advances, 2014, 4, 2620-2623.	3.6	14
83	A colorimetric and near-infrared fluorescent probe for biothiols and its application in living cells. RSC Advances, 2014, 4, 46561-46567.	3.6	57
84	A series of triphenylamine-based two-photon absorbing materials with AIE property for biological imaging. Journal of Materials Chemistry B, 2014, 2, 5430-5440.	5.8	60
85	Synthesis, two-photon absorption properties and bioimaging applications of mono-, di- and hexa-branched pyrimidine derivatives. Dyes and Pigments, 2014, 102, 263-272.	3.7	26
86	Regulation of luminescence band and exploration of antibacterial activity of a nanohybrid composed of fluorophore-phenothiazine nanoribbons dispersed with Ag nanoparticles. Journal of Materials Chemistry C, 2013, 1, 5047.	5.5	16
87	Two novel terpyridine-based chromophores with donor-acceptor structural model containing modified triphenylamine moiety: Synthesis, crystal structures and two-photon absorption properties. Science China Chemistry, 2013, 56, 1315-1324.	8.2	10
88	A synthetic tuber-specific and cold-induced promoter is applicable in controlling potato cold-induced sweetening. Plant Physiology and Biochemistry, 2013, 67, 41-47.	5.8	22
89	Nonlinear optical response and biological applications of a series of pyrimidine-based molecules for copper(ii) ion probe. Dalton Transactions, 2013, 42, 8848.	3.3	16
90	Synthesis, photophysical properties and TD-DFT calculation of four two-photon absorbing triphenylamine derivatives. Science China Chemistry, 2013, 56, 106-116.	8.2	22

#	Article	IF	CITATIONS
91	Synthesis, crystal structure and third-order nonlinear optical properties in the near-IR range of a novel stilbazolium dye substituted with flexible polyether chains. Dyes and Pigments, 2013, 97, 278-285.	3.7	19
92	Four new two-photon absorbing imidazo[4,5-f]1,10-phenanthroline dye derivatives with different dipole moment orientation based on different groups: synthesis, optical characterization and bioimaging. Journal of Materials Chemistry C, 2013, 1, 822-830.	5.5	50
93	Crystal structure, nonlinear optical and photophysical properties of a novel chromophore constructed with terpyridine, triphenylamine and ethyl cyanocaetate functional moieties. Materials Chemistry and Physics, 2013, 140, 200-207.	4.0	7
94	Substituent Group Variations Directing the Molecular Packing, Electronic Structure, and Aggregation-Induced Emission Property of Isophorone Derivatives. Journal of Organic Chemistry, 2013, 78, 3222-3234.	3.2	86
95	Synthesis, crystal structures, two-photon absorption and biological imaging application of two novel bent-shaped pyrimidine derivatives. Dyes and Pigments, 2013, 99, 20-28.	3.7	22
96	A Selfâ€Assembled Nanohybrid Composed of Fluorophore–Phenylamine Nanorods and Ag Nanocrystals: Energy Transfer, Wavelength Shift of Fluorescence and TPEF Applications for Liveâ€Cell Imaging. Chemistry - A European Journal, 2013, 19, 16625-16633.	3.3	9
97	Photophysical properties of spherical aggregations of CdS nanocrystals capped with a chromophoric surface agent. Dalton Transactions, 2012, 41, 7067.	3.3	18
98	Assembly, Two-Photon Absorption, and Bioimaging of Living Cells of A Cuprous Cluster. Chemistry of Materials, 2012, 24, 954-961.	6.7	65
99	Synthesis, crystal structure, optical properties, DNA-binding and cell imaging of an organic chromophore. Dyes and Pigments, 2012, 92, 689-695.	3.7	11
100	Synthesis, crystal structures and two-photon absorption properties of a series of terpyridine-based chromophores. Dyes and Pigments, 2012, 95, 149-160.	3.7	64
101	Efficient two-photon-sensitized luminescence of a novel europium(iii) β-diketonate complex and application in biological imaging. Chemical Communications, 2011, 47, 12467.	4.1	50
102	Studies of the isomerization and photophysical properties of a novel 2,2′:6′,2′′-terpyridine-based liga and its complexes. Dalton Transactions, 2011, 40, 8170.	nd <sub>3.3</sub>	31
103	Synthesis, crystal structure, electrochemistry and in situ FTIR spectroelectrochemistry of a bisferrocene pyrazole derivative. Dalton Transactions, 2011, 40, 3510.	3.3	27
104	Synthesis, crystal structures, electrochemical studies and anti-tumor activities of three polynuclear organotin(IV) carboxylates containing ferrocenyl moiety. Journal of Organometallic Chemistry, 2011, 696, 3180-3185.	1.8	47
105	Synthesis, Crystal Structures, Photophysical Properties, and Bioimaging of Living Cells of Bis-Î2-Diketonate Phenothiazine Ligands and Its Cyclic Dinuclear Complexes. Inorganic Chemistry, 2011, 50, 7997-8006.	4.0	36
106	Crystal structures, two-photon absorption and theoretical calculation of a series of bis-vinylpyridine compounds synthesized by one-step solid state reaction. Science China Chemistry, 2011, 54, 730-736.	8.2	4