

Francesco Di Nardo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4963198/francesco-di-nardo-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141 papers	1,416 citations	21 h-index	31 g-index
150 ext. papers	1,710 ext. citations	2.1 avg, IF	4.62 L-index

#	Paper	IF	Citations
141	Time-frequency analysis of surface EMG signals for human movement identification. <i>IEEE Access</i> , 2022 , 1-1	3.5	1
140	Measurement of stride time by machine learning: sensitivity analysis for the simplification of the experimental protocol. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2022 , 1-1	5.2	1
139	Preliminary results of homomorphic deconvolution application to surface EMG signals during walking. <i>Procedia Computer Science</i> , 2021 , 192, 3272-3280	1.6	
138	Prediction of stride duration by neural-network interpretation of surface EMG signals 2021 ,		1
137	Influence of EMG-signal processing and experimental set-up on prediction of gait events by neural network. <i>Biomedical Signal Processing and Control</i> , 2021 , 63, 102232	4.9	7
136	Machine-Learning-Based Prediction of Gait Events From EMG in Cerebral Palsy Children. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021 , 29, 819-830	4.8	4
135	Recognition of Gait Phases with a Single Knee Electrogoniometer: A Deep Learning Approach. <i>Electronics (Switzerland)</i> , 2020 , 9, 355	2.6	9
134	Single IMU Displacement and Orientation Estimation of Human Center of Mass: A Magnetometer-Free Approach. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020 , 69, 5629-5639	5.3	11
133	Muscular Co-contraction Detection: A Wavelet Coherence Approach. <i>IFMBE Proceedings</i> , 2020 , 54-61	0.2	
132	Wavelet Analysis-Based Reconstruction for sEMG Signal Denoising. <i>IFMBE Proceedings</i> , 2020 , 245-252	0.2	1
131	Co-activation of Knee Muscles in Female vs. Male Adults. <i>IFMBE Proceedings</i> , 2020 , 167-173	0.2	
130	Gait Phase Classification from Surface EMG Signals Using Neural Networks. <i>IFMBE Proceedings</i> , 2020 , 75-82	0.2	6
129	Variability of Muscular Recruitment in Hemiplegic Walking Assessed by EMG Analysis. <i>Electronics (Switzerland)</i> , 2020 , 9, 1572	2.6	1
128	Gender-related differences in ankle-muscles recruitment during walking. <i>International Journal of Biomechatronics and Biomedical Robotics</i> , 2020 , 3, 197	0	
127	Intra-subject approach for gait-event prediction by neural network interpretation of EMG signals. <i>BioMedical Engineering OnLine</i> , 2020 , 19, 58	4.1	8
126	A Deep Learning Approach to EMG-Based Classification of Gait Phases during Level Ground Walking. <i>Electronics (Switzerland)</i> , 2019 , 8, 894	2.6	30
125	Glucose effectiveness and its components in relation to body mass index. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13099	4.6	6

124	An interactive tool for the analysis of muscular recruitment during walking task. <i>Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization</i> , 2019 , 7, 175-185	0.9	2
123	EMG-Based Characterization of Walking Asymmetry in Children with Mild Hemiplegic Cerebral Palsy. <i>Biosensors</i> , 2019 , 9,	5.9	9
122	Gait Asymmetry in Winters Group I Hemiplegic Children: Role of Tibialis Anterior. <i>IFMBE Proceedings</i> , 2019 , 681-684	0.2	
121	Are Extensor Digitorum Brevis and Gastrocnemius Working Together? Surface EMG Analysis in Healthy Children. <i>IFMBE Proceedings</i> , 2019 , 219-222	0.2	
120	Position Estimation of an IMU Placed on Pelvis Through Meta-heuristically Optimised WFLC. <i>IFMBE Proceedings</i> , 2019 , 659-664	0.2	4
119	Role of the Visual Feedback on Balance Responses to Upright Stance Perturbations. <i>IFMBE Proceedings</i> , 2019 , 685-689	0.2	4
118	A Sliding Mode Control Model for Perturbed Upright Stance in Healthy Subjects. <i>IFMBE Proceedings</i> , 2019 , 719-724	0.2	4
117	A Time-Frequency Approach for the Assessment of Dynamic Muscle Co-contractions. <i>IFMBE Proceedings</i> , 2019 , 223-226	0.2	3
116	Fifty Years of Biomedical Engineering: From Origin to Smart Technologies 2019 , 123-141		
115	Complexity Measures of Postural Control in Type-2 Diabetic Subjects. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2019 , 2019, 3527-3530	0.9	1
114	Fractal Analysis of Motor Control in Knee Arthroplasty Patients. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2019 , 2019, 3159-3162	0.9	
113	Accuracy Evaluation of Force Measurement Through the Wii Balance Board During Squat and Functional Reach Tests 2019 ,		1
112	Modeling Perturbed Posture Through An Adaptive Sliding Mode Approach. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2019 , 2019, 5335-5338	0.9	
111	Evaluation of a New Wearable Technology for Kinematic Analysis During Perturbed Posture 2019 ,		1
110	Detection of surface-EMG activity from the extensor digitorum brevis muscle in healthy children walking. <i>Physiological Measurement</i> , 2018 , 39, 014001	2.9	3
109	Balance assessment during squatting exercise: A comparison between laboratory grade force plate and a commercial, low-cost device. <i>Journal of Biomechanics</i> , 2018 , 71, 264-270	2.9	21
108	Surface EMG patterns for quantification of thigh muscle co-contraction in school-age children: Normative data during walking. <i>Gait and Posture</i> , 2018 , 61, 25-33	2.6	6
107	eCTG: an automatic procedure to extract digital cardiotocographic signals from digital images. <i>Computer Methods and Programs in Biomedicine</i> , 2018 , 156, 133-139	6.9	14

106	Assessment of glucose effectiveness from short IVGTT in individuals with different degrees of glucose tolerance. <i>Acta Diabetologica</i> , 2018 , 55, 1011-1018	3.9	7
105	Co-activation patterns of gastrocnemius and quadriceps femoris in controlling the knee joint during walking. <i>Journal of Electromyography and Kinesiology</i> , 2018 , 42, 117-122	2.5	8
104	Validity of the Nintendo Wii Balance Board for the Assessment of Balance Measures in the Functional Reach Test. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018 , 26, 1400-1406	4.8 ¹²	
103	Ankle Muscles Co-Activation Patterns During Normal Gait: An Amplitude Evaluation. <i>IFMBE Proceedings</i> , 2018 , 426-429	0.2	1
102	Time-frequency analysis of surface EMG signals for maximum energy localization during walking. <i>IFMBE Proceedings</i> , 2018 , 494-497	0.2	8
101	Gait asymmetry in Winters Group I hemiplegic children. <i>IFMBE Proceedings</i> , 2018 , 976-979	0.2	2
100	Association between Accelerations and Decelerations of Fetal Heart Rate. <i>IFMBE Proceedings</i> , 2018 , 1125-1128	1.1	2
99	Center of Pressure based Assessment of Balance Responses to Repeated Perturbations of Upright Stance. <i>IFMBE Proceedings</i> , 2018 , 262-265	0.2	3
98	Simple Assessment of Insulin Sensitivity in the Zucker Rat. <i>IFMBE Proceedings</i> , 2018 , 655-658	0.2	1
97	No Changes in Glucose Effectiveness in Condition of Reduced Insulin Action but Preserved Glucose Tolerance as Assessed by Minimal Model Analysis. <i>IFMBE Proceedings</i> , 2018 , 1057-1060	0.2	1
96	Separation of Superimposed Electrocardiographic and Electromyographic Signals. <i>IFMBE Proceedings</i> , 2018 , 518-521	0.2	2
95	Surface electromyography low-frequency content: Assessment in isometric conditions after electrocardiogram cancellation by the Segmented-Beat Modulation Method. <i>Informatics in Medicine Unlocked</i> , 2018 , 13, 71-80	5.3	3
94	The Use of Ropivacaine in Therapeutic Treatment of Oral Aphthosis. <i>BioMed Research International</i> , 2018 , 2018, 1868254	3	2
93	Is child walking conditioned by gender? Surface EMG patterns in female and male children. <i>Gait and Posture</i> , 2017 , 53, 254-259	2.6	20
92	Antagonist thigh-muscle activity in 6-to-8-year-old children assessed by surface EMG during walking. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 3469-3472	0.9	1
91	Quantification of Fetal ST-Segment Deviations 2017 ,		2
90	Noninvasive Fetal Electrocardiography Part I: Pan-Tompkins' Algorithm Adaptation to Fetal R-peak Identification. <i>Open Biomedical Engineering Journal</i> , 2017 , 11, 17-24	0.9	21
89	Noninvasive Fetal Electrocardiography Part II: Segmented-Beat Modulation Method for Signal Denoising. <i>Open Biomedical Engineering Journal</i> , 2017 , 11, 25-35	0.9	18

88	A new parameter for quantifying the variability of surface electromyographic signals during gait: The occurrence frequency. <i>Journal of Electromyography and Kinesiology</i> , 2017 , 36, 25-33	2.5	18
87	Surface-EMG analysis for the quantification of thigh muscle dynamic co-contractions during normal gait. <i>Gait and Posture</i> , 2017 , 51, 228-233	2.6	29
86	Co-contraction activity of ankle muscles during walking: A gender comparison. <i>Biomedical Signal Processing and Control</i> , 2017 , 33, 1-9	4.9	29
85	CTG Analyzer: A graphical user interface for cardiotocography. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 2606-2609	0.9	12
84	Statistical baseline assessment in cardiotocography. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 3166-3169	0.9	9
83	Fetal Phonocardiogram Denoising by Wavelet Transformation: Robustness to Noise 2017 ,		4
82	Second Heart Sound Onset to Identify T-Wave Offset 2017 ,		1
81	T-Wave Alternans Identification in Direct Fetal Electrocardiography 2017 ,		4
80	Overnight T-Wave Alternans in Sleep Apnea Patients 2017 ,		1
79	IVGTT-based simple assessment of glucose tolerance in the Zucker fatty rat: Validation against minimal models. <i>PLoS ONE</i> , 2017 , 12, e0173200	3.7	4
78	CaRiSMA 1.0: Cardiac Risk Self-Monitoring Assessment. <i>The Open Sports Sciences Journal</i> , 2017 , 10, 179-199		15
77	A MATLAB-based graphical user interface for the identification of muscular activations from surface electromyography signals. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 2616-2619	0.9	6
76	Heart Rate-Dependent Hysteresis of T-Wave Alternans in Primary Prevention ICD Patients. <i>Annals of Noninvasive Electrocardiology</i> , 2016 , 21, 460-9	1.5	4
75	Predictive Power of f99 Repolarization Index for the Occurrence of Ventricular Arrhythmias. <i>Annals of Noninvasive Electrocardiology</i> , 2016 , 21, 152-60	1.5	2
74	Normative EMG patterns of ankle muscle co-contractions in school-age children during gait. <i>Gait and Posture</i> , 2016 , 46, 161-6	2.6	26
73	Muscle activation patterns related to diabetic neuropathy in elderly subjects: A Functional Reach Test study. <i>Clinical Biomechanics</i> , 2016 , 32, 236-40	2.2	10
72	The surface electromyographic evaluation of the Functional Reach in elderly subjects. <i>Journal of Electromyography and Kinesiology</i> , 2016 , 26, 102-10	2.5	17
71	A markerless system based on smartphones and webcam for the measure of step length, width and duration on treadmill. <i>Computer Methods and Programs in Biomedicine</i> , 2016 , 125, 37-45	6.9	5

70	sEMG-Based Evaluation of Muscle Recruitment Variability During Walking in Terms of Activation Length and Occurrence Frequency. <i>Lecture Notes in Electrical Engineering</i> , 2016 , 189-203	0.2	1
69	Health Monitoring in Sport Through Wearable Sensors: A Novel Approach Based on Heart-Rate Variability. <i>Lecture Notes in Electrical Engineering</i> , 2016 , 235-246	0.2	3
68	A Method for Computing the Functional Ambulation Profile Score by Stereophotogrammetric Data. <i>Lecture Notes in Electrical Engineering</i> , 2016 , 285-298	0.2	
67	Webcam and Smartphone for the Measure of Spatial-Temporal Parameters of Gait for Treadmill Use. <i>Lecture Notes in Electrical Engineering</i> , 2016 , 261-272	0.2	
66	The Wireless Surface Electromyographic Technique for Supporting the Assessment of Fall Risk in Diabetic Neuropathic Patients. <i>Lecture Notes in Electrical Engineering</i> , 2016 , 273-284	0.2	
65	Estimation of second-phase insulin secretion in the Zucker fatty rat. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 3494-3497	0.9	2
64	Dynamic knee muscle co-contraction quantified during walking. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 3692-3695	0.9	2
63	Frequency-of-occurrence of myoelectric patterns to evaluate gait motor control strategies after hip replacement surgery. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 3696-3699	0.9	
62	Evaluation of the low-frequency components in surface electromyography. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 3622-3625	0.9	7
61	Co-activation periods of gastrocnemius and vastus lateralis during walking evaluated by surface electromyography. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2016 , 2016, 3696-3699	0.9	
60	Design, User Experience and Usability Requirements for NGS Workflows in Clinical Applications. <i>IFMBE Proceedings</i> , 2016 , 546-550	0.2	1
59	Estimation of First-Phase Insulin Secretion in the Zucker Fatty Rat. <i>IFMBE Proceedings</i> , 2016 , 551-554	0.2	2
58	Are the Rectus Femoris and the Vastus Lateralis Concurrently Recruited During Walking?. <i>IFMBE Proceedings</i> , 2016 , 42-45	0.2	
57	The Relative Role of Insulin Action and Secretion in Experimental Animal Models of Metabolic Syndrome. <i>IFMBE Proceedings</i> , 2016 , 555-558	0.2	1
56	The management of multiple sclerosis by reference centers in south of Italy: a 2011 survey on health demands and needs in Campania region. <i>Neurological Sciences</i> , 2016 , 37, 315-22	3.5	3
55	Segmented beat modulation method for electrocardiogram estimation from noisy recordings. <i>Medical Engineering and Physics</i> , 2016 , 38, 560-8	2.4	19
54	A New Segmented-Beat Modulation Algorithm for Maternal ECG Estimation from Abdominal Recordings. <i>Lecture Notes in Electrical Engineering</i> , 2016 , 247-258	0.2	4
53	Gender differences in the myoelectric activity of lower limb muscles in young healthy subjects during walking. <i>Biomedical Signal Processing and Control</i> , 2015 , 19, 14-22	4.9	37

52	Assessment of the variability of vastii myoelectric activity in young healthy females during walking: a statistical gait analysis. <i>Journal of Electromyography and Kinesiology</i> , 2015 , 25, 800-7	2.5	30
51	Extracorporeal Photopheresis for Second-Line Treatment of Chronic Graft-versus-Host Diseases: Results from a Health Technology Assessment in Italy. <i>Value in Health</i> , 2015 , 18, 457-66	3.3	21
50	Evaluation of gender-related differences in co-contraction activity of shank muscles during gait. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 6066-9	0.9	6
49	2015 ,		5
48	Noninvasive fetal electrocardiography: an overview of the signal electrophysiological meaning, recording procedures, and processing techniques. <i>Annals of Noninvasive Electrocardiology</i> , 2015 , 20, 303-13	1.5	33
47	Dependency of exercise-induced T-wave alternans predictive power for the occurrence of ventricular arrhythmias from heart rate. <i>Annals of Noninvasive Electrocardiology</i> , 2015 , 20, 345-54	1.5	2
46	OSAS surgery and postoperative discomfort: phase I surgery versus phase II surgery. <i>BioMed Research International</i> , 2015 , 2015, 439847	3	5
45	A biomechanical model for the evaluation by electrogoniometry of spatio-temporal parameters during walking. <i>International Journal of Biomechatronics and Biomedical Robotics</i> , 2015 , 3, 129	0	
44	Assessment of the ankle muscle co-contraction during normal gait: a surface electromyography study. <i>Journal of Electromyography and Kinesiology</i> , 2015 , 25, 347-54	2.5	56
43	The occurrence frequency: A suitable parameter for the evaluation of the myoelectric activity during walking. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 6070-3	0.9	9
42	A stereophotogrammetric-based method to assess spatio-temporal gait parameters on healthy and Parkinsonian subjects. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 5501-4	0.9	1
41	Dependence of gait parameters on height in typically developing children. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 7598-601	0.9	2
40	Assessment of the activation patterns of the muscles involved in the FR test in diabetic neuropathic patients. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 6062-5	0.9	1
39	Validation of an optimized algorithm to use Kinect in a non-structured environment for Sit-to-Stand analysis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 5078-81	0.9	4
38	The segmented-beat modulation method for ECG estimation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 2856-9	0.9	6
37	Typical and atypical pituitary adenomas: a single-center analysis of outcome and prognosis. <i>Neuroendocrinology</i> , 2015 , 101, 143-50	5.6	52
36	Optimal time-points for minimal residual disease monitoring change on the basis of the method used in patients with acute myeloid leukemia who underwent allogeneic stem cell transplantation: a comparison between multiparameter flow cytometry and Wilms' tumor 1 expression. <i>Leukemia Research</i> , 2015 , 39, 138-43	2.7	25
35	C-Peptide-based assessment of insulin secretion in the Zucker Fatty rat: a modelistic study. <i>PLoS ONE</i> , 2015 , 10, e0125252	3.7	10

34	Respiratory Diseases and Health Disorders Related to Indoor and Outdoor Air Pollution 2015 , 109-127		1
33	Predictive role of minimal residual disease and log clearance in acute myeloid leukemia: a comparison between multiparameter flow cytometry and Wilm's tumor 1 levels. <i>Annals of Hematology</i> , 2014 , 93, 1149-57	3	21
32	Radically resected pituitary adenomas: prognostic role of Ki 67 labeling index in a monocentric retrospective series and literature review. <i>Pituitary</i> , 2014 , 17, 267-76	4.3	35
31	Intensified adjuvant treatment of prostate carcinoma: feasibility analysis of a phase I/II trial. <i>BioMed Research International</i> , 2014 , 2014, 480725	3	2
30	Health technology assessment of belimumab: a new monoclonal antibody for the treatment of systemic lupus erythematosus. <i>BioMed Research International</i> , 2014 , 2014, 704207	3	18
29	Influence of gender on the myoelectric signal of shank muscles 2014 ,		4
28	Influence of gender on the myoelectric signal of thigh muscles 2014 ,		2
27	A goniometer-based method for the assessment of gait parameters 2014 ,		5
26	Pleomorphic adenoma and benign parotid tumors: extracapsular dissection vs superficial parotidectomy--review of literature and meta-analysis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 117, 663-76	2	68
25	Anterior video-assisted approach to the craniovertebral junction: transnasal or transoral? A cadaver study. <i>Acta Neurochirurgica</i> , 2014 , 156, 285-92	3	30
24	Adaptive Match-Filtering: A Biomedical Application to Identify T-Wave Alternans. <i>Natural Science</i> , 2014 , 06, 709-718	0.5	0
23	Statistical analysis of surface electromyographic signal for the assessment of rectus femoris modalities of activation during gait. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 56-61	2.5	43
22	Assessment of the activation modalities of gastrocnemius lateralis and tibialis anterior during gait: a statistical analysis. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 1428-33	2.5	48
21	MATLAB-implemented estimation procedure for model-based assessment of hepatic insulin degradation from standard intravenous glucose tolerance test data. <i>Computer Methods and Programs in Biomedicine</i> , 2013 , 110, 215-25	6.9	10
20	Intracortical versus anteromedial approach for iliac crest bone harvesting in preprosthetic surgery: a randomized prospective clinical trial. <i>Journal of Craniofacial Surgery</i> , 2013 , 24, 369-72	1.2	5
19	Glucocorticoid therapy as a significant risk factor for osteoporosis and fractures in an Italian postmenopausal population. <i>Gynecological Endocrinology</i> , 2013 , 29, 678-82	2.4	6
18	Comparison between multiparameter flow cytometry and WT1-RNA quantification in monitoring minimal residual disease in acute myeloid leukemia without specific molecular targets. <i>Leukemia Research</i> , 2012 , 36, 401-6	2.7	28
17	Detection rate of recurrent medullary thyroid carcinoma using fluorine-18 dihydroxyphenylalanine positron emission tomography: a meta-analysis. <i>Academic Radiology</i> , 2012 , 19, 1290-9	4.3	39

16	Diagnostic performance of 18F-dihydroxyphenylalanine positron emission tomography in patients with paraganglioma: a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1144-53	8.8	79
15	Dynamics of insulin action in hypertension: assessment from minimal model interpretation of intravenous glucose tolerance test data. <i>Medical and Biological Engineering and Computing</i> , 2011 , 49, 831-41	3.1	9
14	Hilotherm efficacy in controlling postoperative facial edema in patients treated for maxillomandibular malformations. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 2114-7	1.2	18
13	Autofluorescence and early detection of mucosal lesions in patients at risk for oral cancer. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1899-903	1.2	18
12	Assessment of hepatic insulin degradation, in normoglycemic hypertensive patients, by minimal modelling of standard intravenous glucose tolerance test data. <i>Computer Methods and Programs in Biomedicine</i> , 2010 , 97, 189-98	6.9	11
11	Age-related analysis of insulin resistance, body weight and arterial pressure in the Zucker fatty rat. <i>Experimental Physiology</i> , 2009 , 94, 162-8	2.4	18
10	Insulin action and secretion in hypertension in the absence of metabolic syndrome: model-based assessment from oral glucose tolerance test. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 80-92	12.7	12
9	Orthognathic surgery: a new preoperative informed consent model. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 90-2	1.2	6
8	BaS analysis: suggesting a new cephalometric model in follow-up of patients with craniostenosis who underwent craniofacial advancement surgery after 1 year from the end of the distraction protocol. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 895-8	1.2	2
7	Insulin secretion rate and beta-cell sensitivity from oral glucose tolerance test in normotensive and normoglycemic humans. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 449-50		1
6	Enhanced sympathetic reactivity associates with insulin resistance in the young Zucker rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 291, R376-82	3.2	27
5	Insulin resistance in hypertension quantified by oral glucose tolerance test: comparison of methods. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 143-50	12.7	6
4	Deterioration of insulin sensitivity and glucose effectiveness with age and hypertension. <i>American Journal of Hypertension</i> , 2006 , 19, 98-102	2.3	20
3	Insulin Sensitivity and Plasma Glucose Appearance Profile by Oral Minimal Model in Normotensive and Normoglycemic Humans. <i>Lecture Notes in Computer Science</i> , 2006 , 128-136	0.9	1
2	ATHrIA: a New Adaptive Threshold Identification Algorithm for Electrocardiographic P Waves		2
1	Relationship between Deceleration Areas in the Second Stage of Labor and Neonatal Acidemia		2