

Blair H. Smith

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4963457/blair-h-smith-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

239
papers

21,711
citations

63
h-index

146
g-index

271
ext. papers

28,584
ext. citations

8.7
avg, IF

6.58
L-index

#	Paper	IF	Citations
239	Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. <i>Lancet Neurology, The</i> , 2015 , 14, 162-73	24.1	1971
238	A classification of chronic pain for ICD-11. <i>Pain</i> , 2015 , 156, 1003-1007	8	1062
237	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. <i>Nature Genetics</i> , 2018 , 50, 1112-1121	36.3	950
236	The epidemiology of chronic pain in the community. <i>Lancet, The</i> , 1999 , 354, 1248-52	40	868
235	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016 , 533, 539-42	50.4	850
234	The UK10K project identifies rare variants in health and disease. <i>Nature</i> , 2015 , 526, 82-90	50.4	776
233	Neuropathic pain in the general population: a systematic review of epidemiological studies. <i>Pain</i> , 2014 , 155, 654-662	8	754
232	NeuPSIG guidelines on neuropathic pain assessment. <i>Pain</i> , 2011 , 152, 14-27	8	694
231	The epidemiology of chronic pain of predominantly neuropathic origin. Results from a general population survey. <i>Journal of Pain</i> , 2006 , 7, 281-9	5.2	684
230	Chronic pain as a symptom or a disease: the IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11). <i>Pain</i> , 2019 , 160, 19-27	8	624
229	Neuropathic pain: an updated grading system for research and clinical practice. <i>Pain</i> , 2016 , 157, 1599-1606		536
228	Early treatment with prednisolone or acyclovir in Bell's palsy. <i>New England Journal of Medicine</i> , 2007 , 357, 1598-607	59.2	487
227	The S-LANSS score for identifying pain of predominantly neuropathic origin: validation for use in clinical and postal research. <i>Journal of Pain</i> , 2005 , 6, 149-58	5.2	419
226	Timing, rates and spectra of human germline mutation. <i>Nature Genetics</i> , 2016 , 48, 126-133	36.3	338
225	The impact of chronic pain in the community. <i>Family Practice</i> , 2001 , 18, 292-9	1.9	331
224	Chronic pain epidemiology and its clinical relevance. <i>British Journal of Anaesthesia</i> , 2013 , 111, 13-8	5.4	327
223	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017 , 49, 1758-1766		310

222	The Chronic Pain Grade questionnaire: validation and reliability in postal research. <i>Pain</i> , 1997 , 71, 141-7	8	310
221	Chronic pain: a review of its epidemiology and associated factors in population-based studies. <i>British Journal of Anaesthesia</i> , 2019 , 123, e273-e283	5.4	290
220	Physical activity and exercise for chronic pain in adults: an overview of Cochrane Reviews. <i>Cochrane Database of Systematic Reviews</i> , 2017 , 1, CD011279		289
219	Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018 , 50, 1225-1233	36.3	277
218	Cohort Profile: Generation Scotland: Scottish Family Health Study (GS:SFHS). The study, its participants and their potential for genetic research on health and illness. <i>International Journal of Epidemiology</i> , 2013 , 42, 689-700	7.8	237
217	The IASP classification of chronic pain for ICD-11: chronic neuropathic pain. <i>Pain</i> , 2019 , 160, 53-59	8	228
216	The course of chronic pain in the community: results of a 4-year follow-up study. <i>Pain</i> , 2002 , 99, 299-307	8	222
215	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018 , 50, 559-571	36.3	221
214	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
213	Health and quality of life associated with chronic pain of predominantly neuropathic origin in the community. <i>Clinical Journal of Pain</i> , 2007 , 23, 143-9	3.5	207
212	Common genetic variants associated with cognitive performance identified using the proxy-phenotype method. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13790-4	11.5	181
211	Pain and the global burden of disease. <i>Pain</i> , 2016 , 157, 791-796	8	178
210	Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. <i>Nature Genetics</i> , 2017 , 49, 946-952	36.3	176
209	Severe chronic pain is associated with increased 10 year mortality. A cohort record linkage study. <i>European Journal of Pain</i> , 2010 , 14, 380-6	3.7	168
208	Generation Scotland: the Scottish Family Health Study; a new resource for researching genes and heritability. <i>BMC Medical Genetics</i> , 2006 , 7, 74	2.1	164
207	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. <i>Nature Genetics</i> , 2019 , 51, 481-493	36.3	156
206	Physical activity and exercise for chronic pain in adults: an overview of Cochrane Reviews. <i>The Cochrane Library</i> , 2017 , 4, CD011279	5.2	155
205	Epidemiology of neuropathic pain and its impact on quality of life. <i>Current Pain and Headache Reports</i> , 2012 , 16, 191-8	4.2	154

204	Assessment of neuropathic pain in primary care. <i>American Journal of Medicine</i> , 2009 , 122, S13-21	2.4	150
203	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. <i>Nature Communications</i> , 2015 , 6, 5897	17.4	147
202	Molecular genetic contributions to socioeconomic status and intelligence. <i>Intelligence</i> , 2014 , 44, 26-32	3	131
201	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017 , 81, 325-335	7.9	129
200	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019 , 51, 1459-1474	36.3	122
199	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015 , 523, 459-463	30.4	119
198	Can pain can be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians. <i>Pain</i> , 2006 , 122, 289-294	8	116
197	Neuropathic pain in the community: more under-treated than refractory?. <i>Pain</i> , 2013 , 154, 690-699	8	112
196	Effect of five genetic variants associated with lung function on the risk of chronic obstructive lung disease, and their joint effects on lung function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 786-95	10.2	112
195	Changes in chronic pain severity over time: the Chronic Pain Grade as a valid measure. <i>Pain</i> , 2000 , 88, 303-308	8	106
194	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017 , 8, 14977	17.4	105
193	Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014 , 46, 669-77	36.3	104
192	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017 , 13, e1006528	6	103
191	Patient-centredness in physiotherapy from the perspective of the chronic low back pain patient. <i>Physiotherapy</i> , 2008 , 94, 244-252	3	97
190	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 427-36	2.4	96
189	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13366-13371	11.5	90
188	Systems genetics identifies a convergent gene network for cognition and neurodevelopmental disease. <i>Nature Neuroscience</i> , 2016 , 19, 223-32	25.5	88
187	Exploration of haplotype research consortium imputation for genome-wide association studies in 20,032 Generation Scotland participants. <i>Genome Medicine</i> , 2017 , 9, 23	14.4	85

186	Chronic pain epidemiology - where do lifestyle factors fit in?. <i>British Journal of Pain</i> , 2013 , 7, 209-17	2.1	84
185	Genome-wide meta-analysis associates HLA-DQA1/DRB1 and LPA and lifestyle factors with human longevity. <i>Nature Communications</i> , 2017 , 8, 910	17.4	78
184	Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010 , 149, 143-151	8	78
183	Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). <i>PLoS ONE</i> , 2015 , 10, e0142197	3.7	75
182	Relationship between the chronic pain grade and measures of physical, social and psychological well-being. <i>Pain</i> , 1999 , 79, 275-9	8	75
181	Identification and Management of Chronic Pain in Primary Care: a Review. <i>Current Psychiatry Reports</i> , 2016 , 18, 22	9.1	74
180	Chronic pain and the use of conventional and alternative therapy. <i>Family Practice</i> , 2003 , 20, 147-54	1.9	73
179	Effect of Smoking on Blood Pressure and Resting Heart Rate: A Mendelian Randomization Meta-Analysis in the CARTA Consortium. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 832-41		70
178	Factors related to the onset and persistence of chronic back pain in the community: results from a general population follow-up study. <i>Spine</i> , 2004 , 29, 1032-40	3.3	70
177	Medication and treatment use in primary care patients with chronic pain of predominantly neuropathic origin. <i>Family Practice</i> , 2007 , 24, 481-5	1.9	64
176	Pharmacist-led management of chronic pain in primary care: results from a randomised controlled exploratory trial. <i>BMJ Open</i> , 2013 , 3,	3	60
175	Genome-wide meta-analysis of 158,000 individuals of European ancestry identifies three loci associated with chronic back pain. <i>PLoS Genetics</i> , 2018 , 14, e1007601	6	60
174	Patients' Perceptions of self-management of chronic low back pain: evidence for enhancing patient education and support. <i>Physiotherapy</i> , 2009 , 95, 43-50	3	59
173	Effects of education to facilitate knowledge about chronic pain for adults: a systematic review with meta-analysis. <i>Systematic Reviews</i> , 2015 , 4, 132	3	58
172	Heritability of chronic pain in 2195 extended families. <i>European Journal of Pain</i> , 2012 , 16, 1053-63	3.7	57
171	Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?. <i>Pain</i> , 2007 , 127, 5-10	8	57
170	A Genome-wide Association Study Provides Evidence of Sex-specific Involvement of Chr1p35.1 (ZSCAN20-TLR12P) and Chr8p23.1 (HMGB1P46) With Diabetic Neuropathic Pain. <i>EBioMedicine</i> , 2015 , 2, 1386-93	8.8	55
169	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies: a NeuPSIG systematic review, Delphi survey, and expert panel recommendations. <i>Pain</i> , 2015 , 156, 2337-2353	8.8	54

168	Neuropathic pain clinical trials: factors associated with decreases in estimated drug efficacy. <i>Pain</i> , 2018 , 159, 2339-2346	8	54
167	Risk factors for neuropathic pain in diabetes mellitus. <i>Pain</i> , 2017 , 158, 560-568	8	53
166	Estimating the burden of disease in chronic pain with and without neuropathic characteristics: does the choice between the EQ-5D and SF-6D matter?. <i>Pain</i> , 2014 , 155, 1996-2004	8	53
165	A randomised controlled trial of the use of aciclovir and/or prednisolone for the early treatment of Bell's palsy: the BELLS study. <i>Health Technology Assessment</i> , 2009 , 13, iii-iv, ix-xi 1-130	4.4	52
164	Substance misuse of gabapentin. <i>British Journal of General Practice</i> , 2012 , 62, 406-7	1.6	50
163	The Genetics of Neuropathic Pain from Model Organisms to Clinical Application. <i>Neuron</i> , 2019 , 104, 637-653	6.5	46
162	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44
161	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019 , 51, 452-469	36.3	44
160	Cardiovascular risk factors associated with the metabolic syndrome are more prevalent in people reporting chronic pain: results from a cross-sectional general population study. <i>Pain</i> , 2013 , 154, 1595-1602	8	43
159	Chronic pain in primary care. <i>Family Practice</i> , 1999 , 16, 475-82	1.9	43
158	Pedigree and genotyping quality analyses of over 10,000 DNA samples from the Generation Scotland: Scottish Family Health Study. <i>BMC Medical Genetics</i> , 2013 , 14, 38	2.1	41
157	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. <i>PLoS Medicine</i> , 2016 , 13, e1002090	11.6	41
156	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019 , 10, 4957	17.4	40
155	Stratification by smoking status reveals an association of CHRNA5-A3-B4 genotype with body mass index in never smokers. <i>PLoS Genetics</i> , 2014 , 10, e1004799	6	40
154	Emergency contraception: a survey of women's knowledge and attitudes. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996 , 103, 1109-16	3.7	40
153	Chronic pain, depression and cardiovascular disease linked through a shared genetic predisposition: Analysis of a family-based cohort and twin study. <i>PLoS ONE</i> , 2017 , 12, e0170653	3.7	40
152	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39
151	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020 , 52, 494-504	36.3	39

150	Targeted genetic testing for familial hypercholesterolaemia using next generation sequencing: a population-based study. <i>BMC Medical Genetics</i> , 2014 , 15, 70	2.1	39
149	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium. <i>BMJ Open</i> , 2015 , 5, e008808	3	39
148	Mosaic structural variation in children with developmental disorders. <i>Human Molecular Genetics</i> , 2015 , 24, 2733-45	5.6	39
147	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. <i>British Journal of Pain</i> , 2015 , 9, 203-12	2.1	38
146	Cohort Profile: Genetics of Diabetes Audit and Research in Tayside Scotland (GoDARTS). <i>International Journal of Epidemiology</i> , 2018 , 47, 380-381j	7.8	37
145	Can pragmatic trials help us better understand chronic pain and improve treatment?. <i>Pain</i> , 2013 , 154, 643-646	8	35
144	Humanizing medicine: a special study module. <i>Medical Education</i> , 1997 , 31, 276-80	3.7	35
143	World Health Organization essential medicines lists: where are the drugs to treat neuropathic pain?. <i>Pain</i> , 2015 , 156, 793-797	8	33
142	Systematic review and meta-analysis of genetic risk factors for neuropathic pain. <i>Pain</i> , 2018 , 159, 825-848	4.8	33
141	An Epidemiological Study of Neuropathic Pain Symptoms in Canadian Adults. <i>Pain Research and Management</i> , 2016 , 2016, 9815750	2.6	33
140	Cost-effectiveness of self-management methods for the treatment of chronic pain in an aging adult population: a systematic review of the literature. <i>Clinical Journal of Pain</i> , 2013 , 29, 366-75	3.5	31
139	Management of chronic pain in primary care. <i>Current Opinion in Supportive and Palliative Care</i> , 2011 , 5, 137-42	2.6	31
138	Is chronic pain a distinct diagnosis in primary care? Evidence arising from the Royal College of General Practitioners Oral Contraception study. <i>Family Practice</i> , 2004 , 21, 66-74	1.9	31
137	Association of opioid prescribing practices with chronic pain and benzodiazepine co-prescription: a primary care data linkage study. <i>British Journal of Anaesthesia</i> , 2018 , 120, 1345-1355	5.4	30
136	Neuropathic pain: a pathway for care developed by the British Pain Society. <i>British Journal of Anaesthesia</i> , 2013 , 111, 73-9	5.4	29
135	Analysing the SF-36 in population-based research. A comparison of methods of statistical approaches using chronic pain as an example. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 328-34	2.5	29
134	Chronic obstructive pulmonary disease and related phenotypes: polygenic risk scores in population-based and case-control cohorts. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 696-708	35.1	29
133	Cohort profile: the Scottish Research register SHARE. A register of people interested in research participation linked to NHS data sets. <i>BMJ Open</i> , 2017 , 7, e013351	3	28

132	Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland. <i>British Journal of Anaesthesia</i> , 2020 , 125, 159-167	5.4	28
131	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021 , 596, 393-397	50.4	28
130	Towards a definition of refractory neuropathic pain for epidemiological research. An international Delphi survey of experts. <i>BMC Neurology</i> , 2012 , 12, 29	3.1	27
129	Shared genetic aetiology between cognitive ability and cardiovascular disease risk factors: Generation Scotland Scottish family health study. <i>Intelligence</i> , 2010 , 38, 304-313	3	27
128	A Genome-Wide Association Study Finds Genetic Associations with Broadly-Defined Headache in UK Biobank (N=223,773). <i>EBioMedicine</i> , 2018 , 28, 180-186	8.8	26
127	Shared Genetics and Couple-Associated Environment Are Major Contributors to the Risk of Both Clinical and Self-Declared Depression. <i>EBioMedicine</i> , 2016 , 14, 161-167	8.8	26
126	The use of medication for chronic pain in primary care, and the potential for intervention by a practice-based pharmacist. <i>Family Practice</i> , 2006 , 23, 46-52	1.9	26
125	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020 , 52, 1314-1332	36.3	26
124	The IASP classification of chronic pain for ICD-11: applicability in primary care. <i>Pain</i> , 2019 , 160, 83-87	8	26
123	A Combined Pathway and Regional Heritability Analysis Indicates NETRIN1 Pathway Is Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 81, 336-346	7.9	25
122	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. <i>Genome Biology</i> , 2018 , 19, 87	18.3	25
121	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
120	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020 , 20, 329-341	3.5	24
119	"I try and smile, I try and be cheery, I try not to be pushy. I try to say 'Oh here for help' but I leave feeling... worried": a qualitative study of perceptions of interactions with health professionals by community-based older adults with chronic pain. <i>PLoS ONE</i> , 2014 , 9, e105450	3.7	21
118	Pain and subsequent mortality and cancer among women in the Royal College of General Practitioners Oral Contraception Study. <i>British Journal of General Practice</i> , 2003 , 53, 45-6	1.6	21
117	Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. <i>Addiction Biology</i> , 2016 , 21, 469-80	4.6	21
116	Genome-wide association study of knee pain identifies associations with and in UK Biobank. <i>Communications Biology</i> , 2019 , 2, 321	6.7	20
115	Investigating shared aetiology between type 2 diabetes and major depressive disorder in a population based cohort. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 227-234	3.5	20

114	"I feel so stupid because I can't give a proper answer" How older adults describe chronic pain: a qualitative study. <i>BMC Geriatrics</i> , 2012 , 12, 78	4.1	20
113	Copy number variation in the human Y chromosome in the UK population. <i>Human Genetics</i> , 2015 , 134, 789-800	6.3	19
112	Potential Pain Management Programmes in primary care. A UK-wide questionnaire and Delphi survey of experts. <i>Family Practice</i> , 2011 , 28, 41-8	1.9	19
111	Genetic correlations between pain phenotypes and depression and neuroticism. <i>European Journal of Human Genetics</i> , 2020 , 28, 358-366	5.3	19
110	Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in MOCS3, IFIT3 and SERPINA12. <i>Thorax</i> , 2016 , 71, 501-9	7.3	18
109	The Number needed to sample in primary care research. Comparison of two primary care sampling frames for chronic back pain. <i>Family Practice</i> , 2005 , 22, 205-14	1.9	18
108	The Level of Expressed Need—a measure of help-seeking behaviour for chronic pain in the community. <i>European Journal of Pain</i> , 2001 , 5, 257-66	3.7	18
107	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 312-321	7.9	17
106	A study of National Health Service management of chronic osteoarthritis and low back pain. <i>Primary Health Care Research and Development</i> , 2015 , 16, 157-66	1.6	17
105	Epidemiology of neuropathic pain. <i>Pain Management</i> , 2011 , 1, 87-96	2.3	17
104	Pharmacist-led management of chronic pain in primary care: costs and benefits in a pilot randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e006874	3	16
103	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. <i>Nature Communications</i> , 2020 , 11, 2542	17.4	16
102	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018 , 3, 4	4.8	16
101	Assessing change in chronic pain severity: the chronic pain grade compared with retrospective perceptions. <i>British Journal of General Practice</i> , 2002 , 52, 269-74	1.6	16
100	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank. <i>Translational Psychiatry</i> , 2017 , 7, 1263	8.6	15
99	Exploring peer-mentoring for community dwelling older adults with chronic low back pain: a qualitative study. <i>Physiotherapy</i> , 2017 , 103, 138-145	3	15
98	An Empirical Comparison of Joint and Stratified Frameworks for Studying G x E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Gene-Lifestyle Interactions Working Group. <i>Genetic Epidemiology</i> , 2016 , 40, 404-15	2.6	15
97	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019 , 28, 2615-2633	5.6	14

96	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016 , 11, 1	2.9	14
95	eHealth and the use of individually tailored information: A systematic review. <i>Health Informatics Journal</i> , 2017 , 23, 218-233	3	13
94	Chronic pain in families: a cross-sectional study of shared social, behavioural, and environmental influences. <i>Pain</i> , 2018 , 159, 41-47	8	13
93	Alzheimer® disease risk factor complement receptor 1 is associated with depression. <i>Neuroscience Letters</i> , 2012 , 510, 6-9	3.3	13
92	Association of DISC1 variants with age of onset in a population-based sample of recurrent major depression. <i>Molecular Psychiatry</i> , 2013 , 18, 745-7	15.1	13
91	Chronic pain in later life: a review of current issues and challenges. <i>Aging Health</i> , 2011 , 7, 551-556		13
90	Using discrete choice experiments to inform randomised controlled trials: an application to chronic low back pain management in primary care. <i>European Journal of Pain</i> , 2011 , 15, 531.e1-10	3.7	13
89	Primary care epidemiology: its scope and purpose. <i>Family Practice</i> , 2006 , 23, 1-7	1.9	13
88	Initial management of infertility: an audit of pre-referral investigations and exploration of couples' views at the interface of primary and secondary care. <i>Human Fertility</i> , 2007 , 10, 25-31	1.9	13
87	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018 , 3, 11	4.8	13
86	Comparison of psychiatric comorbidity in treatment-seeking, opioid-dependent patients with versus without chronic pain. <i>Addiction</i> , 2020 , 115, 249-258	4.6	13
85	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018 , 3, 63	4.8	12
84	Neuropathic pain in the community: prevalence, impact, and risk factors. <i>Pain</i> , 2020 , 161 Suppl 1, S127-S137		12
83	Regional variation in health is predominantly driven by lifestyle rather than genetics. <i>Nature Communications</i> , 2017 , 8, 801	17.4	11
82	Physical activity and exercise for chronic pain in adults: an overview of Cochrane reviews 2014 ,		11
81	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018 , 3, 11	4.8	11
80	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018 , 3, 63	4.8	11
79	Perioperative management of patients with suspected or confirmed COVID-19: review and recommendations for perioperative management from a retrospective cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 125, 895-911	5.4	11

78	Sex-stratified genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2021 , 17, e1009428	6	11
77	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e002037	5.2	11
76	Sex-Differences in the Metabolic Health of Offspring of Parents with Diabetes: A Record-Linkage Study. <i>PLoS ONE</i> , 2015 , 10, e0134883	3.7	10
75	A genome-wide association study finds genetic variants associated with neck or shoulder pain in UK Biobank. <i>Human Molecular Genetics</i> , 2020 , 29, 1396-1404	5.6	10
74	Measuring the severity of chronic pain: a research perspective. <i>Expert Review of Neurotherapeutics</i> , 2003 , 3, 581-90	4.3	9
73	A randomized controlled trial of spiritual healing in restricted neck movement. <i>Journal of Alternative and Complementary Medicine</i> , 2003 , 9, 467-77	2.4	9
72	Over-the-counter emergency contraception: a feasible option. <i>Family Practice</i> , 1998 , 15, 38-43	1.9	9
71	Genome-wide association study of alcohol consumption and genetic overlap with other health-related traits in UK Biobank (N=112,117)		9
70	Factors affecting use of unscheduled care for people with advanced cancer: a retrospective cohort study in Scotland. <i>British Journal of General Practice</i> , 2019 , 69, e860-e868	1.6	9
69	The National Pain Audit for specialist pain services in England and Wales 2010-2014. <i>British Journal of Pain</i> , 2019 , 13, 185-193	2.1	8
68	Substance misuse in patients who have comorbid chronic pain in a clinical population receiving methadone maintenance therapy for the treatment of opioid dependence. <i>Drug and Alcohol Dependence</i> , 2018 , 193, 131-136	4.9	8
67	Insulin resistance: Genetic associations with depression and cognition in population based cohorts. <i>Experimental Neurology</i> , 2019 , 316, 20-26	5.7	7
66	Training peers to support older people with chronic low back pain following physiotherapy discharge: a feasibility study. <i>Physiotherapy</i> , 2018 , 104, 239-247	3	7
65	Commentary: a thesis that still warrants defence and promotion. <i>International Journal of Epidemiology</i> , 2012 , 41, 1518-22	7.8	7
64	Assessment and management of neuropathic pain in primary care. <i>Pain Management</i> , 2012 , 2, 553-9	2.3	7
63	Impact of sex and age on respiratory support and length of hospital stay among 1792 patients with COVID-19 in Wuhan, China. <i>British Journal of Anaesthesia</i> , 2020 , 125, e378-e380	5.4	7
62	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals.. <i>Nature Genetics</i> , 2022 ,	36.3	7
61	Genetic variation in Hyperpolarization-activated cyclic nucleotide-gated channels and its relationship with neuroticism, cognition and risk of depression. <i>Frontiers in Genetics</i> , 2012 , 3, 116	4.5	6

60	Treatment for Bell's palsy. <i>Lancet, The</i> , 2008 , 372, 1219-20; author reply 1220-1	4.0	6
59	Symptom experience and subsequent mortality: results from the West of Scotland Twenty-07 study. <i>BMC Health Services Research</i> , 2006 , 6, 158	2.9	6
58	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2017 , 3, 4	4.8	6
57	Sex- and age-specific genetic analysis of chronic back pain. <i>Pain</i> , 2021 , 162, 1176-1187	8	6
56	Fine mapping the region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015 , 1, 15011	5.5	5
55	A randomized controlled trial of direct access for laparoscopic sterilization. <i>Family Practice</i> , 2001 , 18, 1-8	1.9	5
54	Chronic pain and health status: how do those not using healthcare services fare?. <i>British Journal of General Practice</i> , 2004 , 54, 614-6	1.6	5
53	Genetic epidemiology and primary care. <i>British Journal of General Practice</i> , 2006 , 56, 214-21	1.6	5
52	New genetic signals for lung function highlight pathways and pleiotropy, and chronic obstructive pulmonary disease associations across multiple ancestries		5
51	PALS: peer support for community dwelling older people with chronic low back pain: a feasibility and acceptability study. <i>Physiotherapy</i> , 2020 , 106, 154-162	3	5
50	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. <i>PLoS ONE</i> , 2020 , 15, e0230815	3.75	4
49	Examination of the clinical factors associated with attendance at emergency departments for chronic pain management and the cost of treatment relative to that of other significant medical conditions. <i>Pain</i> , 2021 , 162, 886-894	8	4
48	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. <i>Molecular Psychiatry</i> , 2021 , 26, 4344-4354	15.1	4
47	Classification algorithm for the International Classification of Diseases-11 chronic pain classification: development and results from a preliminary pilot evaluation. <i>Pain</i> , 2021 , 162, 2087-2096	8	4
46	Implementation of Patient-Reported Outcomes (PROMs) from specialist pain clinics in England and Wales: Experience from a nationwide study. <i>European Journal of Pain</i> , 2019 , 23, 1368-1377	3.7	3
45	Decision Support for Diabetes in Scotland: Implementation and Evaluation of a Clinical Decision Support System. <i>Journal of Diabetes Science and Technology</i> , 2018 , 12, 381-388	4.1	3
44	Managing chronic pain in the non-specialist setting: a new SIGN guideline. <i>British Journal of General Practice</i> , 2014 , 64, e462-4	1.6	3
43	Haplotype-based association analysis of general cognitive ability in Generation Scotland, the English Longitudinal Study of Ageing, and UK Biobank. <i>Wellcome Open Research</i> , 2017 , 2, 61	4.8	3

42	Association between cognition and gene polymorphisms involved in thrombosis and haemostasis. <i>Age</i> , 2015 , 37, 9820		2
41	Functional characterization of recurrent FOXA2 mutations seen in endometrial cancers. <i>International Journal of Cancer</i> , 2018 , 143, 2955-2961	7.5	2
40	Is chronic pain associated with subsequent cancer? A cohort record linkage study. <i>European Journal of Pain</i> , 2010 , 14, 860-3	3.7	2
39	Cholesterol testing by general practitioners in Grampian: patterns and outcomes. <i>Scottish Medical Journal</i> , 1996 , 41, 78-82	1.8	2
38	What's in a name? Advances in primary care chronic pain management. <i>British Journal of General Practice</i> , 2007 , 57, 92-4	1.6	2
37	Sex-Stratified Genome-Wide Association Study of Multisite Chronic Pain in UK Biobank		2
36	Cohort profile: DOLORisk Dundee: a longitudinal study of chronic neuropathic pain. <i>BMJ Open</i> , 2021 , 11, e042887	3	2
35	Factors associated with unscheduled care use by cancer decedents: a systematic review with narrative synthesis. <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	1
34	Commentary: This pain is killing me. <i>British Journal of General Practice</i> , 2010 , 60, e112	1.6	1
33	Ethnological Scots. <i>Medical Education</i> , 2003 , 37, 1154-5	3.7	1
32	A validation of the psychological vulnerability scale and its use in chronic pain. <i>The Pain Clinic</i> , 2004 , 16, 153-162		1
31	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 3 , 4	4.8	1
30	Genetic correlations between pain phenotypes and depression and neuroticism		1
29	Genome-wide Meta-analysis of 158,000 Individuals of European Ancestry Identifies Three Loci Associated with Chronic Back Pain		1
28	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1
27	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population		1
26	Do Regional Brain Volumes and Major Depressive Disorder Share Genetic Architecture?: a study of Generation Scotland (n=19,762), UK Biobank (n=24,048) and the English Longitudinal Study of Ageing (n=5,766)		1
25	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank		1

24	Drugs for chronic pain: we still need them. <i>British Journal of General Practice</i> , 2021 , 71, 172	1.6	1
23	Reply to Henningsen et al. <i>Pain</i> , 2019 , 160, 1683-1685	8	1
22	System-level policies on appropriate opioid use, a multi-stakeholder consensus. <i>BMC Health Services Research</i> , 2022 , 22, 329	2.9	1
21	The core minimum dataset for measuring pain outcomes in pain services across Scotland. Developing and testing a brief multi-dimensional questionnaire. <i>British Journal of Pain</i> , 204946372210929	2.1	1
20	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
19	Association of low-frequency and rare coding variants with information processing speed. <i>Translational Psychiatry</i> , 2021 , 11, 613	8.6	0
18	Association of Genetic Variant at Chromosome 12q23.1 With Neuropathic Pain Susceptibility. <i>JAMA Network Open</i> , 2021 , 4, e2136560	10.4	0
17	Variants associated with HHIP expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020 , 5, 111	4.8	0
16	Translating clinical trials into improved real-world management of pain: convergence of translational, population-based, and primary care research. <i>Pain</i> , 2020 , 161, 36-42	8	0
15	Variants associated with expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020 , 5, 111	4.8	0
14	Survival following simultaneous liver-lung versus liver alone transplantation: Results of the US national experience. <i>American Journal of Surgery</i> , 2021 , 222, 813-818	2.7	0
13	Characteristics of non-fatal overdoses and associated risk factors in patients attending a specialist community-based substance misuse service. <i>British Journal of Pain</i> , 204946372210954	2.1	0
12	The Scottish model for chronic pain management services. <i>British Journal of Health Care Management</i> , 2014 , 20, 568-577	0.4	
11	My personal diagnostic delay: Physician, prevent thyself. <i>British Journal of General Practice</i> , 2015 , 65, 200	1.6	
10	Ask the Experts: Neuropathic pain from a primary care perspective. <i>Pain Management</i> , 2013 , 3, 173-6	2.3	
9	Lessons from Mackenzie that still resonate. <i>British Journal of General Practice</i> , 2013 , 63, 158-9	1.6	
8	Scotland is not England. <i>European Journal of General Practice</i> , 2002 , 8, 136-136	2.8	
7	Spiritual healing and the appliance of science. <i>Scottish Medical Journal</i> , 2002 , 47, 51-2	1.8	

- 6 SAPC: scotching the myths. *British Journal of General Practice*, **2005**, 55, 316 1.6
- 5 Managing Chronic Pain in Primary Care 97-103
- 4 Opioid dependence disorder and comorbid chronic pain: comparison of groups based on patient-attributed direction of the causal relationship between the two conditions.. *British Journal of Pain*, **2022**, 16, 149-160 2.1
- 3 Epidemiology of Chronic Pain **2018**, 23-39
- 2 In-hospital prevention of cardiac arrest. *Journal of the Royal Naval Medical Service*, **2005**, 91, 43-4 0
- 1 Managing chronic pain in primary care **2022**, 138-146