

Blair H. Smith

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4963457/blair-h-smith-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

239
papers

21,711
citations

63
h-index

146
g-index

271
ext. papers

28,584
ext. citations

8.7
avg, IF

6.58
L-index

#	Paper	IF	Citations
239	Opioid dependence disorder and comorbid chronic pain: comparison of groups based on patient-attributed direction of the causal relationship between the two conditions.. <i>British Journal of Pain</i> , 2022 , 16, 149-160	2.1	
238	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals.. <i>Nature Genetics</i> , 2022 ,	36.3	7
237	Managing chronic pain in primary care 2022 , 138-146		
236	System-level policies on appropriate opioid use, a multi-stakeholder consensus.. <i>BMC Health Services Research</i> , 2022 , 22, 329	2.9	1
235	Differential and shared genetic effects on kidney function between diabetic and non-diabetic individuals. <i>Communications Biology</i> , 2022 , 5,	6.7	1
234	Association of low-frequency and rare coding variants with information processing speed. <i>Translational Psychiatry</i> , 2021 , 11, 613	8.6	0
233	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021 ,	50.4	24
232	Association of Genetic Variant at Chromosome 12q23.1 With Neuropathic Pain Susceptibility. <i>JAMA Network Open</i> , 2021 , 4, e2136560	10.4	0
231	Examination of the clinical factors associated with attendance at emergency departments for chronic pain management and the cost of treatment relative to that of other significant medical conditions. <i>Pain</i> , 2021 , 162, 886-894	8	4
230	Sex- and age-specific genetic analysis of chronic back pain. <i>Pain</i> , 2021 , 162, 1176-1187	8	6
229	Drugs for chronic pain: we still need them. <i>British Journal of General Practice</i> , 2021 , 71, 172	1.6	1
228	Sex-stratified genome-wide association study of multisite chronic pain in UK Biobank. <i>PLoS Genetics</i> , 2021 , 17, e1009428	6	11
227	Cohort profile: DOLORisk Dundee: a longitudinal study of chronic neuropathic pain. <i>BMJ Open</i> , 2021 , 11, e042887	3	2
226	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44
225	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. <i>Molecular Psychiatry</i> , 2021 , 26, 4344-4354	15.1	4
224	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021 , 596, 393-397	50.4	28
223	Survival following simultaneous liver-lung versus liver alone transplantation: Results of the US national experience. <i>American Journal of Surgery</i> , 2021 , 222, 813-818	2.7	0

222	Classification algorithm for the International Classification of Diseases-11 chronic pain classification: development and results from a preliminary pilot evaluation. <i>Pain</i> , 2021 , 162, 2087-2096	8	4
221	Factors associated with unscheduled care use by cancer decedents: a systematic review with narrative synthesis. <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	1
220	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. <i>PLoS ONE</i> , 2020 , 15, e0230815	3.15	4
219	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. <i>Nature Communications</i> , 2020 , 11, 2542	17.4	16
218	Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland. <i>British Journal of Anaesthesia</i> , 2020 , 125, 159-167	5.4	28
217	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020 , 52, 494-504	36.3	39
216	Variants associated with HHIP expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020 , 5, 111	4.8	0
215	Genetic correlations between pain phenotypes and depression and neuroticism. <i>European Journal of Human Genetics</i> , 2020 , 28, 358-366	5.3	19
214	Translating clinical trials into improved real-world management of pain: convergence of translational, population-based, and primary care research. <i>Pain</i> , 2020 , 161, 36-42	8	0
213	Discovery of rare variants associated with blood pressure regulation through meta-analysis of 1.3 million individuals. <i>Nature Genetics</i> , 2020 , 52, 1314-1332	36.3	26
212	Chronic obstructive pulmonary disease and related phenotypes: polygenic risk scores in population-based and case-control cohorts. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 696-708	35.1	29
211	Impact of sex and age on respiratory support and length of hospital stay among 1792 patients with COVID-19 in Wuhan, China. <i>British Journal of Anaesthesia</i> , 2020 , 125, e378-e380	5.4	7
210	Perioperative management of patients with suspected or confirmed COVID-19: review and recommendations for perioperative management from a retrospective cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 125, 895-911	5.4	11
209	Neuropathic pain in the community: prevalence, impact, and risk factors. <i>Pain</i> , 2020 , 161 Suppl 1, S127-S137	8.37	12
208	Variants associated with expression have sex-differential effects on lung function. <i>Wellcome Open Research</i> , 2020 , 5, 111	4.8	0
207	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020 , 20, 329-341	3.5	24
206	PALS: peer support for community dwelling older people with chronic low back pain: a feasibility and acceptability study. <i>Physiotherapy</i> , 2020 , 106, 154-162	3	5
205	Comparison of psychiatric comorbidity in treatment-seeking, opioid-dependent patients with versus without chronic pain. <i>Addiction</i> , 2020 , 115, 249-258	4.6	13

204	A genome-wide association study finds genetic variants associated with neck or shoulder pain in UK Biobank. <i>Human Molecular Genetics</i> , 2020 , 29, 1396-1404	5.6	10
203	Genome-wide association study of knee pain identifies associations with and in UK Biobank. <i>Communications Biology</i> , 2019 , 2, 321	6.7	20
202	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. <i>Nature Genetics</i> , 2019 , 51, 1459-1474	36.3	122
201	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019 , 188, 1033-1054	3.8	39
200	The IASP classification of chronic pain for ICD-11: chronic neuropathic pain. <i>Pain</i> , 2019 , 160, 53-59	8	228
199	A catalog of genetic loci associated with kidney function from analyses of a million individuals. <i>Nature Genetics</i> , 2019 , 51, 957-972	36.3	217
198	Chronic pain: a review of its epidemiology and associated factors in population-based studies. <i>British Journal of Anaesthesia</i> , 2019 , 123, e273-e283	5.4	290
197	Implementation of Patient-Reported Outcomes (PROMs) from specialist pain clinics in England and Wales: Experience from a nationwide study. <i>European Journal of Pain</i> , 2019 , 23, 1368-1377	3.7	3
196	The National Pain Audit for specialist pain services in England and Wales 2010-2014. <i>British Journal of Pain</i> , 2019 , 13, 185-193	2.1	8
195	Insulin resistance: Genetic associations with depression and cognition in population based cohorts. <i>Experimental Neurology</i> , 2019 , 316, 20-26	5.7	7
194	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019 , 28, 2615-2633	5.6	14
193	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. <i>Nature Genetics</i> , 2019 , 51, 481-493	36.3	156
192	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019 , 10, 4957	17.4	40
191	Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. <i>Nature Genetics</i> , 2019 , 51, 452-469	36.3	44
190	Factors affecting use of unscheduled care for people with advanced cancer: a retrospective cohort study in Scotland. <i>British Journal of General Practice</i> , 2019 , 69, e860-e868	1.6	9
189	The Genetics of Neuropathic Pain from Model Organisms to Clinical Application. <i>Neuron</i> , 2019 , 104, 637-653	15.9	46
188	Reply to Henningsen et al. <i>Pain</i> , 2019 , 160, 1683-1685	8	1
187	The IASP classification of chronic pain for ICD-11: applicability in primary care. <i>Pain</i> , 2019 , 160, 83-87	8	26

186	Chronic pain as a symptom or a disease: the IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11). <i>Pain</i> , 2019 , 160, 19-27	8	624
185	A Genome-Wide Association Study Finds Genetic Associations with Broadly-Defined Headache in UK Biobank (N=223,773). <i>EBioMedicine</i> , 2018 , 28, 180-186	8.8	26
184	Refining the accuracy of validated target identification through coding variant fine-mapping in type 2 diabetes. <i>Nature Genetics</i> , 2018 , 50, 559-571	36.3	221
183	Systematic review and meta-analysis of genetic risk factors for neuropathic pain. <i>Pain</i> , 2018 , 159, 825-848	4.8	33
182	Association of opioid prescribing practices with chronic pain and benzodiazepine co-prescription: a primary care data linkage study. <i>British Journal of Anaesthesia</i> , 2018 , 120, 1345-1355	5.4	30
181	Training peers to support older people with chronic low back pain following physiotherapy discharge: a feasibility study. <i>Physiotherapy</i> , 2018 , 104, 239-247	3	7
180	Chronic pain in families: a cross-sectional study of shared social, behavioural, and environmental influences. <i>Pain</i> , 2018 , 159, 41-47	8	13
179	Decision Support for Diabetes in Scotland: Implementation and Evaluation of a Clinical Decision Support System. <i>Journal of Diabetes Science and Technology</i> , 2018 , 12, 381-388	4.1	3
178	Gene discovery and polygenic prediction from a genome-wide association study of educational attainment in 1.1 million individuals. <i>Nature Genetics</i> , 2018 , 50, 1112-1121	36.3	950
177	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. <i>Genome Biology</i> , 2018 , 19, 87	18.3	25
176	Functional characterization of recurrent FOXA2 mutations seen in endometrial cancers. <i>International Journal of Cancer</i> , 2018 , 143, 2955-2961	7.5	2
175	Cohort Profile: Genetics of Diabetes Audit and Research in Tayside Scotland (GoDARTS). <i>International Journal of Epidemiology</i> , 2018 , 47, 380-381j	7.8	37
174	Multi-ethnic genome-wide association study for atrial fibrillation. <i>Nature Genetics</i> , 2018 , 50, 1225-1233	36.3	277
173	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018 , 3, 4	4.8	16
172	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018 , 3, 11	4.8	11
171	Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018 , 3, 11	4.8	13
170	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018 , 3, 63	4.8	12
169	DOLORisk: study protocol for a multi-centre observational study to understand the risk factors and determinants of neuropathic pain. <i>Wellcome Open Research</i> , 2018 , 3, 63	4.8	11

168 Epidemiology of Chronic Pain **2018**, 23-39

167	Neuropathic pain clinical trials: factors associated with decreases in estimated drug efficacy. <i>Pain</i> , 2018 , 159, 2339-2346	8	54
166	Genome-wide meta-analysis of 158,000 individuals of European ancestry identifies three loci associated with chronic back pain. <i>PLoS Genetics</i> , 2018 , 14, e1007601	6	60
165	Substance misuse in patients who have comorbid chronic pain in a clinical population receiving methadone maintenance therapy for the treatment of opioid dependence. <i>Drug and Alcohol Dependence</i> , 2018 , 193, 131-136	4.9	8
164	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e002037	5.2	11
163	eHealth and the use of individually tailored information: A systematic review. <i>Health Informatics Journal</i> , 2017 , 23, 218-233	3	13
162	A Combined Pathway and Regional Heritability Analysis Indicates NETRIN1 Pathway Is Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 81, 336-346	7.9	25
161	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017 , 81, 325-335	7.9	129
160	Physical activity and exercise for chronic pain in adults: an overview of Cochrane Reviews. <i>Cochrane Database of Systematic Reviews</i> , 2017 , 1, CD011279		289
159	Exploration of haplotype research consortium imputation for genome-wide association studies in 20,032 Generation Scotland participants. <i>Genome Medicine</i> , 2017 , 9, 23	14.4	85
158	Physical activity and exercise for chronic pain in adults: an overview of Cochrane Reviews. <i>The Cochrane Library</i> , 2017 , 4, CD011279	5.2	155
157	Large-scale analyses of common and rare variants identify 12 new loci associated with atrial fibrillation. <i>Nature Genetics</i> , 2017 , 49, 946-952	36.3	176
156	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017 , 8, 14977	17.4	105
155	Risk factors for neuropathic pain in diabetes mellitus. <i>Pain</i> , 2017 , 158, 560-568	8	53
154	Cohort profile: the Scottish Research register SHARE. A register of people interested in research participation linked to NHS data sets. <i>BMJ Open</i> , 2017 , 7, e013351	3	28
153	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 312-321	7.9	17
152	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017 , 49, 1758-1766	17.6	310
151	Regional variation in health is predominantly driven by lifestyle rather than genetics. <i>Nature Communications</i> , 2017 , 8, 801	17.4	11

150	Genome-wide meta-analysis associates HLA-DQA1/DRB1 and LPA and lifestyle factors with human longevity. <i>Nature Communications</i> , 2017 , 8, 910	17.4	78
149	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank. <i>Translational Psychiatry</i> , 2017 , 7, 1263	8.6	15
148	Investigating shared aetiology between type 2 diabetes and major depressive disorder in a population based cohort. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 227-234	3.5	20
147	Exploring peer-mentoring for community dwelling older adults with chronic low back pain: a qualitative study. <i>Physiotherapy</i> , 2017 , 103, 138-145	3	15
146	Haplotype-based association analysis of general cognitive ability in Generation Scotland, the English Longitudinal Study of Ageing, and UK Biobank. <i>Wellcome Open Research</i> , 2017 , 2, 61	4.8	3
145	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , 2017 , 13, e1006528	6	103
144	Chronic pain, depression and cardiovascular disease linked through a shared genetic predisposition: Analysis of a family-based cohort and twin study. <i>PLoS ONE</i> , 2017 , 12, e0170653	3.7	40
143	Shared Genetics and Couple-Associated Environment Are Major Contributors to the Risk of Both Clinical and Self-Declared Depression. <i>EBioMedicine</i> , 2016 , 14, 161-167	8.8	26
142	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13366-13371	11.5	90
141	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016 , 11, 1	2.9	14
140	Timing, rates and spectra of human germline mutation. <i>Nature Genetics</i> , 2016 , 48, 126-133	36.3	338
139	Identification and Management of Chronic Pain in Primary Care: a Review. <i>Current Psychiatry Reports</i> , 2016 , 18, 22	9.1	74
138	Exome-wide analysis of rare coding variation identifies novel associations with COPD and airflow limitation in MOCS3, IFIT3 and SERPINA12. <i>Thorax</i> , 2016 , 71, 501-9	7.3	18
137	Systems genetics identifies a convergent gene network for cognition and neurodevelopmental disease. <i>Nature Neuroscience</i> , 2016 , 19, 223-32	25.5	88
136	Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. <i>PLoS Medicine</i> , 2016 , 13, e1002090	11.6	41
135	An Epidemiological Study of Neuropathic Pain Symptoms in Canadian Adults. <i>Pain Research and Management</i> , 2016 , 2016, 9815750	2.6	33
134	An Empirical Comparison of Joint and Stratified Frameworks for Studying G x E Interactions: Systolic Blood Pressure and Smoking in the CHARGE Gene-Lifestyle Interactions Working Group. <i>Genetic Epidemiology</i> , 2016 , 40, 404-15	2.6	15
133	Neuropathic pain: an updated grading system for research and clinical practice. <i>Pain</i> , 2016 , 157, 1599-1686		536

132	Pain and the global burden of disease. <i>Pain</i> , 2016 , 157, 791-796	8	178
131	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016 , 533, 539-42	50.4	850
130	Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. <i>Addiction Biology</i> , 2016 , 21, 469-80	4.6	21
129	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015 , 523, 459-462	50.4	119
128	World Health Organization essential medicines lists: where are the drugs to treat neuropathic pain?. <i>Pain</i> , 2015 , 156, 793-797	8	33
127	A study of National Health Service management of chronic osteoarthritis and low back pain. <i>Primary Health Care Research and Development</i> , 2015 , 16, 157-66	1.6	17
126	Pharmacist-led management of chronic pain in primary care: costs and benefits in a pilot randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e006874	3	16
125	Effect of Smoking on Blood Pressure and Resting Heart Rate: A Mendelian Randomization Meta-Analysis in the CARTA Consortium. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 832-41		70
124	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. <i>British Journal of Pain</i> , 2015 , 9, 203-12	2.1	38
123	Association between cognition and gene polymorphisms involved in thrombosis and haemostasis. <i>Age</i> , 2015 , 37, 9820		2
122	The UK10K project identifies rare variants in health and disease. <i>Nature</i> , 2015 , 526, 82-90	50.4	776
121	Fine mapping the region reveals a common intronic insertion associated to HDL-C. <i>Npj Aging and Mechanisms of Disease</i> , 2015 , 1, 15011	5.5	5
120	A Genome-wide Association Study Provides Evidence of Sex-specific Involvement of Chr1p35.1 (ZSCAN20-TLR12P) and Chr8p23.1 (HMGB1P46) With Diabetic Neuropathic Pain. <i>EBioMedicine</i> , 2015 , 2, 1386-93	8.8	55
119	Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies: a NeuPSIG systematic review, Delphi survey, and expert panel recommendations. <i>Pain</i> , 2015 , 156, 2337-2353	8	54
118	Sex-Differences in the Metabolic Health of Offspring of Parents with Diabetes: A Record-Linkage Study. <i>PLoS ONE</i> , 2015 , 10, e0134883	3.7	10
117	Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). <i>PLoS ONE</i> , 2015 , 10, e0142197	3.7	75
116	A classification of chronic pain for ICD-11. <i>Pain</i> , 2015 , 156, 1003-1007	8	1062
115	Copy number variation in the human Y chromosome in the UK population. <i>Human Genetics</i> , 2015 , 134, 789-800	6.3	19

114	My personal diagnostic delay: Physician, prevent thyself <i>British Journal of General Practice</i> , 2015 , 65, 200	1.6	
113	Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium. <i>BMJ Open</i> , 2015 , 5, e008808	3	39
112	Effects of education to facilitate knowledge about chronic pain for adults: a systematic review with meta-analysis. <i>Systematic Reviews</i> , 2015 , 4, 132	3	58
111	Mosaic structural variation in children with developmental disorders. <i>Human Molecular Genetics</i> , 2015 , 24, 2733-45	5.6	39
110	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. <i>Nature Communications</i> , 2015 , 6, 5897	17.4	147
109	Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. <i>Lancet Neurology</i> , 2015 , 14, 162-73	24.1	1971
108	Neuropathic pain in the general population: a systematic review of epidemiological studies. <i>Pain</i> , 2014 , 155, 654-662	8	754
107	Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014 , 46, 669-77	36.3	104
106	Estimating the burden of disease in chronic pain with and without neuropathic characteristics: does the choice between the EQ-5D and SF-6D matter?. <i>Pain</i> , 2014 , 155, 1996-2004	8	53
105	Targeted genetic testing for familial hypercholesterolaemia using next generation sequencing: a population-based study. <i>BMC Medical Genetics</i> , 2014 , 15, 70	2.1	39
104	Molecular genetic contributions to socioeconomic status and intelligence. <i>Intelligence</i> , 2014 , 44, 26-32	3	131
103	The Scottish model for chronic pain management services. <i>British Journal of Health Care Management</i> , 2014 , 20, 568-577	0.4	
102	Physical activity and exercise for chronic pain in adults: an overview of Cochrane reviews 2014 ,		11
101	Managing chronic pain in the non-specialist setting: a new SIGN guideline. <i>British Journal of General Practice</i> , 2014 , 64, e462-4	1.6	3
100	"I try and smile, I try and be cheery, I try not to be pushy. I try to say 'Oh here for help' but I leave feeling... worried": a qualitative study of perceptions of interactions with health professionals by community-based older adults with chronic pain. <i>PLoS ONE</i> , 2014 , 9, e105450	3.7	21
99	Stratification by smoking status reveals an association of CHRNA5-A3-B4 genotype with body mass index in never smokers. <i>PLoS Genetics</i> , 2014 , 10, e1004799	6	40
98	Common genetic variants associated with cognitive performance identified using the proxy-phenotype method. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13790-4	11.5	181
97	Pedigree and genotyping quality analyses of over 10,000 DNA samples from the Generation Scotland: Scottish Family Health Study. <i>BMC Medical Genetics</i> , 2013 , 14, 38	2.1	41

96	Chronic pain epidemiology - where do lifestyle factors fit in?. <i>British Journal of Pain</i> , 2013 , 7, 209-17	2.1	84
95	Chronic pain epidemiology and its clinical relevance. <i>British Journal of Anaesthesia</i> , 2013 , 111, 13-8	5.4	327
94	Neuropathic pain in the community: more under-treated than refractory?. <i>Pain</i> , 2013 , 154, 690-699	8	112
93	Can pragmatic trials help us better understand chronic pain and improve treatment?. <i>Pain</i> , 2013 , 154, 643-646	8	35
92	Cardiovascular risk factors associated with the metabolic syndrome are more prevalent in people reporting chronic pain: results from a cross-sectional general population study. <i>Pain</i> , 2013 , 154, 1595-1602	8	43
91	Association of DISC1 variants with age of onset in a population-based sample of recurrent major depression. <i>Molecular Psychiatry</i> , 2013 , 18, 745-7	15.1	13
90	Ask the Experts: Neuropathic pain from a primary care perspective. <i>Pain Management</i> , 2013 , 3, 173-6	2.3	
89	Pharmacist-led management of chronic pain in primary care: results from a randomised controlled exploratory trial. <i>BMJ Open</i> , 2013 , 3,	3	60
88	Cohort Profile: Generation Scotland: Scottish Family Health Study (GS:SFHS). The study, its participants and their potential for genetic research on health and illness. <i>International Journal of Epidemiology</i> , 2013 , 42, 689-700	7.8	237
87	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 427-36	2.4	96
86	Neuropathic pain: a pathway for care developed by the British Pain Society. <i>British Journal of Anaesthesia</i> , 2013 , 111, 73-9	5.4	29
85	Cost-effectiveness of self-management methods for the treatment of chronic pain in an aging adult population: a systematic review of the literature. <i>Clinical Journal of Pain</i> , 2013 , 29, 366-75	3.5	31
84	Lessons from Mackenzie that still resonate. <i>British Journal of General Practice</i> , 2013 , 63, 158-9	1.6	
83	Alzheimer@ disease risk factor complement receptor 1 is associated with depression. <i>Neuroscience Letters</i> , 2012 , 510, 6-9	3.3	13
82	Heritability of chronic pain in 2195 extended families. <i>European Journal of Pain</i> , 2012 , 16, 1053-63	3.7	57
81	"I feel so stupid because I can@ give a proper answer" How older adults describe chronic pain: a qualitative study. <i>BMC Geriatrics</i> , 2012 , 12, 78	4.1	20
80	Towards a definition of refractory neuropathic pain for epidemiological research. An international Delphi survey of experts. <i>BMC Neurology</i> , 2012 , 12, 29	3.1	27
79	Genetic variation in Hyperpolarization-activated cyclic nucleotide-gated channels and its relationship with neuroticism, cognition and risk of depression. <i>Frontiers in Genetics</i> , 2012 , 3, 116	4.5	6

78	Epidemiology of neuropathic pain and its impact on quality of life. <i>Current Pain and Headache Reports</i> , 2012 , 16, 191-8	4.2	154
77	Commentary: a thesis that still warrants defence and promotion. <i>International Journal of Epidemiology</i> , 2012 , 41, 1518-22	7.8	7
76	Assessment and management of neuropathic pain in primary care. <i>Pain Management</i> , 2012 , 2, 553-9	2.3	7
75	Substance misuse of gabapentin. <i>British Journal of General Practice</i> , 2012 , 62, 406-7	1.6	50
74	Chronic pain in later life: a review of current issues and challenges. <i>Aging Health</i> , 2011 , 7, 551-556		13
73	NeuPSIG guidelines on neuropathic pain assessment. <i>Pain</i> , 2011 , 152, 14-27	8	694
72	Epidemiology of neuropathic pain. <i>Pain Management</i> , 2011 , 1, 87-96	2.3	17
71	Using discrete choice experiments to inform randomised controlled trials: an application to chronic low back pain management in primary care. <i>European Journal of Pain</i> , 2011 , 15, 531.e1-10	3.7	13
70	Effect of five genetic variants associated with lung function on the risk of chronic obstructive lung disease, and their joint effects on lung function. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 184, 786-95	10.2	112
69	Management of chronic pain in primary care. <i>Current Opinion in Supportive and Palliative Care</i> , 2011 , 5, 137-42	2.6	31
68	Potential Pain Management Programmes in primary care. A UK-wide questionnaire and Delphi survey of experts. <i>Family Practice</i> , 2011 , 28, 41-8	1.9	19
67	Shared genetic aetiology between cognitive ability and cardiovascular disease risk factors: Generation Scotland® Scottish family health study. <i>Intelligence</i> , 2010 , 38, 304-313	3	27
66	Commentary: This pain is killing me. <i>British Journal of General Practice</i> , 2010 , 60, e112	1.6	1
65	Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010 , 149, 143-151	8	78
64	Severe chronic pain is associated with increased 10 year mortality. A cohort record linkage study. <i>European Journal of Pain</i> , 2010 , 14, 380-6	3.7	168
63	Is chronic pain associated with subsequent cancer? A cohort record linkage study. <i>European Journal of Pain</i> , 2010 , 14, 860-3	3.7	2
62	Patients' perceptions of self-management of chronic low back pain: evidence for enhancing patient education and support. <i>Physiotherapy</i> , 2009 , 95, 43-50	3	59
61	Analysing the SF-36 in population-based research. A comparison of methods of statistical approaches using chronic pain as an example. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 328-34	2.5	29

60	Assessment of neuropathic pain in primary care. <i>American Journal of Medicine</i> , 2009 , 122, S13-21	2.4	150
59	A randomised controlled trial of the use of aciclovir and/or prednisolone for the early treatment of Bell's palsy: the BELLS study. <i>Health Technology Assessment</i> , 2009 , 13, iii-iv, ix-xi 1-130	4.4	52
58	Patient-centredness in physiotherapy from the perspective of the chronic low back pain patient. <i>Physiotherapy</i> , 2008 , 94, 244-252	3	97
57	Treatment for Bell's palsy. <i>Lancet, The</i> , 2008 , 372, 1219-20; author reply 1220-1	4.0	6
56	Initial management of infertility: an audit of pre-referral investigations and exploration of couples' views at the interface of primary and secondary care. <i>Human Fertility</i> , 2007 , 10, 25-31	1.9	13
55	Medication and treatment use in primary care patients with chronic pain of predominantly neuropathic origin. <i>Family Practice</i> , 2007 , 24, 481-5	1.9	64
54	Health and quality of life associated with chronic pain of predominantly neuropathic origin in the community. <i>Clinical Journal of Pain</i> , 2007 , 23, 143-9	3.5	207
53	Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?. <i>Pain</i> , 2007 , 127, 5-10	8	57
52	Early treatment with prednisolone or acyclovir in Bell's palsy. <i>New England Journal of Medicine</i> , 2007 , 357, 1598-607	59.2	487
51	What's in a name? Advances in primary care chronic pain management. <i>British Journal of General Practice</i> , 2007 , 57, 92-4	1.6	2
50	Symptom experience and subsequent mortality: results from the West of Scotland Twenty-07 study. <i>BMC Health Services Research</i> , 2006 , 6, 158	2.9	6
49	The use of medication for chronic pain in primary care, and the potential for intervention by a practice-based pharmacist. <i>Family Practice</i> , 2006 , 23, 46-52	1.9	26
48	Primary care epidemiology: its scope and purpose. <i>Family Practice</i> , 2006 , 23, 1-7	1.9	13
47	The epidemiology of chronic pain of predominantly neuropathic origin. Results from a general population survey. <i>Journal of Pain</i> , 2006 , 7, 281-9	5.2	684
46	Can pain be more or less neuropathic? Comparison of symptom assessment tools with ratings of certainty by clinicians. <i>Pain</i> , 2006 , 122, 289-294	8	116
45	Generation Scotland: the Scottish Family Health Study; a new resource for researching genes and heritability. <i>BMC Medical Genetics</i> , 2006 , 7, 74	2.1	164
44	Genetic epidemiology and primary care. <i>British Journal of General Practice</i> , 2006 , 56, 214-21	1.6	5
43	The S-LANSS score for identifying pain of predominantly neuropathic origin: validation for use in clinical and postal research. <i>Journal of Pain</i> , 2005 , 6, 149-58	5.2	419

42	The Number needed to sample On primary care research. Comparison of two primary care sampling frames for chronic back pain. <i>Family Practice</i> , 2005 , 22, 205-14	1.9	18
41	SAPC: scotching the myths. <i>British Journal of General Practice</i> , 2005 , 55, 316	1.6	
40	In-hospital prevention of cardiac arrest. <i>Journal of the Royal Naval Medical Service</i> , 2005 , 91, 43-4	0	
39	Is chronic pain a distinct diagnosis in primary care? Evidence arising from the Royal College of General Practitioners Oral Contraception study. <i>Family Practice</i> , 2004 , 21, 66-74	1.9	31
38	Factors related to the onset and persistence of chronic back pain in the community: results from a general population follow-up study. <i>Spine</i> , 2004 , 29, 1032-40	3.3	70
37	A validation of the psychological vulnerability scale and its use in chronic pain. <i>The Pain Clinic</i> , 2004 , 16, 153-162		1
36	Chronic pain and health status: how do those not using healthcare services fare?. <i>British Journal of General Practice</i> , 2004 , 54, 614-6	1.6	5
35	Ethnological Scots. <i>Medical Education</i> , 2003 , 37, 1154-5	3.7	1
34	Measuring the severity of chronic pain: a research perspective. <i>Expert Review of Neurotherapeutics</i> , 2003 , 3, 581-90	4.3	9
33	Chronic pain and the use of conventional and alternative therapy. <i>Family Practice</i> , 2003 , 20, 147-54	1.9	73
32	A randomized controlled trial of spiritual healing in restricted neck movement. <i>Journal of Alternative and Complementary Medicine</i> , 2003 , 9, 467-77	2.4	9
31	Pain and subsequent mortality and cancer among women in the Royal College of General Practitioners Oral Contraception Study. <i>British Journal of General Practice</i> , 2003 , 53, 45-6	1.6	21
30	Scotland is not England. <i>European Journal of General Practice</i> , 2002 , 8, 136-136	2.8	
29	Spiritual healing and the appliance of science. <i>Scottish Medical Journal</i> , 2002 , 47, 51-2	1.8	
28	The course of chronic pain in the community: results of a 4-year follow-up study. <i>Pain</i> , 2002 , 99, 299-307	8	222
27	Assessing change in chronic pain severity: the chronic pain grade compared with retrospective perceptions. <i>British Journal of General Practice</i> , 2002 , 52, 269-74	1.6	16
26	The Level of Expressed Need—a measure of help-seeking behaviour for chronic pain in the community. <i>European Journal of Pain</i> , 2001 , 5, 257-66	3.7	18
25	The impact of chronic pain in the community. <i>Family Practice</i> , 2001 , 18, 292-9	1.9	331

24	A randomized controlled trial of direct access for laparoscopic sterilization. <i>Family Practice</i> , 2001 , 18, 1-8	1.9	5
23	Changes in chronic pain severity over time: the Chronic Pain Grade as a valid measure. <i>Pain</i> , 2000 , 88, 303-308	8	106
22	Chronic pain in primary care. <i>Family Practice</i> , 1999 , 16, 475-82	1.9	43
21	Relationship between the chronic pain grade and measures of physical, social and psychological well-being. <i>Pain</i> , 1999 , 79, 275-9	8	75
20	The epidemiology of chronic pain in the community. <i>Lancet, The</i> , 1999 , 354, 1248-52	40	868
19	Over-the-counter emergency contraception: a feasible option. <i>Family Practice</i> , 1998 , 15, 38-43	1.9	9
18	The Chronic Pain Grade questionnaire: validation and reliability in postal research. <i>Pain</i> , 1997 , 71, 141-7	8	310
17	Humanizing medicine: a special study module. <i>Medical Education</i> , 1997 , 31, 276-80	3.7	35
16	Cholesterol testing by general practitioners in Grampian: patterns and outcomes. <i>Scottish Medical Journal</i> , 1996 , 41, 78-82	1.8	2
15	Emergency contraception: a survey of women's knowledge and attitudes. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996 , 103, 1109-16	3.7	40
14	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 3, 4	4.8	6
13	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 3, 4	4.8	1
12	Genetic correlations between pain phenotypes and depression and neuroticism		1
11	Genome-wide association study of alcohol consumption and genetic overlap with other health-related traits in UK Biobank (N=112,117)		9
10	Sex-Stratified Genome-Wide Association Study of Multisite Chronic Pain in UK Biobank		2
9	Genome-wide Meta-analysis of 158,000 Individuals of European Ancestry Identifies Three Loci Associated with Chronic Back Pain		1
8	New genetic signals for lung function highlight pathways and pleiotropy, and chronic obstructive pulmonary disease associations across multiple ancestries		5
7	Protein-Coding Variants Implicate Novel Genes Related to Lipid Homeostasis Contributing to Body Fat Distribution		1

6	Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population		1
5	Do Regional Brain Volumes and Major Depressive Disorder Share Genetic Architecture?: a study of Generation Scotland (n=19,762), UK Biobank (n=24,048) and the English Longitudinal Study of Ageing (n=5,766)		1
4	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank		1
3	Managing Chronic Pain in Primary Care97-103		
2	Characteristics of non-fatal overdoses and associated risk factors in patients attending a specialist community-based substance misuse service. <i>British Journal of Pain</i> ,204946372210954	2.1	0
1	The core minimum dataset for measuring pain outcomes in pain services across Scotland. Developing and testing a brief multi-dimensional questionnaire. <i>British Journal of Pain</i> ,204946372210929	2.1	1