

Reinhold Penner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4964981/publications.pdf>

Version: 2024-02-01

94
papers

15,448
citations

26610

56
h-index

42364

92
g-index

96
all docs

96
docs citations

96
times ranked

8822
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex-dependent effect of aging on calcium signaling and expression of TRPM2 and CRAC channels in human neutrophils. <i>Human Immunology</i> , 2022, , .	1.2	1
2	Acidic Cannabinoids Suppress Proinflammatory Cytokine Release by Blocking Store-operated Calcium Entry. <i>Function</i> , 2022, 3, .	1.1	4
3	Transient Receptor Potential C 1/4/5 Is a Determinant of MTI-101 Induced Calcium Influx and Cell Death in Multiple Myeloma. <i>Cells</i> , 2021, 10, 1490.	1.8	4
4	The Role of TRPC1 in Modulating Cancer Progression. <i>Cells</i> , 2020, 9, 388.	1.8	47
5	TRPM7 contributes to progressive nephropathy. <i>Scientific Reports</i> , 2020, 10, 2333.	1.6	15
6	Pharmacology of JNJ-28583113: A novel TRPM2 antagonist. <i>European Journal of Pharmacology</i> , 2019, 853, 299-307.	1.7	16
7	The TRPM7 kinase limits receptor-induced calcium release by regulating heterotrimeric G-proteins. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 3069-3078.	2.4	6
8	Areca nut extracts mobilize calcium and release pro-inflammatory cytokines from various immune cells. <i>Scientific Reports</i> , 2018, 8, 1075.	1.6	19
9	The TRPM7 channel kinase regulates store-operated calcium entry. <i>Journal of Physiology</i> , 2017, 595, 3165-3180.	1.3	89
10	Scalaradial Is a Potent Inhibitor of Transient Receptor Potential Melastatin 2 (TRPM2) Ion Channels. <i>Journal of Natural Products</i> , 2017, 80, 2741-2750.	1.5	17
11	Inhibition of TRPM7 suppresses cell proliferation of colon adenocarcinoma in vitro and induces hypomagnesemia in vivo without affecting azoxymethane-induced early colon cancer in mice. <i>Cell Communication and Signaling</i> , 2017, 15, 30.	2.7	25
12	TRPM7 kinase activity regulates murine mast cell degranulation. <i>Journal of Physiology</i> , 2016, 594, 2957-2970.	1.3	34
13	The coiled-coil domain of zebrafish TRPM7 regulates Mg ²⁺ -nucleotide sensitivity. <i>Scientific Reports</i> , 2016, 6, 33459.	1.6	18
14	Human CNNM2 is not a Mg ²⁺ transporter per se. <i>Pflugers Archiv European Journal of Physiology</i> , 2016, 468, 1223-1240.	1.3	38
15	State-dependent blocking mechanism of K _v 1.3 channels by the antimycobacterial drug clofazimine. <i>British Journal of Pharmacology</i> , 2015, 172, 5161-5173.	2.7	19
16	Small-Conductance Ca ²⁺ -Activated Potassium Type 2 Channels Regulate the Formation of Contextual Fear Memory. <i>PLoS ONE</i> , 2015, 10, e0127264.	1.1	8
17	N-Myc-induced up-regulation of TRPM6/TRPM7 channels promotes neuroblastoma cell proliferation. <i>Oncotarget</i> , 2014, 5, 7625-7634.	0.8	29
18	The TRPM6 Kinase Domain Determines the Mg ²⁺ -ATP Sensitivity of TRPM7/M6 Heteromeric Ion Channels. <i>Journal of Biological Chemistry</i> , 2014, 289, 5217-5227.	1.6	67

#	ARTICLE	IF	CITATIONS
19	Regulation of endogenous and heterologous Ca ²⁺ release-activated Ca ²⁺ currents by pH. <i>Cell Calcium</i> , 2014, 56, 235-243.	1.1	45
20	TRPM2. <i>Handbook of Experimental Pharmacology</i> , 2014, 222, 403-426.	0.9	62
21	TRPM2 channels are not required for acute airway inflammation in OVA-induced severe allergic asthma in mice. <i>Journal of Inflammation</i> , 2013, 10, 19.	1.5	15
22	ORAI3 silencing alters cell proliferation and cell cycle progression via c-myc pathway in breast cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 752-760.	1.9	88
23	TRPM7 is regulated by halides through its kinase domain. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 2757-2771.	2.4	29
24	STIM2 drives Ca ²⁺ oscillations through store-operated Ca ²⁺ entry caused by mild store depletion. <i>Journal of Physiology</i> , 2013, 591, 1433-1445.	1.3	57
25	TRPM2: a multifunctional ion channel for calcium signalling. <i>Journal of Physiology</i> , 2011, 589, 1515-1525.	1.3	219
26	Stimulation of Ca ²⁺ channel Orai1/STIM1 by serum and glucocorticoid-inducible kinase 1 (SGK1). <i>FASEB Journal</i> , 2011, 25, 2012-2021.	0.2	82
27	Waixenicin A Inhibits Cell Proliferation through Magnesium-dependent Block of Transient Receptor Potential Melastatin 7 (TRPM7) Channels. <i>Journal of Biological Chemistry</i> , 2011, 286, 39328-39335.	1.6	124
28	Dendritic cell maturation and chemotaxis is regulated by TRPM2-mediated lysosomal Ca ²⁺ release. <i>FASEB Journal</i> , 2011, 25, 3529-3542.	0.2	123
29	TRPM5 regulates glucose-stimulated insulin secretion. <i>Pflugers Archiv European Journal of Physiology</i> , 2010, 460, 69-76.	1.3	105
30	Two novel 2-aminoethyl diphenylborinate (2-APB) analogues differentially activate and inhibit store-operated Ca ²⁺ entry via STIM proteins. <i>Cell Calcium</i> , 2010, 47, 1-10.	1.1	90
31	Activation of store-operated ICRAC by hydrogen peroxide. <i>Cell Calcium</i> , 2010, 48, 1-9.	1.1	66
32	The calcium-permeable non-selective cation channel TRPM2 is modulated by cellular acidification. <i>Journal of Physiology</i> , 2010, 588, 1227-1240.	1.3	71
33	A single lysine in the N-terminal region of store-operated channels is critical for STIM1-mediated gating. <i>Journal of General Physiology</i> , 2010, 136, 673-686.	0.9	86
34	Development and Optimization of a High-Throughput Bioassay for TRPM7 Ion Channel Inhibitors. <i>Journal of Biomolecular Screening</i> , 2010, 15, 498-507.	2.6	23
35	TRPM2 Functions as a Lysosomal Ca ²⁺ -Release Channel in $\hat{1}^2$ Cells. <i>Science Signaling</i> , 2009, 2, ra23.	1.6	253
36	IP3 receptor subtype-dependent activation of store-operated calcium entry through ICRAC. <i>Cell Calcium</i> , 2009, 45, 326-330.	1.1	18

#	ARTICLE	IF	CITATIONS
37	Lipopolysaccharide-induced downregulation of Ca ²⁺ release-activated Ca ²⁺ currents (CRAC) but not Ca ²⁺ -activated TRPM4-like currents (CAN) in cultured mouse microglial cells. <i>Journal of Physiology</i> , 2008, 586, 427-439.	1.3	47
38	2-Aminoethoxydiphenyl borate directly facilitates and indirectly inhibits STIM1-dependent gating of CRAC channels. <i>Journal of Physiology</i> , 2008, 586, 3061-3073.	1.3	177
39	TRPM2-mediated Ca ²⁺ influx induces chemokine production in monocytes that aggravates inflammatory neutrophil infiltration. <i>Nature Medicine</i> , 2008, 14, 738-747.	15.2	526
40	Synergistic regulation of endogenous TRPM2 channels by adenine dinucleotides in primary human neutrophils. <i>Cell Calcium</i> , 2008, 44, 604-615.	1.1	103
41	STIM2 protein mediates distinct store-dependent and store-independent modes of CRAC channel activation. <i>FASEB Journal</i> , 2008, 22, 752-761.	0.2	140
42	Emerging Roles of TRPM Channels. <i>Novartis Foundation Symposium</i> , 2008, , 248-262.	1.2	11
43	Clofazimine Inhibits Human Kv1.3 Potassium Channel by Perturbing Calcium Oscillation in T Lymphocytes. <i>PLoS ONE</i> , 2008, 3, e4009.	1.1	101
44	Regulation of TRPM2 by Extra- and Intracellular Calcium. <i>Journal of General Physiology</i> , 2007, 130, 427-440.	0.9	103
45	TRPM4 controls insulin secretion in pancreatic β -cells. <i>Cell Calcium</i> , 2007, 41, 51-61.	1.1	171
46	Cell cycle-dependent regulation of store-operated ICRCAC and Mg ²⁺ -nucleotide-regulated MagNuM (TRPM7) currents. <i>Cell Calcium</i> , 2007, 41, 249-260.	1.1	72
47	CRACM1, CRACM2, and CRACM3 Are Store-Operated Ca ²⁺ Channels with Distinct Functional Properties. <i>Current Biology</i> , 2007, 17, 794-800.	1.8	353
48	Amplification of CRAC current by STIM1 and CRACM1 (Orai1). <i>Nature Cell Biology</i> , 2006, 8, 771-773.	4.6	536
49	CRACM1 Multimers Form the Ion-Selective Pore of the CRAC Channel. <i>Current Biology</i> , 2006, 16, 2073-2079.	1.8	516
50	TRPM7 Channel Is Regulated by Magnesium Nucleotides via its Kinase Domain. <i>Journal of General Physiology</i> , 2006, 127, 421-434.	0.9	171
51	A Pyrazole Derivative Potently Inhibits Lymphocyte Ca ²⁺ Influx and Cytokine Production by Facilitating Transient Receptor Potential Melastatin 4 Channel Activity. <i>Molecular Pharmacology</i> , 2006, 69, 1413-1420.	1.0	139
52	Nicotinic acid adenine dinucleotide phosphate and cyclic ADP-ribose regulate TRPM2 channels in T lymphocytes. <i>FASEB Journal</i> , 2006, 20, 962-964.	0.2	160
53	Cyclic ADP-Ribose and Hydrogen Peroxide Synergize with ADP-Ribose in the Activation of TRPM2 Channels. <i>Molecular Cell</i> , 2005, 18, 61-69.	4.5	284
54	Receptor-mediated regulation of the TRPM7 channel through its endogenous protein kinase domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6009-6014.	3.3	170

#	ARTICLE	IF	CITATIONS
55	TRPM4 Regulates Calcium Oscillations After T Cell Activation. <i>Science</i> , 2004, 306, 1374-1377.	6.0	295
56	d-6-Deoxy-myo-inositol 1,3,4,5-tetrakisphosphate, a mimic of d-myo-inositol 1,3,4,5-tetrakisphosphate: biological activity and pH-dependent conformational properties. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 1262-1270.	1.0	6
57	The TRPM ion channel subfamily: molecular, biophysical and functional features. <i>Trends in Pharmacological Sciences</i> , 2004, 25, 633-639.	4.0	261
58	Store-Operated Calcium Entry: A Tough Nut to CRAC. <i>Science Signaling</i> , 2004, 2004, pe38-pe38.	1.6	18
59	Emerging roles of TRPM channels. <i>Novartis Foundation Symposium</i> , 2004, 258, 248-58; discussion 258-66.	1.2	12
60	Regulation of Vertebrate Cellular Mg ²⁺ Homeostasis by TRPM7. <i>Cell</i> , 2003, 114, 191-200.	13.5	674
61	TRPM7 Provides an Ion Channel Mechanism for Cellular Entry of Trace Metal Ions. <i>Journal of General Physiology</i> , 2003, 121, 49-60.	0.9	462
62	Discrimination of intracellular calcium store subcompartments using TRPV1 (transient receptor potential) 1. <i>Journal of Biological Chemistry</i> , 2003, 278, 371, 341-350.	1.7	102
63	TRPM5 is a transient Ca ²⁺ -activated cation channel responding to rapid changes in [Ca ²⁺] _i . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15166-15171.	3.3	329
64	Transient Receptor Potential 1 Regulates Capacitative Ca ²⁺ Entry and Ca ²⁺ Release from Endoplasmic Reticulum in B Lymphocytes. <i>Journal of Experimental Medicine</i> , 2002, 195, 673-681.	4.2	193
65	TRPM4 Is a Ca ²⁺ -Activated Nonselective Cation Channel Mediating Cell Membrane Depolarization. <i>Cell</i> , 2002, 109, 397-407.	13.5	655
66	A Unified Nomenclature for the Superfamily of TRP Cation Channels. <i>Molecular Cell</i> , 2002, 9, 229-231.	4.5	620
67	Dissociation of the store-operated calcium current (CRAC) and the Mg ²⁺ -nucleotide-regulated metal ion current (MagNum). <i>Journal of Physiology</i> , 2002, 539, 445-458.	1.3	163
68	LTRPC7 is a Mg ²⁺ -ATP-regulated divalent cation channel required for cell viability. <i>Nature</i> , 2001, 411, 590-595.	13.7	855
69	ADP-ribose gating of the calcium-permeable LTRPC2 channel revealed by Nudix motif homology. <i>Nature</i> , 2001, 411, 595-599.	13.7	815
70	CaT1 and the Calcium Release-activated Calcium Channel Manifest Distinct Pore Properties. <i>Journal of Biological Chemistry</i> , 2001, 276, 47767-47770.	1.6	212
71	InsP4 facilitates store-operated calcium influx by inhibition of InsP3 5-phosphatase. <i>Nature</i> , 2000, 408, 735-740.	13.7	99
72	Differential modulation of voltage-dependent Ca ²⁺ currents by EGTA and BAPTA in bovine adrenal chromaffin cells. <i>Pflügers Archiv European Journal of Physiology</i> , 1999, 439, 27-38.	1.3	6

#	ARTICLE	IF	CITATIONS
73	Role of ICRCAC in the Regulation of Secretion. , 1999, , 362-371.		2
74	Near-visible ultraviolet light induces a novel ubiquitous calcium-permeable cation current in mammalian cell lines. Journal of Physiology, 1998, 507, 365-377.	1.3	44
75	Calcium Release-activated Calcium Current (I CRAC) Is a Direct Target for Sphingosine. Journal of Biological Chemistry, 1998, 273, 25020-25030.	1.6	108
76	Ca ²⁺ -induced Ca ²⁺ Release in Chinese Hamster Ovary (CHO) Cells Co-expressing Dihydropyridine and Ryanodine Receptors. Journal of General Physiology, 1997, 109, 619-631.	0.9	23
77	The Store-Operated Calcium Current ICRCAC: Nonlinear Activation by InsP3 and Dissociation from Calcium Release. Cell, 1997, 89, 973-980.	13.5	232
78	Acceleration of Membrane Recycling by Axotomy of Cultured Aplysia Neurons. Neuron, 1996, 16, 641-651.	3.8	31
79	Non-specific effects of calcium entry antagonists in mast cells. Pflugers Archiv European Journal of Physiology, 1994, 428, 433-438.	1.3	154
80	Mice sans synaptotagmin. Nature, 1994, 372, 316-317.	13.7	35
81	Multiple mechanisms of manganese-induced quenching of fura-2 fluorescence in rat mast cells. Pflugers Archiv European Journal of Physiology, 1993, 423, 225-231.	1.3	55
82	Calcium influx and its control by calcium release. Current Opinion in Neurobiology, 1993, 3, 368-374.	2.0	160
83	Ion Channels and Calcium Signaling in Mast Cells. Annals of the New York Academy of Sciences, 1993, 707, 198-209.	1.8	53
84	Depletion of intracellular calcium stores activates a calcium current in mast cells. Nature, 1992, 355, 353-356.	13.7	1,696
85	A GTP Analogue Induces Calcium Release but Not Secretion in Rat Mast Cells. International Archives of Allergy and Immunology, 1991, 94, 74-75.	0.9	0
86	Lack of direct evidence for a functional role of voltage-operated calcium channels in juxtaglomerular cells. Pflugers Archiv European Journal of Physiology, 1990, 416, 281-287.	1.3	26
87	Functional expression of the calcium release channel from skeletal muscle ryanodine receptor cDNA. FEBS Letters, 1989, 259, 217-221.	1.3	115
88	The patch-clamp technique in the study of secretion. Trends in Neurosciences, 1989, 12, 159-163.	4.2	97
89	Regulation of calcium influx by second messengers in rat mast cells. Nature, 1988, 334, 499-504.	13.7	510
90	Secretory responses of rat peritoneal mast cells to high intracellular calcium. FEBS Letters, 1988, 226, 307-313.	1.3	56

#	ARTICLE	IF	CITATIONS
91	Distinct sites of action of clostridial neurotoxins revealed by double-poisoning of mouse motor nerve terminals. Pflugers Archiv European Journal of Physiology, 1987, 409, 533-539.	1.3	94
92	Washout phenomena in dialyzed mast cells allow discrimination of different steps in stimulus-secretion coupling. Bioscience Reports, 1987, 7, 313-321.	1.1	59
93	Two different presynaptic calcium currents in mouse motor nerve terminals. Pflugers Archiv European Journal of Physiology, 1986, 406, 190-197.	1.3	141
94	Intracellularly injected tetanus toxin inhibits exocytosis in bovine adrenal chromaffin cells. Nature, 1986, 324, 76-78.	13.7	183