

Mohamed Taha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4965449/publications.pdf>

Version: 2024-02-01

83
papers

2,036
citations

257450

24
h-index

289244

40
g-index

83
all docs

83
docs citations

83
times ranked

1979
citing authors

#	ARTICLE	IF	CITATIONS
1	High adsorption of sodium diclofenac on post-synthetic modified zirconium-based metal-organic frameworks: Experimental and theoretical studies. <i>Journal of Colloid and Interface Science</i> , 2022, 607, 334-346.	9.4	43
2	Purification of soybean oil from diazinon insecticide by iron-based metal organic framework: Effect of geometrical shape and simulation study. <i>Journal of Molecular Structure</i> , 2022, 1250, 131914.	3.6	46
3	Remarkable adsorption of oxygenated compounds from liquid fuel using copper based framework incorporated onto kaolin: Experimental and theoretical studies. <i>Applied Clay Science</i> , 2022, 216, 106371.	5.2	2
4	Experimental and Molecular Modeling Studies on the Complexation of Chromium(III) with the Angiotensin-Converting Enzyme Inhibitor Captopril. <i>ACS Omega</i> , 2022, 7, 15909-15918.	3.5	0
5	Consecutive removal of heavy metals and dyes by a fascinating method using titanate nanotubes. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104726.	6.7	17
6	Possible adsorption mechanisms of the removal of tetracycline from water by La-doped Zn-Fe-layered double hydroxide. <i>Journal of Molecular Liquids</i> , 2021, 322, 114546.	4.9	38
7	Amino-functionalized Al-MIL-53 for dimethoate pesticide removal from wastewater and their intermolecular interactions. <i>Journal of Molecular Liquids</i> , 2021, 327, 114852.	4.9	55
8	DFT study of cyclic glycine-alanine dipeptide binding to gold nanoclusters. <i>Journal of Molecular Graphics and Modelling</i> , 2021, 103, 107823.	2.4	6
9	Molecular insights on the dynamic stability of peptide nucleic acid functionalized carbon and boron nitride nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 219-228.	2.8	4
10	Complexation of chromium (III) with the antifibrinolytic drug tranexamic acid: Formation, kinetics, and molecular modeling studies. <i>Journal of Molecular Liquids</i> , 2021, 329, 115513.	4.9	2
11	Understanding the physicochemical properties of Zn-Fe LDH nanostructure as sorbent material for removing of anionic and cationic dyes mixture. <i>Scientific Reports</i> , 2021, 11, 21365.	3.3	23
12	Designing a sensitive luminescent probe for organophosphorus insecticides detection based on post-synthetic modification of IRMOF-3. <i>Journal of Molecular Structure</i> , 2020, 1199, 127000.	3.6	15
13	Novel polydatin-loaded chitosan nanoparticles for safe and efficient type 2 diabetes therapy: In silico, in vitro and in vivo approaches. <i>International Journal of Biological Macromolecules</i> , 2020, 154, 1496-1504.	7.5	44
14	First-Principles Study of the Geometric and Electronic Structures and Optical Properties of Vacancy Magnesium Ferrite. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 5432-5443.	2.2	7
15	Electronic structures and optoelectronic properties of ATiOPO_4 ($A = \text{Li, Na, K, Rb, Cs, Fr}$) and photo-degradation. <i>Materials Research Express</i> , 2020, 7, 045901.	1.6	6
16	Zn/Fe LDH as a clay-like adsorbent for the removal of oxytetracycline from water: combining experimental results and molecular simulations to understand the removal mechanism. <i>Environmental Science and Pollution Research</i> , 2020, 27, 12256-12269.	5.3	46
17	Influence of the alanine side-chain methyl group on the peptide-gold nanoparticles interactions. <i>Journal of Molecular Liquids</i> , 2020, 302, 112528.	4.9	4
18	Novel synthesis of Ni/Fe layered double hydroxides using urea and glycerol and their enhanced adsorption behavior for Cr(VI) removal. <i>Scientific Reports</i> , 2020, 10, 587.	3.3	107

#	ARTICLE	IF	CITATIONS
19	Effect of pressure on the geometric, electronic structure, elastic, and optical properties of the normal spinel MgFe ₂ O ₄ : a first-principles study. <i>Materials Research Express</i> , 2020, 7, 106101.	1.6	23
20	Computational and experimental studies on the efficient removal of diclofenac from water using ZnFe-layered double hydroxide as an environmentally benign absorbent. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 102, 297-311.	5.3	56
21	Exploring the intermolecular interaction of serine and threonine dipeptides with gold nanoclusters and nanoparticles of different shapes and sizes by quantum mechanics and molecular simulations. <i>Journal of Molecular Liquids</i> , 2019, 296, 111903.	4.9	16
22	Zeolitic imidazolate frameworks: Experimental and molecular simulation studies for efficient capture of pesticides from wastewater. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 103499.	6.7	61
23	Molecular design of mass-separating agents for separation of cyclic ethers and acetonitrile from water. <i>Journal of Molecular Liquids</i> , 2019, 281, 324-331.	4.9	1
24	Gamma radiation as a green method to enhance the dielectric behaviour, magnetization, antibacterial activity and dye removal capacity of Co-Fe LDH nanosheets. <i>RSC Advances</i> , 2019, 9, 32544-32561.	3.6	19
25	Does the peptide backbone unit interact with gold nanoclusters? Insights from computational modeling. <i>Journal of Biomolecular Structure and Dynamics</i> , 2019, 37, 4258-4266.	3.5	6
26	Selective binding of pyrene in subdomain IB of human serum albumin: Combining energy transfer spectroscopy and molecular modelling to understand protein binding flexibility. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 194, 36-44.	3.9	17
27	Good's buffer ionic liquids as relevant phase-forming components of self-buffered aqueous biphasic systems. <i>Journal of Chemical Technology and Biotechnology</i> , 2017, 92, 2287-2299.	3.2	15
28	Coherent Experimental and Simulation Approach To Explore the Underlying Mechanism of Denaturation of Stem Bromelain in Osmolytes. <i>Journal of Physical Chemistry B</i> , 2017, 121, 6456-6470.	2.6	12
29	Phase Separation of Alcohol (1-Propanol, 2-Propanol, or <i>tert</i> -Butanol) from Its Aqueous Solution in the Presence of Biological Buffer MOPS. <i>Journal of Chemical & Engineering Data</i> , 2017, 62, 2509-2515.	1.9	5
30	A green process for recovery of 1-propanol/2-propanol from their aqueous solutions: Experimental and MD simulation studies. <i>Journal of Chemical Thermodynamics</i> , 2017, 105, 76-85.	2.0	8
31	Separation of bioactive chamazulene from chamomile extract using metal-organic framework. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 146, 126-134.	2.8	43
32	Designing new mass-separating agents based on piperazine-containing good's buffers for separation of propanols and water azeotropic mixtures using COSMO-RS method. <i>Fluid Phase Equilibria</i> , 2016, 425, 40-46.	2.5	7
33	Coordination abilities of Good's buffer ionic liquids toward europium(III) ion in aqueous solution. <i>Journal of Chemical Thermodynamics</i> , 2016, 94, 152-159.	2.0	12
34	Separation of 1,3-dioxolane, 1,4-dioxane, acetonitrile and <i>tert</i> -butanol from their aqueous solutions by using Good's buffer HEPES-Na as an auxiliary agent. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 66, 43-53.	5.3	8
35	Organic-phase biological buffers for biochemical and biological research in organic media. <i>Journal of Molecular Liquids</i> , 2016, 221, 197-205.	4.9	10
36	Interactions of pyridinium, pyrrolidinium or piperidinium based ionic liquids with water: Measurements and COSMO-RS modelling. <i>Fluid Phase Equilibria</i> , 2016, 414, 93-100.	2.5	29

#	ARTICLE	IF	CITATIONS
37	Complexation and molecular modeling studies of europium(III)â€“gallic acidâ€“amino acid complexes. <i>Journal of Inorganic Biochemistry</i> , 2016, 157, 25-33.	3.5	27
38	Isobaric vapourâ€“liquid equilibrium of (tert-butanol+water) system with biological buffer TRIS at 101.3kPa. <i>Journal of Chemical Thermodynamics</i> , 2016, 98, 159-164.	2.0	15
39	Extraction of an active enzyme by self-buffering ionic liquids: a green medium for enzymatic research. <i>RSC Advances</i> , 2016, 6, 18567-18576.	3.6	23
40	Self-buffering and biocompatible ionic liquid based biological media for enzymatic research. <i>RSC Advances</i> , 2015, 5, 106764-106773.	3.6	17
41	Novel Biocompatible and Selfâ€“buffering Ionic Liquids for Biopharmaceutical Applications. <i>Chemistry - A European Journal</i> , 2015, 21, 4781-4788.	3.3	96
42	Quantifying the co-solvent effects on trypsin from the digestive system of carp <i>Catla catla</i> by biophysical techniques and molecular dynamics simulations. <i>RSC Advances</i> , 2015, 5, 43023-43035.	3.6	3
43	Extraction and stability of bovine serum albumin (BSA) using cholinium-based Good's buffers ionic liquids. <i>Process Biochemistry</i> , 2015, 50, 1158-1166.	3.7	65
44	Goodâ€™s buffers as novel phase-forming components of ionic-liquid-based aqueous biphasic systems. <i>Biochemical Engineering Journal</i> , 2015, 101, 142-149.	3.6	22
45	Evaluating Self-buffering Ionic Liquids for Biotechnological Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 3420-3428.	6.7	46
46	(Liquid+liquid), (solid+liquid), and (solid+liquid+liquid) equilibria of systems containing cyclic ether (tetrahydrofuran or 1,3-dioxolane), water, and a biological buffer MOPS. <i>Journal of Chemical Thermodynamics</i> , 2015, 82, 93-98.	2.0	17
47	Buffers more than buffering agent: introducing a new class of stabilizers for the protein BSA. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 1114-1133.	2.8	32
48	Thermodynamic Contribution of Amino Acids in Ionic Liquids Towards Protein Stability. <i>Current Biochemical Engineering</i> , 2014, 1, 125-140.	1.3	9
49	Experimental and Computational Study of CO ₂ Storage and Sequestration with Aqueous 2-Amino-2-hydroxymethyl-1,3-propanediol (TRIS) Solutions. <i>Journal of Physical Chemistry A</i> , 2014, 118, 11572-11582.	2.5	13
50	Superactivity of Î±-chymotrypsin with biological buffers, TRIS, TES, TAPS, and TAPSO in aqueous solutions. <i>RSC Advances</i> , 2014, 4, 51111-51116.	3.6	17
51	Good's buffers as a basis for developing self-buffering and biocompatible ionic liquids for biological research. <i>Green Chemistry</i> , 2014, 16, 3149-3159.	9.0	94
52	Effect of the Cation on the Interactions between Alkyl Methyl Imidazolium Chloride Ionic Liquids and Water. <i>Journal of Physical Chemistry B</i> , 2014, 118, 10503-10514.	2.6	58
53	Phase Behavior and Molecular Dynamics Simulation Studies of New Aqueous Two-Phase Separation Systems Induced by HEPES Buffer. <i>Journal of Physical Chemistry B</i> , 2013, 117, 563-582.	2.6	28
54	Interactions of bovine serum albumin with biological buffers, TES, TAPS, and TAPSO in aqueous solutions. <i>Process Biochemistry</i> , 2013, 48, 1686-1696.	3.7	25

#	ARTICLE	IF	CITATIONS
55	Stability Constants for the Equilibrium Models of Iron(III) with Several Biological Buffers in Aqueous Solutions. <i>Journal of Solution Chemistry</i> , 2013, 42, 2296-2309.	1.2	25
56	Buffering-out: Separation of tetrahydrofuran, 1,3-dioxolane, or 1,4-dioxane from their aqueous solutions using EPPS buffer at 298.15K. <i>Separation and Purification Technology</i> , 2013, 105, 33-40.	7.9	17
57	Interruption of hydration state of thermoresponsive polymer, poly(N-isopropylacrylamide) in guanidinium hydrochloride. <i>Polymer</i> , 2013, 54, 791-797.	3.8	14
58	TES buffer-induced phase separation of aqueous solutions of several water-miscible organic solvents at 298.15 K: Phase diagrams and molecular dynamic simulations. <i>Journal of Chemical Physics</i> , 2013, 138, 244501.	3.0	24
59	Phase diagrams of acetonitrile or (acetone+water+EPPS) buffer phase separation systems at 298.15K and quantum chemical modeling. <i>Journal of Chemical Thermodynamics</i> , 2012, 54, 134-141.	2.0	24
60	Destruction of hydrogen bonds of poly(N-isopropylacrylamide) aqueous solution by trimethylamineN-oxide. <i>Journal of Chemical Physics</i> , 2012, 136, 234904.	3.0	35
61	The buffering-out effect and phase separation in aqueous solutions of EPPS buffer with 1-propanol, 2-propanol, or 2-methyl-2-propanol at T= 298.15 K. <i>Journal of Chemical Thermodynamics</i> , 2012, 47, 154-161.	2.0	18
62	Interactions of Biological Buffers with Macromolecules: The Ubiquitous α -Smart-Polymer PNIPAM and the Biological Buffers MES, MOPS, and MOPSO. <i>Macromolecules</i> , 2011, 44, 8575-8589.	4.8	44
63	Complex Equilibria in Aqueous Solutions of Chromium(III) with Some Biological pH Buffers. <i>Journal of Chemical & Engineering Data</i> , 2011, 56, 3541-3551.	1.9	17
64	Solubility and Phase Separation of 2-(N-Morpholino)ethanesulfonic Acid (MES) and 4-(N-Morpholino)butanesulfonic Acid (MOBS) in Aqueous 1,4-Dioxane and Ethanol Solutions. <i>Journal of Chemical & Engineering Data</i> , 2011, 56, 4436-4443.	1.9	19
65	Iron(III), Chromium(III), and Copper(II) Complexes of N-Norvaline and Ferulic Acid. <i>Journal of Chemical & Engineering Data</i> , 2011, 56, 532-540.	1.9	32
66	Complex Formation Between Ferric(III), Chromium(III), and Cupric(II) Metal Ions and (O,N) and (O,O) Donor Ligands with Biological Relevance in Aqueous Solution. <i>Journal of Solution Chemistry</i> , 2011, 40, 1965-1986.	1.2	26
67	Solubility and phase separation of 4-morpholinepropanesulfonic acid (MOPS), and 3-morpholino-2-hydroxypropanesulfonic acid (MOPSO) in aqueous 1,4-dioxane and ethanol solutions. <i>Journal of Chemical Thermodynamics</i> , 2011, 43, 1723-1730.	2.0	20
68	New Insights into Buffer-Ionic Salt Interactions: Solubilities, Transfer Gibbs Energies, and Transfer Molar Volumes of TAPS and TAPSO from Water to Aqueous Electrolyte Solutions. <i>Journal of Solution Chemistry</i> , 2010, 39, 1665-1680.	1.2	1
69	Buffer interactions: Solubilities and transfer free energies of TRIS, TAPS, TAPSO, and TABS from water to aqueous ethanol solutions. <i>Fluid Phase Equilibria</i> , 2010, 289, 122-128.	2.5	9
70	Volumetric properties of MES, MOPS, MOPSO, and MOBS in water and in aqueous electrolyte solutions. <i>Thermochimica Acta</i> , 2010, 505, 86-97.	2.7	3
71	Palladium(II) Complexes Containing Dipicolinic Acid (DPA), Iminodiacetic Acid (IDA), and Various Biologically Important Ligands. <i>Journal of Chemical & Engineering Data</i> , 2010, 55, 754-758.	1.9	14
72	Interactions of TRIS [tris(hydroxymethyl)aminomethane] and related buffers with peptide backbone: Thermodynamic characterization. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 12840.	2.8	50

#	ARTICLE	IF	CITATIONS
73	Buffer interactions: Densities and solubilities of some selected biological buffers in water and in aqueous 1,4-dioxane solutions. <i>Biochemical Engineering Journal</i> , 2009, 46, 334-344.	3.6	21
74	Interaction of biological buffers with electrolytes: Densities of aqueous solutions of two substituted aminosulfonic acids and ionic salts from T=(298.15 to 328.15)K. <i>Journal of Chemical Thermodynamics</i> , 2009, 41, 705-715.	2.0	7
75	Iron Complexation Studies of Gallic Acid. <i>Journal of Chemical & Engineering Data</i> , 2009, 54, 35-42.	1.9	112
76	Buffers and Ionic Salts: Densities and Solubilities of Aqueous and Electrolyte Solutions of Tris(hydroxymethyl)aminomethane and <i>N</i> -Tris[hydroxymethyl]-4-amino-butanesulfonic Acid. <i>Journal of Chemical & Engineering Data</i> , 2009, 54, 2501-2512.	1.9	11
77	Thermodynamic studies on complexation of divalent transition metal ions with some zwitterionic buffers for biochemical and physiological research. <i>Journal of Chemical Thermodynamics</i> , 2007, 39, 304-308.	2.0	9
78	Buffers for the Physiological pH Range: Acidic Dissociation Constants of Zwitterionic Compounds in Various Hydroorganic Media. <i>Annali Di Chimica</i> , 2005, 95, 105-109.	0.6	7
79	Thermodynamics of the second-stage dissociation of 2-[N-(2-hydroxyethyl)-N-methylaminomethyl]-propenoic acid (HEMPA) in water at different ionic strength and different solvent mixtures. <i>Journal of Chemical Thermodynamics</i> , 2005, 37, 43-48.	2.0	9
80	Metal Ion-Buffer Interactions. Complex Formation of N,N-bis(2-Hydroxyethyl)glycine (Bicine) with Various Biologically Relevant Ligands. <i>Journal of Chemical & Engineering Data</i> , 2005, 50, 882-887.	1.9	7
81	Mixed-Ligand Complex Formation Equilibria of Cobalt(II), Nickel(II), and Copper(II) with N,N-Bis(2-hydroxyethyl)glycine (Bicine) and Some Amino Acids. <i>Journal of Chemical & Engineering Data</i> , 2005, 50, 157-163.	1.9	17
82	Equilibrium Studies of Binary and Ternary Complexes Involving Tricine and Some Selected α -Amino Acids. <i>Monatshefte für Chemie</i> , 2004, 135, 385-395.	1.8	16
83	Thermodynamic Study of the Second-Stage Dissociation of N, N-Bis-(2-Hydroxyethyl)Glycine (Bicine) in Water at Different Ionic Strength and Different Solvent Mixtures. <i>Annali Di Chimica</i> , 2004, 94, 971-978.	0.6	8