Michele Cicala

List of Publications by Citations

Source: https://exaly.com/author-pdf/4966915/michele-cicala-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38 56 3,753 122 h-index g-index citations papers 165 4,433 5.11 5.5 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|------------------|-----------|
| 122 | Dilated intercellular spaces of esophageal epithelium in nonerosive reflux disease patients with physiological esophageal acid exposure. <i>American Journal of Gastroenterology</i> , 2005 , 100, 543-8 | 0.7 | 195 |
| 121 | Ambulatory reflux monitoring for diagnosis of gastro-esophageal reflux disease: Update of the Porto consensus and recommendations from an international consensus group. Neurogastroenterology and Motility, 2017, 29, 1-15 | 4 | 194 |
| 120 | Classification of esophageal motor findings in gastro-esophageal reflux disease: Conclusions from an international consensus group. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e13104 | 4 | 130 |
| 119 | Intra-oesophageal distribution and perception of acid reflux in patients with non-erosive gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 18, 605-13 | 6.1 | 121 |
| 118 | Dynamic contrast enhanced magnetic resonance imaging of the terminal ileum: differentiation of activity of Crohn's disease. <i>Abdominal Imaging</i> , 2008 , 33, 417-24 | | 102 |
| 117 | Endoscopic implantation of a biopolymer in the lower esophageal sphincter for gastroesophageal reflux: a pilot study. <i>Gastrointestinal Endoscopy</i> , 2002 , 55, 335-41 | 5.2 | 98 |
| 116 | Upper gastrointestinal involvement of Crohn's disease: a prospective study on the role of upper endoscopy in the diagnostic work-up. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1618-23 | 4 | 94 |
| 115 | Diagnosis and management of non-erosive reflux diseasethe Vevey NERD Consensus Group. <i>Digestion</i> , 2009 , 80, 74-88 | 3.6 | 94 |
| 114 | Dilated intercellular spaces and acid reflux at the distal and proximal oesophagus in patients with non-erosive gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 629-36 | 6.1 | 92 |
| 113 | Increased TRPV1 gene expression in esophageal mucosa of patients with non-erosive and erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 746-51, e219 | 4 | 91 |
| 112 | Fecal and Mucosal Microbiota Profiling in Irritable Bowel Syndrome and Inflammatory Bowel Disease. <i>Frontiers in Microbiology</i> , 2019 , 10, 1655 | 5.7 | 85 |
| 111 | Presence of gas in the refluxate enhances reflux perception in non-erosive patients with physiological acid exposure of the oesophagus. <i>Gut</i> , 2008 , 57, 443-7 | 19.2 | 80 |
| 110 | Weak peristalsis with large breaks is associated with higher acid exposure and delayed reflux clearance in the supine position in GERD patients. <i>American Journal of Gastroenterology</i> , 2014 , 109, 46- | 51 ^{.7} | 75 |
| 109 | Gut Microbiota Dysbiosis as Risk and Premorbid Factors of IBD and IBS Along the Childhood-Adulthood Transition. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 487-504 | 4.5 | 69 |
| 108 | Randomised controlled trial of mesalazine in IBS. <i>Gut</i> , 2016 , 65, 82-90 | 19.2 | 67 |
| 107 | Hepatoduodenal bile transit in cholecystectomized subjects. Relationship with sphincter of Oddi function and diagnostic value. <i>Digestive Diseases and Sciences</i> , 1994 , 39, 1985-93 | 4 | 58 |
| 106 | Adalimumab in active ulcerative colitis: a "real-life" observational study. <i>Digestive and Liver Disease</i> , 2013 , 45, 738-43 | 3.3 | 57 |

(2019-2002)

| 1 | .05 | Outcome of endoscopic sphincterotomy in post cholecystectomy patients with sphincter of Oddi dysfunction as predicted by manometry and quantitative choledochoscintigraphy. <i>Gut</i> , 2002 , 50, 665-8 | 19.2 | 57 |
|---|-----|--|------|----|
| 1 | 04 | Effect of CNCM I-1572 on symptoms, gut microbiota, short chain fatty acids, and immune activation in patients with irritable bowel syndrome: A pilot randomized clinical trial. <i>United European Gastroenterology Journal</i> , 2018 , 6, 604-613 | 5.3 | 53 |
| 1 | 03 | Effect of endoscopic augmentation of the lower oesophageal sphincter (Gatekeeper reflux repair system) on intraoesophageal dynamic characteristics of acid reflux. <i>Gut</i> , 2005 , 54, 183-6 | 19.2 | 53 |
| 1 | .02 | A survey of pharmacological and nonpharmacological treatment of functional gastrointestinal disorders. <i>United European Gastroenterology Journal</i> , 2013 , 1, 385-93 | 5.3 | 49 |
| 1 | .01 | Gastroesophageal reflux disease: Update on inflammation and symptom perception. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6523-8 | 5.6 | 49 |
| 1 | .00 | Mechanisms of Action of Prebiotics and Their Effects on Gastro-Intestinal Disorders in Adults. <i>Nutrients</i> , 2020 , 12, | 6.7 | 48 |
| 9 | 19 | Reflux pattern and role of impedance-pH variables in predicting PPI response in patients with suspected GERD-related chronic cough. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 966-73 | 6.1 | 47 |
| 9 | 18 | Antioxidant activity of inulin and its role in the prevention of human colonic muscle cell impairment induced by lipopolysaccharide mucosal exposure. <i>PLoS ONE</i> , 2014 , 9, e98031 | 3.7 | 46 |
| 9 | 7 | Infliximab reverses growth hormone resistance associated with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 21, 1063-71 | 6.1 | 46 |
| 9 | 16 | Quantitative cholescintigraphy in the assessment of choledochoduodenal bile flow. <i>Gastroenterology</i> , 1991 , 100, 1106-13 | 13.3 | 46 |
| 9 | 15 | Relationship between baseline impedance levels and esophageal mucosal integrity in children with erosive and non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2012 , 24, 828-e394 | 4 | 45 |
| 9 | 94 | Proton pump inhibitor resistance, the real challenge in gastro-esophageal reflux disease. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6529-35 | 5.6 | 45 |
| 9 | 13 | Nutritional Aspects in Inflammatory Bowel Diseases. <i>Nutrients</i> , 2020 , 12, | 6.7 | 44 |
| 9 | 12 | Antro-pyloric contractile patterns and transpyloric flow after meal ingestion in humans. <i>American Journal of Gastroenterology</i> , 1998 , 93, 2513-22 | 0.7 | 44 |
| 9 | 1 | Correlation between gall bladder fasting volume and postprandial emptying in patients with gall stones and healthy controls. <i>Gut</i> , 1993 , 34, 1443-7 | 19.2 | 42 |
| 9 | 0 | Maintenance of remission with infliximab in inflammatory bowel disease: efficacy and safety long-term follow-up. <i>World Journal of Gastroenterology</i> , 2007 , 13, 5238-44 | 5.6 | 42 |
| 8 | 9 | Therapeutic Drug Monitoring is More Cost-Effective than a Clinically Based Approach in the Management of Loss of Response to Infliximab in Inflammatory Bowel Disease: An Observational Multicentre Study. <i>Journal of Crohnmand Colitis</i> , 2018 , 12, 1079-1088 | 1.5 | 41 |
| 8 | 88 | How to select patients for antireflux surgery? The ICARUS guidelines (international consensus regarding preoperative examinations and clinical characteristics assessment to select adult patients for antireflux surgery). <i>Gut</i> , 2019 , 68, 1928-1941 | 19.2 | 41 |

| 87 | Regional oesophageal sensitivity to acid and weakly acidic reflux in patients with non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 253-8 | 4 | 41 |
|----|--|------|----|
| 86 | Effect of hiatal hernia on proximal oesophageal acid clearance in gastro-oesophageal reflux disease patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 751-7 | 6.1 | 40 |
| 85 | Randomised clinical trial: mucosal protection combined with acid suppression in the treatment of non-erosive reflux disease - efficacy of Esoxx, a hyaluronic acid-chondroitin sulphate based bioadhesive formulation. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 631-642 | 6.1 | 38 |
| 84 | Fecal Clostridiales distribution and short-chain fatty acids reflect bowel habits in irritable bowel syndrome. <i>Environmental Microbiology</i> , 2018 , 20, 3201-3213 | 5.2 | 35 |
| 83 | Long-term treatment with infliximab in inflammatory bowel disease: safety and tolerability issues. <i>Expert Opinion on Drug Safety</i> , 2008 , 7, 617-32 | 4.1 | 35 |
| 82 | HCl-induced and ATP-dependent upregulation of TRPV1 receptor expression and cytokine production by human esophageal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, G635-45 | 5.1 | 34 |
| 81 | Gut mucosal-associated microbiota better discloses inflammatory bowel disease differential patterns than faecal microbiota. <i>Digestive and Liver Disease</i> , 2019 , 51, 648-656 | 3.3 | 34 |
| 80 | Ursodeoxycholic acid improves muscle contractility and inflammation in symptomatic gallbladders with cholesterol gallstones. <i>Gut</i> , 2007 , 56, 815-20 | 19.2 | 32 |
| 79 | White paper of Italian Gastroenterology: delivery of services for digestive diseases in Italy: weaknesses and strengths. <i>Digestive and Liver Disease</i> , 2014 , 46, 579-89 | 3.3 | 30 |
| 78 | Effect of acute mucosal exposure to Lactobacillus rhamnosus GG on human colonic smooth muscle cells. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42 Suppl 3 Pt 2, S185-90 | 3 | 29 |
| 77 | Gastro-esophageal reflux disease and obesity, where is the link?. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6536-9 | 5.6 | 28 |
| 76 | Immunohistochemical evaluation of pRb2/p130, VEGF, EZH2, p53, p16, p21waf-1, p27, and PCNA in Barrett's esophagus. <i>Journal of Cellular Physiology</i> , 2006 , 207, 512-9 | 7 | 28 |
| 75 | Progesterone receptors and serotonin levels in colon epithelial cells from females with slow transit constipation. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 575-e210 | 4 | 27 |
| 74 | Impedance baseline and reflux perception in responder and non-responder non-erosive reflux disease patients. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1266-73 | 2.4 | 27 |
| 73 | Confirmatory factor analysis of the Patient Assessment of Constipation-Symptoms (PAC-SYM) among patients with chronic constipation. <i>Quality of Life Research</i> , 2015 , 24, 1597-605 | 3.7 | 26 |
| 72 | Lactobacillus rhamnosus protects human colonic muscle from pathogen lipopolysaccharide-induced damage. <i>Neurogastroenterology and Motility</i> , 2013 , 25, 984-e777 | 4 | 24 |
| 71 | Increased frequency and enhanced perception of reflux in non-erosive reflux disease patients non-responders to proton pump inhibitors. <i>Digestive and Liver Disease</i> , 2012 , 44, 549-54 | 3.3 | 24 |
| 70 | Role of Overweight and Obesity in Gastrointestinal Disease. <i>Nutrients</i> , 2019 , 12, | 6.7 | 24 |

(2007-2016)

| 69 | Bloating is associated with worse quality of life, treatment satisfaction, and treatment responsiveness among patients with constipation-predominant irritable bowel syndrome and functional constipation. <i>Neurogastroenterology and Motility</i> , 2016 , 28, 581-91 | 4 | 24 |
|----------------|--|---------|----------------|
| 68 | Use of biosimilars in inflammatory bowel disease: a position update of the Italian Group for the Study of Inflammatory Bowel Disease (IG-IBD). <i>Digestive and Liver Disease</i> , 2019 , 51, 632-639 | 3.3 | 22 |
| 67 | Increased sphincter of Oddi basal pressure in patients affected by gall stone disease: a role for biliary stasis and colicky pain?. <i>Gut</i> , 2001 , 48, 414-7 | 19.2 | 22 |
| 66 | Prevalence and clinical characteristics of refractoriness to optimal proton pump inhibitor therapy in non-erosive reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 1074-1081 | 6.1 | 22 |
| 65 | Impedance-high resolution manometry analysis of patients with nonerosive reflux disease. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 52-7 | 6.9 | 21 |
| 64 | Intercellular space diameters of the oesophageal epithelium in NERD patients: head to head comparison between light and electron microscopy analysis. <i>Digestive and Liver Disease</i> , 2009 , 41, 9-14 | 3.3 | 21 |
| 63 | Platelet-activating factor and distinct chemokines are elevated in mucosal biopsies of erosive compared with non-erosive reflux disease patients and controls. <i>Neurogastroenterology and Motility</i> , 2012 , 24, 943-e463 | 4 | 20 |
| 62 | Effect of ursodeoxycholic acid on inflammatory infiltrate in gallbladder muscle of cholesterol gallstone patients. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 866-73, e232 | 4 | 20 |
| 61 | Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. <i>Gut</i> , 2020 , | 19.2 | 17 |
| 60 | Scintigraphic assessment of SO dysfunction. <i>Gut</i> , 2003 , 52, 1655-6 | 19.2 | 15 |
| 59 | Correlation between reflux burden, peristaltic function, and mucosal integrity in GERD patients. Neurogastroenterology and Motility, 2020 , 32, e13752 | 4 | 15 |
| | | | |
| 58 | Nutritional status and bioelectrical phase angle assessment in adult Crohn disease patients receiving anti-TNFItherapy. <i>Digestive and Liver Disease</i> , 2017 , 49, 495-499 | 3.3 | 14 |
| 58 57 | · | 3.3 | 14 |
| | receiving anti-TNFItherapy. <i>Digestive and Liver Disease</i> , 2017 , 49, 495-499 Acid reflux episodes sensitize the esophagus to perception of weakly acidic and mixed reflux in | | |
| 57 | Acid reflux episodes sensitize the esophagus to perception of weakly acidic and mixed reflux in non-erosive reflux disease patients. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 108-14 Proximal oesophagus: the added value in understanding GORD symptoms. <i>Neurogastroenterology</i> | 4 | 14 |
| 57 56 | Acid reflux episodes sensitize the esophagus to perception of weakly acidic and mixed reflux in non-erosive reflux disease patients. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 108-14 Proximal oesophagus: the added value in understanding GORD symptoms. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 790-5 Novel impedance-pH parameters are associated with proton pump inhibitor response in patients with inconclusive diagnosis of gastro-oesophageal reflux disease according to Lyon Consensus. | 4 4 6.1 | 14 |
| 57 56 55 | Acid reflux episodes sensitize the esophagus to perception of weakly acidic and mixed reflux in non-erosive reflux disease patients. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 108-14 Proximal oesophagus: the added value in understanding GORD symptoms. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 790-5 Novel impedance-pH parameters are associated with proton pump inhibitor response in patients with inconclusive diagnosis of gastro-oesophageal reflux disease according to Lyon Consensus. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 412-418 Fragmented and failed swallows on esophageal high-resolution manometry associate with | 4 4 6.1 | 14 14 14 |

| 51 | Exploring the genetic diversity of the 16S rRNA gene of in IBD and IBS. <i>Future Microbiology</i> , 2019 , 14, 1497-1509 | 2.9 | 12 |
|----|--|------|----|
| 50 | Effect of Inulin on Proteome Changes Induced by Pathogenic Lipopolysaccharide in Human Colon. <i>PLoS ONE</i> , 2017 , 12, e0169481 | 3.7 | 11 |
| 49 | Dilated intercellular space diameter as marker of reflux-related mucosal injury in children with chronic cough and gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 733-42 | 6.1 | 11 |
| 48 | Decreased number of activated macrophages in gallbladder muscle layer of cholesterol gallstone patients following ursodeoxycholic acid. <i>Gut</i> , 2008 , 57, 1740-1 | 19.2 | 11 |
| 47 | Eosinophilic esophagitis: New insights in pathogenesis and therapy. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2016 , 7, 66-77 | 3 | 11 |
| 46 | Post-reflux swallow-induced peristaltic wave index and mean nocturnal baseline impedance predict PPI response in GERD patients with extra esophageal symptoms. <i>Digestive and Liver Disease</i> , 2020 , 52, 173-177 | 3.3 | 11 |
| 45 | High-resolution Manometry Determinants of Refractoriness of Reflux Symptoms to Proton Pump Inhibitor Therapy. <i>Journal of Neurogastroenterology and Motility</i> , 2020 , 26, 447-454 | 4.4 | 10 |
| 44 | Gastrointestinal sensitivity and gastroesophageal reflux disease. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1300, 80-95 | 6.5 | 10 |
| 43 | Supernatants of irritable bowel syndrome mucosal biopsies impair human colonic smooth muscle contractility. <i>Neurogastroenterology and Motility</i> , 2017 , 29, e12928 | 4 | 10 |
| 42 | Role of Mixed Reflux and Hypomotility with Delayed Reflux Clearance in Patients with Non-cardiac Chest Pain. <i>Journal of Neurogastroenterology and Motility</i> , 2016 , 22, 606-612 | 4.4 | 10 |
| 41 | Postreflux swallow-induced peristaltic wave index from pH-impedance monitoring associates with esophageal body motility and esophageal acid burden. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e13973 | 4 | 10 |
| 40 | A SIGE-SINGEM-AIGO technical review on the clinical use of esophageal reflux monitoring. <i>Digestive and Liver Disease</i> , 2020 , 52, 966-980 | 3.3 | 9 |
| 39 | Impairment of GH/IGF-1 Axis in the Liver of Patients with HCV-Related Chronic Hepatitis. <i>Hormone and Metabolic Research</i> , 2018 , 50, 145-151 | 3.1 | 9 |
| 38 | Human colonic myogenic dysfunction induced by mucosal lipopolysaccharide translocation and oxidative stress. <i>Digestive and Liver Disease</i> , 2013 , 45, 1011-6 | 3.3 | 9 |
| 37 | Experimental evidence and mathematical modeling of thermal effects on human colonic smooth muscle contractility. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, G77-88 | 5.1 | 9 |
| 36 | High-resolution Manometry Findings During Solid Swallows Correlate With Delayed Reflux Clearance and Acid Exposure Time in Non-erosive Reflux Disease Patients. <i>Journal of Neurogastroenterology and Motility</i> , 2019 , 25, 68-74 | 4.4 | 9 |
| 35 | Intra-bolus pressure and esophagogastric gradient, assessed with high-resolution manometry, are associated with acid exposure and proximal migration of refluxate. <i>Ecological Management and Restoration</i> , 2016 , 29, 1020-1026 | 3 | 8 |
| 34 | Short-term ursodeoxycholic acid treatment improves gallbladder bile turnover in gallstone patients: a randomized trial. <i>Neurogastroenterology and Motility</i> , 2005 , 17, 680-6 | 4 | 8 |

(2021-2001)

| 33 | Ultrasonographic assessment of gallbladder bile exchanges in healthy subjects and in gallstone patients. <i>Ultrasound in Medicine and Biology</i> , 2001 , 27, 1445-50 | 3.5 | 8 | |
|----|--|-----|---|--|
| 32 | Diarrhea Predominant-Irritable Bowel Syndrome (IBS-D): Effects of Different Nutritional Patterns on Intestinal Dysbiosis and Symptoms. <i>Nutrients</i> , 2021 , 13, | 6.7 | 8 | |
| 31 | New classifications of gastroesophageal reflux disease: an improvement for patient management?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019 , 13, 761-769 | 4.2 | 7 | |
| 30 | Effect of endogenous cholecystokinin on postprandial gallbladder refilling. Ultrasonographic study in healthy subjects and in gallstone patients. <i>Digestive Diseases and Sciences</i> , 1995 , 40, 76-81 | 4 | 7 | |
| 29 | Palmitic Acid Affects Intestinal Epithelial Barrier Integrity and Permeability In Vitro. <i>Antioxidants</i> , 2020 , 9, | 7.1 | 6 | |
| 28 | Esophageal disease: updated information on inflammation. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1232, 369-75 | 6.5 | 6 | |
| 27 | Maintenance treatment with infliximab for the management of Crohn's disease in adults. <i>Biologics: Targets and Therapy</i> , 2009 , 3, 39-49 | 4.4 | 6 | |
| 26 | Reflux characteristics triggering post-reflux swallow-induced peristaltic wave (PSPW) in patients with GERD symptoms. <i>Neurogastroenterology and Motility</i> , 2021 , e14183 | 4 | 6 | |
| 25 | Impaired contractility of colonic muscle cells in a patient with chronic intestinal pseudo-obstruction. <i>Digestive and Liver Disease</i> , 2008 , 40, 225-9 | 3.3 | 5 | |
| 24 | Esophageal pH increments associated with post-reflux swallow-induced peristaltic waves show the occurrence and relevance of esophago-salivary reflex in clinical setting. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14085 | 4 | 5 | |
| 23 | Barrett's esophagus: clinical features, obesity, and imaging. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1232, 36-52 | 6.5 | 4 | |
| 22 | Baseline impedance levels and structural and functional integrity of the esophageal mucosa: is acid still the only player?. <i>American Journal of Gastroenterology</i> , 2012 , 107, 1104; author reply 1104-5 | 0.7 | 4 | |
| 21 | Gallbladder emptying during high-dose cholecystokinin infusions. Effect in patients with gallstone disease and healthy controls. <i>Scandinavian Journal of Gastroenterology</i> , 1995 , 30, 128-32 | 2.4 | 4 | |
| 20 | Asymptomatic Parasitic Infection in a Crohn's Disease Patient on Anti-TNFITherapy: An Alert for Our Patients?. <i>Journal of Crohnmand Colitis</i> , 2016 , 10, 1455-1456 | 1.5 | 4 | |
| 19 | Early-onset versus late-onset Crohn's disease: An Italian cohort study. <i>United European Gastroenterology Journal</i> , 2020 , 8, 52-58 | 5.3 | 3 | |
| 18 | Spotlight on the treatment armamentarium of concomitant psoriasis and inflammatory bowel disease: a systematic review. <i>Journal of Dermatological Treatment</i> , 2020 , 1-8 | 2.8 | 3 | |
| 17 | Association between Dietary Habits and Fecal Microbiota Composition in Irritable Bowel Syndrome Patients: A Pilot Study. <i>Nutrients</i> , 2021 , 13, | 6.7 | 3 | |
| 16 | The Results From Up-Front Esophageal Testing Predict Proton Pump Inhibitor Response in Patients With Chronic Cough. <i>American Journal of Gastroenterology</i> , 2021 , 116, 2199-2206 | 0.7 | 3 | |

| 15 | Role of Esophageal Motility, Acid Reflux, and of Acid Suppression in Nonobstructive Dysphagia. Journal of Clinical Gastroenterology, 2018 , 52, 607-613 | 3 | 3 |
|----|--|------|---|
| 14 | Su1105 Extent of Esophageal Shortening Is Greater in Incomplete Transient LES Relaxations Than Swallows in NERD Patients and Healthy Controls. <i>Gastroenterology</i> , 2016 , 150, S471 | 13.3 | 2 |
| 13 | Associations between the IGF system and inflammatory markers in inflammatory bowel disease: authors[reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 554-555 | 6.1 | 2 |
| 12 | Gatekeeper TM Reflux Repair System: Results of Two Years Follow-up. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, P244 | 5.2 | 2 |
| 11 | Patients With Definite and Inconclusive Evidence of Reflux According to Lyon Consensus Display Similar Motility and Esophagogastric Junction Characteristics. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 565-573 | 4.4 | 2 |
| 10 | The impact of the intestinal microbiota and the mucosal permeability on three different antibiotic drugs. <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 164, 105869 | 5.1 | 2 |
| 9 | Measurement of acid exposure of proximal esophagus: a better tool for diagnosing non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2011 , 23, 711-e324 | 4 | 1 |
| 8 | Understanding the relationship between esophageal motor disorders and reflux disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 933-940 | 4.2 | 1 |
| 7 | Impaired Colonic Contractility and Intestinal Permeability in Symptomatic Uncomplicated Diverticular Disease. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 292-301 | 4.4 | 1 |
| 6 | Safety and tolerability of a novel oral nutritional supplement in healthy volunteers. <i>Clinical Nutrition</i> , 2021 , 40, 946-955 | 5.9 | 1 |
| 5 | Gut Microbiota and Related Electronic Multisensorial System Changes in Subjects With Symptomatic Uncomplicated Diverticular Disease Undergoing Rifaximin Therapy. <i>Frontiers in Medicine</i> , 2021 , 8, 655474 | 4.9 | 1 |
| 4 | Reply: To PMID 25109844. <i>Gastroenterology</i> , 2015 , 148, 1067 | 13.3 | |
| 3 | Clinical impact of proton pump inhibitor response and dependence. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13846 | 4 | |
| 2 | Spondyloarthropathy associated with Crohn's disease treated with adalimumab. <i>Digestive and Liver Disease Supplements</i> , 2010 , 4, 4-6 | | |
| 1 | Association between post-reflux swallow-induced peristaltic wave index and esophageal mucosal integrity in patients with GERD symptoms <i>Neurogastroenterology and Motility</i> , 2022 , e14344 | 4 | |