
## Takashi Kohno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4967608/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Comprehensive genomic profiles of small cell lung cancer. Nature, 2015, 524, 47-53.   | 13.7 | 1,634     |
| 2  | KIF5B-RET fusions in lung adenocarcinoma. Nature Medicine, 2012, 18, 375-377.   | 15.2 | 753       |
| 3  | Identification of Genes Upregulated in <i>ALK</i> -Positive and <i>EGFR/KRAS/ALK</i> -Negative Lung<br>Adenocarcinomas. Cancer Research, 2012, 72, 100-111.   | 0.4  | 702       |
| 4  | Comprehensive Histologic Analysis of ALK-Rearranged Lung Carcinomas. American Journal of Surgical<br>Pathology, 2011, 35, 1226-1234.  | 2.1  | 264       |
| 5  | Vandetanib in patients with previously treated RET-rearranged advanced non-small-cell lung cancer<br>(LURET): an open-label, multicentre phase 2 trial. Lancet Respiratory Medicine,the, 2017, 5, 42-50.                  | 5.2  | 252       |
| 6  | Feasibility and utility of a panel testing for 114 cancerâ€associated genes in a clinical setting: A<br>hospitalâ€based study. Cancer Science, 2019, 110, 1480-1490.  | 1.7  | 238       |
| 7  | Frequent BRG1/SMARCA4-inactivating mutations in human lung cancer cell lines. Human Mutation, 2008, 29, 617-622.  | 1.1  | 226       |
| 8  | A Synthetic Lethality–Based Strategy to Treat Cancers Harboring a Genetic Deficiency in the<br>Chromatin Remodeling Factor BRG1. Cancer Research, 2013, 73, 5508-5518.  | 0.4  | 225       |
| 9  | Targeting the Vulnerability of Glutathione Metabolism in ARID1A-Deficient Cancers. Cancer Cell, 2019, 35, 177-190.e8.   | 7.7  | 201       |
| 10 | Long-term expansion of alveolar stem cells derived from human iPS cells in organoids. Nature<br>Methods, 2017, 14, 1097-1106.   | 9.0  | 198       |
| 11 | The Association of MicroRNA Expression with Prognosis and Progression in Early-Stage, Non–Small<br>Cell Lung Adenocarcinoma: A Retrospective Analysis of Three Cohorts. Clinical Cancer Research, 2011,<br>17, 1875-1882. | 3.2  | 187       |
| 12 | FrequentEGFR mutations in brain metastases of lung adenocarcinoma. International Journal of Cancer, 2006, 119, 1491-1494.   | 2.3  | 183       |
| 13 | The ACF1 Complex Is Required for DNA Double-Strand Break Repair in Human Cells. Molecular Cell, 2010, 40, 976-987.  | 4.5  | 182       |
| 14 | Gene aberrations for precision medicine against lung adenocarcinoma. Cancer Science, 2016, 107, 713-720.  | 1.7  | 174       |
| 15 | Beyond ALK-RET, ROS1 and other oncogene fusions in lung cancer. Translational Lung Cancer<br>Research, 2015, 4, 156-64.   | 1.3  | 173       |
| 16 | Druggable Oncogene Fusions in Invasive Mucinous Lung Adenocarcinoma. Clinical Cancer Research,<br>2014, 20, 3087-3093.  | 3.2  | 169       |
| 17 | A genome-wide association study identifies two new susceptibility loci for lung adenocarcinoma in the Japanese population. Nature Genetics, 2012, 44, 900-903.  | 9.4  | 166       |
| 18 | ROS1-Rearranged Lung Cancer. American Journal of Surgical Pathology, 2013, 37, 554-562.   | 2.1  | 155       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | <i>MAX</i> Inactivation in Small Cell Lung Cancer Disrupts MYC–SWI/SNF Programs and Is Synthetic<br>Lethal with BRG1. Cancer Discovery, 2014, 4, 292-303.  | 7.7 | 153       |
| 20 | Therapeutic Priority of the PI3K/AKT/mTOR Pathway in Small Cell Lung Cancers as Revealed by a Comprehensive Genomic Analysis. Journal of Thoracic Oncology, 2014, 9, 1324-1331.                                  | 0.5 | 150       |
| 21 | Clinicopathological and molecular characterization of SMARCA4-deficient thoracic sarcomas with comparison to potentially related entities. Modern Pathology, 2017, 30, 797-809.                                  | 2.9 | 149       |
| 22 | Somatic Genomics and Clinical Features of Lung Adenocarcinoma: A Retrospective Study. PLoS<br>Medicine, 2016, 13, e1002162.  | 3.9 | 148       |
| 23 | SWI/SNF Factors Required for Cellular Resistance to DNA Damage Include ARID1A and ARID1B and Show Interdependent Protein Stability. Cancer Research, 2014, 74, 2465-2475.  | 0.4 | 140       |
| 24 | c-MET/Phospho-MET Protein Expression and MET Gene Copy Number in Non-small Cell Lung Carcinomas.<br>Journal of Thoracic Oncology, 2012, 7, 331-339.  | 0.5 | 136       |
| 25 | Targeting p300 Addiction in <i>CBP</i> -Deficient Cancers Causes Synthetic Lethality by Apoptotic Cell<br>Death due to Abrogation of <i>MYC</i> Expression. Cancer Discovery, 2016, 6, 430-445.                  | 7.7 | 129       |
| 26 | A gene-alteration profile of human lung cancer cell lines. Human Mutation, 2009, 30, 1199-1206.  | 1.1 | 113       |
| 27 | Genomeâ€wide identification of genes with amplification and/or fusion in small cell lung cancer. Genes<br>Chromosomes and Cancer, 2013, 52, 802-816.   | 1.5 | 106       |
| 28 | <i><scp>RET</scp></i> fusion gene: Translation to personalized lung cancer therapy. Cancer Science, 2013, 104, 1396-1400.  | 1.7 | 106       |
| 29 | An Integrated Prognostic Classifier for Stage I Lung Adenocarcinoma Based on mRNA, microRNA, and DNA Methylation Biomarkers. Journal of Thoracic Oncology, 2015, 10, 1037-1048.                                  | 0.5 | 103       |
| 30 | Aberrant transcriptional regulations in cancers: genome, transcriptome and epigenome analysis of lung adenocarcinoma cell lines. Nucleic Acids Research, 2014, 42, 13557-13572.                                  | 6.5 | 102       |
| 31 | Treatment of lung adenocarcinoma by molecular-targeted therapy and immunotherapy. Surgery Today, 2018, 48, 1-8.  | 0.7 | 88        |
| 32 | Mutations and deletions of the CBP gene in human lung cancer. Clinical Cancer Research, 2005, 11, 512-9.   | 3.2 | 88        |
| 33 | Body Mass Index (BMI), BMI Change, and Overall Survival in Patients With SCLC and NSCLC: A Pooled<br>Analysis of the International Lung Cancer Consortium. Journal of Thoracic Oncology, 2019, 14,<br>1594-1607. | 0.5 | 81        |
| 34 | A secondary RET mutation in the activation loop conferring resistance to vandetanib. Nature<br>Communications, 2018, 9, 625.   | 5.8 | 75        |
| 35 | Expression and clinical significance of genes frequently mutated in small cell lung cancers defined by whole exome/RNA sequencing. Carcinogenesis, 2015, 36, 616-621.  | 1.3 | 73        |
| 36 | Frequent BRAF or EGFR Mutations in Ciliated Muconodular Papillary Tumors of the Lung. Journal of Thoracic Oncology, 2016, 11, 261-265.   | 0.5 | 71        |

Τακάςτι Κότιο

| #  | Article   | IF           | CITATIONS     |
|----|---|--------------|---------------|
| 37 | Garcinol, a Histone Acetyltransferase Inhibitor, Radiosensitizes Cancer Cells by Inhibiting<br>Non-Homologous End Joining. International Journal of Radiation Oncology Biology Physics, 2012, 84,<br>815-821.                                       | 0.4          | 68            |
| 38 | Association of DNA Repair Gene Polymorphisms With Response to Platinum-Based Doublet<br>Chemotherapy in Patients With Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2010, 28,<br>4945-4952.   | 0.8          | 67            |
| 39 | Identification of a lung adenocarcinoma cell line with <scp>CCDC</scp> 6â€ <scp>RET</scp> fusion gene<br>and the effect of <scp>RET</scp> inhibitors <i>in vitro</i> and <i>in vivo</i> . Cancer Science, 2013, 104,<br>896-903.                    | 1.7          | 67            |
| 40 | Single-cell analysis of lung adenocarcinoma cell lines reveals diverse expression patterns of individual cells invoked by a molecular target drug treatment. Genome Biology, 2015, 16, 66.  | 3.8          | 66            |
| 41 | KAT6B Is a Tumor Suppressor Histone H3 Lysine 23 Acetyltransferase Undergoing Genomic Loss in Small<br>Cell Lung Cancer. Cancer Research, 2015, 75, 3936-3945.  | 0.4          | 65            |
| 42 | C646, a selective small molecule inhibitor of histone acetyltransferase p300, radiosensitizes lung cancer cells by enhancing mitotic catastrophe. Radiotherapy and Oncology, 2014, 111, 222-227.  | 0.3          | 62            |
| 43 | Curcumin suppresses multiple DNA damage response pathways and has potency as a sensitizer to PARP inhibitor. Carcinogenesis, 2013, 34, 2486-2497.   | 1.3          | 61            |
| 44 | Epigenetic clustering of lung adenocarcinomas based on DNA methylation profiles in adjacent lung<br>tissue: Its correlation with smoking history and chronic obstructive pulmonary disease.<br>International Journal of Cancer, 2014, 135, 319-334. | 2.3          | 57            |
| 45 | Bright-Field Dual-Color Chromogenic In Situ Hybridization for Diagnosing Echinoderm<br>Microtubule-Associated Protein-Like 4-Anaplastic Lymphoma Kinase-Positive Lung Adenocarcinomas.<br>Journal of Thoracic Oncology, 2011, 6, 1677-1686.         | 0.5          | 56            |
| 46 | TSPAN12 is a critical factor for cancer–fibroblast cell contact-mediated cancer invasion. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 18691-18696.  | 3.3          | 55            |
| 47 | Mouse Model for ROS1-Rearranged Lung Cancer. PLoS ONE, 2013, 8, e56010.   | 1.1          | 54            |
| 48 | Oncogenic Fusion Gene <i>CD74-NRG1</i> Confers Cancer Stem Cell–like Properties in Lung Cancer<br>through a IGF2 Autocrine/Paracrine Circuit. Cancer Research, 2016, 76, 974-983.   | 0.4          | 53            |
| 49 | Sequencing and phasing cancer mutations in lung cancers using a long-read portable sequencer. DNA<br>Research, 2017, 24, 585-596.   | 1.5          | 53            |
| 50 | Combination of Protein Coding and Noncoding Gene Expression as a Robust Prognostic Classifier in<br>Stage I Lung Adenocarcinoma. Cancer Research, 2013, 73, 3821-3832.  | 0.4          | 52            |
| 51 | DNA Methylation Profiles at Precancerous Stages Associated with Recurrence of Lung<br>Adenocarcinoma. PLoS ONE, 2013, 8, e59444.  | 1.1          | 52            |
| 52 | Molecular Mechanisms Underlying Oncogenic RET Fusion in Lung Adenocarcinoma. Journal of<br>Thoracic Oncology, 2014, 9, 622-630.   | 0.5          | 50            |
| 53 | Association of variations in HLA class II and other loci with susceptibility to EGFR-mutated lung adenocarcinoma. Nature Communications, 2016, 7, 12451.  | 5.8          | 49            |
| 54 | Clinical practice guidance for next-generation sequencing in cancer diagnosis and treatment (edition) Tj ETQq   | 0 0 0 rgBT / | Overlock 10 T |

4

Τακάςτι Κότνο

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Comprehensive screening of target molecules by next-generation sequencing in patients with malignant solid tumors: guiding entry into phase I clinical trials. Molecular Cancer, 2016, 15, 73.                                   | 7.9 | 47        |
| 56 | CBP and p300 Histone Acetyltransferases Contribute to Homologous Recombination by Transcriptionally Activating the BRCA1 and RAD51 Genes. PLoS ONE, 2012, 7, e52810.   | 1.1 | 46        |
| 57 | The genomic and epigenomic landscape in thymic carcinoma. Carcinogenesis, 2017, 38, 1084-1091.   | 1.3 | 46        |
| 58 | A mouse model of KIF5B-RET fusion-dependent lung tumorigenesis. Carcinogenesis, 2014, 35, 2452-2456.   | 1.3 | 41        |
| 59 | Molecular dynamics simulation-guided drug sensitivity prediction for lung cancer with rare<br><i>EGFR</i> mutations. Proceedings of the National Academy of Sciences of the United States of<br>America, 2019, 116, 10025-10030. | 3.3 | 41        |
| 60 | Development of Lung Adenocarcinomas with Exclusive Dependence on Oncogene Fusions. Cancer<br>Research, 2015, 75, 2264-2271.  | 0.4 | 38        |
| 61 | A computational tool to detect DNA alterations tailored to formalin-fixed paraffin-embedded samples<br>in cancer clinical sequencing. Genome Medicine, 2018, 10, 44.   | 3.6 | 37        |
| 62 | REToma: a cancer subtype with a shared driver oncogene. Carcinogenesis, 2020, 41, 123-129.   | 1.3 | 37        |
| 63 | Molecular processes of chromosome 9p21 deletions causing inactivation of the p16 tumor suppressor gene in human cancer: Deduction from structural analysis of breakpoints for deletions. DNA Repair, 2006, 5, 1273-1281.         | 1.3 | 35        |
| 64 | Whole Genome Comparison of Allelic Imbalance between Noninvasive and Invasive Small-Sized Lung<br>Adenocarcinomas. Cancer Research, 2009, 69, 1615-1623.   | 0.4 | 33        |
| 65 | A Three-microRNA Signature Predicts Responses to Platinum-Based Doublet Chemotherapy in Patients with Lung Adenocarcinoma. Clinical Cancer Research, 2014, 20, 4784-4793.  | 3.2 | 33        |
| 66 | TSPAN2 Is Involved in Cell Invasion and Motility during Lung Cancer Progression. Cell Reports, 2014, 7, 527-538.   | 2.9 | 33        |
| 67 | Implementation of "clinical sequencing―in cancer genome medicine in Japan. Cancer Science, 2018, 109,<br>507-512.  | 1.7 | 31        |
| 68 | Association of habitual smoking and drinking with single nucleotide polymorphism (SNP) in 40<br>candidate genes: data from random population-based Japanese samples. Journal of Human Genetics,<br>2005, 50, 62-68.              | 1.1 | 30        |
| 69 | Association of p16 Homozygous Deletions with Clinicopathologic Characteristics and EGFR/KRAS/p53<br>Mutations in Lung Adenocarcinoma. Clinical Cancer Research, 2008, 14, 3746-3753.   | 3.2 | 30        |
| 70 | The EGFR mutation status affects the relative biological effectiveness of carbon-ion beams in non-small cell lung carcinoma cells. Scientific Reports, 2015, 5, 11305.   | 1.6 | 29        |
| 71 | Mitotic catastrophe is a putative mechanism underlying the weak correlation between sensitivity to carbon ions and cisplatin. Scientific Reports, 2017, 7, 40588.  | 1.6 | 29        |
| 72 | Differential Immune-Related Microenvironment Determines Programmed Cell Death<br>Protein-1/Programmed Death-Ligand 1 Blockade Efficacy in Patients With Advanced NSCLC. Journal of<br>Thoracic Oncology, 2021, 16, 2078-2090.    | 0.5 | 29        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Chromatin-regulating proteins as targets for cancer therapy. Journal of Radiation Research, 2014, 55, 613-628.  | 0.8 | 28        |
| 74 | Long-read sequencing for non-small-cell lung cancer genomes. Genome Research, 2020, 30, 1243-1257.  | 2.4 | 28        |
| 75 | Update on Epidemiology, Diagnosis, and Biomarkers in Gastroenteropancreatic Neuroendocrine<br>Neoplasms. Cancers, 2022, 14, 1119.   | 1.7 | 28        |
| 76 | Genomic alterations in STK11 can predict clinical outcomes in cervical cancer patients. Gynecologic Oncology, 2020, 156, 203-210.   | 0.6 | 27        |
| 77 | <i>SMARCA4</i> deficiency-associated heterochromatin induces intrinsic DNA replication stress and susceptibility to ATR inhibition in lung adenocarcinoma. NAR Cancer, 2020, 2, zcaa005.  | 1.6 | 27        |
| 78 | Involvement of Ku80 in microhomology-mediated end joining for DNA double-strand breaks in vivo.<br>DNA Repair, 2007, 6, 639-648.  | 1.3 | 26        |
| 79 | An Oncogenic <i>ALK</i> Fusion and an <i>RRAS</i> Mutation in <i>KRAS</i> Mutation-Negative<br>Pancreatic Ductal Adenocarcinoma. Oncologist, 2017, 22, 158-164.   | 1.9 | 24        |
| 80 | Development of targeted therapy and immunotherapy for treatment of small cell lung cancer. Japanese<br>Journal of Clinical Oncology, 2018, 48, 603-608.   | 0.6 | 24        |
| 81 | The relationship between body-mass index and overall survival in non-small cell lung cancer by sex,<br>smoking status, and race: A pooled analysis of 20,937 International lung Cancer consortium (ILCCO)<br>patients. Lung Cancer, 2021, 152, 58-65. | 0.9 | 22        |
| 82 | Multiplex Diagnosis of Oncogenic Fusion and MET Exon Skipping by Molecular Counting Using<br>Formalin-Fixed Paraffin Embedded Lung Adenocarcinoma Tissues. Journal of Thoracic Oncology, 2016,<br>11, 203-212.  | 0.5 | 21        |
| 83 | Therapeutic preferability of gemcitabine for ARID1A-deficient ovarian clear cell carcinoma.<br>Gynecologic Oncology, 2019, 155, 489-498.  | 0.6 | 21        |
| 84 | Treatment Strategies for ARID1A-Deficient Ovarian Clear Cell Carcinoma. Cancers, 2021, 13, 1769.  | 1.7 | 21        |
| 85 | Molecular Process Producing Oncogene Fusion in Lung Cancer Cells by Illegitimate Repair of DNA<br>Double-Strand Breaks. Biomolecules, 2015, 5, 2464-2476.   | 1.8 | 20        |
| 86 | Deleterious Pulmonary Surfactant System Gene Mutations in Lung Adenocarcinomas Associated With<br>Usual Interstitial Pneumonia. JCO Precision Oncology, 2018, 2, 1-24.  | 1.5 | 20        |
| 87 | CD74-ROS1 fusion transcripts in resected non-small cell lung carcinoma. Oncology Reports, 2013, 30, 1675-1680.  | 1.2 | 19        |
| 88 | Combinatory use of distinct single-cell RNA-seq analytical platforms reveals the heterogeneous transcriptome response. Scientific Reports, 2018, 8, 3482.   | 1.6 | 19        |
| 89 | Efficacy of glutathione inhibitors for the treatment of ARID1A-deficient diffuse-type gastric cancers.<br>Biochemical and Biophysical Research Communications, 2020, 522, 342-347.  | 1.0 | 18        |
| 90 | MUSASHIâ€⊋ confers resistance to thirdâ€generation EGFRâ€ŧyrosine kinase inhibitor osimertinib in lung<br>adenocarcinoma. Cancer Science, 2021, 112, 3810-3821.   | 1.7 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Absence of hSNF5/INI1 mutation in human lung cancer. Cancer Letters, 2000, 153, 57-61.   | 3.2 | 17        |
| 92  | Genes involved in development and differentiation are commonly methylated in cancers derived from<br>multiple organs: A single-institutional methylome analysis using 1007 tissue specimens.<br>Carcinogenesis, 2017, 38, bgw209.    | 1.3 | 16        |
| 93  | Impact of ALK Inhibitors in Patients With <i>ALK</i> -Rearranged Nonlung Solid Tumors. JCO Precision<br>Oncology, 2021, 5, 756-766.  | 1.5 | 16        |
| 94  | NEK9-dependent proliferation of cancer cells lacking functional p53. Scientific Reports, 2014, 4, 6111.  | 1.6 | 15        |
| 95  | Final survival results for the LURET phase II study of vandetanib in previously treated patients with RET-rearranged advanced non-small cell lung cancer. Lung Cancer, 2021, 155, 40-45.   | 0.9 | 15        |
| 96  | Essential Factors for Incompatible DNA End Joining at Chromosomal DNA Double Strand Breaks In<br>Vivo. PLoS ONE, 2011, 6, e28756.  | 1.1 | 14        |
| 97  | Significantly mutated genes and regulatory pathways in SCLC—a meta-analysis. Cancer Genetics, 2017, 216-217, 20-28.  | 0.2 | 14        |
| 98  | A Nucleolar Stress–Specific p53–miR-101 Molecular Circuit Functions as an Intrinsic<br>Tumor-Suppressor Network. EBioMedicine, 2018, 33, 33-48.  | 2.7 | 14        |
| 99  | Emergence and Targeting of Acquired and Hereditary Resistance to Multikinase RET Inhibition in Patients With RET-Altered Cancer. JCO Precision Oncology, 2019, 3, 1-7.   | 1.5 | 14        |
| 100 | <scp>HSP90</scp> inhibition overcomes <scp><i>EGFR</i></scp> amplificationâ€induced resistance to thirdâ€generation <scp>EGFRâ€TKIs</scp> . Thoracic Cancer, 2021, 12, 631-642.  | 0.8 | 14        |
| 101 | TP53 mutants and non-HPV16/18 genotypes are poor prognostic factors for concurrent chemoradiotherapy in locally advanced cervical cancer. Scientific Reports, 2021, 11, 19261.   | 1.6 | 14        |
| 102 | Characterization of cancer omics and drug perturbations in panels of lung cancer cells. Scientific Reports, 2019, 9, 19529.  | 1.6 | 13        |
| 103 | Upregulation of FGF9 in Lung Adenocarcinoma Transdifferentiation to Small Cell Lung Cancer. Cancer Research, 2021, 81, 3916-3929.  | 0.4 | 13        |
| 104 | Precision medicine for ovarian clear cell carcinoma based on gene alterations. International Journal of Clinical Oncology, 2020, 25, 419-424.  | 1.0 | 12        |
| 105 | Feasibility and clinical utility of comprehensive genomic profiling of hematological malignancies.<br>Cancer Science, 2022, 113, 2763-2777.  | 1.7 | 11        |
| 106 | Genetic Determinants of Lung Cancer Prognosis in Never Smokers: A Pooled Analysis in the<br>International Lung Cancer Consortium. Cancer Epidemiology Biomarkers and Prevention, 2020, 29,<br>1983-1992.                             | 1.1 | 10        |
| 107 | Genomic profiling in advanced stage non-small-cell lung cancer patients with platinum-based chemotherapy identifies germline variants with prognostic value in SMYD2. Cancer Treatment and Research Communications, 2018, 15, 21-31. | 0.7 | 9         |
| 108 | BRAF V600E mutation is a potential therapeutic target for a small subset of synovial sarcoma. Modern<br>Pathology, 2020, 33, 1660-1668.  | 2.9 | 9         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | DNA hypermethylation of the <i>ZNF132</i> gene participates in the clinicopathological aggressiveness of †pan-negative'-type lung adenocarcinomas. Carcinogenesis, 2021, 42, 169-179.   | 1.3 | 9         |
| 110 | ARID1A deficiency in EBV-positive gastric cancer is partially regulated by EBV-encoded miRNAs, but not by DNA promotor hypermethylation. Carcinogenesis, 2021, 42, 21-30.   | 1.3 | 9         |
| 111 | Primary adenocarcinoma of the trachea revealing a mucinous bronchial gland cell origin. Pathology<br>Research and Practice, 2018, 214, 796-799.   | 1.0 | 8         |
| 112 | Phasing analysis of lung cancer genomes using a long read sequencer. Nature Communications, 2022, 13, .   | 5.8 | 8         |
| 113 | Genome-Wide Chromatin Analysis of FFPE Tissues Using a Dual-Arm Robot with Clinical Potential.<br>Cancers, 2021, 13, 2126.  | 1.7 | 7         |
| 114 | Distribution of genetic alterations in high-risk early-stage cervical cancer patients treated with postoperative radiation therapy. Scientific Reports, 2021, 11, 10567.  | 1.6 | 7         |
| 115 | Gene aberration profile of tumors of adolescent and young adult females. Oncotarget, 2018, 9, 6228-6237.  | 0.8 | 7         |
| 116 | Proposal for a Synthetic Lethality Therapy Using the Paralog Dependence of Cancer Cells—Response.<br>Cancer Research, 2014, 74, 4948-4949.  | 0.4 | 6         |
| 117 | Common <i>TDP1</i> Polymorphisms in Relation to Survival among Small Cell Lung Cancer Patients: A<br>Multicenter Study from the International Lung Cancer Consortium. Clinical Cancer Research, 2017, 23,<br>7550-7557.   | 3.2 | 6         |
| 118 | Study protocol for NCCH1908 (UPFRONT-trial): a prospective clinical trial to evaluate the feasibility and utility of comprehensive genomic profiling prior to the initial systemic treatment in advanced solid tumour patients. Japanese Journal of Clinical Oncology, 2021, 51, 1757-1760. | 0.6 | 5         |
| 119 | Regional Right Ventricular Abnormalities Implicate Distinct Pathophysiological Conditions in Patients<br>With Chronic Thromboembolic Pulmonary Hypertension. Journal of the American Heart Association,<br>2020, 9, e018096.  | 1.6 | 3         |
| 120 | Heterogeneity of ARID1A expression in gastric cancer may affect patient survival and therapeutic efficacy. Human Pathology, 2020, 101, 80-81.   | 1.1 | 3         |
| 121 | Clonal Hematopoiesis From Next Generation Sequencing of Plasma From a Patient With Lung<br>Adenocarcinoma: A Case Report. Frontiers in Oncology, 2020, 10, 113.   | 1.3 | 3         |
| 122 | Psychological disturbances and their association with sleep disturbances in patients admitted for cardiovascular diseases. PLoS ONE, 2021, 16, e0244484.  | 1.1 | 3         |
| 123 | Nationwide genomic screening network for the development of novel targeted therapies in advanced non-small cell lung cancer (LC-SCRUM-Japan) Journal of Clinical Oncology, 2015, 33, 8093-8093.   | 0.8 | 3         |
| 124 | Clinical impact of genetic alterations of <i>CTNNB1</i> in patients with grade 3 endometrial endometrioid carcinoma. Cancer Science, 2022, 113, 1712-1721.  | 1.7 | 3         |
| 125 | Histone Acetyltransferases (HATs) Involved in Non-Homologous End Joining as a Target for Radiosensitization. , 2013, , .  |     | 2         |
| 126 | Endometrial cancer arising after complete remission of uterine malignant lymphoma: A case report and mutation analysis. Gynecologic Oncology Reports, 2019, 28, 50-53.  | 0.3 | 2         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Simple prediction model for homologous recombination deficiency in breast cancers in adolescents and young adults. Breast Cancer Research and Treatment, 2020, 182, 491-502.  | 1.1 | 2         |
| 128 | Genetic Polymorphisms Underlying Lung Cancer Susceptibility and Therapeutic Response. Genes and Environment, 2012, 34, 94-100.  | 0.9 | 1         |
| 129 | Advances in targeted therapy and immunotherapy for treatment of lung cancer. Annals of Cancer Research and Therapy, 2016, 24, 1-6.  | 0.1 | 1         |
| 130 | Accounting for <i>EGFR</i> Mutations in Epidemiologic Analyses of Non–Small Cell Lung Cancers:<br>Examples Based on the International Lung Cancer Consortium Data. Cancer Epidemiology Biomarkers<br>and Prevention, 2022, 31, 679-687. | 1.1 | 1         |
| 131 | Whole-genome Sequencing-based Lung Cancer Precision Medicine in Japan. Japanese Journal of Lung<br>Cancer, 2022, 62, 10-14.   | 0.0 | 1         |
| 132 | RETand other genes: therapeutic targets in lung adenocarcinoma. Lung Cancer Management, 2014, 3, 219-226.   | 1.5 | 0         |
| 133 | Identification of a novel therapeutic target in driver-negative non-small cell lung cancer.<br>Translational Lung Cancer Research, 2018, 7, S218-S220.  | 1.3 | 0         |
| 134 | Mechanisms of Lung Carcinogenesis Associated with Interstitial Pneumonia. Japanese Journal of Lung<br>Cancer, 2019, 59, 1134-1139.  | 0.0 | 0         |