

Adrian Wagg Mb, Frcp

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4968028/adrian-wagg-mb-frcp-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

3,469
citations

33
h-index

53
g-index

182
ext. papers

4,169
ext. citations

3.4
avg, IF

5.57
L-index

#	Paper	IF	Citations
168	Persistence with prescribed antimuscarinic therapy for overactive bladder: a UK experience. <i>BJU International</i> , 2012 , 110, 1767-74	5.6	244
167	Incontinence in the frail elderly: report from the 4th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 165-78	2.3	132
166	A review of adherence to drug therapy in patients with overactive bladder. <i>BJU International</i> , 2008 , 102, 774-9	5.6	130
165	Efficacy and tolerability of solifenacin in elderly subjects with overactive bladder syndrome: a pooled analysis. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006 , 4, 14-24		112
164	Persistence and Adherence with Mirabegron versus Antimuscarinic Agents in Patients with Overactive Bladder: A Retrospective Observational Study in UK Clinical Practice. <i>European Urology</i> , 2017 , 72, 389-399	10.2	106
163	6th International Consultation on Incontinence. Recommendations of the International Scientific Committee: EVALUATION AND TREATMENT OF URINARY INCONTINENCE, PELVIC ORGAN PROLAPSE AND FAECAL INCONTINENCE. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2271-2272	2.3	103
162	Urinary incontinence in frail elderly persons: Report from the 5th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2015 , 34, 398-406	2.3	88
161	Persistence and adherence with the new beta-3 receptor agonist, mirabegron, versus antimuscarinics in overactive bladder: Early experience in Canada. <i>Canadian Urological Association Journal</i> , 2015 , 9, 343-50	1.2	81
160	Flexible-dose fesoterodine in elderly adults with overactive bladder: results of the randomized, double-blind, placebo-controlled study of fesoterodine in an aging population trial. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 185-93	5.6	81
159	Patient characteristics associated with quality of life in European women seeking treatment for urinary incontinence: results from PURE. <i>European Urology</i> , 2007 , 51, 1073-81; discussion 1081-2	10.2	81
158	Randomised, multicentre, placebo-controlled, double-blind crossover study investigating the effect of solifenacin and oxybutynin in elderly people with mild cognitive impairment: the SENIOR study. <i>European Urology</i> , 2013 , 64, 74-81	10.2	80
157	The efficacy and tolerability of the β -adrenoceptor agonist mirabegron for the treatment of symptoms of overactive bladder in older patients. <i>Age and Ageing</i> , 2014 , 43, 666-75	3	79
156	Appropriateness of oral drugs for long-term treatment of lower urinary tract symptoms in older persons: results of a systematic literature review and international consensus validation process (LUTS-FORTA 2014). <i>Age and Ageing</i> , 2015 , 44, 745-55	3	71
155	Patient-reported impact of urinary incontinence--results from treatment seeking women in 14 European countries. <i>Maturitas</i> , 2005 , 52 Suppl 2, S24-34	5	67
154	Cardiovascular Safety of β -adrenoceptor Agonists for the Treatment of Patients with Overactive Bladder Syndrome. <i>European Urology</i> , 2016 , 69, 311-23	10.2	64
153	Review of cognitive impairment with antimuscarinic agents in elderly patients with overactive bladder. <i>International Journal of Clinical Practice</i> , 2010 , 64, 1279-86	2.9	61
152	Current controversies in urinary tract infections: ICI-RS 2017. <i>Neurourology and Urodynamics</i> , 2018 , 37, S86-S92	2.3	60

151	CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017 , 11, E142-E173	1.2	58
150	National audit of continence care for older people: management of urinary incontinence. <i>Age and Ageing</i> , 2008 , 37, 39-44	3	58
149	Efficacy and tolerability of fesoterodine in older and younger subjects with overactive bladder. <i>Urology</i> , 2010 , 76, 1350-7	1.6	55
148	Overactive bladder syndrome in older people. <i>BJU International</i> , 2007 , 99, 502-9	5.6	54
147	Overactive bladder: Is there a link to the metabolic syndrome in men?. <i>Neurourology and Urodynamics</i> , 2010 , 29, 1360-4	2.3	48
146	Management of bowel problems in older people: an update. <i>Clinical Medicine</i> , 2005 , 5, 289-95	1.9	48
145	Oral pharmacotherapy for overactive bladder in older patients: mirabegron as a potential alternative to antimuscarinics. <i>Current Medical Research and Opinion</i> , 2016 , 32, 621-38	2.5	44
144	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 708-14	2.3	44
143	The extent and severity of urinary incontinence amongst women in UK GP waiting rooms. <i>Family Practice</i> , 2006 , 23, 497-506	1.9	41
142	New horizons: urinary incontinence in older people. <i>Age and Ageing</i> , 2014 , 43, 157-63	3	40
141	Design and validation of a new screening instrument for lower urinary tract dysfunction: the bladder control self-assessment questionnaire (B-SAQ). <i>European Urology</i> , 2007 , 52, 230-7	10.2	40
140	Can incontinence be cured? A systematic review of cure rates. <i>BMC Medicine</i> , 2017 , 15, 63	11.4	38
139	Mobility of Vulnerable Elders study: effect of the sit-to-stand activity on mobility, function, and quality of life. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 138-43	5.9	38
138	Long-term safety, tolerability and efficacy of flexible-dose fesoterodine in elderly patients with overactive bladder: open-label extension of the SOFIA trial. <i>Neurourology and Urodynamics</i> , 2014 , 33, 106-14	2.3	37
137	Detrusor underactivity: Pathophysiological considerations, models and proposals for future research. ICI-RS 2013. <i>Neurourology and Urodynamics</i> , 2014 , 33, 591-6	2.3	35
136	A review of published anticholinergic scales and measures and their applicability in database analyses. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 87, 103885	4	35
135	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018 , 37, 501-509	2.3	33
134	Impact of frailty on outcomes after discharge in older surgical patients: a prospective cohort study. <i>Cmaj</i> , 2018 , 190, E184-E190	3.5	31

133	National audit of continence care for older people: results of a pilot study*. <i>Journal of Evaluation in Clinical Practice</i> , 2005 , 11, 525-32	2.5	31
132	Treating overactive bladder in the elderly. <i>Canadian Urological Association Journal</i> , 2011 , 5, S149-51	1.2	30
131	The Association Between Overactive Bladder and Falls and Fractures: A Systematic Review. <i>Advances in Therapy</i> , 2018 , 35, 1831-1841	4.1	30
130	To what extent are national guidelines for the management of urinary incontinence in women adhered? Data from a national audit. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1592-600	3.7	26
129	Medical therapy for the overactive bladder in the elderly. <i>Age and Ageing</i> , 2002 , 31, 241-6	3	26
128	Efficacy, safety, and tolerability of mirabegron in patients aged ≥5yr with overactive bladder wet: a phase IV, double-blind, randomised, placebo-controlled study (PILLAR). <i>European Urology</i> , 2020 , 77, 211-220	10.2	26
127	Antimuscarinic treatment in overactive bladder: special considerations in elderly patients. <i>Drugs and Aging</i> , 2012 , 29, 539-48	4.7	24
126	Persistence and adherence with mirabegron vs antimuscarinics in overactive bladder: Retrospective analysis of a UK General Practice prescription database. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12996	2.9	23
125	Safety and efficacy of flexible-dose fesoterodine in British subjects with overactive bladder: insights into factors associated with dose escalation. <i>International Urogynecology Journal</i> , 2012 , 23, 1587-90	2.9	23
124	Mobility of Vulnerable Elders (MOVE): study protocol to evaluate the implementation and outcomes of a mobility intervention in long-term care facilities. <i>BMC Geriatrics</i> , 2011 , 11, 84	4.1	22
123	Managing Urinary Incontinence in Patients with Dementia: Pharmacological Treatment Options and Considerations. <i>Drugs and Aging</i> , 2015 , 32, 559-67	4.7	21
122	A pooled analysis of the efficacy of fesoterodine for the treatment of overactive bladder, and the relationship between safety, co-morbidity and polypharmacy in patients aged 65 years or older. <i>Age and Ageing</i> , 2017 , 46, 620-626	3	21
121	Etiology of overactive bladder: a diet and lifestyle model for diabetes and obesity in older women. <i>Neurourology and Urodynamics</i> , 2012 , 31, 487-95	2.3	21
120	National audit of continence care for older people: management of faecal incontinence. <i>Age and Ageing</i> , 2007 , 36, 268-73	3	21
119	Efficacy and safety of tadalafil 5 mg once daily in the treatment of lower urinary tract symptoms associated with benign prostatic hyperplasia in men aged ≥5 years: integrated analyses of pooled data from multinational, randomized, placebo-controlled clinical studies. <i>BJU International</i> , 2017 , 119, 793-803	5.6	19
118	Optimizing senior surgical care - Elder-friendly Approaches to the Surgical Environment (EASE) study: rationale and objectives. <i>BMC Health Services Research</i> , 2015 , 15, 338	2.9	19
117	Clinical Effectiveness of the Elder-Friendly Approaches to the Surgical Environment Initiative in Emergency General Surgery. <i>JAMA Surgery</i> , 2020 , 155, e196021	5.4	19
116	Knowledge and understanding of urinary incontinence: survey of family practitioners in northern Alberta. <i>Canadian Family Physician</i> , 2013 , 59, e330-7	0.9	19

115	National audit of continence care: adherence to National Institute for Health and Clinical Excellence (NICE) guidance in older versus younger adults with faecal incontinence. <i>Age and Ageing</i> , 2014 , 43, 785-93	3	18
114	Developing an internationally-applicable service specification for continence care: systematic review, evidence synthesis and expert consensus. <i>PLoS ONE</i> , 2014 , 9, e104129	3.7	18
113	Frailty predicts increased costs in emergent general surgery patients: A prospective cohort cost analysis. <i>Surgery</i> , 2019 , 166, 82-87	3.6	17
112	SCOPEOUT: sustainability and spread of quality improvement activities in long-term care- a mixed methods approach. <i>BMC Health Services Research</i> , 2018 , 18, 174	2.9	17
111	Urinary incontinence in stroke: results from the UK National Sentinel Audits of Stroke 1998-2004. <i>Age and Ageing</i> , 2008 , 37, 542-6	3	17
110	Incontinence in the elderly, normal ageing, or unaddressed pathology?. <i>Nature Reviews Urology</i> , 2017 , 14, 440-448	5.5	16
109	Improving Nursing Home Care through Feedback On Performance Data (INFORM): Protocol for a cluster-randomized trial. <i>Trials</i> , 2017 , 18, 9	2.8	16
108	Greater Independence in Activities of Daily Living is Associated with Higher Health-Related Quality of Life Scores in Nursing Home Residents with Dementia. <i>Healthcare (Switzerland)</i> , 2015 , 3, 503-18	3.4	16
107	Fesoterodine clinical efficacy and safety for the treatment of overactive bladder in relation to patient profiles: a systematic review. <i>Current Medical Research and Opinion</i> , 2015 , 31, 1201-43	2.5	16
106	Overactive bladder: strategies to ensure treatment compliance and adherence. <i>Clinical Interventions in Aging</i> , 2016 , 11, 755-60	4	16
105	Can we define and characterize the aging lower urinary tract?-ICI-RS 2015. <i>Neurourology and Urodynamics</i> , 2017 , 36, 854-858	2.3	15
104	Development of a core set of outcome measures for OAB treatment. <i>International Urogynecology Journal</i> , 2017 , 28, 1785-1793	2	15
103	Antimicrobial stewardship in rural nursing homes: Impact of interprofessional education and clinical decision tool implementation on urinary tract infection treatment in a cluster randomized trial. <i>Infection Control and Hospital Epidemiology</i> , 2019 , 40, 432-437	2	15
102	Review of the efficacy and safety of fesoterodine for treating overactive bladder and urgency urinary incontinence in elderly patients. <i>Drugs and Aging</i> , 2015 , 32, 103-25	4.7	15
101	Current and future trends in the management of overactive bladder. <i>International Urogynecology Journal</i> , 2007 , 18, 81-94	2	13
100	The educational needs of nursing staff when working with hospitalised older people. <i>Journal of Clinical Nursing</i> , 2019 , 28, 221-234	3.2	12
99	Validation of the bladder control self-assessment questionnaire (B-SAQ) in men. <i>BJU International</i> , 2014 , 113, 783-8	5.6	12
98	Secondary-care treatment patterns in the UK for women with urinary incontinence. <i>BJU International</i> , 2005 , 96, 839-42	5.6	12

97	Implementing Frontline Worker-Led Quality Improvement in Nursing Homes: Getting to "How". <i>Joint Commission Journal on Quality and Patient Safety</i> , 2018 , 44, 526-535	1.4	11
96	Self-Reported Outcomes in Individuals Aged 65 and Older Admitted for Treatment to an Acute Care Surgical Service: A 6-Month Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2388-94	5.6	11
95	Falls risk reduction and treatment of overactive bladder symptoms with antimuscarinic agents: a scoping review. <i>Neurourology and Urodynamics</i> , 2011 , 30, 490-4	2.3	11
94	Is there "brain OAB" and how can we recognize it? International Consultation on Incontinence-Research Society (ICI-RS) 2017. <i>Neurourology and Urodynamics</i> , 2018 , 37, S38-S45	2.3	10
93	Sustainment, Sustainability, and Spread Study (SSaSSy): protocol for a study of factors that contribute to the sustainment, sustainability, and spread of practice changes introduced through an evidence-based quality-improvement intervention in Canadian nursing homes. <i>Implementation Science</i> , 2019 , 14, 109	8.4	10
92	Incontinence in frail elderly persons: Report of the 6th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2021 , 40, 38-54	2.3	10
91	Is the belief that urinary incontinence is normal for ageing related to older Canadian women's experience of urinary incontinence?. <i>International Urogynecology Journal</i> , 2019 , 30, 2157-2160	2	9
90	Urinary incontinence in older people. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2016 , 77, C27-32	0.8	9
89	Special considerations in the urological management of the older spinal cord injury patient. <i>World Journal of Urology</i> , 2018 , 36, 1603-1611	4	9
88	Measuring Activity Performance of Older Adults Using the activPAL: A Rapid Review. <i>Healthcare (Switzerland)</i> , 2017 , 5,	3.4	9
87	Continenence Across Continents To Upend Stigma and Dependency (CACTUS-D): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015 , 16, 565	2.8	9
86	Factors associated with dose escalation of fesoterodine for treatment of overactive bladder in people >65 years of age: A post hoc analysis of data from the SOFIA study. <i>Neurourology and Urodynamics</i> , 2015 , 34, 438-43	2.3	9
85	Lower urinary tract symptoms and falls in older women: a case control study. <i>Maturitas</i> , 2015 , 80, 308-115		9
84	Effects of drug cessation after flexible-dose fesoterodine in patients with overactive bladder. <i>BJU International</i> , 2013 , 112, 820-9	5.6	9
83	Do self-reported Integrated Continence services provide high-quality continence care?. <i>Age and Ageing</i> , 2009 , 38, 730-3	3	9
82	Improving nurse engagement in continence care. <i>Nursing (Auckland, N Z)</i> , 2018 , Volume 8, 1-7	1	9
81	Preferences for Continence Care Experienced at End of Life: A Qualitative Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 1099-1105.e3	4.8	8
80	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. <i>European Urology Focus</i> , 2020 , 6, 522-530	5.1	8

79	A concept analysis of dignity-protective continence care for care dependent older people in long-term care settings. <i>BMC Geriatrics</i> , 2020 , 20, 266	4.1	8
78	Urinary incontinence in older adults. <i>Medicine</i> , 2017 , 45, 23-27	0.6	7
77	The safety and efficacy of tolterodine extended release in the treatment of overactive bladder in the elderly. <i>Clinical Interventions in Aging</i> , 2009 , 4, 191-6	4	7
76	National audit of continence care: laying the foundation. <i>Journal of Evaluation in Clinical Practice</i> , 2005 , 11, 533-43	2.5	7
75	Safety and Tolerability Results from the PILLAR Study: A Phase IV, Double-Blind, Randomized, Placebo-Controlled Study of Mirabegron in Patients 65 years with Overactive Bladder-Wet. <i>Drugs and Aging</i> , 2020 , 37, 665-676	4.7	7
74	Assessment of patients with lower urinary tract symptoms where an undiagnosed neurological disease is suspected: A report from an International Continence Society consensus working group. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2535-2543	2.3	7
73	Anticholinergics for Overactive Bladder in Frail and Medically Complex Older People: The Case For. <i>Drugs and Aging</i> , 2018 , 35, 777-780	4.7	6
72	Economic Impact of Mirabegron Versus Antimuscarinics for the Treatment of Overactive Bladder in the UK. <i>Pharmacoeconomics - Open</i> , 2017 , 1, 25-36	2.1	6
71	Treatment Patterns for Patients on Overactive Bladder Therapy: A Retrospective Statistical Analysis Using Canadian Claims Data. <i>Journal of Health Economics and Outcomes Research</i> , 2015 , 3, 43-55 ^{1.6}	1.6	6
70	Exercise intervention in the management of urinary incontinence in older women in villages in Bangladesh: a cluster randomised trial. <i>The Lancet Global Health</i> , 2019 , 7, e923-e931	13.6	5
69	An Approach to Urinary Incontinence for Dermatologists. <i>Journal of Cutaneous Medicine and Surgery</i> , 2017 , 21, 15-22	1.6	5
68	Recent advances in the treatment of urinary incontinence in older women. <i>Current Opinion in Urology</i> , 2008 , 18, 383-8	2.8	5
67	The impact of delayed mobilization on post-discharge outcomes after emergency abdominal surgery: A prospective cohort study in older patients. <i>PLoS ONE</i> , 2020 , 15, e0241554	3.7	5
66	Association between nocturia and frailty among elderly males in a veterans administration population. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1993-2000	4.8	5
65	Comparing effects of two higher intensity feedback interventions with simple feedback on improving staff communication in nursing homes-the INFORM cluster-randomized controlled trial. <i>Implementation Science</i> , 2020 , 15, 75	8.4	5
64	Perspectives about Interprofessional Collaboration and Patient-Centred Care. <i>Canadian Journal on Aging</i> , 2020 , 39, 443-455	1.6	5
63	Examining the Impact of Knowledge Translation Interventions on Uptake of Evidence-Based Practices by Care Aides in Continuing Care. <i>Worldviews on Evidence-Based Nursing</i> , 2019 , 16, 21-28	2.9	4
62	Overactive Bladder in Frail Older Adults. <i>Drugs and Aging</i> , 2020 , 37, 559-565	4.7	4

61	Development and initial psychometric properties of the OIQ-CogQa new assessment tool to measure the disease-related impact and care effort associated with incontinence in cognitively impaired adults. <i>BJU International</i> , 2018 , 122, 309-316	5.6	4
60	Choosing oral drug therapy for overactive bladder in older people. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 1375-1380	4	4
59	Long-term effect of community-based continence promotion on urinary symptoms, falls and healthy active life expectancy among older women: cluster randomised trial. <i>Age and Ageing</i> , 2019 , 48, 526-532	3	4
58	Optimizing hospital-to-home transitions for older persons in rural communities: a participatory, multimethod study protocol. <i>Implementation Science Communications</i> , 2021 , 2, 81	2.2	4
57	The Care of Older Adults Experiencing Cognitive Challenges: How Interprofessional Teams Collaborate. <i>Canadian Journal on Aging</i> , 2017 , 36, 485-500	1.6	3
56	Factors associated with the responsive behaviours of older adults living in long-term care homes towards staff: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028416	3	3
55	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. <i>International Urogynecology Journal</i> , 2018 , 29, 531-537	2	3
54	Urinary incontinence in older people: an overview. <i>Medicine</i> , 2013 , 41, 20-23	0.6	3
53	Managing Special Populations: The Elderly. <i>European Urology Supplements</i> , 2006 , 5, 866-870	0.9	3
52	Cost-effectiveness Analysis of the Elder-Friendly Approaches to the Surgical Environment (EASE) Intervention for Emergency Abdominal Surgical Care of Adults Aged 65 Years and Older. <i>JAMA Network Open</i> , 2020 , 3, e202034	10.4	3
51	Which drugs are best for overactive bladder? From patients' expectations to physicians' decisions. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13870	2.9	3
50	Knowledge translation interventions to sustain direct care provider behaviour change in long-term care: A process evaluation. <i>Journal of Evaluation in Clinical Practice</i> , 2018 , 24, 159-165	2.5	3
49	The feasibility of implementing education on older person care to practice on medical units: Nurses' perceptions and the influence of practice context. <i>International Journal of Older People Nursing</i> , 2019 , 14, e12265	2.3	2
48	Does fesoterodine have a role in the treatment of poorly managed patients with overactive bladder?. <i>Drug Design, Development and Therapy</i> , 2014 , 8, 113-9	4.4	2
47	Is it Possible to Measure What Truly Matters? The Paradox of Clinical Audit in Developing Continence Service Standards for Older People. <i>Patient</i> , 2010 , 3, 11-23	3.7	2
46	Clinical utility of transdermal delivery of oxybutynin gel via a metered-dose pump in the management of overactive bladder. <i>Research and Reports in Urology</i> , 2012 , 4, 57-64	1.3	2
45	Is the strong desire to void a source of diverted attention in healthy adult volunteers?. <i>Neurourology and Urodynamics</i> , 2020 , 39, 324-330	2.3	2
44	What are the chances of improvement or cure from overactive bladder? A pooled responder analysis of efficacy and treatment emergent adverse events following treatment with fesoterodine. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1559-1568	2.3	2

43	Persistence with medication and overactive bladder: an ongoing challenge. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2016 , 16, 475-81	2.2	2
42	Urinary and faecal incontinence in older adults. <i>Medicine</i> , 2021 , 49, 44-50	0.6	2
41	Urinary Tract Infections in the Elderly. <i>Current Bladder Dysfunction Reports</i> , 2015 , 10, 222-226	0.4	1
40	Effectiveness of reminders to sustain practice change among direct care providers in residential care facilities: a cluster randomized controlled trial. <i>Implementation Science</i> , 2020 , 15, 51	8.4	1
39	The development and validation of instruments to measure dignity-protective continence care for care-dependent older people in residential aged care facilities: A study protocol. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1363-1370	2.3	1
38	Affirming the Value of the Resident Assessment Instrument: Minimum Data Set Version 2.0 for Nursing Home Decision-Making and Quality Improvement. <i>Healthcare (Switzerland)</i> , 2015 , 3, 659-65	3.4	1
37	Transdermal oxybutynin: topical therapy for overactive bladder syndrome. <i>Expert Review of Obstetrics and Gynecology</i> , 2008 , 3, 175-179		1
36	Antimuscarinic Treatment in Overactive Bladder 2012 , 29, 539		1
35	Bladder and bowel preferences of patients at the end of life: a scoping review. <i>International Journal of Palliative Nursing</i> , 2020 , 26, 432-442	0.9	1
34	Nocturnal Enuresis in Older People: Where Is the Evidence and What Are the Gaps?. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016 , 43, 401-6	1.7	1
33	O2-14-04: From Continence to Incontinence in Nursing Home Care: The Influence of a Dementia Diagnosis 2016 , 12, P265-P266		1
32	Overnight Urge Perception in Nocturia Is Independent of Depression, PTSD, or Anxiety in a Male Veterans Administration Population. <i>Journal of Clinical Sleep Medicine</i> , 2019 , 15, 615-621	3.1	1
31	Seniors Health Strategic Clinical Network: Age proofing Alberta through innovation. <i>Cmaj</i> , 2019 , 191, S19-S21	3.5	1
30	Development of quality outcome indicators to improve the quality of urinary and faecal continence care. <i>International Urogynecology Journal</i> , 2019 , 30, 23-32	2	1
29	Predicting response to a community-based educational workshop on incontinence among community-dwelling older women: Post hoc analysis of the CACTUS-D trial. <i>Neurourology and Urodynamics</i> , 2021 , 40, 705-713	2.3	1
28	Urinary Incontinence in People Living with Cognitive Impairment. <i>Current Geriatrics Reports</i> , 2021 , 10, 124	1.3	1
27	The Bladder at Night during Hospitalisation: Towards optimal care for elderly patients with nocturia. <i>International Journal of Clinical Practice</i> , 2021 , e14876	2.9	1
26	Promoting and maintaining urinary continence: Follow-up from a cluster-randomized trial of elderly village women in Bangladesh. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1152-1161	2.3	0

25	Appendix: Executive summary of CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017 , 11, E248-E249	1.2	o
24	Long-term urinary catheterisation in community-dwelling adults. <i>British Journal of Community Nursing</i> , 2019 , 24, 258-262	0.6	o
23	Reply from authors re: Jean-Nicolas Cornu. Overactive bladder medical management in the elderly: it is time to go beyond the tip of the iceberg. <i>Eur Urol</i> 2013;64:82-3. <i>European Urology</i> , 2013 , 64, 83-4	10.2	o
22	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 329-334	2.8	o
21	SCOPE: safer care for older persons (in residential) environments-a pilot study to enhance care aide-led quality improvement in nursing homes.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 26	1.9	o
20	Prioritizing supports and services to help older adults age in place: A Delphi study comparing the perspectives of family/friend care partners and healthcare stakeholders. <i>PLoS ONE</i> , 2021 , 16, e0259387	3.7	o
19	Urinary urgency acts as a source of divided attention leading to changes in gait in older adults with overactive bladder. <i>PLoS ONE</i> , 2021 , 16, e0257506	3.7	o
18	Identifying what matters most for the health of older adults in Alberta: results from a James Lind Alliance Research Priority Setting Partnership. <i>CMAJ Open</i> , 2021 , 9, E522-E528	2.5	o
17	Older Persons and Nursing Staff Perspectives on Continence Care in Rehabilitation: A Qualitative Study. <i>Rehabilitation Nursing</i> , 2021 , 46, 305-314	1.3	o
16	Safety and Tolerability of Fesoterodine in Older Adult Patients with Overactive Bladder.. <i>Canadian Geriatrics Journal</i> , 2022 , 25, 72-78	2.8	o
15	Influences of post-implementation factors on the sustainability, sustainment, and intra-organizational spread of complex interventions.. <i>BMC Health Services Research</i> , 2022 , 22, 666	2.9	o
14	Trends in the use of older overactive bladder agents and uptake of fesoterodine and mirabegron in Canada. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2977-2978	2.3	
13	The effect on fall rate of blood glucose testing at the time of falls in elderly diabetics. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 65	5.6	
12	Overactive bladder in older people 2015 , 203-221		
11	Pharmacological Treatment of Voiding Dysfunction in Older Men. <i>Current Geriatrics Reports</i> , 2015 , 4, 44-50	1.3	
10	Urinary incontinence in the frail elderly: what do we still need to learn?. <i>Clinical Practice (London, England)</i> , 2014 , 11, 431-440	3	
9	Disorders of the Lower Urinary Tract 343-352		
8	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 329-334	2.8	

7	Considerations in the Medically Complex and Frail Elderly 2019 , 267-290	
6	Editorial Comment. <i>Journal of Urology</i> , 2020 , 203, 967-968	2.5
5	Editorial Comment. <i>Journal of Urology</i> , 2021 , 205, 1152	2.5
4	Patient reported outcomes in an elder-friendly surgical environment: Prospective, controlled before-after study. <i>Annals of Medicine and Surgery</i> , 2021 , 65, 102368	2
3	Role of Policy in Best-Practice Dissemination: Informal Professional Advice Networks in Canadian Long-Term Care. <i>Canadian Journal on Aging</i> , 2021 , 40, 166-176	1.6
2	Electronic Rapid Fitness Assessment Identifies Factors Associated with Adverse Early Postoperative Outcomes Following Radical Cystectomy. Letter. <i>Journal of Urology</i> , 2022 , 207, 237-238	2.5
1	Nonpharmacologic Interventions for Care Home Residents With Dementia: Utility of Current Practices. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9