

Adrian Wagg Mb, Frcp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4968028/adrian-wagg-mb-frcp-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

3,469
citations

33
h-index

53
g-index

182
ext. papers

4,169
ext. citations

3.4
avg, IF

5.57
L-index

#	Paper	IF	Citations
168	SCOPE: safer care for older persons (in residential) environments-a pilot study to enhance care aide-led quality improvement in nursing homes.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 26	1.9	0
167	Electronic Rapid Fitness Assessment Identifies Factors Associated with Adverse Early Postoperative Outcomes following Radical Cystectomy. Letter. <i>Journal of Urology</i> , 2022 , 207, 237-238	2.5	
166	Safety and Tolerability of Fesoterodine in Older Adult Patients with Overactive Bladder.. <i>Canadian Geriatrics Journal</i> , 2022 , 25, 72-78	2.8	0
165	Influences of post-implementation factors on the sustainability, sustainment, and intra-organizational spread of complex interventions.. <i>BMC Health Services Research</i> , 2022 , 22, 666	2.9	0
164	Prioritizing supports and services to help older adults age in place: A Delphi study comparing the perspectives of family/friend care partners and healthcare stakeholders. <i>PLoS ONE</i> , 2021 , 16, e0259387	3.7	0
163	Urinary urgency acts as a source of divided attention leading to changes in gait in older adults with overactive bladder. <i>PLoS ONE</i> , 2021 , 16, e0257506	3.7	0
162	Editorial Comment. <i>Journal of Urology</i> , 2021 , 205, 1152	2.5	
161	Identifying what matters most for the health of older adults in Alberta: results from a James Lind Alliance Research Priority Setting Partnership. <i>CMAJ Open</i> , 2021 , 9, E522-E528	2.5	0
160	What are the chances of improvement or cure from overactive bladder? A pooled responder analysis of efficacy and treatment emergent adverse events following treatment with fesoterodine. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1559-1568	2.3	2
159	Patient reported outcomes in an elder-friendly surgical environment: Prospective, controlled before-after study. <i>Annals of Medicine and Surgery</i> , 2021 , 65, 102368	2	
158	Optimizing hospital-to-home transitions for older persons in rural communities: a participatory, multimethod study protocol. <i>Implementation Science Communications</i> , 2021 , 2, 81	2.2	4
157	Role of Policy in Best-Practice Dissemination: Informal Professional Advice Networks in Canadian Long-Term Care. <i>Canadian Journal on Aging</i> , 2021 , 40, 166-176	1.6	
156	Incontinence in frail elderly persons: Report of the 6th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2021 , 40, 38-54	2.3	10
155	Which drugs are best for overactive bladder? From patients' expectations to physicians' decisions. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13870	2.9	3
154	Urinary and faecal incontinence in older adults. <i>Medicine</i> , 2021 , 49, 44-50	0.6	2
153	Older Persons and Nursing Staff's Perspectives on Continence Care in Rehabilitation: A Qualitative Study. <i>Rehabilitation Nursing</i> , 2021 , 46, 305-314	1.3	0
152	Predicting response to a community-based educational workshop on incontinence among community-dwelling older women: Post hoc analysis of the CACTUS-D trial. <i>Neurourology and Urodynamics</i> , 2021 , 40, 705-713	2.3	1

151	Nonpharmacologic Interventions for Care Home Residents With Dementia: Utility of Current Practices. <i>Journal of the American Medical Directors Association</i> , 2021 ,	5.9	
150	Urinary Incontinence in People Living with Cognitive Impairment. <i>Current Geriatrics Reports</i> , 2021 , 10, 124	1.3	1
149	The Bladder at Night during Hospitalisation: Towards optimal care for elderly patients with nocturia. <i>International Journal of Clinical Practice</i> , 2021 , e14876	2.9	1
148	Overactive Bladder in Frail Older Adults. <i>Drugs and Aging</i> , 2020 , 37, 559-565	4.7	4
147	Promoting and maintaining urinary continence: Follow-up from a cluster-randomized trial of elderly village women in Bangladesh. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1152-1161	2.3	0
146	Effectiveness of reminders to sustain practice change among direct care providers in residential care facilities: a cluster randomized controlled trial. <i>Implementation Science</i> , 2020 , 15, 51	8.4	1
145	Clinical Effectiveness of the Elder-Friendly Approaches to the Surgical Environment Initiative in Emergency General Surgery. <i>JAMA Surgery</i> , 2020 , 155, e196021	5.4	19
144	The development and validation of instruments to measure dignity-protective continence care for care-dependent older people in residential aged care facilities: A study protocol. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1363-1370	2.3	1
143	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 329-334	2.8	0
142	The impact of delayed mobilization on post-discharge outcomes after emergency abdominal surgery: A prospective cohort study in older patients. <i>PLoS ONE</i> , 2020 , 15, e0241554	3.7	5
141	Do Older Adults with Overactive Bladder Demonstrate Impaired Executive Function Compared to Their Peers Without OAB?. <i>Canadian Geriatrics Journal</i> , 2020 , 23, 329-334	2.8	
140	Editorial Comment. <i>Journal of Urology</i> , 2020 , 203, 967-968	2.5	
139	Bladder and bowel preferences of patients at the end of life: a scoping review. <i>International Journal of Palliative Nursing</i> , 2020 , 26, 432-442	0.9	1
138	Efficacy, safety, and tolerability of mirabegron in patients aged ≥5yr with overactive bladder wet: a phase IV, double-blind, randomised, placebo-controlled study (PILLAR). <i>European Urology</i> , 2020 , 77, 211-220	10.2	26
137	Multicriteria Decision Analysis Applied to the Clinical Use of Pharmacotherapy for Overactive Bladder Symptom Complex. <i>European Urology Focus</i> , 2020 , 6, 522-530	5.1	8
136	Is the strong desire to void a source of diverted attention in healthy adult volunteers?. <i>Neurourology and Urodynamics</i> , 2020 , 39, 324-330	2.3	2
135	Association between nocturia and frailty among elderly males in a veterans administration population. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 1993-2000	4.8	5
134	Safety and Tolerability Results from the PILLAR Study: A Phase IV, Double-Blind, Randomized, Placebo-Controlled Study of Mirabegron in Patients [≥5]years with Overactive Bladder-Wet. <i>Drugs and Aging</i> , 2020 , 37, 665-676	4.7	7

133	A concept analysis of dignity-protective continence care for care dependent older people in long-term care settings. <i>BMC Geriatrics</i> , 2020 , 20, 266	4.1	8
132	Assessment of patients with lower urinary tract symptoms where an undiagnosed neurological disease is suspected: A report from an International Continence Society consensus working group. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2535-2543	2.3	7
131	Cost-effectiveness Analysis of the Elder-Friendly Approaches to the Surgical Environment (EASE) Intervention for Emergency Abdominal Surgical Care of Adults Aged 65 Years and Older. <i>JAMA Network Open</i> , 2020 , 3, e202034	10.4	3
130	Comparing effects of two higher intensity feedback interventions with simple feedback on improving staff communication in nursing homes-the INFORM cluster-randomized controlled trial. <i>Implementation Science</i> , 2020 , 15, 75	8.4	5
129	A review of published anticholinergic scales and measures and their applicability in database analyses. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 87, 103885	4	35
128	Perspectives about Interprofessional Collaboration and Patient-Centred Care. <i>Canadian Journal on Aging</i> , 2020 , 39, 443-455	1.6	5
127	Exercise intervention in the management of urinary incontinence in older women in villages in Bangladesh: a cluster randomised trial. <i>The Lancet Global Health</i> , 2019 , 7, e923-e931	13.6	5
126	Factors associated with the responsive behaviours of older adults living in long-term care homes towards staff: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028416	3	3
125	Frailty predicts increased costs in emergent general surgery patients: A prospective cohort cost analysis. <i>Surgery</i> , 2019 , 166, 82-87	3.6	17
124	Preferences for Continence Care Experienced at End of Life: A Qualitative Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 1099-1105.e3	4.8	8
123	Is the belief that urinary incontinence is normal for ageing related to older Canadian women's experience of urinary incontinence?. <i>International Urogynecology Journal</i> , 2019 , 30, 2157-2160	2	9
122	Antimicrobial stewardship in rural nursing homes: Impact of interprofessional education and clinical decision tool implementation on urinary tract infection treatment in a cluster randomized trial. <i>Infection Control and Hospital Epidemiology</i> , 2019 , 40, 432-437	2	15
121	Examining the Impact of Knowledge Translation Interventions on Uptake of Evidence-Based Practices by Care Aides in Continuing Care. <i>Worldviews on Evidence-Based Nursing</i> , 2019 , 16, 21-28	2.9	4
120	The educational needs of nursing staff when working with hospitalised older people. <i>Journal of Clinical Nursing</i> , 2019 , 28, 221-234	3.2	12
119	Long-term urinary catheterisation in community-dwelling adults. <i>British Journal of Community Nursing</i> , 2019 , 24, 258-262	0.6	0
118	Long-term effect of community-based continence promotion on urinary symptoms, falls and healthy active life expectancy among older women: cluster randomised trial. <i>Age and Ageing</i> , 2019 , 48, 526-532	3	4
117	The feasibility of implementing education on older person care to practice on medical units: Nurses' perceptions and the influence of practice context. <i>International Journal of Older People Nursing</i> , 2019 , 14, e12265	2.3	2
116	Considerations in the Medically Complex and Frail Elderly 2019 , 267-290		

115	Overnight Urge Perception in Nocturia Is Independent of Depression, PTSD, or Anxiety in a Male Veterans Administration Population. <i>Journal of Clinical Sleep Medicine</i> , 2019 , 15, 615-621	3.1	1
114	Seniors Health Strategic Clinical Network: Age proofing Alberta through innovation. <i>Cmaj</i> , 2019 , 191, S19-S21	3.5	1
113	Sustainment, Sustainability, and Spread Study (SSaSSy): protocol for a study of factors that contribute to the sustainment, sustainability, and spread of practice changes introduced through an evidence-based quality-improvement intervention in Canadian nursing homes. <i>Implementation Science</i> , 2019 , 14, 109	8.4	10
112	Development of quality outcome indicators to improve the quality of urinary and faecal continence care. <i>International Urogynecology Journal</i> , 2019 , 30, 23-32	2	1
111	Impact of frailty on outcomes after discharge in older surgical patients: a prospective cohort study. <i>Cmaj</i> , 2018 , 190, E184-E190	3.5	31
110	Is there "brain OAB" and how can we recognize it? International Consultation on Incontinence-Research Society (ICI-RS) 2017. <i>Neurourology and Urodynamics</i> , 2018 , 37, S38-S45	2.3	10
109	Development and initial psychometric properties of the CCIQ-CogQa new assessment tool to measure the disease-related impact and care effort associated with incontinence in cognitively impaired adults. <i>BJU International</i> , 2018 , 122, 309-316	5.6	4
108	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018 , 37, 501-509	2.3	33
107	Trends in the use of older overactive bladder agents and uptake of fesoterodine and mirabegron in Canada. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2977-2978	2.3	
106	Current controversies in urinary tract infections: ICI-RS 2017. <i>Neurourology and Urodynamics</i> , 2018 , 37, S86-S92	2.3	60
105	Special considerations in the urological management of the older spinal cord injury patient. <i>World Journal of Urology</i> , 2018 , 36, 1603-1611	4	9
104	SCOPEOUT: sustainability and spread of quality improvement activities in long-term care- a mixed methods approach. <i>BMC Health Services Research</i> , 2018 , 18, 174	2.9	17
103	Choosing oral drug therapy for overactive bladder in older people. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 1375-1380	4	4
102	Implementing Frontline Worker-Led Quality Improvement in Nursing Homes: Getting to "How". <i>Joint Commission Journal on Quality and Patient Safety</i> , 2018 , 44, 526-535	1.4	11
101	6th International Consultation on Incontinence. Recommendations of the International Scientific Committee: EVALUATION AND TREATMENT OF URINARY INCONTINENCE, PELVIC ORGAN PROLAPSE AND FAECAL INCONTINENCE. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2271-2272	2.3	103
100	Anticholinergics for Overactive Bladder in Frail and Medically Complex Older People: The Case For. <i>Drugs and Aging</i> , 2018 , 35, 777-780	4.7	6
99	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. <i>International Urogynecology Journal</i> , 2018 , 29, 531-537	2	3
98	Knowledge translation interventions to sustain direct care provider behaviour change in long-term care: A process evaluation. <i>Journal of Evaluation in Clinical Practice</i> , 2018 , 24, 159-165	2.5	3

97	The Association Between Overactive Bladder and Falls and Fractures: A Systematic Review. <i>Advances in Therapy</i> , 2018 , 35, 1831-1841	4.1	30
96	Improving nurse engagement in continence care. <i>Nursing (Auckland, N Z)</i> , 2018 , Volume 8, 1-7	1	9
95	Persistence and Adherence with Mirabegron versus Antimuscarinic Agents in Patients with Overactive Bladder: A Retrospective Observational Study in UK Clinical Practice. <i>European Urology</i> , 2017 , 72, 389-399	10.2	106
94	Incontinence in the elderly, Normal Ageing, or unaddressed pathology?. <i>Nature Reviews Urology</i> , 2017 , 14, 440-448	5.5	16
93	Can we define and characterize the aging lower urinary tract?-ICI-RS 2015. <i>Neurourology and Urodynamics</i> , 2017 , 36, 854-858	2.3	15
92	Can incontinence be cured? A systematic review of cure rates. <i>BMC Medicine</i> , 2017 , 15, 63	11.4	38
91	Efficacy and safety of tadalafil 5 mg once daily in the treatment of lower urinary tract symptoms associated with benign prostatic hyperplasia in men aged ≥ 5 years: integrated analyses of pooled data from multinational, randomized, placebo-controlled clinical studies. <i>BJU International</i> , 2017 , 119, 793-803	5.6	19
90	The Care of Older Adults Experiencing Cognitive Challenges: How Interprofessional Teams Collaborate. <i>Canadian Journal on Aging</i> , 2017 , 36, 485-500	1.6	3
89	Development of a core set of outcome measures for OAB treatment. <i>International Urogynecology Journal</i> , 2017 , 28, 1785-1793	2	15
88	Appendix: Executive summary of CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017 , 11, E248-E249	1.2	0
87	Persistence and adherence with mirabegron vs antimuscarinics in overactive bladder: Retrospective analysis of a UK General Practice prescription database. <i>International Journal of Clinical Practice</i> , 2017 , 71, e12996	2.9	23
86	A pooled analysis of the efficacy of fesoterodine for the treatment of overactive bladder, and the relationship between safety, co-morbidity and polypharmacy in patients aged 65 years or older. <i>Age and Ageing</i> , 2017 , 46, 620-626	3	21
85	Economic Impact of Mirabegron Versus Antimuscarinics for the Treatment of Overactive Bladder in the UK. <i>Pharmacoeconomics - Open</i> , 2017 , 1, 25-36	2.1	6
84	Improving Nursing Home Care through Feedback On Performance Data (INFORM): Protocol for a cluster-randomized trial. <i>Trials</i> , 2017 , 18, 9	2.8	16
83	Urinary incontinence in older adults. <i>Medicine</i> , 2017 , 45, 23-27	0.6	7
82	An Approach to Urinary Incontinence for Dermatologists. <i>Journal of Cutaneous Medicine and Surgery</i> , 2017 , 21, 15-22	1.6	5
81	CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017 , 11, E142-E173	1.2	58
80	Measuring Activity Performance of Older Adults Using the activPAL: A Rapid Review. <i>Healthcare (Switzerland)</i> , 2017 , 5,	3.4	9

79	Urinary incontinence in older people. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2016 , 77, C27-32	0.8	9
78	Oral pharmacotherapy for overactive bladder in older patients: mirabegron as a potential alternative to antimuscarinics. <i>Current Medical Research and Opinion</i> , 2016 , 32, 621-38	2.5	44
77	Cardiovascular Safety of β -adrenoceptor Agonists for the Treatment of Patients with Overactive Bladder Syndrome. <i>European Urology</i> , 2016 , 69, 311-23	10.2	64
76	Overactive bladder: strategies to ensure treatment compliance and adherence. <i>Clinical Interventions in Aging</i> , 2016 , 11, 755-60	4	16
75	Persistence with medication and overactive bladder: an ongoing challenge. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2016 , 16, 475-81	2.2	2
74	Nocturnal Enuresis in Older People: Where Is the Evidence and What Are the Gaps?. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016 , 43, 401-6	1.7	1
73	O2-14-04: From Continence to Incontinence in Nursing Home Care: The Influence of a Dementia Diagnosis 2016 , 12, P265-P266		1
72	Managing Urinary Incontinence in Patients with Dementia: Pharmacological Treatment Options and Considerations. <i>Drugs and Aging</i> , 2015 , 32, 559-67	4.7	21
71	Optimizing senior surgical care - Elder-friendly Approaches to the Surgical Environment (EASE) study: rationale and objectives. <i>BMC Health Services Research</i> , 2015 , 15, 338	2.9	19
70	Urinary Tract Infections in the Elderly. <i>Current Bladder Dysfunction Reports</i> , 2015 , 10, 222-226	0.4	1
69	Appropriateness of oral drugs for long-term treatment of lower urinary tract symptoms in older persons: results of a systematic literature review and international consensus validation process (LUTS-FORTA 2014). <i>Age and Ageing</i> , 2015 , 44, 745-55	3	71
68	Urinary incontinence in frail elderly persons: Report from the 5th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2015 , 34, 398-406	2.3	88
67	Mobility of Vulnerable Elders study: effect of the sit-to-stand activity on mobility, function, and quality of life. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 138-43	5.9	38
66	Overactive bladder in older people 2015 , 203-221		
65	Continence Across Continents To Upend Stigma and Dependency (CACTUS-D): study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2015 , 16, 565	2.8	9
64	Factors associated with dose escalation of fesoterodine for treatment of overactive bladder in people >65 years of age: A post hoc analysis of data from the SOFIA study. <i>Neurourology and Urodynamics</i> , 2015 , 34, 438-43	2.3	9
63	Self-Reported Outcomes in Individuals Aged 65 and Older Admitted for Treatment to an Acute Care Surgical Service: A 6-Month Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2388-94	5.6	11
62	Persistence and adherence with the new beta-3 receptor agonist, mirabegron, versus antimuscarinics in overactive bladder: Early experience in Canada. <i>Canadian Urological Association Journal</i> , 2015 , 9, 343-50	1.2	81

61	Greater Independence in Activities of Daily Living is Associated with Higher Health-Related Quality of Life Scores in Nursing Home Residents with Dementia. <i>Healthcare (Switzerland)</i> , 2015 , 3, 503-18	3.4	16
60	Affirming the Value of the Resident Assessment Instrument: Minimum Data Set Version 2.0 for Nursing Home Decision-Making and Quality Improvement. <i>Healthcare (Switzerland)</i> , 2015 , 3, 659-65	3.4	1
59	Fesoterodine clinical efficacy and safety for the treatment of overactive bladder in relation to patient profiles: a systematic review. <i>Current Medical Research and Opinion</i> , 2015 , 31, 1201-43	2.5	16
58	Lower urinary tract symptoms and falls in older women: a case control study. <i>Maturitas</i> , 2015 , 80, 308-115		9
57	Review of the efficacy and safety of fesoterodine for treating overactive bladder and urgency urinary incontinence in elderly patients. <i>Drugs and Aging</i> , 2015 , 32, 103-25	4.7	15
56	Pharmacological Treatment of Voiding Dysfunction in Older Men. <i>Current Geriatrics Reports</i> , 2015 , 4, 44-50	1.3	
55	Treatment Patterns for Patients on Overactive Bladder Therapy: A Retrospective Statistical Analysis Using Canadian Claims Data. <i>Journal of Health Economics and Outcomes Research</i> , 2015 , 3, 43-55 ^{1.6}		6
54	National audit of continence care: adherence to National Institute for Health and Clinical Excellence (NICE) guidance in older versus younger adults with faecal incontinence. <i>Age and Ageing</i> , 2014 , 43, 785-93	3	18
53	The effect on fall rate of blood glucose testing at the time of falls in elderly diabetics. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 65	5.6	
52	New horizons: urinary incontinence in older people. <i>Age and Ageing</i> , 2014 , 43, 157-63	3	40
51	Does fesoterodine have a role in the treatment of poorly managed patients with overactive bladder?. <i>Drug Design, Development and Therapy</i> , 2014 , 8, 113-9	4.4	2
50	Urinary incontinence in the frail elderly: what do we still need to learn?. <i>Clinical Practice (London, England)</i> , 2014 , 11, 431-440	3	
49	Validation of the bladder control self-assessment questionnaire (B-SAQ) in men. <i>BJU International</i> , 2014 , 113, 783-8	5.6	12
48	Long-term safety, tolerability and efficacy of flexible-dose fesoterodine in elderly patients with overactive bladder: open-label extension of the SOFIA trial. <i>Neurourology and Urodynamics</i> , 2014 , 33, 106-14	2.3	37
47	Detrusor underactivity: Pathophysiological considerations, models and proposals for future research. ICI-RS 2013. <i>Neurourology and Urodynamics</i> , 2014 , 33, 591-6	2.3	35
46	The efficacy and tolerability of the B-adrenoceptor agonist mirabegron for the treatment of symptoms of overactive bladder in older patients. <i>Age and Ageing</i> , 2014 , 43, 666-75	3	79
45	Developing an internationally-applicable service specification for continence care: systematic review, evidence synthesis and expert consensus. <i>PLoS ONE</i> , 2014 , 9, e104129	3.7	18
44	Randomised, multicentre, placebo-controlled, double-blind crossover study investigating the effect of solifenacin and oxybutynin in elderly people with mild cognitive impairment: the SENIOR study. <i>European Urology</i> , 2013 , 64, 74-81	10.2	80

43	Reply from authors re: Jean-Nicolas Cornu. Overactive bladder medical management in the elderly: it is time to go beyond the tip of the iceberg. <i>Eur Urol</i> 2013;64:82-3. <i>European Urology</i> , 2013 , 64, 83-4	10.2	0
42	Urinary incontinence in older people: an overview. <i>Medicine</i> , 2013 , 41, 20-23	0.6	3
41	Flexible-dose fesoterodine in elderly adults with overactive bladder: results of the randomized, double-blind, placebo-controlled study of fesoterodine in an aging population trial. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 185-93	5.6	81
40	Effects of drug cessation after flexible-dose fesoterodine in patients with overactive bladder. <i>BJU International</i> , 2013 , 112, 820-9	5.6	9
39	Knowledge and understanding of urinary incontinence: survey of family practitioners in northern Alberta. <i>Canadian Family Physician</i> , 2013 , 59, e330-7	0.9	19
38	Persistence with prescribed antimuscarinic therapy for overactive bladder: a UK experience. <i>BJU International</i> , 2012 , 110, 1767-74	5.6	244
37	Safety and efficacy of flexible-dose fesoterodine in British subjects with overactive bladder: insights into factors associated with dose escalation. <i>International Urogynecology Journal</i> , 2012 , 23, 1581-90	2.3	23
36	Antimuscarinic treatment in overactive bladder: special considerations in elderly patients. <i>Drugs and Aging</i> , 2012 , 29, 539-48	4.7	24
35	Etiology of overactive bladder: a diet and lifestyle model for diabetes and obesity in older women. <i>Neurourology and Urodynamics</i> , 2012 , 31, 487-95	2.3	21
34	Clinical utility of transdermal delivery of oxybutynin gel via a metered-dose pump in the management of overactive bladder. <i>Research and Reports in Urology</i> , 2012 , 4, 57-64	1.3	2
33	Antimuscarinic Treatment in Overactive Bladder 2012 , 29, 539		1
32	To what extent are national guidelines for the management of urinary incontinence in women adhered? Data from a national audit. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1592-600	3.7	26
31	Mobility of Vulnerable Elders (MOVE): study protocol to evaluate the implementation and outcomes of a mobility intervention in long-term care facilities. <i>BMC Geriatrics</i> , 2011 , 11, 84	4.1	22
30	Falls risk reduction and treatment of overactive bladder symptoms with antimuscarinic agents: a scoping review. <i>Neurourology and Urodynamics</i> , 2011 , 30, 490-4	2.3	11
29	Treating overactive bladder in the elderly. <i>Canadian Urological Association Journal</i> , 2011 , 5, S149-51	1.2	30
28	Review of cognitive impairment with antimuscarinic agents in elderly patients with overactive bladder. <i>International Journal of Clinical Practice</i> , 2010 , 64, 1279-86	2.9	61
27	Efficacy and tolerability of fesoterodine in older and younger subjects with overactive bladder. <i>Urology</i> , 2010 , 76, 1350-7	1.6	55
26	Is it Possible to Measure What Truly Matters? The Paradox of Clinical Audit in Developing Continence Service Standards for Older People. <i>Patient</i> , 2010 , 3, 11-23	3.7	2

25	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 708-14 ^{2,3}	44
24	Incontinence in the frail elderly: report from the 4th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 165-78	2.3 132
23	Overactive bladder: Is there a link to the metabolic syndrome in men?. <i>Neurourology and Urodynamics</i> , 2010 , 29, 1360-4	2.3 48
22	Do self-reported integrated continence services provide high-quality continence care?. <i>Age and Ageing</i> , 2009 , 38, 730-3	3 9
21	The safety and efficacy of tolterodine extended release in the treatment of overactive bladder in the elderly. <i>Clinical Interventions in Aging</i> , 2009 , 4, 191-6	4 7
20	A review of adherence to drug therapy in patients with overactive bladder. <i>BJU International</i> , 2008 , 102, 774-9	5.6 130
19	Urinary incontinence in stroke: results from the UK National Sentinel Audits of Stroke 1998-2004. <i>Age and Ageing</i> , 2008 , 37, 542-6	3 17
18	Transdermal oxybutynin: topical therapy for overactive bladder syndrome. <i>Expert Review of Obstetrics and Gynecology</i> , 2008 , 3, 175-179	1
17	Recent advances in the treatment of urinary incontinence in older women. <i>Current Opinion in Urology</i> , 2008 , 18, 383-8	2.8 5
16	National audit of continence care for older people: management of urinary incontinence. <i>Age and Ageing</i> , 2008 , 37, 39-44	3 58
15	Overactive bladder syndrome in older people. <i>BJU International</i> , 2007 , 99, 502-9	5.6 54
14	Patient characteristics associated with quality of life in European women seeking treatment for urinary incontinence: results from PURE. <i>European Urology</i> , 2007 , 51, 1073-81; discussion 1081-2	10.2 81
13	Design and validation of a new screening instrument for lower urinary tract dysfunction: the bladder control self-assessment questionnaire (B-SAQ). <i>European Urology</i> , 2007 , 52, 230-7	10.2 40
12	Current and future trends in the management of overactive bladder. <i>International Urogynecology Journal</i> , 2007 , 18, 81-94	2 13
11	National audit of continence care for older people: management of faecal incontinence. <i>Age and Ageing</i> , 2007 , 36, 268-73	3 21
10	The extent and severity of urinary incontinence amongst women in UK GP waiting rooms. <i>Family Practice</i> , 2006 , 23, 497-506	1.9 41
9	Managing Special Populations: The Elderly. <i>European Urology Supplements</i> , 2006 , 5, 866-870	0.9 3
8	Efficacy and tolerability of solifenacin in elderly subjects with overactive bladder syndrome: a pooled analysis. <i>American Journal of Geriatric Pharmacotherapy</i> , 2006 , 4, 14-24	112

7	Patient-reported impact of urinary incontinence--results from treatment seeking women in 14 European countries. <i>Maturitas</i> , 2005 , 52 Suppl 2, S24-34	5	67
6	Secondary-care treatment patterns in the UK for women with urinary incontinence. <i>BJU International</i> , 2005 , 96, 839-42	5.6	12
5	National audit of continence care for older people: results of a pilot study*. <i>Journal of Evaluation in Clinical Practice</i> , 2005 , 11, 525-32	2.5	31
4	National audit of continence care: laying the foundation. <i>Journal of Evaluation in Clinical Practice</i> , 2005 , 11, 533-43	2.5	7
3	Management of bowel problems in older people: an update. <i>Clinical Medicine</i> , 2005 , 5, 289-95	1.9	48
2	Medical therapy for the overactive bladder in the elderly. <i>Age and Ageing</i> , 2002 , 31, 241-6	3	26
1	Disorders of the Lower Urinary Tract343-352		