

Nicholas Coleman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4969045/publications.pdf>

Version: 2024-02-01

46
papers

2,245
citations

236925

25
h-index

233421

45
g-index

50
all docs

50
docs citations

50
times ranked

3017
citing authors

#	ARTICLE	IF	CITATIONS
1	Stromal oncostatin M cytokine promotes breast cancer progression by reprogramming the tumor microenvironment. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	21
2	Circulating microRNAs as biomarkers to assist the management of the malignant germ-cell-tumour subtype choriocarcinoma. <i>Translational Oncology</i> , 2021, 14, 100904.	3.7	12
3	Real-World Application of Pre-Orchiectomy miR-371a-3p Test in Testicular Germ Cell Tumor Management. <i>Journal of Urology</i> , 2021, 205, 137-144.	0.4	28
4	The Road Ahead for Circulating microRNAs in Diagnosis and Management of Testicular Germ Cell Tumors. <i>Molecular Diagnosis and Therapy</i> , 2021, 25, 269-271.	3.8	6
5	Serum Small RNA Sequencing and miR-375 Assay Do Not Identify the Presence of Pure Teratoma at Postchemotherapy Retroperitoneal Lymph Node Dissection. <i>European Urology Open Science</i> , 2021, 26, 83-87.	0.4	26
6	Short- and long-range cis interactions between integrated HPV genomes and cellular chromatin dysregulate host gene expression in early cervical carcinogenesis. <i>PLoS Pathogens</i> , 2021, 17, e1009875.	4.7	18
7	A Multi-institutional Pooled Analysis Demonstrates That Circulating miR-371a-3p Alone is Sufficient for Testicular Malignant Germ Cell Tumor Diagnosis. <i>Clinical Genitourinary Cancer</i> , 2021, 19, 469-479.	1.9	19
8	The developmental origin of cancers defines basic principles of cisplatin resistance. <i>Cancer Letters</i> , 2021, 519, 199-210.	7.2	17
9	Pre-Implementation Assessment of the Acceptability of Using Circulating microRNAs for Follow-Up of Malignant Germ-Cell Tumors. <i>Clinical Genitourinary Cancer</i> , 2021, 19, 381-387.	1.9	4
10	Circulating MicroRNAs, the Next-Generation Serum Biomarkers in Testicular Germ Cell Tumours: A Systematic Review. <i>European Urology</i> , 2021, 80, 456-466.	1.9	60
11	A Circulating MicroRNA Panel for Malignant Germ Cell Tumor Diagnosis and Monitoring. <i>Methods in Molecular Biology</i> , 2021, 2195, 225-243.	0.9	4
12	Clinical utility of circulating miR-371a-3p for the management of patients with intracranial malignant germ cell tumors. <i>Neuro-Oncology Advances</i> , 2020, 2, vdaa048.	0.7	17
13	Can circulating microRNAs solve clinical dilemmas in testicular germ cell malignancy?. <i>Nature Reviews Urology</i> , 2019, 16, 505-506.	3.8	8
14	Cost Analysis of Noninvasive Blood-Based MicroRNA Testing Versus CT Scans for Follow-up in Patients With Testicular Germ-Cell Tumors. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e733-e744.	1.9	25
15	Human papillomavirus genome integration in squamous carcinogenesis: what have next-generation sequencing studies taught us?. <i>Journal of Pathology</i> , 2018, 245, 9-18.	4.5	46
16	Anti-oncostatin M antibody inhibits the pro-malignant effects of oncostatin M receptor overexpression in squamous cell carcinoma. <i>Journal of Pathology</i> , 2018, 244, 283-295.	4.5	22
17	Future-Proofing Blood Processing for Measurement of Circulating miRNAs in Samples from Biobanks and Prospective Clinical Trials. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 208-218.	2.5	28
18	Disruption of CTCF-YY1-dependent looping of the human papillomavirus genome activates differentiation-induced viral oncogene transcription. <i>PLoS Biology</i> , 2018, 16, e2005752.	5.6	60

#	ARTICLE	IF	CITATIONS
19	STAT3 activation by E6 is essential for the differentiation-dependent HPV18 life cycle. <i>PLoS Pathogens</i> , 2018, 14, e1006975.	4.7	62
20	A Robust Protocol to Quantify Circulating Cancer Biomarker MicroRNAs. <i>Methods in Molecular Biology</i> , 2017, 1580, 265-279.	0.9	14
21	Identification of host transcriptional networks showing concentration-dependent regulation by HPV16 E6 and E7 proteins in basal cervical squamous epithelial cells. <i>Scientific Reports</i> , 2016, 6, 29832.	3.3	7
22	Paediatric extracranial germ-cell tumours. <i>Lancet Oncology</i> , The, 2016, 17, e149-e162.	10.7	60
23	The present and future of serum diagnostic tests for testicular germ cell tumours. <i>Nature Reviews Urology</i> , 2016, 13, 715-725.	3.8	148
24	Overexpression of the oncostatin-M receptor in cervical squamous cell carcinoma is associated with epithelial-mesenchymal transition and poor overall survival. <i>British Journal of Cancer</i> , 2016, 115, 212-222.	6.4	35
25	What Is Trophoblast? A Combination of Criteria Define Human First-Trimester Trophoblast. <i>Stem Cell Reports</i> , 2016, 6, 257-272.	4.8	213
26	A pipeline to quantify serum and cerebrospinal fluid microRNAs for diagnosis and detection of relapse in paediatric malignant germ-cell tumours. <i>British Journal of Cancer</i> , 2016, 114, 151-162.	6.4	122
27	Chronic Hepatitis B Virus Infection: The Relation between Hepatitis B Antigen Expression, Telomere Length, Senescence, Inflammation and Fibrosis. <i>PLoS ONE</i> , 2015, 10, e0127511.	2.5	31
28	Pathogenesis of human papillomavirus-associated mucosal disease. <i>Journal of Pathology</i> , 2015, 235, 527-538.	4.5	119
29	CCCTC-Binding Factor Recruitment to the Early Region of the Human Papillomavirus 18 Genome Regulates Viral Oncogene Expression. <i>Journal of Virology</i> , 2015, 89, 4770-4785.	3.4	58
30	Solid Tumors of Childhood Display Specific Serum microRNA Profiles. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 350-360.	2.5	74
31	Oncostatin M receptor is a novel therapeutic target in cervical squamous cell carcinoma. <i>Journal of Pathology</i> , 2014, 232, 386-390.	4.5	68
32	Virus transcript levels and cell growth rates after naturally occurring HPV16 integration events in basal cervical keratinocytes. <i>Journal of Pathology</i> , 2014, 233, 281-293.	4.5	20
33	Regulation of human genome expression and RNA splicing by human papillomavirus 16 E2 protein. <i>Virology</i> , 2014, 468-470, 10-18.	2.4	30
34	Tissue transglutaminase mediates the pro-malignant effects of oncostatin M receptor overexpression in cervical squamous cell carcinoma. <i>Journal of Pathology</i> , 2013, 231, 168-179.	4.5	31
35	Overexpression of the oncostatin M receptor in cervical squamous cell carcinoma cells is associated with a pro-angiogenic phenotype and increased cell motility and invasiveness. <i>Journal of Pathology</i> , 2011, 225, 448-462.	4.5	34
36	<i>In vitro</i> Progression of Human Papillomavirus 16 Episome-Associated Cervical Neoplasia Displays Fundamental Similarities to Integrant-Associated Carcinogenesis. <i>Cancer Research</i> , 2010, 70, 4081-4091.	0.9	74

#	ARTICLE	IF	CITATIONS
37	Characterization of Naturally Occurring HPV16 Integration Sites Isolated from Cervical Keratinocytes under Noncompetitive Conditions. <i>Cancer Research</i> , 2008, 68, 8249-8259.	0.9	83
38	Selection of cervical keratinocytes containing integrated HPV16 associates with episome loss and an endogenous antiviral response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 3822-3827.	7.1	134
39	Langerhans cells and the cells of Langerhans cell histiocytosis do not express DC-SIGN. <i>Blood</i> , 2001, 98, 1987-1988.	1.4	40
40	Early genetic events in HPV immortalised keratinocytes. <i>Genes Chromosomes and Cancer</i> , 2001, 30, 72-79.	2.8	36
41	Detection of S-phase cells in tissue sections by in situ DNA replication. <i>Nature Cell Biology</i> , 2000, 2, 244-245.	10.3	21
42	Cellular and Subcellular Distribution of Polycystin-2, the Protein Product of the PKD2 Gene. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 814-827.	6.1	145
43	Novel method for the production of multiple colour chromosome paints for use in karyotyping by fluorescence in situ hybridisation. , 1999, 25, 241-250.		36
44	Characterization and functional analysis of the expression of vascular adhesion molecules in human papillomavirus-related disease of the cervix. <i>Cancer</i> , 1994, 74, 884-892.	4.1	37
45	Analysis of HLA-DR expression on keratinocytes in cervical neoplasia. <i>International Journal of Cancer</i> , 1994, 56, 314-319.	5.1	61
46	“Natural” presentation of human papillomavirus type-16 E7 protein to immunocompetent mice results in antigen-specific sensitization or sustained unresponsiveness. <i>European Journal of Immunology</i> , 1994, 24, 738-745.	2.9	22