Kristen H Kjerulff

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4969737/publications.pdf

Version: 2024-02-01

74 papers

3,132 citations

196777 29 h-index 54 g-index

74 all docs

74 docs citations

times ranked

74

3455 citing authors

#	Article	IF	Citations
1	Early Resumption of Sexual Intercourse after First Childbirth and Unintended Pregnancy within Six Months. Women's Health Issues, 2022, 32, 51-56.	0.9	1
2	Covid-19 vaccine acceptance and associated factors among pregnant women in Pennsylvania 2020. Preventive Medicine Reports, 2022, 26, 101713.	0.8	20
3	Paternal Education and Its Impact on Breastfeeding Initiation and Duration: An Understudied and Often Overlooked Factor in U.S. Breastfeeding Practices. Breastfeeding Medicine, 2022, 17, 429-436.	0.8	4
4	Out-of-Pocket Medical Bills from First Childbirth and Subsequent Childbearing. Women's Health Issues, 2021, 31, 17-23.	0.9	4
5	Influence of prenatal perceived stress on postpartum weight retention is mediated by high gestational weight gain in women with overweight. Clinical Obesity, 2021, 11, e12446.	1.1	4
6	A prospective cohort study of post-traumatic stress disorder and maternal-infant bonding after first childbirth. Journal of Psychosomatic Research, 2021, 144, 110424.	1.2	29
7	Natural history of urinary incontinence from first childbirth to 30-months postpartum. Archives of Gynecology and Obstetrics, 2021, 304, 713-724.	0.8	8
8	Association of Delivery Outcomes With the Number of Childbirth Education Sessions. Journal of Perinatal and Neonatal Nursing, 2021, 35, 228-236.	0.5	9
9	Non-iodized salt consumption among women of reproductive age in sub-Saharan Africa: a population-based study. Public Health Nutrition, 2020, 23, 2759-2769.	1.1	7
10	Factors Associated with Urinary Iodine Concentration among Women of Reproductive Age, 20–49 Years Old, in Tanzania: A Population-Based Cross-Sectional Study. Current Developments in Nutrition, 2020, 4, nzaa079.	0.1	7
11	Association Between Mode of First Delivery and Subsequent Fecundity and Fertility. JAMA Network Open, 2020, 3, e203076.	2.8	31
12	Postpartum Perceived Stress Explains the Association between Perceived Social Support and Depressive Symptoms. Women's Health Issues, 2020, 30, 231-239.	0.9	28
13	Mode of first delivery and postpartum weight retention at 1 year. Obesity Research and Clinical Practice, 2020, 14, 241-248.	0.8	5
14	Women's preference for vaginal birth after a first delivery by cesarean. Birth, 2019, 46, 51-60.	1.1	34
15	Early maternalâ€newborn contact and positive birth experience. Birth, 2019, 46, 42-50.	1.1	21
16	Adherence to Iron Supplementation in 22 Sub-Saharan African Countries and Associated Factors among Pregnant Women: A Large Population-Based Study. Current Developments in Nutrition, 2019, 3, nzz120.	0.1	53
17	Prevalence and predictors of contraceptive use among women of reproductive age in 17 sub-Saharan African countries: A large population-based study. Sexual and Reproductive Healthcare, 2019, 21, 26-32.	0.5	52
18	Mode of Delivery Preference Among Pregnant Nulliparous Women. Journal of Women's Health, 2019, 28, 874-884.	1.5	7

#	Article	IF	CITATIONS
19	Patterns of Gestational Weight Gain and Infants Born Large-for-Gestational Age Across Consecutive Pregnancies. Women's Health Issues, 2019, 29, 194-200.	0.9	4
20	Breastfeeding initiation and duration and child health outcomes in the first baby study. Preventive Medicine, 2019, 118, 1-6.	1.6	30
21	Factors influencing women's perceptions of shared decision making during labor and delivery: Results from a large-scale cohort study of first childbirth. Patient Education and Counseling, 2018, 101, 1130-1136.	1.0	70
22	New mothers' feelings of disappointment and failure after cesarean delivery. Birth, 2018, 45, 19-27.	1.1	45
23	Validity of Birth Certificate and Hospital Discharge Data Reporting of Labor Induction. Women's Health Issues, 2018, 28, 82-88.	0.9	8
24	Pregnancy after a melanoma diagnosis in women in the United States. Journal of Surgical Research, 2018, 231, 133-139.	0.8	4
25	Fathers make a difference: positive relationships with mother and baby in relation to infant colic. Child: Care, Health and Development, 2017, 43, 687-696.	0.8	10
26	Short Interpregnancy Intervals: Results from the First Baby Study. Women's Health Issues, 2017, 27, 426-433.	0.9	18
27	Concordance between Women's Self-Reported Reasons for Cesarean Delivery and Hospital Discharge Records. Women's Health Issues, 2017, 27, 329-335.	0.9	4
28	Labor induction and cesarean delivery: A prospective cohort study of first births in Pennsylvania, <scp>USA</scp> . Birth, 2017, 44, 252-261.	1.1	17
29	Antenatal Maternity Leave and Childbirth Using the First Baby Study: A Propensity Score Analysis. Women's Health Issues, 2017, 27, 50-59.	0.9	6
30	Prenatal attitudes toward vaginal delivery and actual delivery mode: Variation by race/ethnicity and socioeconomic status. Birth, 2017, 44, 306-314.	1.1	15
31	Association Between Partner-Relationship Satisfaction During Pregnancy and Maternal Postpartum Depression [39D]. Obstetrics and Gynecology, 2017, 129, 51S-51S.	1.2	2
32	Risk Factors for Dyspareunia After First Childbirth. Obstetrics and Gynecology, 2016, 128, 512-518.	1.2	46
33	Reduced Breastfeeding Rates in Firstborn Late Preterm and Early Term Infants. Breastfeeding Medicine, 2016, 11, 119-125.	0.8	65
34	Trajectories of Depressive Symptoms Throughout the Peri- and Postpartum Period: Results from the First Baby Study. Journal of Women's Health, 2016, 25, 1112-1121.	1.5	62
35	Effect of Multiple Previous Miscarriages on Health Behaviors and Health Care Utilization During Subsequent Pregnancy. Women's Health Issues, 2015, 25, 155-161.	0.9	8
36	Psychosocial Stress During First Pregnancy Predicts Infant Health Outcomes in the First Postnatal Year. Maternal and Child Health Journal, 2015, 19, 2587-2597.	0.7	39

3

#	Article	IF	CITATIONS
37	Effect of Previous Miscarriage on Depressive Symptoms During Subsequent Pregnancy and Postpartum in the First Baby Study. Maternal and Child Health Journal, 2015, 19, 391-400.	0.7	28
38	Exercise during Pregnancy and Risk of Late Preterm Birth, Cesarean Delivery, and Hospitalizations. Women's Health Issues, 2014, 24, e99-e104.	0.9	51
39	Effect of miscarriage history on maternal-infant bonding during the first year postpartum in the First Baby Study: a longitudinal cohort study. BMC Women's Health, 2014, 14, 83.	0.8	12
40	Behaviours of overweight and obese women during pregnancy who achieve and exceed recommended gestational weight gain. Obesity Research and Clinical Practice, 2014, 8, e577-e583.	0.8	28
41	Birth-related, psychosocial, and emotional correlates of positive maternal–infant bonding in a cohort of first-time mothers. Midwifery, 2014, 30, e188-e194.	1.0	71
42	Association of Prenatal Physical Activity and Gestational Weight Gain: Results from the First Baby Study. Women's Health Issues, 2013, 23, e233-e238.	0.9	43
43	Unintended Pregnancy and Postpartum Depression Among First-Time Mothers. Journal of Women's Health, 2013, 22, 412-416.	1.5	64
44	Mode of First Delivery and Women's Intentions for Subsequent Childbearing: Findings from the First Baby Study. Paediatric and Perinatal Epidemiology, 2013, 27, 62-71.	0.8	58
45	First birth Caesarean section and subsequent fertility: a population-based study in the USA, 2000–2008. Human Reproduction, 2013, 28, 3349-3357.	0.4	36
46	Birth Experience in Women with Low, Intermediate or High Levels of Fear: Findings from the First Baby Study. Birth, 2013, 40, 289-296.	1.1	105
47	Effect of Previous Miscarriage on the Maternal Birth Experience in the First Baby Study. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2013, 42, 442-450.	0.2	7
48	"What My Doctor Didn't Tell Me†Examining Health Care Provider Advice to Overweight and Obese Pregnant Women on Gestational Weight Gain and Physical Activity. Women's Health Issues, 2012, 22, e535-e540.	0.9	136
49	Prenatal care associated with reduction of neonatal mortality in Sub-Saharan Africa: evidence from Demographic and Health Surveys. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 779-790.	1.3	32
50	The cost of being a woman. Women's Health Issues, 2007, 17, 13-21.	0.9	38
51	Hysterectomy and loss of fertility: Implications for women's mental health. Journal of Psychosomatic Research, 2007, 63, 269-274.	1.2	24
52	Fear of Cancer Among Women Undergoing Hysterectomy for Benign Conditions. Psychosomatic Medicine, 2005, 67, 420-424.	1.3	11
53	Perioperative complications of surgery for genital prolapse: Does concomitant anti-incontinence surgery increase complications?. Urology, 2005, 65, 483-487.	0.5	21
54	Sexual function among women with urinary incontinence and pelvic organ prolapse. American Journal of Obstetrics and Gynecology, 2004, 191, 751-756.	0.7	210

#	Article	IF	CITATIONS
55	Parity and route of delivery: does cesarean delivery reduce bladder symptoms later in life?. American Journal of Obstetrics and Gynecology, 2004, 191, 463-469.	0.7	32
56	Quality of Life and Sexual Function After Hysterectomy in Women With Preoperative Pain and Depression. Obstetrics and Gynecology, 2004, 104, 701-709.	1.2	85
57	Smoking, Body Mass, and Hot Flashes in Midlife Women. Obstetrics and Gynecology, 2003, 101, 264-272.	1.2	110
58	Urinary incontinence and hysterectomy in a large prospective cohort study in American women. Journal of Urology, 2002, 167, 2088-92.	0.2	14
59	Patient satisfaction with results of hysterectomy. American Journal of Obstetrics and Gynecology, 2000, 183, 1440-1447.	0.7	92
60	Effectiveness of hysterectomy. Obstetrics and Gynecology, 2000, 95, 319-326.	1.2	152
61	Hysterectomy and Sexual Functioning. JAMA - Journal of the American Medical Association, 1999, 282, 1934.	3.8	248
62	Hormone Replacement and Menopausal Symptoms following Hysterectomy. American Journal of Epidemiology, 1997, 146, 870-880.	1.6	40
63	Chronic gynecological conditions reported by US women: findings from the National Health Interview Survey, 1984 to 1992 American Journal of Public Health, 1996, 86, 195-199.	1.5	208
64	Pathologic Findings From the Maryland Women's Health Study. Obstetrical and Gynecological Survey, 1996, 51, 594-595.	0.2	0
65	Uterine leiomyomas. Racial differences in severity, symptoms and age at diagnosis. Journal of reproductive medicine, The, 1996, 41, 483-90.	0.2	233
66	A comparison of alternative ways of measuring fatigue among patients having hysterectomy. Medical Care, 1995, 33, AS156-63.	1.1	5
67	Hysterectomy and race. Obstetrics and Gynecology, 1993, 82, 757-64.	1.2	107
68	Technology anxiety as a potential mediating factor in response to medical technology. Journal of Medical Systems, 1992, 16, 7-13.	2.2	18
69	The impact of computer systems in a medical environment. Computerized Medical Imaging and Graphics, 1989, 13, 137-143.	3.5	4
70	Adapting to the implementation of a Medical Information System: A comparison of short- versus long-term findings. Journal of Medical Systems, 1987, 11, 11-20.	2.2	8
71	Implementing Computerization in Hospitals:. Journal of Organizational Behavior Management, 1985, 6, 109-122.	1.0	11
72	Medical information system training: An analysis of the reactions of hospital employees. Journal of Biomedical Informatics, 1984, 17, 303-310.	0.7	5

#	Article	IF	CITATIONS
73	A Comparison of Communication Patterns in Male and Female Graduate Students. Journal of Higher Education, 1973, 44, 623-632.	1.9	8
74	Factors associated with labor after cesarean in a prospective cohort. Birth, 0, , .	1.1	0