
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4970147/publications.pdf Version: 2024-02-01



**Β**ΡΙΙΝΟ ΕΤΛΙΝ

#	Article	IF	CITATIONS
1	Identification of risk loci with shared effects on five major psychiatric disorders: a genome-wide analysis. Lancet, The, 2013, 381, 1371-1379.	6.3	2,643
2	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	9.4	2,067
3	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nature Genetics, 2011, 43, 977-983.	9.4	1,283
4	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	9.4	1,191
5	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11.	13.5	935
6	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	9.4	629
7	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. Cell, 2018, 173, 1705-1715.e16.	13.5	623
8	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. Lancet, The, 2016, 387, 1085-1093.	6.3	306
9	All SNPs Are Not Created Equal: Genome-Wide Association Studies Reveal a Consistent Pattern of Enrichment among Functionally Annotated SNPs. PLoS Genetics, 2013, 9, e1003449.	1.5	268
10	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. American Journal of Human Genetics, 2011, 88, 372-381.	2.6	257
11	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. Molecular Psychiatry, 2018, 23, 133-142.	4.1	247
12	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. American Journal of Human Genetics, 2015, 96, 283-294.	2.6	225
13	The role of childhood trauma in bipolar disorders. International Journal of Bipolar Disorders, 2016, 4, 2.	0.8	219
14	Identification of Pathways for Bipolar Disorder. JAMA Psychiatry, 2014, 71, 657.	6.0	204
15	Beyond genetics: childhood affective trauma in bipolar disorder. Bipolar Disorders, 2008, 10, 867-876.	1.1	202
16	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394.	1.4	182
17	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. Acta Psychiatrica Scandinavica, 2013, 127, 136-144.	2.2	181
18	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. Journal of Clinical Psychiatry, 2013, 74, 991-998.	1.1	175

#	Article	IF	CITATIONS
19	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. Acta Psychiatrica Scandinavica, 2015, 131, 89-99.	2.2	168
20	Seasonality and bipolar disorder: A systematic review, from admission rates to seasonality of symptoms. Journal of Affective Disorders, 2014, 168, 210-223.	2.0	164
21	Anxiety Disorders in 318 Bipolar Patients. Journal of Clinical Psychiatry, 2003, 64, 331-335.	1.1	160
22	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636.	1.1	156
23	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155.	2.4	150
24	Genetics of circadian rhythms and mood spectrum disorders. European Neuropsychopharmacology, 2011, 21, S676-S682.	0.3	144
25	Preferential association between childhood emotional abuse and bipolar disorder. Journal of Traumatic Stress, 2010, 23, 376-383.	1.0	129
26	Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. Journal of Affective Disorders, 2018, 226, 132-141.	2.0	129
27	Bipolar Patients With Suicidal Behavior. Journal of Clinical Psychiatry, 2004, 65, 1035-1039.	1.1	120
28	The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. Bipolar Disorders, 2019, 21, 741-773.	1.1	113
29	Clinical Expression of Bipolar Disorder Type I as a Function of Age and Polarity at Onset. Journal of Clinical Psychiatry, 2012, 73, e561-e566.	1.1	113
30	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. JAMA Psychiatry, 2018, 75, 65-74.	6.0	102
31	Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. Journal of Affective Disorders, 2014, 158, 1-7.	2.0	98
32	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. Human Molecular Genetics, 2012, 21, 4030-4037.	1.4	90
33	Common variant at 16p11.2 conferring risk of psychosis. Molecular Psychiatry, 2014, 19, 108-114.	4.1	85
34	Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. Journal of Physiology (Paris), 2013, 107, 278-285.	2.1	77
35	Sleep- and circadian rhythm–associated pathways as therapeutic targets in bipolar disorder. Expert Opinion on Therapeutic Targets, 2015, 19, 747-763.	1.5	75
36	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. Psychological Medicine, 2017, 47, 902-912.	2.7	73

#	Article	IF	CITATIONS
37	Association between circadian genes, bipolar disorders and chronotypes. Chronobiology International, 2014, 31, 807-814.	0.9	71
38	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. Molecular Psychiatry, 2010, 15, 748-755.	4.1	70
39	Circadian biomarkers, circadian genes and bipolar disorders. Journal of Physiology (Paris), 2011, 105, 183-189.	2.1	70
40	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. Molecular Psychiatry, 2006, 11, 685-694.	4.1	68
41	A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. Journal of Affective Disorders, 2011, 131, 358-363.	2.0	68
42	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. Lancet Psychiatry,the, 2015, 2, 548-563.	3.7	68
43	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. Chronobiology International, 2014, 31, 698-704.	0.9	64
44	Sleep disturbances and first onset of major mental disorders in adolescence and early adulthood: A systematic review and meta-analysis. Sleep Medicine Reviews, 2021, 57, 101429.	3.8	64
45	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. Psychological Medicine, 2014, 44, 1653-1662.	2.7	61
46	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. Molecular Psychiatry, 2014, 19, 452-461.	4.1	61
47	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. Biological Psychiatry, 2022, 91, 102-117.	0.7	61
48	Association between brainâ€derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. Bipolar Disorders, 2008, 10, 580-587.	1.1	60
49	Age at onset in bipolar I affective disorder in the USA and Europe. World Journal of Biological Psychiatry, 2014, 15, 369-376.	1.3	59
50	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. Journal of Affective Disorders, 2019, 244, 1-8.	2.0	59
51	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. Journal of Affective Disorders, 2013, 144, 240-247.	2.0	57
52	Melatonin and Melatonin Agonists as Adjunctive Treatments in Bipolar Disorders. Current Pharmaceutical Design, 2015, 21, 3352-3358.	0.9	57
53	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. NeuroReport, 2004, 15, 1987-1991.	0.6	56
54	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. Psychiatry Research, 2006, 144, 131-138.	1.7	56

#	Article	IF	CITATIONS
55	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. Scientific Reports, 2015, 5, 10232.	1.6	56
56	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress on the Age at Onset of Bipolar Disorders. PLoS ONE, 2015, 10, e0119702.	1.1	56
57	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. Journal of Affective Disorders, 2016, 200, 159-164.	2.0	55
58	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. Journal of Affective Disorders, 2014, 152-154, 395-402.	2.0	53
59	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. Journal of Affective Disorders, 2015, 172, 375-380.	2.0	53
60	New Ways to Classify Bipolar Disorders: Going from Categorical Groups to Symptom Clusters or Dimensions. Current Psychiatry Reports, 2010, 12, 505-511.	2.1	52
61	Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. Chronobiology International, 2013, 30, 1101-1107.	0.9	51
62	Affective lability in patients with bipolar disorders is associated with high levels of childhood trauma. Psychiatry Research, 2014, 218, 252-255.	1.7	50
63	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. European Psychiatry, 2012, 27, 570-576.	0.1	49
64	Measuring circadian function in bipolar disorders: Empirical and conceptual review of physiological, actigraphic, and selfâ€report approaches. Bipolar Disorders, 2020, 22, 693-710.	1.1	49
65	Social phobia is associated with suicide attempt history in bipolar inpatients. Bipolar Disorders, 2007, 9, 713-721.	1.1	46
66	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2013, 151, 1009-1015.	2.0	45
67	Clinical factors associated with lithium response in bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 524-530.	1.3	45
68	Lithium response in bipolar disorders and core clock genes expression. World Journal of Biological Psychiatry, 2018, 19, 619-632.	1.3	45
69	Chronotypes of Bipolar Patients in Remission: Validation of the French Version of the Circadian Type Inventory in the FACE-BD Sample. Chronobiology International, 2013, 30, 1042-1049.	0.9	44
70	The neurobiology of adaptation to seasons: Relevance and correlations in bipolar disorders. Chronobiology International, 2018, 35, 1335-1353.	0.9	44
71	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	4.1	44
72	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. Journal of Affective Disorders, 2014, 167, 104-111.	2.0	43

#	Article	IF	CITATIONS
73	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. Journal of Psychiatric Research, 2017, 95, 37-45.	1.5	43
74	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. Journal of Affective Disorders, 2019, 244, 33-41.	2.0	42
75	Gene X Environment Interactions in Schizophrenia and Bipolar Disorder: Evidence from Neuroimaging. Frontiers in Psychiatry, 2013, 4, 136.	1.3	41
76	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACEâ€BD cohort. Bipolar Disorders, 2017, 19, 146-153.	1.1	41
77	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. International Journal of Bipolar Disorders, 2019, 7, 20.	0.8	41
78	ls processing speed a valid cognitive endophenotype for bipolar disorder?. Journal of Affective Disorders, 2012, 139, 98-101.	2.0	39
79	Influence of light exposure during early life on the age of onset of bipolar disorder. Journal of Psychiatric Research, 2015, 64, 1-8.	1.5	39
80	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. Journal of Affective Disorders, 2016, 198, 230-236.	2.0	39
81	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. Acta Psychiatrica Scandinavica, 2017, 135, 319-327.	2.2	39
82	Combination Therapy for Manic Phases: A Critical Review of a Common Practice. CNS Neuroscience and Therapeutics, 2012, 18, 957-964.	1.9	38
83	DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. International Journal of Molecular Sciences, 2018, 19, 3026.	1.8	38
84	An <scp>ASMT</scp> variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. Genes, Brain and Behavior, 2014, 13, 299-304.	1.1	37
85	Circadian genes and lithium response in bipolar disorders: associations with <scp>PPARGC1A</scp> ( <scp>PGC</scp> â€l <i>α</i> ) and <scp>RORA</scp> . Genes, Brain and Behavior, 2016, 15, 660-668.	1.1	37
86	Metabolic Syndrome in a French Cohort of Patients With Bipolar Disorder. Journal of Clinical Psychiatry, 2014, 75, 1078-1085.	1.1	37
87	Internet use by patients with bipolar disorder: Results from an international multisite survey. Psychiatry Research, 2016, 242, 388-394.	1.7	36
88	Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multiâ€disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. Bipolar Disorders, 2022, 24, 232-263.	1.1	36
89	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. Australian and New Zealand Journal of Psychiatry, 2015, 49, 898-905.	1.3	35
90	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. Journal of Affective Disorders, 2015, 183, 113-118.	2.0	35

#	Article	IF	CITATIONS
91	Online information seeking by patients with bipolar disorder: results from an international multisite survey. International Journal of Bipolar Disorders, 2016, 4, 17.	0.8	35
92	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. Journal of Affective Disorders, 2014, 165, 135-141.	2.0	34
93	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. Acta Psychiatrica Scandinavica, 2015, 131, 129-138.	2.2	34
94	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. PLoS ONE, 2014, 9, e104326.	1.1	34
95	Biomarkers of bipolar disorder specific or shared with schizophrenia. Frontiers in Bioscience - Elite, 2013, E5, 845-863.	0.9	33
96	<p>Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures</p> . Patient Preference and Adherence, 2020, Volume 14, 2147-2161.	0.8	32
97	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. Journal of Affective Disorders, 2020, 267, 258-263.	2.0	31
98	The HLA-G low expressor genotype is associated with protection against bipolar disorder. Human Immunology, 2013, 74, 593-597.	1.2	30
99	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. British Journal of Psychiatry, 2017, 211, 381-387.	1.7	30
100	Can the response to mood stabilizers be predicted in bipolar disorder. Frontiers in Bioscience - Elite, 2014, E6, 120-138.	0.9	30
101	Circadian abnormalities as markers of susceptibility in bipolar disorders. Frontiers in Bioscience - Scholar, 2014, S6, 120-137.	0.8	29
102	A Multilevel Functional Study of a <i>SNAP25</i> At-Risk Variant for Bipolar Disorder and Schizophrenia. Journal of Neuroscience, 2017, 37, 10389-10397.	1.7	29
103	Childhood maltreatment and polygenic risk in bipolar disorders. Bipolar Disorders, 2020, 22, 174-181.	1.1	29
104	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. European Psychiatry, 2015, 30, 99-105.	0.1	28
105	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 207.	1.3	28
106	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. Behavioral and Brain Functions, 2008, 4, 2.	1.4	27
107	MRI exploration of pineal volume in bipolar disorder. Journal of Affective Disorders, 2011, 135, 377-379.	2.0	27
108	Circadian biomarkers in patients with bipolar disorder: promising putative predictors of lithium response. International Journal of Bipolar Disorders, 2014, 2, 28.	0.8	27

#	Article	IF	CITATIONS
109	Links between sleep and body mass index in bipolar disorders: An exploratory study. European Psychiatry, 2015, 30, 89-93.	0.1	26
110	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. Journal of Affective Disorders, 2016, 190, 286-293.	2.0	26
111	<p>The Patient-Reported Experience Measure for Improving qUality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy</p> . Patient Preference and Adherence, 2019, Volume 13, 165-177.	0.8	26
112	Outcomes for bipolar patients assessed in the French expert center network: A 2â€year followâ€up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACEâ€BD]). Bipolar Disorders, 2017, 19, 651-660.	1.1	25
113	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. Journal of Affective Disorders, 2018, 226, 66-71.	2.0	25
114	Association between solar insolation and a history of suicide attempts in bipolar I disorder. Journal of Psychiatric Research, 2019, 113, 1-9.	1.5	25
115	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27.	2.0	25
116	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. Translational Psychiatry, 2021, 11, 606.	2.4	25
117	Solar insolation in springtime influences age of onset of bipolar I disorder. Acta Psychiatrica Scandinavica, 2017, 136, 571-582.	2.2	24
118	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. Bipolar Disorders, 2020, 22, 255-265.	1.1	24
119	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. American Journal of Medical Genetics Part A, 2004, 129B, 29-33.	2.4	23
120	Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. Frontiers in Psychiatry, 2018, 9, 360.	1.3	23
121	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. British Journal of Psychiatry, 2021, 218, 80-87.	1.7	23
122	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. Journal of Psychiatric Research, 2017, 84, 73-79.	1.5	22
123	Neuropsychological functioning, age, and medication adherence in bipolar disorder. PLoS ONE, 2017, 12, e0184313.	1.1	22
124	Attitudes of Medical Students towards Conflict of Interest: A National Survey in France. PLoS ONE, 2014, 9, e92858.	1.1	21
125	Alcohol use disorders are associated with increased affective lability in bipolar disorder. Journal of Affective Disorders, 2017, 208, 316-324.	2.0	21
126	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. Journal of Affective Disorders, 2019, 256, 348-357.	2.0	21

#	Article	IF	CITATIONS
127	A DNA methylation signature discriminates between excellent and non-response to lithium in patients with bipolar disorder type 1. Scientific Reports, 2020, 10, 12239.	1.6	21
128	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. Molecular Neurobiology, 2016, 53, 6608-6619.	1.9	20
129	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. Bipolar Disorders, 2019, 21, 68-75.	1.1	20
130	Accumulation of Lithium in the Hippocampus of Patients With Bipolar Disorder: A Lithium-7 Magnetic Resonance Imaging Study at 7 Tesla. Biological Psychiatry, 2020, 88, 426-433.	0.7	20
131	Characterisation of age and polarity at onset in bipolar disorder. British Journal of Psychiatry, 2021, 219, 659-669.	1.7	20
132	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. Bipolar Disorders, 2007, 9, 706-712.	1.1	19
133	Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. Psychological Medicine, 2009, 39, 365-370.	2.7	19
134	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. Journal of Affective Disorders, 2015, 184, 60-66.	2.0	19
135	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. European Psychiatry, 2017, 45, 190-197.	0.1	19
136	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. Journal of Affective Disorders, 2018, 227, 713-720.	2.0	19
137	Emotional hyperâ€reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. Acta Psychiatrica Scandinavica, 2018, 138, 348-359.	2.2	19
138	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. Psychological Medicine, 2019, 49, 519-527.	2.7	19
139	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. Acta Psychiatrica Scandinavica, 2015, 132, 218-225.	2.2	18
140	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a twoâ€year prospective study. Acta Psychiatrica Scandinavica, 2017, 135, 460-469.	2.2	18
141	Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. Journal of Affective Disorders, 2017, 208, 62-67.	2.0	18
142	HLA genetics in bipolar disorder. Acta Psychiatrica Scandinavica, 2018, 138, 464-471.	2.2	18
143	Kleine-Levin syndrome and bipolar disorder: a differential diagnosis of recurrent and resistant depression. Bipolar Disorders, 2013, 15, 899-902.	1.1	17
144	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. Scientific Reports, 2015, 5, 16301.	1.6	17

#	Article	IF	CITATIONS
145	Allostatic load, emotional hyperâ€reactivity, and functioning in individuals with bipolar disorder. Bipolar Disorders, 2020, 22, 711-721.	1.1	17
146	European collaborative study of earlyâ€onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1425-1433.	1.1	16
147	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). Cell Death and Disease, 2020, 11, 502.	2.7	16
148	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. Chronobiology International, 2020, 37, 712-722.	0.9	16
149	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. Bipolar Disorders, 2022, 24, 709-719.	1.1	16
150	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. Australian and New Zealand Journal of Psychiatry, 2017, 51, 788-798.	1.3	15
151	A reâ€examination of antidepressant treatmentâ€emergent mania in bipolar disorders: evidence of gender differences. Acta Psychiatrica Scandinavica, 2017, 135, 479-488.	2.2	15
152	Selecting reference genes in RT-qPCR based on equivalence tests: a network based approach. Scientific Reports, 2019, 9, 16231.	1.6	15
153	Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. International Journal of Bipolar Disorders, 2020, 8, 40.	0.8	15
154	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. Chronobiology International, 2017, 34, 1114-1124.	0.9	14
155	Genetic heterogeneity according to age at onset in bipolar disorder: A combined positional cloning and candidate gene approach. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 653-659.	1.1	13
156	Affect intensity measure in bipolar disorders: A multidimensional approach. Journal of Affective Disorders, 2014, 157, 8-13.	2.0	13
157	Genetic association between a â€~standing' variant of NOD2 and bipolar disorder. Immunobiology, 2014, 219, 766-771.	0.8	13
158	Internet use by older adults with bipolar disorder: international survey results. International Journal of Bipolar Disorders, 2018, 6, 20.	0.8	13
159	Which actigraphic variables optimally characterize the sleepâ€wake cycle of individuals with bipolar disorders?. Acta Psychiatrica Scandinavica, 2019, 139, 269-279.	2.2	13
160	Childhood Maltreatment in Bipolar Disorders. Current Topics in Behavioral Neurosciences, 2020, 48, 277-301.	0.8	13
161	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. Acta Psychiatrica Scandinavica, 2020, 141, 522-533.	2.2	13
162	An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. International Journal of Bipolar Disorders, 2020, 8, 37.	0.8	13

#	Article	IF	CITATIONS
163	Childhood-maltreatment subtypes in bipolar patients with suicidal behavior: systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2020, 42, 558-567.	0.9	13
164	A systematic review and meta-analysis of sleep and circadian rhythms disturbances in individuals at high-risk of developing or with early onset of bipolar disorders. Neuroscience and Biobehavioral Reviews, 2022, 135, 104585.	2.9	13
165	Validation of the french version of the functioning assessment short test (FAST) in patients with bipolar disorder. A study from the french bipolar expert centers network. International Clinical Psychopharmacology, 2012, 28, e62-e63.	0.9	12
166	Effect of early trauma on the sleep quality of euthymic bipolar patients. Journal of Affective Disorders, 2016, 206, 261-267.	2.0	12
167	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. Chronobiology International, 2020, 37, 101-110.	0.9	12
168	Association between affective temperaments and mood features in bipolar disorder II: The role of insomnia and chronobiological rhythms desynchronization. Journal of Affective Disorders, 2020, 266, 263-272.	2.0	12
169	Characterization of depressed bipolar patients with current suicidal ideation. Australian and New Zealand Journal of Psychiatry, 2021, 55, 289-304.	1.3	12
170	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. Journal of Affective Disorders, 2021, 282, 812-819.	2.0	12
171	Impact of a <i>cis</i> -associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. British Journal of Psychiatry, 2016, 208, 128-137.	1.7	11
172	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. Psychiatry Investigation, 2018, 15, 1188-1202.	0.7	11
173	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. Journal of Affective Disorders, 2019, 253, 203-209.	2.0	11
174	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. Psychotherapy and Psychosomatics, 2019, 88, 45-47.	4.0	11
175	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. Journal of Affective Disorders, 2020, 263, 228-235.	2.0	11
176	Nonâ€alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACEâ€BD cohort. Acta Psychiatrica Scandinavica, 2021, 143, 82-91.	2.2	11
177	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. Journal of Market Access & Health Policy, 2021, 9, 1885789.	0.8	11
178	An ecological study of objective rest–activity markers of lithium response in bipolar-I-disorder. Psychological Medicine, 2020, , 1-9.	2.7	11
179	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. British Journal of Psychiatry, 2022, 220, 219-228.	1.7	11
180	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. Chronobiology International, 2017, 34, 845-854.	0.9	10

#	Article	IF	CITATIONS
181	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. Acta Psychiatrica Scandinavica, 2018, 138, 155-162.	2.2	10
182	Clinical predictors of recurrences in bipolar disorders type 1 and 2: A FACE-BD longitudinal study. Journal of Psychiatric Research, 2021, 134, 129-137.	1.5	10
183	Chronotypes and circadian rest–activity rhythms in bipolar disorders: a metaâ€analysis of self―and observer rating scales. Bipolar Disorders, 2022, 24, 286-297.	1.1	10
184	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. Scientific Reports, 2021, 11, 17823.	1.6	10
185	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. International Journal of Bipolar Disorders, 2020, 8, 34.	0.8	10
186	Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. Acta Psychiatrica Scandinavica, 2015, 131, 400-400.	2.2	9
187	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. Molecular Neurobiology, 2017, 54, 5166-5176.	1.9	9
188	Clinical characteristics of obstructive sleep apnea in bipolar disorders. Journal of Affective Disorders, 2019, 245, 1-7.	2.0	9
189	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. Journal of Affective Disorders, 2020, 262, 182-188.	2.0	9
190	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. Australian and New Zealand Journal of Psychiatry, 2020, 54, 985-996.	1.3	9
191	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq1 1 0	.784204 rg	;BT ¢Overloc
192	Association between childhood maltreatment and the clinical course of bipolar disorders: A survival analysis of mood recurrences. Acta Psychiatrica Scandinavica, 2022, 145, 373-383.	2.2	9
193	Genetics of emotional reactivity in bipolar disorders. Journal of Affective Disorders, 2015, 188, 101-106.	2.0	8
194	Using admixture analysis to examine birth ohort effects on age at onset of bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 205-213.	2.2	8
195	Association between CRP genetic diversity and bipolar disorder comorbid complications. International Journal of Bipolar Disorders, 2018, 6, 4.	0.8	8
196	Can actigraphy be used to define lithium response dimensions in bipolar disorders?. Journal of Affective Disorders, 2021, 283, 402-409.	2.0	8
197	Influence of childhood maltreatment on prevalence, onset, and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders. European Psychiatry, 2022, 65, 1-32.	0.1	8
198	Associations between circadian misalignment and telomere length in BD: an actigraphy study. International Journal of Bipolar Disorders, 2022, 10, .	0.8	8

#	Article	IF	CITATIONS
199	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 382-392.	1.3	7
200	Network of co-expressed circadian genes, childhood maltreatment and sleep quality in bipolar disorders. Chronobiology International, 2021, 38, 986-993.	0.9	7
201	The role of brain barriers in the neurokinetics and pharmacodynamics of lithium. Pharmacological Research, 2021, 166, 105480.	3.1	7
202	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. American Journal of Human Genetics, 2011, 88, 396.	2.6	6
203	Response to Lithium in Patients with Bipolar Disorder: What are Psychiatrists' Experiences and Practices Compared to Literature Review?. Pharmacopsychiatry, 2019, 52, 70-77.	1.7	6
204	Childhood maltreatment and HPA axis gene expression in bipolar disorders: A gene network analysis. Psychoneuroendocrinology, 2020, 120, 104753.	1.3	6
205	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2020, 276, 963-969.	2.0	6
206	Clinical characteristics of bipolar disorders with postpartum depressive onset. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 107, 110225.	2.5	6
207	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.	0.8	6
208	Predictors of Suicidal Ideation and Preparatory Behaviors in Individuals With Bipolar Disorder. Journal of Clinical Psychiatry, 2021, 82, .	1.1	6
209	The molecular pathophysiology of mood disorders: From the analysis of single molecular layers to multi-omic integration. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 116, 110520.	2.5	6
210	Key findings on bipolar disorders from the longitudinal FondaMental Advanced Center of Expertise-Bipolar Disorder (FACE-BD) cohort. Journal of Affective Disorders, 2022, 307, 149-156.	2.0	6
211	Secular trends in the age at onset of bipolar I disorder – Support for birth cohort effects from interational, multi-centre clinical observational studies. European Psychiatry, 2018, 52, 61-67.	0.1	5
212	Increased plasma levels of high mobility group box 1 protein in patients with bipolar disorder: A pilot study. Journal of Neuroimmunology, 2019, 334, 576993.	1.1	5
213	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. Translational Psychiatry, 2020, 10, 124.	2.4	5
214	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. Journal of Affective Disorders, 2021, 287, 196-203.	2.0	5
215	Mini review: Recent advances on epigenetic effects of lithium. Neuroscience Letters, 2021, 761, 136116.	1.0	5
216	Childhood Trauma and the Severity of past Suicide Attempts in Outpatients with Cocaine use Disorders. Substance Abuse, 2022, 43, 623-632.	1.1	5

#	Article	IF	CITATIONS
217	Methylomic Biomarkers of Lithium Response in Bipolar Disorder: A Proof of Transferability Study. Pharmaceuticals, 2022, 15, 133.	1.7	5
218	Childhood trauma in bipolar disorder: new targets for future interventions. BJPsych Open, 2022, 8, .	0.3	5
219	What can we learn from offspring studies in bipolar disorder?. BJ Psych Advances, 2016, 22, 176-185.	0.5	4
220	International multi-site survey on the use of online support groups in bipolar disorder. Nordic Journal of Psychiatry, 2017, 71, 473-476.	0.7	4
221	Lithium effects on serine-threonine kinases activity: High throughput kinomic profiling of lymphoblastoid cell lines from excellent-responders and non-responders bipolar patients. World Journal of Biological Psychiatry, 2020, 21, 317-324.	1.3	4
222	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort✰. Journal of Affective Disorders, 2021, 286, 309-319.	2.0	4
223	Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. International Journal of Bipolar Disorders, 2021, 9, 29.	0.8	4
224	Lithium and Circadian Rhythms. , 2017, , 111-124.		4
225	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. Frontiers in Psychiatry, 2022, 13, 813256.	1.3	4
226	Jean Delay, M.D., 1907–1987. American Journal of Psychiatry, 2002, 159, 1489-1489.	4.0	3
227	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. Journal of Neuroimmunology, 2017, 305, 96-101.	1.1	3
228	More comprehensive models are needed to understand how relative amplitude might affect wellbeing and risk of mood disorders. Lancet Psychiatry,the, 2018, 5, 697.	3.7	3
229	Early Life Stress and Chronobiological Rhythms Desynchronization. Journal of Nervous and Mental Disease, 2021, 209, 518-524.	0.5	3
230	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 827-838.	1.8	3
231	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. Psychoneuroendocrinology, 2021, 131, 105327.	1.3	3
232	Do selfâ€ratings of the Pittsburgh Sleep Quality Index reflect actigraphy recordings of sleep quality or variability? An exploratory study of bipolar disorders versus healthy controls. Journal of Sleep Research, 2022, 31, e13507.	1.7	3
233	Direct medical cost of bipolar disorder: Insights from the FACE-BD longitudinal cohort. Journal of Affective Disorders, 2022, 306, 223-231.	2.0	3
234	Efficacy of Vitamin B6 in Lithium-Associated Tremor. Journal of Clinical Psychopharmacology, 2017, 37, 267-269.	0.7	2

#	Article	IF	CITATIONS
235	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. Chronobiology International, 2019, 36, 1124-1130.	0.9	2
236	A taxonomy of clinical response to mood stabilizers. Bipolar Disorders, 2021, 23, 24-32.	1.1	2
237	A Comparison of Different Approaches to Clinical Phenotyping of Lithium Response: A Proof of Principle Study Employing Genetic Variants of Three Candidate Circadian Genes. Pharmaceuticals, 2021, 14, 1072.	1.7	2
238	Childhood Trauma in Depressive Disorders. , 2020, , 161-184.		2
239	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study. Journal of Clinical Medicine, 2022, 11, 893.	1.0	2
240	Which Actigraphy Dimensions Predict Longitudinal Outcomes in Bipolar Disorders?. Journal of Clinical Medicine, 2022, 11, 2204.	1.0	2
241	Which psychosocial interventions in bipolar depression ?. L'Encephale, 2011, 37, S214-S217.	0.3	1
242	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress On the Age at Onset of Bipolar Disorders. European Psychiatry, 2015, 30, 445.	0.1	1
243	Make lithium great again – Precisely!. Bipolar Disorders, 2021, 23, 209-210.	1.1	1
244	Blood-brain barrier's interplay with peripheral and central inflammation as a pathophysiological mechanism of bipolar disorders. , 2021, , 143-153.		1
245	Circadian Rhythms, Physical and Mental Health. , 2022, , 583-588.		1
246	Sleep and Circadian Profiles of Bipolar Disorder: From Chronobiology to Novel Therapeutic Strategies. Current Psychiatry Reviews, 2014, 10, 235-247.	0.9	1
247	CADPS functional mutations in patients with bipolar disorder increase the sensitivity to stress. Molecular Psychiatry, 2022, 27, 1145-1157.	4.1	1
248	Trauma affectifs dans l'enfance et dyscontrÃ1e impulsif. European Psychiatry, 2013, 28, 38-38.	0.1	0
249	Ralentissement psychomoteur et trouble bipolaire. European Psychiatry, 2014, 29, 580-580.	0.1	0
250	Emotional reactivity, functioning and low-grade inflammation in remitted bipolar patients: clinical relevance of a dimensional approach. European Neuropsychopharmacology, 2016, 26, S442-S443.	0.3	0
251	Childhood Trauma in Bipolar Disorders: Familial and Individual Mediators for Predicting Occurrence and Outcome. European Psychiatry, 2017, 41, S28-S28.	0.1	0
252	Obesity, mixed, and bipolar features in major depression: Should we identify the usual suspects or also look for covert mediators?. Bipolar Disorders, 2018, 20, 772-773.	1.1	0

#	Article	IF	CITATIONS
253	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. Schizophrenia Bulletin, 2019, 45, S255-S256.	2.3	0
254	A MULTI-LEVEL FUNCTIONAL STUDY OF A SNAP25 AT-RISK VARIANT FOR BIPOLAR DISORDER AND SCHIZOPHRENIA. European Neuropsychopharmacology, 2019, 29, S1009-S1010.	0.3	0
255	White matter structure abnormalities in bipolar disorders: Towards a traumatic dysconnectivity in the brain?. Bipolar Disorders, 2020, 22, 757-758.	1.1	0
256	Commentary: 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. Frontiers in Psychiatry, 2020, 11, 592593.	1.3	0
257	Clinique de la bipolarité. Le Journal Des Psychologues, 2009, nº 273, 20-23.	0.0	0
258	L'apport des centres experts en psychiatrie. , 2014, , 217-224.		0
259	25. Anxiété, troubles anxieux et troubles bipolaires. , 2014, , 269.		Ο
260	Quelles innovations thérapeutiques dans la prise en charge du trouble bipolaire ?. French Journal of Psychiatry, 2018, 1, S61-S62.	0.1	0
261	A pilot study of new approaches to exploring illness trajectories and patterns of comorbidity in major mental disorders. Microbial Biotechnology, 2021, , .	0.9	0
262	Short communication: Do clinical guidelines for bipolar disorders adequately address sleep, circadian rhythm, activity and lifestyle problems?. Journal of Affective Disorders, 2022, 301, 433-436.	2.0	0
263	A network analysis of rest-activity rhythms in young people with emerging bipolar disorders. Journal of Affective Disorders, 2022, 305, 220-226.	2.0	0