

Bruno Etain

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4970147/bruno-etain-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

252
papers

13,209
citations

49
h-index

111
g-index

296
ext. papers

16,680
ext. citations

6.4
avg, IF

7.06
L-index

#	Paper	IF	Citations
252	Influence of childhood maltreatment on prevalence, onset and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders.. <i>European Psychiatry</i> , 2022 , 1-32	6	0
251	Association between childhood maltreatment and the clinical course of bipolar disorders: a survival analysis of mood recurrences.. <i>Acta Psychiatrica Scandinavica</i> , 2022 ,	6.5	1
250	The molecular pathophysiology of mood disorders: From the analysis of single molecular layers to multi-omic integration.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 116, 1105-1120	5.5	1
249	Short communication: Do clinical guidelines for bipolar disorders adequately address sleep, circadian rhythm, activity and lifestyle problems?. <i>Journal of Affective Disorders</i> , 2022 , 301, 433-433	6.6	
248	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
247	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of Expertise for Bipolar Disorders). <i>Journal of Affective Disorders</i> , 2022 , 296, 265-276	6.6	0
246	Circadian Rhythms, Physical and Mental Health 2022 , 583-588		1
245	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
244	A systematic review and meta-analysis of sleep and circadian rhythms disturbances in individuals at high-risk of developing or with early onset of bipolar disorders.. <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 104585	9	1
243	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 813256	5.6	
242	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
241	Childhood Maltreatment in Bipolar Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 48, 277-304	3.1	5
240	Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multi-disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
239	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
238	Do self-ratings of the Pittsburgh Sleep Quality Index reflect actigraphy recordings of sleep quality or variability? An exploratory study of bipolar disorders versus healthy controls. <i>Journal of Sleep Research</i> , 2021 , e13507	5.8	0
237	Childhood trauma and the severity of past suicide attempts in outpatients with cocaine use disorders. <i>Substance Abuse</i> , 2021 , 1-10	3.8	
236	Can actigraphy be used to define lithium response dimensions in bipolar disorders?. <i>Journal of Affective Disorders</i> , 2021 , 283, 402-409	6.6	0

235	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. <i>Journal of Affective Disorders</i> , 2021 , 282, 812-819	6.6	3
234	Network of co-expressed circadian genes, childhood maltreatment and sleep quality in bipolar disorders. <i>Chronobiology International</i> , 2021 , 38, 986-993	3.6	3
233	The role of brain barriers in the neurokinetics and pharmacodynamics of lithium. <i>Pharmacological Research</i> , 2021 , 166, 105480	10.2	1
232	Early Life Stress and Chronobiological Rhythms Desynchronization: Possible Impact on Mood Symptoms and Suicidal Ideation in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2021 , 209, 518-524	1.8	1
231	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
230	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. <i>Journal of Affective Disorders</i> , 2021 , 287, 196-203	6.6	1
229	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. <i>Journal of Affective Disorders</i> , 2021 , 286, 309-319	6.6	2
228	Sleep disturbances and first onset of major mental disorders in adolescence and early adulthood: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2021 , 57, 101429	10.2	16
227	A taxonomy of clinical response to mood stabilizers. <i>Bipolar Disorders</i> , 2021 , 23, 24-32	3.8	1
226	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021 , 38, 17-27	8.4	8
225	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 82-91	6.5	2
224	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 289-304	2.6	4
223	Clinical predictors of recurrences in bipolar disorders type 1 and 2: A FACE-BD longitudinal study. <i>Journal of Psychiatric Research</i> , 2021 , 134, 129-137	5.2	4
222	Clinical characteristics of bipolar disorders with postpartum depressive onset. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 107, 110225	5.5	3
221	Make lithium great again - Precisely!. <i>Bipolar Disorders</i> , 2021 , 23, 209-210	3.8	1
220	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2021 , 218, 80-87	5.4	11
219	Blood-brain barrier interplay with peripheral and central inflammation as a pathophysiological mechanism of bipolar disorders 2021 , 143-153		
218	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. <i>Journal of Market Access & Health Policy</i> , 2021 , 9, 1885789	3.7	1

217	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
216	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	
215	Mini review: Recent advances on epigenetic effects of lithium. <i>Neuroscience Letters</i> , 2021 , 761, 136116	3.3	0
214	Chronotypes and circadian rest-activity rhythms in bipolar disorders: a meta-analysis of self- and observer rating scales. <i>Bipolar Disorders</i> , 2021 ,	3.8	2
213	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 26	5.4	0
212	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
211	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. <i>Psychoneuroendocrinology</i> , 2021 , 131, 105327	5	1
210	Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. <i>International Journal of Bipolar Disorders</i> , 2021 , 9, 29	5.4	1
209	Predictors of Suicidal Ideation and Preparatory Behaviors in Individuals With Bipolar Disorder: The Contribution of Chronobiological Dysrhythmicity and Its Association With Hopelessness. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	1
208	White matter structure abnormalities in bipolar disorders: Towards a traumatic dysconnectivity in the brain?. <i>Bipolar Disorders</i> , 2020 , 22, 757-758	3.8	
207	Allostatic load, emotional hyper-reactivity, and functioning in individuals with bipolar disorder. <i>Bipolar Disorders</i> , 2020 , 22, 711-721	3.8	5
206	Measuring circadian function in bipolar disorders: Empirical and conceptual review of physiological, actigraphic, and self-report approaches. <i>Bipolar Disorders</i> , 2020 , 22, 693-710	3.8	16
205	Accumulation of Lithium in the Hippocampus of Patients With Bipolar Disorder: A Lithium-7 Magnetic Resonance Imaging Study at 7 Tesla. <i>Biological Psychiatry</i> , 2020 , 88, 426-433	7.9	10
204	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). <i>Cell Death and Disease</i> , 2020 , 11, 502	9.8	10
203	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. <i>Journal of Affective Disorders</i> , 2020 , 267, 258-263	6.6	11
202	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 522-533	6.5	7
201	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. <i>Chronobiology International</i> , 2020 , 37, 712-722	3.6	8
200	Association between affective temperaments and mood features in bipolar disorder II: The role of insomnia and chronobiological rhythms desynchronization. <i>Journal of Affective Disorders</i> , 2020 , 266, 263-272	6.6	11

199	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. <i>Translational Psychiatry</i> , 2020 , 10, 124	8.6	3
198	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 34	5.4	6
197	An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 37	5.4	4
196	Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 40	5.4	1
195	Childhood-maltreatment subtypes in bipolar patients with suicidal behavior: systematic review and meta-analysis. <i>Revista Brasileira De Psiquiatria</i> , 2020 , 42, 558-567	2.6	3
194	Childhood Trauma in Depressive Disorders 2020 , 161-184		1
193	An ecological study of objective rest-activity markers of lithium response in bipolar-I-disorder. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	6
192	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. <i>Chronobiology International</i> , 2020 , 37, 101-110	3.6	8
191	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020 , 22, 255-265	3.8	11
190	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020 , 22, 174-181	3.8	15
189	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. <i>Journal of Affective Disorders</i> , 2020 , 263, 228-235	6.6	4
188	Childhood maltreatment and HPA axis gene expression in bipolar disorders: A gene network analysis. <i>Psychoneuroendocrinology</i> , 2020 , 120, 104753	5	2
187	Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures. <i>Patient Preference and Adherence</i> , 2020 , 14, 2147-2161	2.4	6
186	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2020 , 276, 963-969	6.6	0
185	A DNA methylation signature discriminates between excellent and non-response to lithium in patients with bipolar disorder type 1. <i>Scientific Reports</i> , 2020 , 10, 12239	4.9	8
184	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 985-996	2.6	3
183	Lithium effects on serine-threonine kinases activity: High throughput kinomic profiling of lymphoblastoid cell lines from excellent-responders and non-responders bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2020 , 21, 317-324	3.8	1
182	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020 , 262, 182-188	6.6	4

181	Commentary: 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. <i>Frontiers in Psychiatry</i> , 2020 , 11, 592593	5	
180	Which actigraphic variables optimally characterize the sleep-wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 269-279	6.5	9
179	Increased plasma levels of high mobility group box 1 protein in patients with bipolar disorder: A pilot study. <i>Journal of Neuroimmunology</i> , 2019 , 334, 576993	3.5	3
178	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , 2019 , 36, 1124-1130	3.6	0
177	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019 , 256, 348-357	6.6	9
176	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2019 , 253, 203-209	6.6	7
175	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
174	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S255-S256	1.3	78
173	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019 , 113, 1-9	5.2	15
172	The Patient-Reported Experience Measure for Improving qQuality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy. <i>Patient Preference and Adherence</i> , 2019 , 13, 165-177	2.4	10
171	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019 , 244, 33-41	6.6	28
170	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
169	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , 2019 , 49, 519-527	6.9	8
168	The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. <i>Bipolar Disorders</i> , 2019 , 21, 741-773	3.8	75
167	Selecting reference genes in RT-qPCR based on equivalence tests: a network based approach. <i>Scientific Reports</i> , 2019 , 9, 16231	4.9	5
166	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 20	5.4	28
165	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
164	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 45-47	9.4	7

163	Clinical characteristics of obstructive sleep apnea in bipolar disorders. <i>Journal of Affective Disorders</i> , 2019 , 245, 1-7	6.6	3
162	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. <i>Journal of Affective Disorders</i> , 2019 , 244, 1-8	6.6	36
161	Response to Lithium in Patients with Bipolar Disorder: What are Psychiatrists' Experiences and Practices Compared to Literature Review?. <i>Pharmacopsychiatry</i> , 2019 , 52, 70-77	2	5
160	Lithium response in bipolar disorders and core clock genes expression. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 619-632	3.8	30
159	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
158	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. <i>Journal of Affective Disorders</i> , 2018 , 226, 66-71	6.6	20
157	Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. <i>Journal of Affective Disorders</i> , 2018 , 226, 132-141	6.6	69
156	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
155	Association between CRP genetic diversity and bipolar disorder comorbid complications. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 4	5.4	5
154	HLA genetics in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 464-471	6.5	13
153	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
152	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
151	Quelles innovations thérapeutiques dans la prise en charge du trouble bipolaire ?. <i>French Journal of Psychiatry</i> , 2018 , 1, S61-S62	0.1	
150	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. <i>Journal of Affective Disorders</i> , 2018 , 227, 713-720	6.6	12
149	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. <i>Psychiatry Investigation</i> , 2018 , 15, 1188-1202	3.1	9
148	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 20	5.4	8
147	DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	22
146	Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. <i>Frontiers in Psychiatry</i> , 2018 , 9, 360	5	20

145	Obesity, mixed, and bipolar features in major depression: Should we identify the usual suspects or also look for covert mediators?. <i>Bipolar Disorders</i> , 2018 , 20, 772-773	3.8	
144	More comprehensive models are needed to understand how relative amplitude might affect wellbeing and risk of mood disorders. <i>Lancet Psychiatry</i> , 2018 , 5, 697	23.3	1
143	Secular trends in the age at onset of bipolar I disorder - Support for birth cohort effects from interational, multi-centre clinical observational studies. <i>European Psychiatry</i> , 2018 , 52, 61-67	6	4
142	Emotional hyper-reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 348-359	6.5	14
141	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 155-162	6.5	6
140	The neurobiology of adaptation to seasons: Relevance and correlations in bipolar disorders. <i>Chronobiology International</i> , 2018 , 35, 1335-1353	3.6	20
139	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 382-392	2.6	5
138	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 460-469	6.5	13
137	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. <i>Journal of Neuroimmunology</i> , 2017 , 305, 96-101	3.5	2
136	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 788-798	2.6	12
135	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. <i>Bipolar Disorders</i> , 2017 , 19, 146-153	3.8	33
134	Efficacy of Vitamin B6 in Lithium-Associated Tremor: A Case Series. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 267-269	1.7	1
133	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017 , 7, e1155	8.6	100
132	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. <i>Chronobiology International</i> , 2017 , 34, 845-854	3.6	6
131	A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 479-488	6.5	9
130	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 319-327	6.5	28
129	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. <i>Psychological Medicine</i> , 2017 , 47, 902-912	6.9	47
128	A Multilevel Functional Study of a At-Risk Variant for Bipolar Disorder and Schizophrenia. <i>Journal of Neuroscience</i> , 2017 , 37, 10389-10397	6.6	25

127	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2017 , 211, 381-387	5.4	21
126	Neuropsychological functioning, age, and medication adherence in bipolar disorder. <i>PLoS ONE</i> , 2017 , 12, e0184313	3.7	15
125	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. <i>Chronobiology International</i> , 2017 , 34, 1114-1124	3.6	12
124	Outcomes for bipolar patients assessed in the French expert center network: A 2-year follow-up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACE-BD]). <i>Bipolar Disorders</i> , 2017 , 19, 651-660	3.8	13
123	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. <i>European Psychiatry</i> , 2017 , 45, 190-197	6	16
122	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 571-582	6.5	14
121	Childhood Trauma in Bipolar Disorders: Familial and Individual Mediators for Predicting Occurrence and Outcome. <i>European Psychiatry</i> , 2017 , 41, S28-S28	6	
120	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. <i>Journal of Psychiatric Research</i> , 2017 , 95, 37-45	5.2	31
119	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 473-476	2.3	2
118	Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. <i>Journal of Affective Disorders</i> , 2017 , 208, 62-67	6.6	15
117	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017 , 208, 316-324	6.6	11
116	Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 524-530	2.6	38
115	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017 , 54, 5166-5176	6.2	4
114	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>Journal of Psychiatric Research</i> , 2017 , 84, 73-79	5.2	15
113	Lithium and Circadian Rhythms 2017 , 111-124		3
112	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 17	5.4	16
111	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016 , 242, 388-394	9.9	26
110	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125

109	Using admixture analysis to examine birth-cohort effects on age at onset of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 205-13	6.5	8
108	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	40	216
107	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016 , 53, 6608-6619	6.2	13
106	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016 , 208, 128-37	5.4	10
105	Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 190, 286-293	6.6	20
104	Circadian genes and lithium response in bipolar disorders: associations with PPARGC1A (PGC-1 β) and RORA. <i>Genes, Brain and Behavior</i> , 2016 , 15, 660-8	3.6	28
103	Emotional reactivity, functioning and low-grade inflammation in remitted bipolar patients: clinical relevance of a dimensional approach. <i>European Neuropsychopharmacology</i> , 2016 , 26, S442-S443	1.2	
102	The role of childhood trauma in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2016 , 4, 2	5.4	152
101	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. <i>Journal of Affective Disorders</i> , 2016 , 198, 230-6	6.6	28
100	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. <i>Journal of Affective Disorders</i> , 2016 , 200, 159-64	6.6	43
99	What can we learn from offspring studies in bipolar disorder?. <i>BJ Psych Advances</i> , 2016 , 22, 176-185	0.8	3
98	Effect of early trauma on the sleep quality of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2016 , 206, 261-267	6.6	8
97	Sleep- and circadian rhythm-associated pathways as therapeutic targets in bipolar disorder. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 747-63	6.4	56
96	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. <i>Lancet Psychiatry, the</i> , 2015 , 2, 548-63	23.3	59
95	Psychometric properties of the Affective Liability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015 , 172, 375-80	6.6	41
94	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015 , 184, 60-6	6.6	13
93	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015 , 64, 1-8	5.2	34
92	Genetics of emotional reactivity in bipolar disorders. <i>Journal of Affective Disorders</i> , 2015 , 188, 101-6	6.6	3

91	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. <i>Scientific Reports</i> , 2015 , 5, 10232	4.9	37
90	Reply: Sleep in patients with remitted bipolar disorders: analyses stratified on actigraphy devices, age and gender. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 400	6.5	6
89	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 89-99	6.5	130
88	Links between sleep and body mass index in bipolar disorders: an exploratory study. <i>European Psychiatry</i> , 2015 , 30, 89-93	6	19
87	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015 , 5, 16301	4.9	16
86	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 898-905	2.6	22
85	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 218-25	6.5	13
84	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , 2015 , 183, 113-8	6.6	22
83	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015 , 30, 99-105	6	24
82	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 129-38	6.5	24
81	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
80	Combined effect of TLR2 gene polymorphism and early life stress on the age at onset of bipolar disorders. <i>PLoS ONE</i> , 2015 , 10, e0119702	3.7	43
79	Melatonin and Melatonin Agonists as Adjunctive Treatments in Bipolar Disorders. <i>Current Pharmaceutical Design</i> , 2015 , 21, 3352-8	3.3	38
78	Identification of pathways for bipolar disorder: a meta-analysis. <i>JAMA Psychiatry</i> , 2014 , 71, 657-64	14.5	172
77	Sleep in remitted bipolar disorder: a naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , 2014 , 158, 1-7	6.6	80
76	Affect intensity measure in bipolar disorders: a multidimensional approach. <i>Journal of Affective Disorders</i> , 2014 , 157, 8-13	6.6	12
75	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 395-402	6.6	41
74	An ASMT variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. <i>Genes, Brain and Behavior</i> , 2014 , 13, 299-304	3.6	28

73	Ralentissement psychomoteur et trouble bipolaire. <i>European Psychiatry</i> , 2014 , 29, 580-580	6	
72	Seasonality and bipolar disorder: a systematic review, from admission rates to seasonality of symptoms. <i>Journal of Affective Disorders</i> , 2014 , 168, 210-23	6.6	116
71	Genetic association between a 'standing' variant of NOD2 and bipolar disorder. <i>Immunobiology</i> , 2014 , 219, 766-71	3.4	11
70	Association between circadian genes, bipolar disorders and chronotypes. <i>Chronobiology International</i> , 2014 , 31, 807-14	3.6	54
69	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 165, 135-41	6.6	28
68	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , 2014 , 167, 104-11	6.6	37
67	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. <i>Molecular Psychiatry</i> , 2014 , 19, 452-61	15.1	52
66	Circadian biomarkers in patients with bipolar disorder: promising putative predictors of lithium response. <i>International Journal of Bipolar Disorders</i> , 2014 , 2, 28	5.4	23
65	Attitudes of medical students towards conflict of interest: a national survey in France. <i>PLoS ONE</i> , 2014 , 9, e92858	3.7	16
64	Circadian abnormalities as markers of susceptibility in bipolar disorders. <i>Frontiers in Bioscience - Scholar</i> , 2014 , 6, 120-37	2.4	23
63	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. <i>Chronobiology International</i> , 2014 , 31, 698-704	3.6	58
62	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. <i>Psychological Medicine</i> , 2014 , 44, 1653-62	6.9	51
61	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
60	Affective lability in patients with bipolar disorders is associated with high levels of childhood trauma. <i>Psychiatry Research</i> , 2014 , 218, 252-5	9.9	44
59	Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 369-76	3.8	52
58	Common and rare variant analysis in early-onset bipolar disorder vulnerability. <i>PLoS ONE</i> , 2014 , 9, e104336	3.7	32
57	Can the response to mood stabilizers be predicted in bipolar disorder?. <i>Frontiers in Bioscience - Elite</i> , 2014 , 6, 120-38	1.6	24
56	Metabolic syndrome in a French cohort of patients with bipolar disorder: results from the FACE-BD cohort. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 1078-85; quiz 1085	4.6	26

55 Lârapport des centres experts en psychiatrie **2014**, 217-224

54 Chronotypes of bipolar patients in remission: validation of the French version of the circadian type inventory in the FACE-BD sample. *Chronobiology International*, **2013**, 30, 1042-9 3.6 39

53 Reconsideration of bipolar disorder as a developmental disorder: importance of the time of onset. *Journal of Physiology (Paris)*, **2013**, 107, 278-85 58

52 Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. *Nature Genetics*, **2013**, 45, 984-94 36.3 1628

51 Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: results from the FACE-BD cohort. *Journal of Affective Disorders*, **2013**, 151, 1009-15 6.6 39

50 Kleine-Levin syndrome and bipolar disorder: a differential diagnosis of recurrent and resistant depression. *Bipolar Disorders*, **2013**, 15, 899-902 3.8 16

49 The HLA-G low expressor genotype is associated with protection against bipolar disorder. *Human Immunology*, **2013**, 74, 593-7 2.3 28

48 Trauma affectifs dans lâenfance et dyscontrle impulsif. *European Psychiatry*, **2013**, 28, 38-38 6

47 Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. *Journal of Affective Disorders*, **2013**, 144, 240-7 6.6 51

46 Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. *Acta Psychiatrica Scandinavica*, **2013**, 127, 136-44 6.5 128

45 Identification of risk loci with shared effects on five major psychiatric disorders: a genome-wide analysis. *Lancet, The*, **2013**, 381, 1371-1379 4.0 2112

44 All SNPs are not created equal: genome-wide association studies reveal a consistent pattern of enrichment among functionally annotated SNPs. *PLoS Genetics*, **2013**, 9, e1003449 6 209

43 Bipolar disorder with seasonal pattern: clinical characteristics and gender influences. *Chronobiology International*, **2013**, 30, 1101-7 3.6 37

42 Gene x environment interactions in schizophrenia and bipolar disorder: evidence from neuroimaging. *Frontiers in Psychiatry*, **2013**, 4, 136 5 31

41 Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. *PLoS ONE*, **2013**, 8, e65636 3.7 113

40 Biomarkers of bipolar disorder: specific or shared with schizophrenia?. *Frontiers in Bioscience - Elite*, **2013**, 5, 845-63 1.6 25

39 Childhood trauma is associated with severe clinical characteristics of bipolar disorders. *Journal of Clinical Psychiatry*, **2013**, 74, 991-8 4.6 128

38 Is processing speed a valid cognitive endophenotype for bipolar disorder?. *Journal of Affective Disorders*, **2012**, 139, 98-101 6.6 29

37	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. <i>European Psychiatry</i> , 2012 , 27, 570-6	6	40
36	Combination therapy for manic phases: a critical review of a common practice. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 957-64	6.8	25
35	Une entit�clinique aux implications th�rapeutiques majeures : le trouble bipolaire �dbut pr�coce. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 502-509	0.2	0
34	Genetic heterogeneity according to age at onset in bipolar disorder: a combined positional cloning and candidate gene approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 653-9	3.5	13
33	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. <i>Human Molecular Genetics</i> , 2012 , 21, 4030-7	5.6	70
32	Validation of the french version of the functioning assessment short test (FAST) in patients with bipolar disorder. A study from the french bipolar expert centers network. <i>International Clinical Psychopharmacology</i> , 2012 , 28, e62-e63	2.2	9
31	Clinical expression of bipolar disorder type I as a function of age and polarity at onset: convergent findings in samples from France and the United States. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e561-6	4.6	93
30	Which psychosocial interventions in bipolar depression?. <i>L'Encephale</i> , 2011 , 37 Suppl 3, S214-7	2.9	1
29	Genetics of circadian rhythms and mood spectrum disorders. <i>European Neuropsychopharmacology</i> , 2011 , 21 Suppl 4, S676-82	1.2	117
28	Circadian biomarkers, circadian genes and bipolar disorders. <i>Journal of Physiology (Paris)</i> , 2011 , 105, 183-9		62
27	A French network of bipolar expert centres: a model to close the gap between evidence-based medicine and routine practice. <i>Journal of Affective Disorders</i> , 2011 , 131, 358-63	6.6	52
26	MRI exploration of pineal volume in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011 , 135, 377-9	6.6	21
25	Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. <i>American Journal of Human Genetics</i> , 2011 , 88, 372-81	11	221
24	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011 , 88, 396	11	2
23	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011 , 43, 977-83	36.3	1094
22	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. <i>Molecular Psychiatry</i> , 2010 , 15, 748-55	15.1	62
21	New ways to classify bipolar disorders: going from categorical groups to symptom clusters or dimensions. <i>Current Psychiatry Reports</i> , 2010 , 12, 505-11	9.1	43
20	European collaborative study of early-onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1425-33	3.5	12

19	Preferential association between childhood emotional abuse and bipolar disorder. <i>Journal of Traumatic Stress</i> , 2010 , 23, 376-83	3.8	106
18	Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. <i>Psychological Medicine</i> , 2009 , 39, 365-70	6.9	16
17	Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , 2008 , 10, 580-7	3.8	52
16	Beyond genetics: childhood affective trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2008 , 10, 867-76	3.8	170
15	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. <i>Behavioral and Brain Functions</i> , 2008 , 4, 2	4.1	24
14	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. <i>Bipolar Disorders</i> , 2007 , 9, 706-12	3.8	16
13	Social phobia is associated with suicide attempt history in bipolar inpatients. <i>Bipolar Disorders</i> , 2007 , 9, 713-21	3.8	38
12	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. <i>Psychiatry Research</i> , 2006 , 144, 131-8	9.9	48
11	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. <i>Molecular Psychiatry</i> , 2006 , 11, 685-94	15.1	64
10	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , 2004 , 129B, 29-33		20
9	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. <i>NeuroReport</i> , 2004 , 15, 1987-91	1.7	53
8	Bipolar patients with suicidal behavior: toward the identification of a clinical subgroup. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1035-9	4.6	96
7	Traitement des troubles psychiatriques par la stimulation magnétique transcrânienne. <i>Psn</i> , 2003 , 1, 40-44		
6	Anxiety Disorders in 318 Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 331-335	4.6	137
5	Jean Delay, M.D., 1907-1987. <i>American Journal of Psychiatry</i> , 2002 , 159, 1489-1489	11.9	2
4	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
3	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
2	Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder		1

1 Characterization of Age and Polarity at Onset in Bipolar Disorder

1