

Sytse J Piersma

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4971214/publications.pdf>

Version: 2024-02-01

12
papers

1,520
citations

1039406

9
h-index

1199166

12
g-index

14
all docs

14
docs citations

14
times ranked

2245
citing authors

#	ARTICLE	IF	CITATIONS
1	Natural killer cell effector functions in antiviral defense. FEBS Journal, 2022, 289, 3982-3999.	2.2	11
2	HIF1 α is required for NK cell metabolic adaptation during virus infection. ELife, 2021, 10, .	2.8	12
3	Virus infection is controlled by hematopoietic and stromal cell sensing of murine cytomegalovirus through STING. ELife, 2020, 9, .	2.8	13
4	Activation Receptor-Dependent IFN- γ Production by NK Cells Is Controlled by Transcription, Translation, and the Proteasome. Journal of Immunology, 2019, 203, 1981-1988.	0.4	16
5	Cowpox virus encodes a protein that binds B7.1 and B7.2 and subverts T cell costimulation. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 21113-21119.	3.3	8
6	ZBTB32 restrains antibody responses to murine cytomegalovirus infections, but not other repetitive challenges. Scientific Reports, 2019, 9, 15257.	1.6	10
7	Cutting Edge: Human CD49e ^{hi} NK Cells Are Tissue Resident in the Liver. Journal of Immunology, 2017, 198, 1417-1422.	0.4	88
8	Success or failure of vaccination for HPV16-positive vulvar lesions correlates with kinetics and phenotype of induced T-cell responses. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 11895-11899.	3.3	215
9	Tumor-Expressed B7-H1 and B7-DC in Relation to PD-1+ T-Cell Infiltration and Survival of Patients with Cervical Carcinoma. Clinical Cancer Research, 2009, 15, 6341-6347.	3.2	230
10	Induction of Tumor-Specific CD4+ and CD8+ T-Cell Immunity in Cervical Cancer Patients by a Human Papillomavirus Type 16 E6 and E7 Long Peptides Vaccine. Clinical Cancer Research, 2008, 14, 178-187.	3.2	346
11	Association of cervical cancer with the presence of CD4 ⁺ regulatory T cells specific for human papillomavirus antigens. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 12087-12092.	3.3	201
12	High Number of Intraepithelial CD8+ Tumor-Infiltrating Lymphocytes Is Associated with the Absence of Lymph Node Metastases in Patients with Large Early-Stage Cervical Cancer. Cancer Research, 2007, 67, 354-361.	0.4	369