

Ricardo Felix

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4973274/ricardo-felix-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

3,451
citations

31
h-index

54
g-index

114
ext. papers

3,772
ext. citations

4.2
avg, IF

4.94
L-index

#	Paper	IF	Citations
113	Ion channel long non-coding RNAs in neuropathic pain.. <i>Pflugers Archiv European Journal of Physiology</i> , 2022 , 474, 457	4.6	1
112	Γ-Aminobutyric acid (GABA) from satellite glial cells tonically depresses the excitability of primary afferent fibers. <i>Neuroscience Research</i> , 2021 , 170, 50-58	2.9	4
111	The role of spinal cord extrasynaptic ΓGABA receptors in chronic pain. <i>Physiological Reports</i> , 2021 , 9, e14984	2.6	1
110	L5-6 Spinal Nerve Ligation-induced Neuropathy Changes the Location and Function of Ca Channels and Cdk5 and Affects the Compound Action Potential in Adjacent Intact L4 Afferent Fibers. <i>Neuroscience</i> , 2021 , 471, 20-31	3.9	2
109	Regulation of the Ca channel β -1 subunit expression by epidermal growth factor via the ERK/ELK-1 signaling pathway. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 319, E232-E244	6	2
108	Cdk5 phosphorylates Ca1.3 channels and regulates GABA-mediated miniature inhibitory post-synaptic currents in striato-nigral terminals. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 524, 255-261	3.4	2
107	Cdk5-Dependent Phosphorylation of Ca3.2 T-Type Channels: Possible Role in Nerve Ligation-Induced Neuropathic Allodynia and the Compound Action Potential in Primary Afferent C Fibers. <i>Journal of Neuroscience</i> , 2020 , 40, 283-296	6.6	29
106	The role of cyclin-dependent kinase 5 in neuropathic pain. <i>Pain</i> , 2020 , 161, 2674-2689	8	8
105	Epidermal Growth Factor Potentiates Migration of MDA-MB 231 Breast Cancer Cells by Increasing Nav1.5 Channel Expression. <i>Oncology</i> , 2019 , 97, 373-382	3.6	6
104	Transcription Factor Sp1 Regulates the Expression of Calcium Channel β -1 Subunit in Neuropathic Pain. <i>Neuroscience</i> , 2019 , 412, 207-215	3.9	6
103	Regulation of the voltage-gated Ca channel β -1 subunit expression by the transcription factor Egr-1. <i>Neuroscience Letters</i> , 2018 , 673, 136-141	3.3	3
102	Transcriptional regulation of voltage-gated Ca channels. <i>Acta Physiologica</i> , 2018 , 222, e12883	5.6	5
101	Regulation of CATSPER1 expression by the testis-determining gene SRY. <i>PLoS ONE</i> , 2018 , 13, e0205744	3.7	4
100	Biochemical and Functional Interplay Between Ion Channels and the Components of the Dystrophin-Associated Glycoprotein Complex. <i>Journal of Membrane Biology</i> , 2018 , 251, 535-550	2.3	13
99	Regulation of L-type Ca1.3 channel activity and insulin secretion by the cGMP-PKG signaling pathway. <i>Cell Calcium</i> , 2017 , 66, 1-9	4	15
98	Emerging Role of CaV1.2 Channels in Proliferation and Migration in Distinct Cancer Cell Lines. <i>Oncology</i> , 2017 , 93, 1-10	3.6	6
97	Ubiquitination and proteasome-mediated degradation of voltage-gated Ca ²⁺ channels and potential pathophysiological implications. <i>General Physiology and Biophysics</i> , 2017 , 36, 1-5	2.1	9

96	Leptin regulation of inward membrane currents, electrical activity and LH release in isolated bovine gonadotropes. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 491, 53-58	3.4	5
95	Tonically Active α GABA Receptors Reduce Motoneuron Excitability and Decrease the Monosynaptic Reflex. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 283	6.1	6
94	Involvement of Parkin in the ubiquitin proteasome system-mediated degradation of N-type voltage-gated Ca ²⁺ channels. <i>PLoS ONE</i> , 2017 , 12, e0185289	3.7	7
93	Adenosine Stimulate Proliferation and Migration in Triple Negative Breast Cancer Cells. <i>PLoS ONE</i> , 2016 , 11, e0167445	3.7	29
92	The β subunit containing GABAA receptors contribute to chronic pain. <i>Pain</i> , 2016 , 157, 613-626	8	32
91	Ghrelin increases growth hormone production and functional expression of NaV1.1 and Na V1.2 channels in pituitary somatotropes. <i>Endocrine</i> , 2015 , 48, 929-36	4	3
90	Constitutive and ghrelin-dependent GHSR1a activation impairs CaV2.1 and CaV2.2 currents in hypothalamic neurons. <i>Journal of General Physiology</i> , 2015 , 146, 205-19	3.4	46
89	Molecular and functional interplay of voltage-gated Ca ²⁺ channels with the cytoskeleton. <i>Current Molecular Pharmacology</i> , 2015 , 8, 69-80	3.7	4
88	Regulation of neuronal cav3.1 channels by cyclin-dependent kinase 5 (Cdk5). <i>PLoS ONE</i> , 2015 , 10, e0119134	3.7	14
87	Toxins targeting voltage-activated Ca ²⁺ channels and their potential biomedical applications. <i>Current Topics in Medicinal Chemistry</i> , 2015 , 15, 604-16	3	8
86	CaV2.2 channel cell surface expression is regulated by the light chain 1 (LC1) of the microtubule-associated protein B (MAP1B) via UBE2L3-mediated ubiquitination and degradation. <i>Pflugers Archiv European Journal of Physiology</i> , 2014 , 466, 2113-26	4.6	17
85	Whole-cell patch-clamp recordings of Ca ²⁺ currents from isolated neonatal mouse dorsal root ganglion (DRG) neurons. <i>Cold Spring Harbor Protocols</i> , 2014 , 2014, 389-95	1.2	15
84	The transcription factors Sox5 and Sox9 regulate Catsper1 gene expression. <i>FEBS Letters</i> , 2014 , 588, 3352-60	3.8	16
83	Extrasynaptic β subunit-containing GABAA receptors modulate excitability in turtle spinal motoneurons. <i>PLoS ONE</i> , 2014 , 9, e115378	3.7	7
82	Patch-clamp recording of voltage-sensitive Ca ²⁺ channels. <i>Cold Spring Harbor Protocols</i> , 2014 , 2014, 329-52	3.7	5
81	The MAP1B-LC1/UBE2L3 complex catalyzes degradation of cell surface CaV2.2 channels. <i>Channels</i> , 2014 , 8, 452-7	3	11
80	Whole-cell patch-clamp recording of recombinant voltage-sensitive Ca ²⁺ channels heterologously expressed in HEK-293 cells. <i>Cold Spring Harbor Protocols</i> , 2014 , 2014, 396-401	1.2	7
79	Transcription factor Sp1 regulates T-type Ca(2+) channel CaV 3.1 gene expression. <i>Journal of Cellular Physiology</i> , 2014 , 229, 551-60	7	11

78	Anti-allodynic effect of 2-(aminomethyl)adamantane-1-carboxylic acid in a rat model of neuropathic pain: a mechanism dependent on CaV2.2 channel inhibition. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 1797-803	3.4	9
77	Functional expression of T-type Ca ²⁺ channels in spinal motoneurons of the adult turtle. <i>PLoS ONE</i> , 2014 , 9, e108187	3.7	9
76	Extrasynaptic GABA _A Receptors and Tonic Inhibition in Spinal Cord 2014 , 155-178		2
75	Isolation and characterization of the 5' upstream region of the human voltage-gated Ca(2+) channel α_1 auxiliary subunit gene: promoter analysis and regulation by transcription factor Sp1. <i>Pflügers Archiv European Journal of Physiology</i> , 2013 , 465, 819-28	4.6	6
74	Regulation of high-voltage-activated Ca channel function, trafficking, and membrane stability by auxiliary subunits. <i>Environmental Sciences Europe</i> , 2013 , 2, 207-220	5	20
73	Arrhythmogenic effect of a crude extract from sea anemone <i>Condylactis gigantea</i> : possible involvement of rErG1 channels. <i>Toxicon</i> , 2013 , 67, 47-54	2.8	4
72	(β)GABA(A) receptors mediate primary afferent fiber tonic excitability in the turtle spinal cord. <i>Journal of Neurophysiology</i> , 2013 , 110, 2175-84	3.2	16
71	Molecular cloning and analysis of the Catsper1 gene promoter. <i>Molecular Human Reproduction</i> , 2013 , 19, 336-47	4.4	8
70	The Familial hemiplegic migraine type 1 mutation K1336E affects direct G protein-mediated regulation of neuronal P/Q-type Ca ²⁺ channels. <i>Cephalalgia</i> , 2013 , 33, 398-407	6.1	10
69	Extrasynaptic GABA(A) receptors in the brainstem and spinal cord: structure and function. <i>Current Pharmaceutical Design</i> , 2013 , 19, 4485-97	3.3	25
68	Familial hemiplegic migraine type 1 mutations W1684R and V1696I alter G protein-mediated regulation of Ca(V)2.1 voltage-gated calcium channels. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 1238-46	6.9	25
67	Functional interactions between voltage-gated Ca(2+) channels and Rab3-interacting molecules (RIMs): new insights into stimulus-secretion coupling. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 551-8	3.8	17
66	Hyperglycemia induces early upregulation of the calcium sensor KChIP3/DREAM/calsenilin in the rat retina. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 418, 420-5	3.4	5
65	Insulin-mediated upregulation of T-type Ca ²⁺ currents in GH3 cells is mediated by increased endosomal recycling and incorporation of surface membrane Cav3.1 channels. <i>Cell Calcium</i> , 2012 , 52, 377-87	4	7
64	Identification of a disulfide bridge essential for structure and function of the voltage-gated Ca(2+) channel α_1 auxiliary subunit. <i>Cell Calcium</i> , 2012 , 51, 22-30	4	32
63	Atypical Ca ²⁺ currents in chromaffin cells from SHR and WKY rat strains result from the deficient expression of a splice variant of the α_1D Ca ²⁺ channel. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H467-78	5.2	5
62	N-type Ca ²⁺ channel regulation by the light chain 1 (LC1) of the microtubule associated protein B (MAP1B). <i>FASEB Journal</i> , 2012 , 26, 695.6	0.9	
61	Expression and high glucose-mediated regulation of K ⁺ channel interacting protein 3 (KChIP3) and KV4 channels in retinal Müller glial cells. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 404, 678-83	3.4	10

60	Tonic inhibition in spinal ventral horn interneurons mediated by β subunit-containing GABA(A) receptors. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 412, 26-31	3.4	17
59	GABAA receptors mediate motoneuron tonic inhibition in the turtle spinal cord. <i>Neuroscience</i> , 2011 , 192, 74-80	3.9	13
58	Inhibition of recombinant N-type and native high voltage-gated neuronal Ca^{2+} channels by AdGABA: mechanism of action studies. <i>Toxicology and Applied Pharmacology</i> , 2011 , 250, 270-7	4.6	8
57	Rim1 modulates direct G-protein regulation of $\text{Ca}(v)2.2$ channels. <i>Pflugers Archiv European Journal of Physiology</i> , 2011 , 461, 447-59	4.6	20
56	Functional coupling of Rab3-interacting molecule 1 (RIM1) and L-type Ca^{2+} channels in insulin release. <i>Journal of Biological Chemistry</i> , 2011 , 286, 15757-65	5.4	26
55	Recombinant human ZP3-induced sperm acrosome reaction: evidence for the involvement of T- and L-type voltage-gated calcium channels. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 395, 530-4	3.4	24
54	Ghrelin inhibits proliferation and increases T-type Ca^{2+} channel expression in PC-3 human prostate carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 403, 24-9	3.4	40
53	Upregulation of voltage-gated Na^{+} channels by long-term activation of the ghrelin-growth hormone secretagogue receptor in clonal GC somatotropes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 296, E1148-56	6	11
52	The $\alpha(2)\delta$ subunit augments functional expression and modifies the pharmacology of $\text{Ca}(V)1.3$ L-type channels. <i>Cell Calcium</i> , 2009 , 46, 282-92	4	26
51	Involvement of R-type Ca^{2+} channels in neurotransmitter release from spinal dorsolateral funiculus terminals synapsing motoneurons. <i>Journal of Comparative Neurology</i> , 2009 , 513, 188-96	3.4	4
50	Regulation of $\text{Ca} v 3.1$ channels by glucocorticoids. <i>Cellular and Molecular Neurobiology</i> , 2009 , 29, 1265-74	4.6	5
49	Leptin increases L-type Ca^{2+} channel expression and GnRH-stimulated LH release in LbetaT2 gonadotropes. <i>Molecular and Cellular Endocrinology</i> , 2009 , 298, 57-65	4.4	22
48	Up-regulation of high voltage-activated $\text{Ca}(2+)$ channels in GC somatotropes after long-term exposure to ghrelin and growth hormone releasing peptide-6. <i>Cellular and Molecular Neurobiology</i> , 2008 , 28, 819-31	4.6	17
47	The S218L familial hemiplegic migraine mutation promotes deinhibition of $\text{Ca}(v)2.1$ calcium channels during direct G-protein regulation. <i>Pflugers Archiv European Journal of Physiology</i> , 2008 , 457, 315-26	4.6	43
46	Histamine-induced Ca^{2+} entry in human astrocytoma U373 MG cells: evidence for involvement of store-operated channels. <i>Journal of Neuroscience Research</i> , 2008 , 86, 3456-68	4.4	31
45	G-protein-coupled GABAB receptors inhibit Ca^{2+} channels and modulate transmitter release in descending turtle spinal cord terminal synapsing motoneurons. <i>Journal of Comparative Neurology</i> , 2007 , 503, 642-54	3.4	7
44	Proteolytic cleavage of the voltage-gated Ca^{2+} channel $\alpha 2\delta$ subunit: structural and functional features. <i>European Journal of Neuroscience</i> , 2007 , 25, 1705-10	3.5	23
43	$\gamma 1$ -dependent down-regulation of recombinant voltage-gated Ca^{2+} channels. <i>Cellular and Molecular Neurobiology</i> , 2007 , 27, 901-8	4.6	12

42	Inhibition of recombinant N-type Ca(V) channels by the gamma 2 subunit involves unfolded protein response (UPR)-dependent and UPR-independent mechanisms. <i>Journal of Neuroscience</i> , 2007 , 27, 3317-27	6.6	23
41	Ghrelin and GHRP-6 enhance electrical and secretory activity in GC somatotropes. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 358, 59-65	3.4	16
40	Myotonic dystrophy CTG repeat expansion alters Ca ²⁺ channel functional expression in PC12 cells. <i>FEBS Letters</i> , 2007 , 581, 4430-8	3.8	7
39	Maitotoxin potently promotes Ca ²⁺ influx in mouse spermatogenic cells and sperm, and induces the acrosome reaction. <i>Journal of Cellular Physiology</i> , 2006 , 206, 449-56	7	24
38	Transforming growth factor-beta1 and bone morphogenetic protein-2 downregulate CaV3.1 channel expression in mouse C2C12 myoblasts. <i>Journal of Cellular Physiology</i> , 2006 , 209, 448-56	7	15
37	KATP channels in mouse spermatogenic cells and sperm, and their role in capacitation. <i>Developmental Biology</i> , 2006 , 289, 395-405	3.1	43
36	Two PEST-like motifs regulate Ca ²⁺ /calpain-mediated cleavage of the CaVbeta3 subunit and provide important determinants for neuronal Ca ²⁺ channel activity. <i>European Journal of Neuroscience</i> , 2006 , 23, 2311-20	3.5	20
35	Calcium channelopathies. <i>NeuroMolecular Medicine</i> , 2006 , 8, 307-18	4.6	15
34	Molecular physiology and pathology of Ca ²⁺ -conducting channels in the plasma membrane of mammalian sperm. <i>Reproduction</i> , 2005 , 129, 251-62	3.8	34
33	Calcium channels and Ca ²⁺ fluctuations in sperm physiology. <i>International Review of Cytology</i> , 2005 , 243, 79-172		120
32	The novel GABA adamantane derivative (AdGABA): design, synthesis, and activity relationship with gabapentin. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 2791-8	3.4	34
31	Molecular regulation of voltage-gated Ca ²⁺ channels. <i>Journal of Receptor and Signal Transduction Research</i> , 2005 , 25, 57-71	2.6	44
30	Intramembrane charge movement associated with endogenous K ⁺ channel activity in HEK-293 cells. <i>Cellular and Molecular Neurobiology</i> , 2004 , 24, 317-30	4.6	51
29	Glycosylation of asparagines 136 and 184 is necessary for the alpha2delta subunit-mediated regulation of voltage-gated Ca ²⁺ channels. <i>FEBS Letters</i> , 2004 , 576, 21-6	3.8	28
28	N- and P/Q-type Ca ²⁺ channels regulate synaptic efficacy between spinal dorsolateral funiculus terminals and motoneurons. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 317, 551-7	3.4	7
27	Expression and differential cell distribution of low-threshold Ca(2+) channels in mammalian male germ cells and sperm. <i>FEBS Letters</i> , 2004 , 563, 87-92	3.8	55
26	Ion channels and sperm function. <i>Advances in Molecular and Cell Biology</i> , 2004 , 407-431		
25	ZD7288 inhibits low-threshold Ca(2+) channel activity and regulates sperm function. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 311, 187-92	3.4	58

24	Transient receptor potential (TRPC) channels in human sperm: expression, cellular localization and involvement in the regulation of flagellar motility. <i>FEBS Letters</i> , 2003 , 541, 69-74	3.8	86
23	Scorpion toxins that block T-type Ca ²⁺ channels in spermatogenic cells inhibit the sperm acrosome reaction. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 408-14	3.4	30
22	Insights from mouse models of absence epilepsy into Ca ²⁺ channel physiology and disease etiology. <i>Cellular and Molecular Neurobiology</i> , 2002 , 22, 103-20	4.6	38
21	Down-regulation of N-type voltage-activated Ca ²⁺ channels by gabapentin. <i>Cellular and Molecular Neurobiology</i> , 2002 , 22, 185-90	4.6	37
20	Identification of distinct K ⁺ channels in mouse spermatogenic cells and sperm. <i>Zygote</i> , 2002 , 10, 183-8	1.6	23
19	Two new scorpion toxins that target voltage-gated Ca ²⁺ and Na ⁺ channels. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 299, 562-8	3.4	50
18	Long-term regulation of voltage-gated Ca(2+) channels by gabapentin. <i>FEBS Letters</i> , 2002 , 528, 177-82	3.8	34
17	Molecular characterization of a two-domain form of the neuronal voltage-gated P/Q-type calcium channel alpha(1)2.1 subunit. <i>FEBS Letters</i> , 2002 , 532, 300-8	3.8	15
16	Distinct properties and differential beta subunit regulation of two C-terminal isoforms of the P/Q-type Ca(2+)-channel alpha(1A) subunit. <i>European Journal of Neuroscience</i> , 2001 , 14, 987-97	3.5	21
15	Biochemical and biophysical evidence for gamma 2 subunit association with neuronal voltage-activated Ca ²⁺ channels. <i>Journal of Biological Chemistry</i> , 2001 , 276, 32917-24	5.4	99
14	Inwardly rectifying K(+) channels in spermatogenic cells: functional expression and implication in sperm capacitation. <i>Developmental Biology</i> , 2001 , 234, 261-74	3.1	83
13	Calmodulin antagonists inhibit T-type Ca(2+) currents in mouse spermatogenic cells and the zona pellucida-induced sperm acrosome reaction. <i>Developmental Biology</i> , 2001 , 236, 210-9	3.1	37
12	Ion transport in sperm signaling. <i>Developmental Biology</i> , 2001 , 240, 1-14	3.1	158
11	Identification of mouse trp homologs and lipid rafts from spermatogenic cells and sperm. <i>FEBS Letters</i> , 2001 , 509, 119-25	3.8	141
10	Channelopathies: ion channel defects linked to heritable clinical disorders. <i>Journal of Medical Genetics</i> , 2000 , 37, 729-40	5.8	30
9	Reversibility of the Ca(2+) channel alpha(1)-beta subunit interaction. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 277, 729-35	3.4	30
8	Dual regulation of the T-type Ca(2+) current by serum albumin and beta-estradiol in mammalian spermatogenic cells. <i>FEBS Letters</i> , 2000 , 475, 251-6	3.8	45
7	Voltage-dependent Ca(2+) channel subunit expression and immunolocalization in mouse spermatogenic cells and sperm. <i>FEBS Letters</i> , 1999 , 462, 171-6	3.8	53

6	The mouse stargazer gene encodes a neuronal Ca ²⁺ -channel gamma subunit. <i>Nature Genetics</i> , 1998 , 19, 340-7	36.3	506
5	Evidence for a 95 kDa short form of the alpha1A subunit associated with the omega-conotoxin MVIIC receptor of the P/Q-type Ca ²⁺ channels. <i>Journal of Neuroscience</i> , 1998 , 18, 641-7	6.6	41
4	Extracellular interaction of the voltage-dependent Ca ²⁺ channel alpha2delta and alpha1 subunits. <i>Journal of Biological Chemistry</i> , 1997 , 272, 18508-12	5.4	93
3	Dissection of functional domains of the voltage-dependent Ca ²⁺ channel alpha2delta subunit. <i>Journal of Neuroscience</i> , 1997 , 17, 6884-91	6.6	149
2	Expression and subunit interaction of voltage-dependent Ca ²⁺ channels in PC12 cells. <i>Journal of Neuroscience</i> , 1996 , 16, 7557-65	6.6	102
1	Long-term regulation of calcium channels in clonal pituitary cells by epidermal growth factor, insulin, and glucocorticoids. <i>Journal of General Physiology</i> , 1994 , 104, 1019-38	3.4	38