

Yeong Wook Song

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4973567/publications.pdf>

Version: 2024-02-01

136
papers

4,798
citations

159585

30
h-index

110387

64
g-index

143
all docs

143
docs citations

143
times ranked

7205
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of 24-week belimumab treatment withdrawal followed by treatment restart in patients with SLE: an open-label, non-randomised 52-week study. <i>Arthritis Research and Therapy</i> , 2022, 24, 46.	3.5	7
2	Extracellular pyruvate kinase M2 promotes osteoclastogenesis and is associated with radiographic progression in early rheumatoid arthritis. <i>Scientific Reports</i> , 2022, 12, 4024.	3.3	6
3	Evaluation of Serum Matrix Metalloproteinase-3 as an Objective Indicator for the Disease Activity in Rheumatoid Arthritis Patients Treated With Methotrexate Versus Tocilizumab: 24-week Results From a Prospective Randomized Controlled Study. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 89-97.	1.1	1
4	LBEC0101, an etanercept biosimilar for the treatment of rheumatoid arthritis. <i>Expert Opinion on Biological Therapy</i> , 2021, 21, 1-8.	3.1	1
5	Safety and Effectiveness of Peficitinib (ASP015K) in Patients with Rheumatoid Arthritis: Final Results (32 Months of Mean Peficitinib Treatment) From a Long-Term, Open-Label Extension Study in Japan, Korea, and Taiwan. <i>Rheumatology and Therapy</i> , 2021, 8, 425-442.	2.3	16
6	CD47 Potentiates Inflammatory Response in Systemic Lupus Erythematosus. <i>Cells</i> , 2021, 10, 1151.	4.1	6
7	Sex differences in clinical characteristics and their influence on clinical outcomes in an observational cohort of patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2021, 88, 105124.	1.6	6
8	Efficacy of novel bispecific antibody targeting TNF- α /CXCL10 in the treatment of experimental arthritis. <i>Translational Research</i> , 2021, 232, 75-87.	5.0	10
9	A case of dermatomyositis in a patient with central core disease: unusual association with autoimmunity and genetic muscle disease. <i>Pediatric Rheumatology</i> , 2021, 19, 100.	2.1	0
10	Inhibition of histone deacetylase 6 suppresses inflammatory responses and invasiveness of fibroblast-like-synoviocytes in inflammatory arthritis. <i>Arthritis Research and Therapy</i> , 2021, 23, 177.	3.5	18
11	CCL3L3-null status is associated with susceptibility to systemic lupus erythematosus. <i>Scientific Reports</i> , 2021, 11, 19172.	3.3	2
12	Association of retroperitoneal fibrosis with malignancy and its outcomes. <i>Arthritis Research and Therapy</i> , 2021, 23, 249.	3.5	5
13	A Case of Overlap Syndrome of Systemic Sclerosis and Cryoglobulinemic Vasculitis With Central Nervous System Involvement. <i>Journal of Rheumatic Diseases</i> , 2021, 28, 242-246.	1.1	1
14	Impact of Infliximab Biosimilar CT-P13 Dose and Infusion Interval on Real-World Drug Survival and Effectiveness in Patients with Ankylosing Spondylitis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4568.	2.4	0
15	Comparison of the efficacy and safety of LBAL, a candidate adalimumab biosimilar, and adalimumab reference product in patients with active rheumatoid arthritis inadequately responding to methotrexate: a 52-week phase III randomised study. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0
16	A network analysis of the Brief Illness Perception Questionnaire in patients with rheumatic diseases and human immunodeficiency virus infection. <i>Psychology and Health</i> , 2020, 35, 838-853.	2.2	8
17	Therapeutic potential of CKD-506, a novel selective histone deacetylase 6 inhibitor, in a murine model of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 176.	3.5	33
18	Care for patients with rheumatic diseases during COVID-19 pandemic: A position statement from APLAR. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 717-722.	1.9	21

#	ARTICLE	IF	CITATIONS
19	Safety and effectiveness of peficitinib (ASP015K) in patients with rheumatoid arthritis: interim data (22.7 months mean peficitinib treatment) from a long-term, open-label extension study in Japan, Korea, and Taiwan. <i>Arthritis Research and Therapy</i> , 2020, 22, 47.	3.5	21
20	Assessing the content validity of patient-reported outcome measures in adult myositis: A report from the OMERACT myositis working group. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 943-948.	3.4	6
21	A 5-year Retrospective Analysis of Drug Survival, Safety, and Effectiveness of the Infliximab Biosimilar CT-P13 in Patients with Rheumatoid Arthritis and Ankylosing Spondylitis. <i>Clinical Drug Investigation</i> , 2020, 40, 541-553.	2.2	18
22	Profile of common inflammatory markers in treatment-naïve patients with systemic rheumatic diseases. <i>Clinical Rheumatology</i> , 2020, 39, 2899-2906.	2.2	7
23	Tocilizumab Increases Body Weight and Serum Adipokine Levels in Patients with Rheumatoid Arthritis Independently of their Treatment Response: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e155.	2.5	10
24	A Validation Study of the Korean Version of the Contextual Illness Support Scale. <i>Seuteureseu Yeon-gu</i> , 2020, 28, 269-275.	0.4	1
25	Practical Utility of D-dimer Test for Venous Thromboembolism in Systemic Lupus Erythematosus Depends on Disease Activity: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e356.	2.5	2
26	Performance of the 2019 European League Against Rheumatism/American College of Rheumatology classification criteria for systemic lupus erythematosus in Asian patients: a single-centre retrospective cohort study in Korea. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 1075-1079.	0.8	2
27	Potential clinical utility of a novel optical tomographic imaging for the quantitative assessment of hand rheumatoid arthritis. <i>Rheumatology International</i> , 2019, 39, 2103-2110.	3.0	0
28	Clinical features and risk factors for gout attacks during anti-tuberculosis treatment: A case-control study in South Korea. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1905-1911.	1.9	5
29	Tofacitinib in Combination With Methotrexate in Patients With Rheumatoid Arthritis: Clinical Efficacy, Radiographic, and Safety Outcomes From a Twenty-Four-Month, Phase III Study. <i>Arthritis and Rheumatology</i> , 2019, 71, 878-891.	5.6	64
30	Long-term efficacy, safety and immunogenicity in patients with rheumatoid arthritis continuing on an etanercept biosimilar (LBEC0101) or switching from reference etanercept to LBEC0101: an open-label extension of a phase III multicentre, randomised, double-blind, parallel-group study. <i>Arthritis Research and Therapy</i> , 2019, 21, 122.	3.5	12
31	Glycoprotein 96 polymorphisms are associated with the risk of systemic lupus erythematosus: A case-control study. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 905-912.	1.9	0
32	Efficacy and safety of add-on tacrolimus versus leflunomide in rheumatoid arthritis patients with inadequate response to methotrexate. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1115-1122.	1.9	7
33	Novel susceptibility alleles in HLA region for myositis and myositis specific autoantibodies in Korean patients. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 283-287.	3.4	28
34	Serum KL-6 levels reflect the severity of interstitial lung disease associated with connective tissue disease. <i>Arthritis Research and Therapy</i> , 2019, 21, 58.	3.5	112
35	Raynaud's phenomenon and anti-nuclear antibody are associated with pulmonary function decline in patients with dermatomyositis and polymyositis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 507-515.	1.9	3
36	Nonthrombotic proliferative vasculopathy associated with antiphospholipid antibodies: A case report and literature review. <i>Modern Rheumatology</i> , 2019, 29, 388-392.	1.8	5

#	ARTICLE	IF	CITATIONS
37	Performance of the 2015 American College of Rheumatology/European League against Rheumatism Classification Criteria for Gout in Korean Patients with Acute Arthritis. <i>Journal of Korean Medical Science</i> , 2019, 34, e155.	2.5	5
38	Clinical characteristics associated with occurrence and poor prognosis of interstitial lung disease in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 434-441.	1.7	39
39	Efficacy and safety of tocilizumab in Korean patients with active rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 917-931.	1.7	20
40	Phase III, multicentre, double-blind, randomised, parallel-group study to evaluate the similarities between LBEC0101 and etanercept reference product in terms of efficacy and safety in patients with active rheumatoid arthritis inadequately responding to methotrexate. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 488-494.	0.9	27
41	Prevalence of comorbidities and evaluation of their monitoring in Korean patients with rheumatoid arthritis: comparison with the results of an international, cross-sectional study (COMORA). <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1414-1422.	1.9	12
42	Modeling quality of life in patients with rheumatic diseases: the role of pain catastrophizing, fear-avoidance beliefs, physical disability, and depression. <i>Disability and Rehabilitation</i> , 2018, 40, 1509-1516.	1.8	34
43	Pivotal factors for successful withdrawal of nonsteroidal anti-inflammatory drugs in rheumatoid arthritis patients in remission or with low-disease activity. <i>Clinical Rheumatology</i> , 2018, 37, 307-314.	2.2	2
44	Effects of Tocilizumab Therapy on Serum Interleukin-33 and Interleukin-6 Levels in Patients With Rheumatoid Arthritis. <i>Archives of Rheumatology</i> , 2018, 33, 389-394.	0.9	17
45	Periodontal pathogens and the association between periodontitis and rheumatoid arthritis in Korean adults. <i>Journal of Periodontal and Implant Science</i> , 2018, 48, 347.	2.0	17
46	Treat-to-Target Strategy for Asian Patients with Early Rheumatoid Arthritis: Result of a Multicenter Trial in Korea. <i>Journal of Korean Medical Science</i> , 2018, 33, e346.	2.5	5
47	Circulating Semaphorin 4D as a Marker for Predicting Radiographic Progression in Patients with Rheumatoid Arthritis. <i>Disease Markers</i> , 2018, 2018, 1-10.	1.3	11
48	Transaminase Changes in Korean Rheumatoid Arthritis Patients with Chronic Hepatitis C after Biologic Therapy. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 108.	1.1	2
49	Infliximab biosimilar CT-P13 therapy in patients with Takayasu arteritis with low dose of glucocorticoids: a prospective single-arm study. <i>Rheumatology International</i> , 2018, 38, 2233-2242.	3.0	16
50	Pyruvate Protects against Cellular Senescence through the Control of Mitochondrial and Lysosomal Function in Dermal Fibroblasts. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2522-2530.	0.7	30
51	Apolipoprotein B binds to enolase-1 and aggravates inflammation in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1480-1489.	0.9	39
52	<i>Treponema denticola</i> enolase contributes to the production of antibodies against ENO1 but not to the progression of periodontitis. <i>Virulence</i> , 2018, 9, 1263-1272.	4.4	3
53	Comorbidity, disability, and healthcare expenditure of ankylosing spondylitis in Korea: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0192524.	2.5	18
54	Rapid onset of efficacy predicts response to therapy with certolizumab plus methotrexate in patients with active rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1224-1233.	1.7	5

#	ARTICLE	IF	CITATIONS
55	Monthly Oral Ibandronate Reduces Bone Loss in Korean Women With Rheumatoid Arthritis and Osteopenia Receiving Long-term Glucocorticoids: A 48-week Double-blinded Randomized Placebo-controlled Investigator-initiated Trial. <i>Clinical Therapeutics</i> , 2017, 39, 268-278.e2.	2.5	27
56	Examining the Relationship Between Pain Catastrophizing and Suicide Risk in Patients with Rheumatic Disease: the Mediating Role of Depression, Perceived Social Support, and Perceived Burdensomeness. <i>International Journal of Behavioral Medicine</i> , 2017, 24, 501-512.	1.7	23
57	2017 European League Against Rheumatism/American College of Rheumatology classification criteria for adult and juvenile idiopathic inflammatory myopathies and their major subgroups. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1955-1964.	0.9	754
58	Stimulation of osteoclast migration and bone resorption by CCL19 and CCL21 chemokine ligands 19 and 21. <i>Experimental and Molecular Medicine</i> , 2017, 49, e358-e358.	7.7	44
59	Advancing the Development of Patient-reported Outcomes for Adult Myositis at OMERACT 2016: An International Delphi Study. <i>Journal of Rheumatology</i> , 2017, 44, 1683-1687.	2.0	21
60	CXCL10/CXCR3 axis is associated with disease activity and the development of mucocutaneous lesions in patients with Behçet's disease. <i>Scientific Reports</i> , 2017, 7, 14720.	3.3	9
61	Behçet's disease risk association fine-mapped on the IL23-IL12RB2 intergenic region in Koreans. <i>Arthritis Research and Therapy</i> , 2017, 19, 227.	3.5	21
62	2016 ACR-EULAR adult dermatomyositis and polymyositis and juvenile dermatomyositis response criteria—methodological aspects. <i>Rheumatology</i> , 2017, 56, 1884-1893.	1.9	33
63	Periodontal inflamed surface area as a novel numerical variable describing periodontal conditions. <i>Journal of Periodontal and Implant Science</i> , 2017, 47, 328.	2.0	31
64	Therapeutic effect of a novel histone deacetylase 6 inhibitor, CKD-L, on collagen-induced arthritis in vivo and regulatory T cells in rheumatoid arthritis in vitro. <i>Arthritis Research and Therapy</i> , 2017, 19, 154.	3.5	55
65	Elderly Patients Exhibit Stronger Inflammatory Responses during Gout Attacks. <i>Journal of Korean Medical Science</i> , 2017, 32, 1967.	2.5	10
66	Detection of Autoantibodies against Aquaporin-1 in the Sera of Patients with Primary Sjögren's Syndrome. <i>Immune Network</i> , 2017, 17, 103.	3.6	17
67	Elevated Erythrocyte Sedimentation Rate Is Predictive of Interstitial Lung Disease and Mortality in Dermatomyositis: a Korean Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 389.	2.5	23
68	Serum 25-Hydroxyvitamin D3 and BAFF Levels Are Associated with Disease Activity in Primary Sjögren's Syndrome. <i>Journal of Immunology Research</i> , 2016, 2016, 1-7.	2.2	8
69	Circulating exosomes from patients with systemic lupus erythematosus induce a proinflammatory immune response. <i>Arthritis Research and Therapy</i> , 2016, 18, 264.	3.5	84
70	Partial remission in ankylosing spondylitis and non-radiographic axial spondyloarthritis in treatment with infliximab plus naproxen or naproxen alone: associations between partial remission and baseline disease characteristics. <i>Rheumatology</i> , 2016, 55, 1946-1953.	1.9	17
71	Altered lipoproteins in patients with systemic lupus erythematosus are associated with augmented oxidative stress: a potential role in atherosclerosis. <i>Arthritis Research and Therapy</i> , 2016, 18, 306.	3.5	28
72	The psychosocial status of the family members of rheumatoid arthritis patients in Korea. <i>Rheumatology International</i> , 2016, 36, 719-724.	3.0	4

#	ARTICLE	IF	CITATIONS
73	Temporal relationship between cancer and myositis identifies two distinctive subgroups of cancers: impact on cancer risk and survival in patients with myositis. <i>Rheumatology</i> , 2016, 55, 1631-1641.	1.9	34
74	Decreased <i>SMG7</i> expression associates with lupus-risk variants and elevated antinuclear antibody production. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2007-2013.	0.9	16
75	The dynamic evolution of rheumatology in Korea. <i>Nature Reviews Rheumatology</i> , 2016, 12, 183-189.	8.0	12
76	Detection of autoantibodies against aquaporin-5 in the sera of patients with primary Sjögren's syndrome. <i>Immunologic Research</i> , 2016, 64, 848-856.	2.9	39
77	Patients with Rheumatoid Arthritis Show Altered Lipoprotein Profiles with Dysfunctional High-Density Lipoproteins that Can Exacerbate Inflammatory and Atherogenic Process. <i>PLoS ONE</i> , 2016, 11, e0164564.	2.5	46
78	Periodontitis is associated with rheumatoid arthritis: a study with longstanding rheumatoid arthritis patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 977-986.	1.7	43
79	Prevalence and clinical impact of fibromyalgia in patients with primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S9-13.	0.8	25
80	The Anti-inflammatory Effect of GV1001 Mediated by the Downregulation of ENO1-induced Pro-inflammatory Cytokine Production. <i>Immune Network</i> , 2015, 15, 291.	3.6	32
81	Low Baseline Interleukin-17A Levels Are Associated with Better Treatment Response at 12 Weeks to Tocilizumab Therapy in Rheumatoid Arthritis Patients. <i>Journal of Immunology Research</i> , 2015, 2015, 1-7.	2.2	11
82	A decision model for the watch-and-wait strategy in systemic sclerosis-associated interstitial lung disease. <i>Rheumatology</i> , 2015, 54, 1792-1796.	1.9	11
83	Association between anti- <i>Porphyromonas gingivalis</i> or anti- α -enolase antibody and severity of periodontitis or rheumatoid arthritis (RA) disease activity in RA. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 190.	1.9	36
84	Rheumatoid arthritis patients fulfilling Korean National Health Insurance reimbursement guidelines for anti-tumor necrosis factor- α treatment and comparison to other guidelines. <i>Rheumatology International</i> , 2015, 35, 1817-1823.	3.0	6
85	Chronic Periodontitis Is Associated With Spinal Dysmobility in Patients With Ankylosing Spondylitis. <i>Journal of Periodontology</i> , 2015, 86, 1303-1313.	3.4	15
86	Baseline serum interleukin-34 levels independently predict radiographic progression in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2015, 35, 71-79.	3.0	44
87	Four-Week Effects of Allopurinol and Febuxostat Treatments on Blood Pressure and Serum Creatinine Level in Gouty Men. <i>Journal of Korean Medical Science</i> , 2014, 29, 1077.	2.5	42
88	Cost-of-Illness and Quality of Life in Patients with Ankylosing Spondylitis at a Tertiary Hospital in Korea. <i>Journal of Korean Medical Science</i> , 2014, 29, 190.	2.5	18
89	Phenotype Difference between Familial and Sporadic Ankylosing Spondylitis in Korean Patients. <i>Journal of Korean Medical Science</i> , 2014, 29, 782.	2.5	8
90	Comparison of the efficacy and safety profiles of a pelubiprofen versus celecoxib in patients with rheumatoid arthritis: a 6-week, multicenter, randomized, double-blind, phase III, non-inferiority clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 375.	1.9	10

#	ARTICLE	IF	CITATIONS
91	Comparison of radioimmunoprecipitation versus antigen-specific assays for identification of myositis-specific autoantibodies in dermatomyositis patients. <i>Modern Rheumatology</i> , 2014, 24, 945-948.	1.8	32
92	CXCR3 polymorphism is associated with male gender and pleuritis in patients with systemic lupus erythematosus. <i>Human Immunology</i> , 2014, 75, 466-469.	2.4	7
93	Efficacy and safety of PG201 (Layla®) and celecoxib in the treatment of symptomatic knee osteoarthritis: a double-blinded, randomized, multi-center, active drug comparative, parallel-group, non-inferiority, phase III study. <i>Rheumatology International</i> , 2014, 34, 1369-1378.	3.0	17
94	Prevalence of comorbidities in rheumatoid arthritis and evaluation of their monitoring: results of an international, cross-sectional study (COMORA). <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 62-68.	0.9	659
95	The interaction between CXCL10 and cytokines in chronic inflammatory arthritis. <i>Autoimmunity Reviews</i> , 2013, 12, 554-557.	5.8	85
96	ANCA-associated vasculitis: report from Korea. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 708-711.	1.6	4
97	Treating rheumatoid arthritis to target: recommendations assessment questionnaire in Korea. <i>Clinical Rheumatology</i> , 2013, 32, 1791-1797.	2.2	3
98	Genetic and non-genetic factors affecting the visual outcome of ocular Behcet's disease. <i>Human Immunology</i> , 2013, 74, 1363-1367.	2.4	21
99	The clinicopathologic characteristics of granulomatosis with polyangiitis (Wegener's): a retrospective study of 45 patients in Korea. <i>Modern Rheumatology</i> , 2013, 23, 864-871.	1.8	12
100	Adult-onset Cyclic Neutropenia Diagnosed in a Patient with Acute Arthritis. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 48.	1.1	0
101	Treatment of Rheumatoid Arthritis Patients with Chronic Hepatitis B: Analysis of Korean National Health Insurance Claims Data. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 24.	1.1	1
102	Long-term Safety and Efficacy of Abatacept in Koreans with Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 30.	1.1	1
103	The clinicopathologic characteristics of granulomatosis with polyangiitis (Wegener's): a retrospective study of 45 patients in Korea. <i>Modern Rheumatology</i> , 2013, 23, 864-871.	1.8	10
104	Î±-Enolase Expressed on the Surfaces of Monocytes and Macrophages Induces Robust Synovial Inflammation in Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2012, 189, 365-372.	0.8	107
105	The correlation between durometer score and modified Rodnan skin score in systemic sclerosis. <i>Rheumatology International</i> , 2012, 32, 2465-2470.	3.0	27
106	Behcet's disease and genes within the major histocompatibility complex region. <i>Modern Rheumatology</i> , 2012, 22, 178-185.	1.8	12
107	Cost of Illness and Quality of Life of Patients with Rheumatoid Arthritis in South Korea. <i>Value in Health</i> , 2012, 15, S43-S49.	0.3	19
108	A Case of Macrophagic Myofasciitis Initially Thought to Be a Metastatic Infection. <i>Journal of Rheumatic Diseases</i> , 2012, 19, 285.	1.1	0

#	ARTICLE	IF	CITATIONS
109	Mannose-binding lectin 2 gene haplotype analysis in Korean patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2012, 32, 2251-2255.	3.0	7
110	Hepatitis B virus reactivation in rheumatoid arthritis and ankylosing spondylitis patients treated with anti-TNF α agents: A retrospective analysis of 49 cases. <i>Clinical Rheumatology</i> , 2012, 31, 931-936.	2.2	61
111	Behçet's disease and genes within the major histocompatibility complex region. <i>Modern Rheumatology</i> , 2012, 22, 178-185.	1.8	10
112	The diagnostic utilities of anti-agalactosyl IgG antibodies, anti-cyclic citrullinated peptide antibodies, and rheumatoid factors in rheumatoid arthritis. <i>Rheumatology International</i> , 2011, 31, 315-319.	3.0	14
113	Evaluation of osteoarthritis induced by treadmill-running exercise using the modified Mankin and the new OARSI assessment system. <i>Rheumatology International</i> , 2011, 31, 1571-1576.	3.0	25
114	Myositis autoantibodies in Korean patients with inflammatory myositis: Anti-140-kDa polypeptide antibody is primarily associated with rapidly progressive interstitial lung disease independent of clinically amyopathic dermatomyositis. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 223.	1.9	69
115	A Case of Poncet's Disease in a Patient with Pulmonary Tuberculosis. <i>The Journal of the Korean Rheumatism Association</i> , 2010, 17, 183.	0.1	5
116	CXCL10 and autoimmune diseases. <i>Autoimmunity Reviews</i> , 2009, 8, 379-383.	5.8	265
117	Anti-cyclic citrullinated peptide antibody is associated with radiographic erosion in rheumatoid arthritis independently of shared epitope status. <i>Rheumatology International</i> , 2009, 29, 251-256.	3.0	11
118	Syndecan-4 regulates ADAMTS-5 activation and cartilage breakdown in osteoarthritis. <i>Nature Medicine</i> , 2009, 15, 1072-1076.	30.7	290
119	Prevalence and clinical features of arthralgia/arthritis in healthy pregnant women. <i>Rheumatology International</i> , 2008, 28, 1111-1115.	3.0	10
120	The clinical significance of serum N-terminal pro-brain natriuretic peptide in systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2008, 27, 437-442.	2.2	21
121	Reciprocal cross-talk between RANKL and interferon- γ -inducible protein 10 is responsible for bone-erosive experimental arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1332-1342.	6.7	105
122	Matrix metalloproteinase-9 promoter polymorphisms in Korean patients with systemic lupus erythematosus. <i>Human Immunology</i> , 2008, 69, 374-379.	2.4	9
123	Assessment of comparative pain relief and tolerability of SKI306X compared with celecoxib in patients with rheumatoid arthritis: A 6-week, multicenter, randomized, double-blind, double-dummy, phase III, noninferiority clinical trial. <i>Clinical Therapeutics</i> , 2007, 29, 862-873.	2.5	33
124	Associations between interferon regulatory factor-1 polymorphisms and Behçet's disease. <i>Human Immunology</i> , 2007, 68, 770-778.	2.4	24
125	Aminoacyl-tRNA Synthetase-Interacting Multifunctional Protein 1/p43 Controls Endoplasmic Reticulum Retention of Heat Shock Protein gp96. <i>American Journal of Pathology</i> , 2007, 170, 2042-2054.	3.8	39
126	Evidence of potential interaction of chemokine genes in susceptibility to systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2007, 56, 2443-2448.	6.7	24

#	ARTICLE	IF	CITATIONS
127	Interleukin-18 Promoter Polymorphisms in Patients With Behçet's Disease. Human Immunology, 2006, 67, 812-818.	2.4	30
128	Identification of autoantibody against poly (ADP-ribose) polymerase (PARP) fragment as a serological marker in systemic lupus erythematosus. Journal of Autoimmunity, 2004, 22, 87-94.	6.5	28
129	Effect of estrogen on the expression of matrix metalloproteinase (MMP)-1, MMP-3, and MMP-13 and tissue inhibitor of metalloproteinase-1 in osteoarthritis chondrocytes. Rheumatology International, 2003, 23, 282-288.	3.0	70
130	Association of MICA polymorphism with rheumatoid arthritis patients in Koreans. Human Immunology, 2003, 64, 1190-1194.	2.4	27
131	TNF and TNF receptor polymorphisms in Korean Behçet's disease patients. Human Immunology, 2003, 64, 614-620.	2.4	50
132	TNF- α -mediated apoptosis in chondrocytes sensitized by MG132 or actinomycin D. Biochemical and Biophysical Research Communications, 2002, 295, 937-944.	2.1	25
133	Epidemiologic and Clinical Survey of Behçet's Disease in Korea: the First Multicenter Study. Journal of Korean Medical Science, 2001, 16, 615.	2.5	120
134	A case of Mycobacterium abscessus pneumonia in a patient with systemic lupus erythematosus. Tuberculosis and Respiratory Diseases, 1999, 46, 96.	0.2	3
135	Effect of Deflazacort and Prednisolone on Bone and Glucose Metabolism in Patients with Rheumatoid Arthritis. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 1995, 3, 177.	0.1	0
136	Recombinant Human Interferon-gamma in the Treatment of Rheumatoid Arthritis: Placebo-controlled Study. Journal of the Korean Society for Clinical Pharmacology and Therapeutics, 1993, 1, 20.	0.1	0