

# Ank De Jonge

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4973579/publications.pdf>

Version: 2024-02-01

77  
papers

1,332  
citations

331538

21  
h-index

414303

32  
g-index

79  
all docs

79  
docs citations

79  
times ranked

1263  
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlates of prenatal and postnatal mother-to-infant bonding quality: A systematic review. PLoS ONE, 2019, 14, e0222998.	1.1	110
2	Variations in use of childbirth interventions in 13 high-income countries: A multinational cross-sectional study. PLoS Medicine, 2020, 17, e1003103.	3.9	92
3	Severe adverse maternal outcomes among low risk women with planned home versus hospital births in the Netherlands: nationwide cohort study. BMJ, The, 2013, 346, f3263-f3263.	3.0	81
4	The effect of medical and operative birth interventions on child health outcomes in the first 28 days and up to 5 years of age: A linked data population-based cohort study. Birth, 2018, 45, 347-357.	1.1	63
5	Effectiveness of routine third trimester ultrasonography to reduce adverse perinatal outcomes in low risk pregnancy (the IRIS study): nationwide, pragmatic, multicentre, stepped wedge cluster randomised trial. BMJ: British Medical Journal, 2019, 367, l5517.	2.4	63
6	Evaluation of primary care midwifery in the Netherlands: design and rationale of a dynamic cohort study (DELIVER). BMC Health Services Research, 2012, 12, 69.	0.9	52
7	Persisting Rise in Referrals During Labor in Primary Midwife-led Care in The Netherlands. Birth, 2013, 40, 192-201.	1.1	45
8	Opinions of maternity care professionals and other stakeholders about integration of maternity care: a qualitative study in the Netherlands. BMC Pregnancy and Childbirth, 2016, 16, 188.	0.9	38
9	Continuity of care: what matters to women when they are referred from primary to secondary care during labour? a qualitative interview study in the Netherlands. BMC Pregnancy and Childbirth, 2014, 14, 103.	0.9	37
10	Birth setting, transfer and maternal sense of control: results from the DELIVER study. BMC Pregnancy and Childbirth, 2014, 14, 27.	0.9	35
11	Left powerless: A qualitative social media content analysis of the Dutch #breakthesilence campaign on negative and traumatic experiences of labour and birth. PLoS ONE, 2020, 15, e0233114.	1.1	34
12	Continuity of care is an important and distinct aspect of childbirth experience: findings of a survey evaluating experienced continuity of care, experienced quality of care and women's perception of labor. BMC Pregnancy and Childbirth, 2018, 18, 13.	0.9	33
13	Perinatal mortality rate in the Netherlands compared to other European countries: A secondary analysis of Euro-PERISTAT data. Midwifery, 2013, 29, 1011-1018.	1.0	31
14	Roundtable Discussion: Early Labor: What's the Problem?. Birth, 2009, 36, 332-339.	1.1	28
15	Intrapartum interventions and outcomes for women and children following induction of labour at term in uncomplicated pregnancies: a 16-year population-based linked data study. BMJ Open, 2021, 11, e047040.	0.8	27
16	Mode of birth and medical interventions among women at low risk of complications: A cross-national comparison of birth settings in England and the Netherlands. PLoS ONE, 2017, 12, e0180846.	1.1	27
17	Limited midwifery care for undocumented women in the Netherlands. Journal of Psychosomatic Obstetrics and Gynaecology, 2011, 32, 182-188.	1.1	24
18	The role of midwifery and other international insights for maternity care in the United States: An analysis of four countries. Birth, 2020, 47, 332-345.	1.1	24

#	ARTICLE	IF	CITATIONS
19	Factors associated with not using folic acid supplements preconceptionally. <i>Public Health Nutrition</i> , 2014, 17, 2344-2350.	1.1	23
20	Variation in referrals to secondary obstetrician-led care among primary midwifery care practices in the Netherlands: a nationwide cohort study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 42.	0.9	23
21	Client-care provider interaction during labour and birth as experienced by women: Respect, communication, confidentiality and autonomy. <i>PLoS ONE</i> , 2021, 16, e0246697.	1.1	23
22	Severe Adverse Maternal Outcomes among Women in Midwife-Led versus Obstetrician-Led Care at the Onset of Labour in the Netherlands: A Nationwide Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0126266.	1.1	23
23	Effectiveness and cost-effectiveness of routine third trimester ultrasound screening for intrauterine growth restriction: study protocol of a nationwide stepped wedge cluster-randomized trial in The Netherlands (The IRIS Study). <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 310.	0.9	21
24	Variation in intrapartum referral rates in primary midwifery care in the Netherlands: A discrete choice experiment. <i>Midwifery</i> , 2015, 31, e69-e78.	1.0	20
25	â€˜Watchful attendanceâ€™ during labour and birth. <i>Sexual and Reproductive Healthcare</i> , 2021, 28, 100617.	0.5	19
26	Change in primary midwife-led care in the Netherlands in 2000â€“2008: A descriptive study of caesarean sections and other interventions among 789,795 low risk births. <i>Midwifery</i> , 2014, 30, 560-566.	1.0	16
27	The Long-Term Impact of Maternal Anxiety and Depression Postpartum and in Early Childhood on Child and Paternal Mental Health at 11â€“12 Years Follow-Up. <i>Frontiers in Psychiatry</i> , 2020, 11, 562237.	1.3	16
28	Opinions of professionals about integrating midwife- and obstetrician-led care in The Netherlands. <i>Midwifery</i> , 2016, 37, 9-18.	1.0	15
29	Value based maternal and newborn care requires alignment of adequate resources with high value activities. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 428.	0.9	15
30	Lifelines NEXT: a prospective birth cohort adding the next generation to the three-generation Lifelines cohort study. <i>European Journal of Epidemiology</i> , 2020, 35, 157-168.	2.5	15
31	Opinions of Maternity Care Professionals About Integration of Care During Labor for â€œModerate Riskâ€• Indications: A Delphi Study in The Netherlands. <i>Birth</i> , 2014, 41, 195-205.	1.1	14
32	Womenâ€™s Participation in Decision-Making in Maternity Care: A Qualitative Exploration of Clientsâ€™ Health Literacy Skills and Needs for Support. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1130.	1.2	14
33	Experiences of Dutch maternity care professionals during the first wave of COVID-19 in a community based maternity care system. <i>PLoS ONE</i> , 2021, 16, e0252735.	1.1	14
34	Regional variations in childbirth interventions and their correlations with adverse outcomes, birthplace and care provider: A nationwide explorative study. <i>PLoS ONE</i> , 2020, 15, e0229488.	1.1	13
35	Psychosocial and peripartum determinants of postpartum depression: Findings from a prospective population-based cohort. The ABCD study. <i>Comprehensive Psychiatry</i> , 2021, 108, 152239.	1.5	13
36	Modest Rise in Caesarean Section from 2000-2010: The Dutch Experience. <i>PLoS ONE</i> , 2016, 11, e0155565.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Multidisciplinary consensus on screening for, diagnosis and management of fetal growth restriction in the Netherlands. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 353.	0.9	12
38	Change in primary midwife-led care in the Netherlands in 2000â€“2008: A descriptive study of caesarean sections and other interventions among 807,437 low risk births. <i>Midwifery</i> , 2015, 31, 648-654.	1.0	11
39	Better perineal outcomes in sitting birthing position cannot be explained by changing from upright to supine position for performing an episiotomy. <i>Midwifery</i> , 2016, 34, 1-6.	1.0	11
40	Understanding the perspectives and values of midwives, obstetricians and obstetric registrars regarding episiotomy: qualitative interview study. <i>BMJ Open</i> , 2021, 11, e037536.	0.8	11
41	Intrapartum Referral from Primary to Secondary Care in The Netherlands: A Retrospective Cohort Study on Management of Labor and Outcomes. <i>Birth</i> , 2015, 42, 156-164.	1.1	10
42	Variations in childbirth interventions in high-income countries: protocol for a multinational cross-sectional study. <i>BMJ Open</i> , 2018, 8, e017993.	0.8	10
43	Experiences of pregnant women with a third trimester routine ultrasound â€“ a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 319.	0.9	9
44	More home births during the <sc>COVID</sc>â€“19 pandemic in the Netherlands. <i>Birth</i> , 2022, 49, 792-804.	1.1	9
45	Resilience-enhancing interventions for antepartum depressive symptoms: systematic review. <i>BJPsych Open</i> , 2022, 8, e89.	0.3	9
46	In which groups of pregnant women can the caesarean delivery rate likely be reduced safely in the USA? A multicentre cross-sectional study. <i>BMJ Open</i> , 2018, 8, e021670.	0.8	8
47	Which level of risk justifies routine induction of labor for healthy women?. <i>Sexual and Reproductive Healthcare</i> , 2020, 23, 100479.	0.5	8
48	The Importance of Evaluating Primary Midwifery Care for Improving the Health of Women and Infants. <i>Frontiers in Medicine</i> , 2015, 2, 17.	1.2	7
49	Chlamydia trachomatis, Neisseria gonorrhoea, and Trichomonas vaginalis infections among pregnant women and male partners in Dutch midwifery practices: prevalence, risk factors, and perinatal outcomes. <i>Reproductive Health</i> , 2021, 18, 132.	1.2	7
50	The effect of offering a thirdâ€“trimester routine ultrasound on pregnancyâ€“specific anxiety and motherâ€“toâ€“infant bonding in lowâ€“risk women: A pragmatic clusterâ€“randomized controlled trial. <i>Birth</i> , 2021, , .	1.1	7
51	Associations of severe adverse perinatal outcomes among continuous birth weight percentiles on different birth weight charts: a secondary analysis of a cluster randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 375.	0.9	7
52	It was tough, but necessary. Organizational changes in a community based maternity care system during the first wave of the COVID-19 pandemic: A qualitative analysis in the Netherlands. <i>PLoS ONE</i> , 2022, 17, e0264311.	1.1	6
53	Improving Research into Models of Maternity Care to Inform Decision Making. <i>PLoS Medicine</i> , 2016, 13, e1002135.	3.9	5
54	Induction of labour should be offered to all women at term. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1599-1599.	1.1	5

#	ARTICLE	IF	CITATIONS
55	An ethnographic study of the interaction between philosophy of childbirth and place of birth. <i>Women and Birth</i> , 2020, 34, e557-e566.	0.9	5
56	Cost-Effectiveness of Routine Third Trimester Ultrasound Screening for Fetal Growth Restriction Compared to Care as Usual in Low-Risk Pregnancies: A Pragmatic Nationwide Stepped-Wedge Cluster-Randomized Trial in The Netherlands (the IRIS Study). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3312.	1.2	4
57	The United Kingdom and the Netherlands maternity care responses to COVID-19: A comparative study. <i>Women and Birth</i> , 2023, 36, 127-135.	0.9	4
58	Towards a better understanding of risk selection in maternal and newborn care: A systematic scoping review. <i>PLoS ONE</i> , 2020, 15, e0234252.	1.1	3
59	Midwives and sexual violence: A cross-sectional analysis of personal exposure, education and attitudes in practice. <i>Women and Birth</i> , 2022, 35, e487-e493.	0.9	3
60	Daytime births are associated with better perinatal outcomes in secondary and tertiary hospitals. <i>Evidence-Based Medicine</i> , 2011, 16, 59-60.	0.6	2
61	Re: Perinatal mortality and morbidity up to 28 days after birth among 743 070 low-risk planned home and hospital births: a cohort study based on three merged national perinatal databases. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1235-1236.	1.1	2
62	Centralisation of acute obstetric care in the Netherlands: a qualitative study to explore the experiences of stakeholders with adaptations in organisation of care. <i>BMC Health Services Research</i> , 2021, 21, 1233.	0.9	2
63	Quality assessment of ultrasonic foetal biometry during the IUGR Risk Selection (IRIS) trial: A cross sectional study. <i>Midwifery</i> , 2020, 91, 102842.	1.0	1
64	Maternal characteristics as indications for routine induction of labor: A nationwide retrospective cohort study. <i>Birth</i> , 2022, , .	1.1	1
65	Authors' reply re: Induction of labour should be offered to all women at term. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 777-777.	1.1	0
66	Models of Risk Selection in Maternal and Newborn Care: Exploring the Organization of Tasks and Responsibilities of Primary Care Midwives and Obstetricians in Risk Selection across The Netherlands. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1046.	1.2	0
67	Title is missing!. , 2020, 15, e0229488.		0
68	Title is missing!. , 2020, 15, e0229488.		0
69	Title is missing!. , 2020, 15, e0229488.		0
70	Title is missing!. , 2020, 15, e0229488.		0
71	Title is missing!. , 2020, 15, e0229488.		0
72	Title is missing!. , 2020, 15, e0229488.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 15, e0229488.		0
74	Title is missing!. , 2020, 15, e0234252.		0
75	Title is missing!. , 2020, 15, e0234252.		0
76	Title is missing!. , 2020, 15, e0234252.		0
77	Title is missing!. , 2020, 15, e0234252.		0