

Ank De Jonge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4973579/publications.pdf>

Version: 2024-02-01

77
papers

1,332
citations

331538

21
h-index

414303

32
g-index

79
all docs

79
docs citations

79
times ranked

1263
citing authors

#	ARTICLE	IF	CITATIONS
1	The United Kingdom and the Netherlands maternity care responses to COVID-19: A comparative study. <i>Women and Birth</i> , 2023, 36, 127-135.	0.9	4
2	Midwives and sexual violence: A cross-sectional analysis of personal exposure, education and attitudes in practice. <i>Women and Birth</i> , 2022, 35, e487-e493.	0.9	3
3	Models of Risk Selection in Maternal and Newborn Care: Exploring the Organization of Tasks and Responsibilities of Primary Care Midwives and Obstetricians in Risk Selection across The Netherlands. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1046.	1.2	0
4	Maternal characteristics as indications for routine induction of labor: A nationwide retrospective cohort study. <i>Birth</i> , 2022, , .	1.1	1
5	Cost-Effectiveness of Routine Third Trimester Ultrasound Screening for Fetal Growth Restriction Compared to Care as Usual in Low-Risk Pregnancies: A Pragmatic Nationwide Stepped-Wedge Cluster-Randomized Trial in The Netherlands (the IRIS Study). <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3312.	1.2	4
6	It was tough, but necessary. Organizational changes in a community based maternity care system during the first wave of the COVID-19 pandemic: A qualitative analysis in the Netherlands. <i>PLoS ONE</i> , 2022, 17, e0264311.	1.1	6
7	Associations of severe adverse perinatal outcomes among continuous birth weight percentiles on different birth weight charts: a secondary analysis of a cluster randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 375.	0.9	7
8	More home births during the COVID-19 pandemic in the Netherlands. <i>Birth</i> , 2022, 49, 792-804.	1.1	9
9	Resilience-enhancing interventions for antepartum depressive symptoms: systematic review. <i>BJPsych Open</i> , 2022, 8, e89.	0.3	9
10	Women's Participation in Decision-Making in Maternity Care: A Qualitative Exploration of Clients' Health Literacy Skills and Needs for Support. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1130.	1.2	14
11	Understanding the perspectives and values of midwives, obstetricians and obstetric registrars regarding episiotomy: qualitative interview study. <i>BMJ Open</i> , 2021, 11, e037536.	0.8	11
12	Client-care provider interaction during labour and birth as experienced by women: Respect, communication, confidentiality and autonomy. <i>PLoS ONE</i> , 2021, 16, e0246697.	1.1	23
13	Intrapartum interventions and outcomes for women and children following induction of labour at term in uncomplicated pregnancies: a 16-year population-based linked data study. <i>BMJ Open</i> , 2021, 11, e047040.	0.8	27
14	Chlamydia trachomatis, Neisseria gonorrhoea, and Trichomonas vaginalis infections among pregnant women and male partners in Dutch midwifery practices: prevalence, risk factors, and perinatal outcomes. <i>Reproductive Health</i> , 2021, 18, 132.	1.2	7
15	Experiences of Dutch maternity care professionals during the first wave of COVID-19 in a community based maternity care system. <i>PLoS ONE</i> , 2021, 16, e0252735.	1.1	14
16	Watchful attendance during labour and birth. <i>Sexual and Reproductive Healthcare</i> , 2021, 28, 100617.	0.5	19
17	The effect of offering a third trimester routine ultrasound on pregnancy-specific anxiety and mother-infant bonding in low-risk women: A pragmatic cluster-randomized controlled trial. <i>Birth</i> , 2021, , .	1.1	7
18	Psychosocial and peripartum determinants of postpartum depression: Findings from a prospective population-based cohort. The ABCD study. <i>Comprehensive Psychiatry</i> , 2021, 108, 152239.	1.5	13

#	ARTICLE	IF	CITATIONS
19	Centralisation of acute obstetric care in the Netherlands: a qualitative study to explore the experiences of stakeholders with adaptations in organisation of care. BMC Health Services Research, 2021, 21, 1233.	0.9	2
20	Which level of risk justifies routine induction of labor for healthy women?. Sexual and Reproductive Healthcare, 2020, 23, 100479.	0.5	8
21	Quality assessment of ultrasonic foetal biometry during the IUGR Risk Selection (IRIS) trial: A cross sectional study. Midwifery, 2020, 91, 102842.	1.0	1
22	The Long-Term Impact of Maternal Anxiety and Depression Postpartum and in Early Childhood on Child and Paternal Mental Health at 11â€“12 Years Follow-Up. Frontiers in Psychiatry, 2020, 11, 562237.	1.3	16
23	An ethnographic study of the interaction between philosophy of childbirth and place of birth. Women and Birth, 2020, 34, e557-e566.	0.9	5
24	The role of midwifery and other international insights for maternity care in the United States: An analysis of four countries. Birth, 2020, 47, 332-345.	1.1	24
25	Left powerless: A qualitative social media content analysis of the Dutch #breakthesilence campaign on negative and traumatic experiences of labour and birth. PLoS ONE, 2020, 15, e0233114.	1.1	34
26	Towards a better understanding of risk selection in maternal and newborn care: A systematic scoping review. PLoS ONE, 2020, 15, e0234252.	1.1	3
27	Authors' reply re: Induction of labour should be offered to all women at term. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 777-777.	1.1	0
28	Regional variations in childbirth interventions and their correlations with adverse outcomes, birthplace and care provider: A nationwide explorative study. PLoS ONE, 2020, 15, e0229488.	1.1	13
29	Lifelines NEXT: a prospective birth cohort adding the next generation to the three-generation Lifelines cohort study. European Journal of Epidemiology, 2020, 35, 157-168.	2.5	15
30	Variations in use of childbirth interventions in 13 high-income countries: A multinational cross-sectional study. PLoS Medicine, 2020, 17, e1003103.	3.9	92
31	Title is missing!. , 2020, 15, e0229488.		0
32	Title is missing!. , 2020, 15, e0229488.		0
33	Title is missing!. , 2020, 15, e0229488.		0
34	Title is missing!. , 2020, 15, e0229488.		0
35	Title is missing!. , 2020, 15, e0229488.		0
36	Title is missing!. , 2020, 15, e0229488.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0229488.		0
38	Title is missing!. , 2020, 15, e0234252.		0
39	Title is missing!. , 2020, 15, e0234252.		0
40	Title is missing!. , 2020, 15, e0234252.		0
41	Title is missing!. , 2020, 15, e0234252.		0
42	Effectiveness of routine third trimester ultrasonography to reduce adverse perinatal outcomes in low risk pregnancy (the IRIS study): nationwide, pragmatic, multicentre, stepped wedge cluster randomised trial. <i>BMJ: British Medical Journal</i> , 2019, 367, l5517.	2.4	63
43	Induction of labour should be offered to all women at term. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1599-1599.	1.1	5
44	Experiences of pregnant women with a third trimester routine ultrasound " a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 319.	0.9	9
45	Correlates of prenatal and postnatal mother-to-infant bonding quality: A systematic review. <i>PLoS ONE</i> , 2019, 14, e0222998.	1.1	110
46	Value based maternal and newborn care requires alignment of adequate resources with high value activities. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 428.	0.9	15
47	Variations in childbirth interventions in high-income countries: protocol for a multinational cross-sectional study. <i>BMJ Open</i> , 2018, 8, e017993.	0.8	10
48	The effect of medical and operative birth interventions on child health outcomes in the first 28 days and up to 5 years of age: A linked data population based cohort study. <i>Birth</i> , 2018, 45, 347-357.	1.1	63
49	Continuity of care is an important and distinct aspect of childbirth experience: findings of a survey evaluating experienced continuity of care, experienced quality of care and women's perception of labor. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 13.	0.9	33
50	In which groups of pregnant women can the caesarean delivery rate likely be reduced safely in the USA? A multicentre cross-sectional study. <i>BMJ Open</i> , 2018, 8, e021670.	0.8	8
51	Multidisciplinary consensus on screening for, diagnosis and management of fetal growth restriction in the Netherlands. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 353.	0.9	12
52	Mode of birth and medical interventions among women at low risk of complications: A cross-national comparison of birth settings in England and the Netherlands. <i>PLoS ONE</i> , 2017, 12, e0180846.	1.1	27
53	Improving Research into Models of Maternity Care to Inform Decision Making. <i>PLoS Medicine</i> , 2016, 13, e1002135.	3.9	5
54	Modest Rise in Caesarean Section from 2000-2010: The Dutch Experience. <i>PLoS ONE</i> , 2016, 11, e0155565.	1.1	12

#	ARTICLE	IF	CITATIONS
55	Re: Perinatal mortality and morbidity up to 28 days after birth among 743 070 low-risk planned home and hospital births: a cohort study based on three merged national perinatal databases. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 1235-1236.	1.1	2
56	Opinions of professionals about integrating midwife- and obstetrician-led care in The Netherlands. Midwifery, 2016, 37, 9-18.	1.0	15
57	Effectiveness and cost-effectiveness of routine third trimester ultrasound screening for intrauterine growth restriction: study protocol of a nationwide stepped wedge cluster-randomized trial in The Netherlands (The IRIS Study). BMC Pregnancy and Childbirth, 2016, 16, 310.	0.9	21
58	Opinions of maternity care professionals and other stakeholders about integration of maternity care: a qualitative study in the Netherlands. BMC Pregnancy and Childbirth, 2016, 16, 188.	0.9	38
59	Better perineal outcomes in sitting birthing position cannot be explained by changing from upright to supine position for performing an episiotomy. Midwifery, 2016, 34, 1-6.	1.0	11
60	Change in primary midwife-led care in the Netherlands in 2000-2008: A descriptive study of caesarean sections and other interventions among 807,437 low risk births. Midwifery, 2015, 31, 648-654.	1.0	11
61	Intrapartum Referral from Primary to Secondary Care in The Netherlands: A Retrospective Cohort Study on Management of Labor and Outcomes. Birth, 2015, 42, 156-164.	1.1	10
62	The Importance of Evaluating Primary Midwifery Care for Improving the Health of Women and Infants. Frontiers in Medicine, 2015, 2, 17.	1.2	7
63	Variation in referrals to secondary obstetrician-led care among primary midwifery care practices in the Netherlands: a nationwide cohort study. BMC Pregnancy and Childbirth, 2015, 15, 42.	0.9	23
64	Variation in intrapartum referral rates in primary midwifery care in the Netherlands: A discrete choice experiment. Midwifery, 2015, 31, e69-e78.	1.0	20
65	Severe Adverse Maternal Outcomes among Women in Midwife-Led versus Obstetrician-Led Care at the Onset of Labour in the Netherlands: A Nationwide Cohort Study. PLoS ONE, 2015, 10, e0126266.	1.1	23
66	Opinions of Maternity Care Professionals About Integration of Care During Labor for "Moderate Risk" Indications: A Delphi Study in The Netherlands. Birth, 2014, 41, 195-205.	1.1	14
67	Continuity of care: what matters to women when they are referred from primary to secondary care during labour? a qualitative interview study in the Netherlands. BMC Pregnancy and Childbirth, 2014, 14, 103.	0.9	37
68	Factors associated with not using folic acid supplements preconceptionally. Public Health Nutrition, 2014, 17, 2344-2350.	1.1	23
69	Birth setting, transfer and maternal sense of control: results from the DELIVER study. BMC Pregnancy and Childbirth, 2014, 14, 27.	0.9	35
70	Change in primary midwife-led care in the Netherlands in 2000-2008: A descriptive study of caesarean sections and other interventions among 789,795 low risk births. Midwifery, 2014, 30, 560-566.	1.0	16
71	Perinatal mortality rate in the Netherlands compared to other European countries: A secondary analysis of Euro-PERISTAT data. Midwifery, 2013, 29, 1011-1018.	1.0	31
72	Persisting Rise in Referrals During Labor in Primary Midwife-led Care in The Netherlands. Birth, 2013, 40, 192-201.	1.1	45

#	ARTICLE	IF	CITATIONS
73	Severe adverse maternal outcomes among low risk women with planned home versus hospital births in the Netherlands: nationwide cohort study. <i>BMJ, The</i> , 2013, 346, f3263-f3263.	3.0	81
74	Evaluation of primary care midwifery in the Netherlands: design and rationale of a dynamic cohort study (DELIVER). <i>BMC Health Services Research</i> , 2012, 12, 69.	0.9	52
75	Limited midwifery care for undocumented women in the Netherlands. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2011, 32, 182-188.	1.1	24
76	Daytime births are associated with better perinatal outcomes in secondary and tertiary hospitals. <i>Evidence-Based Medicine</i> , 2011, 16, 59-60.	0.6	2
77	Roundtable Discussion: Early Labor: What's the Problem?. <i>Birth</i> , 2009, 36, 332-339.	1.1	28