

Jong Suk Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4973931/publications.pdf>

Version: 2024-02-01

79
papers

1,889
citations

279798

23
h-index

289244

40
g-index

83
all docs

83
docs citations

83
times ranked

2752
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between triglyceride-glucose index and gastric carcinogenesis: a health checkup cohort study. <i>Gastric Cancer</i> , 2022, 25, 33-41.	5.3	18
2	The Plasma Atherogenic Index is an Independent Predictor of Arterial Stiffness in Healthy Koreans. <i>Angiology</i> , 2022, 73, 514-519.	1.8	13
3	Association between <i>BDNF</i> Polymorphism and Depressive Symptoms in Patients Newly Diagnosed with Type 2 Diabetes Mellitus. <i>Yonsei Medical Journal</i> , 2021, 62, 359.	2.2	6
4	Safety and effectiveness of linagliptin in Korean patients with type 2 diabetes: A postmarketing surveillance study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1208-1212.	4.4	2
5	2021 Clinical Practice Guidelines for Diabetes Mellitus of the Korean Diabetes Association. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 461-481.	4.7	146
6	Reply to the letter by Junjie Jiang et al. regarding our manuscript "Association between triglyceride-glucose index and gastric carcinogenesis: a health checkup cohort study". <i>Gastric Cancer</i> , 2021, 24, 1372-1373.	5.3	3
7	Significance of Soluble CD93 in Type 2 Diabetes as a Biomarker for Diabetic Nephropathy: Integrated Results from Human and Rodent Studies. <i>Journal of Clinical Medicine</i> , 2020, 9, 1394.	2.4	10
8	Association between atherogenic index of plasma and coronary artery calcification progression in Korean adults. <i>Lipids in Health and Disease</i> , 2020, 19, 157.	3.0	19
9	Circulating myokine levels in different stages of glucose intolerance. <i>Medicine (United States)</i> , 2020, 99, e19235.	1.0	12
10	Supplementation with Korean Red Ginseng Improves Current Perception Threshold in Korean Type 2 Diabetes Patients: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-8.	2.3	11
11	Triglyceride Glucose Index Is Superior to the Homeostasis Model Assessment of Insulin Resistance for Predicting Nonalcoholic Fatty Liver Disease in Korean Adults. <i>Endocrinology and Metabolism</i> , 2019, 34, 179.	3.0	82
12	Elevated TyG Index Predicts Progression of Coronary Artery Calcification. <i>Diabetes Care</i> , 2019, 42, 1569-1573.	8.6	180
13	β 2-Cell-Derived Angiopoietin-1 Regulates Insulin Secretion and Glucose Homeostasis by Stabilizing the Islet Microenvironment. <i>Diabetes</i> , 2019, 68, 774-786.	0.6	9
14	Current Management of Type 2 Diabetes Mellitus in Primary Care Clinics in Korea. <i>Endocrinology and Metabolism</i> , 2019, 34, 282.	3.0	16
15	Use of RBC deformability index as an early marker of diabetic nephropathy. <i>Clinical Hemorheology and Microcirculation</i> , 2019, 72, 75-84.	1.7	13
16	Relationship between natural killer cell activity and glucose control in patients with type 2 diabetes and prediabetes. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1223-1228.	2.4	56
17	Higher glucagon-to-insulin ratio is associated with elevated glycated hemoglobin levels in type 2 diabetes patients. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1068-1077.	1.7	17
18	SUN-072 Elevated TyG Index Predicts Progression of Coronary Artery Calcification. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.2	0

#	ARTICLE	IF	CITATIONS
19	Association between triglyceride glucose index and arterial stiffness in Korean adults. <i>Cardiovascular Diabetology</i> , 2018, 17, 41.	6.8	169
20	Calpain-10 and Adiponectin Gene Polymorphisms in Korean Type 2 Diabetes Patients. <i>Endocrinology and Metabolism</i> , 2018, 33, 364.	3.0	6
21	Red Blood Cell Distribution Width Is Associated with Carotid Atherosclerosis in People with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	2.3	6
22	Current <i>Helicobacter pylori</i> infection is significantly associated with subclinical coronary atherosclerosis in healthy subjects: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0193646.	2.5	53
23	Relationship between the triglyceride glucose index and coronary artery calcification in Korean adults. <i>Cardiovascular Diabetology</i> , 2017, 16, 108.	6.8	140
24	Association between Blood Mercury Level and Visceral Adiposity in Adults. <i>Diabetes and Metabolism Journal</i> , 2017, 41, 113.	4.7	43
25	Retroperitoneal Schwannoma Mimicking an Adrenal Mass. <i>Korean Journal of Medicine</i> , 2017, 92, 411-414.	0.3	1
26	Association between lipoprotein(a) and nonalcoholic fatty liver disease among Korean adults. <i>Clinica Chimica Acta</i> , 2016, 461, 14-18.	1.1	17
27	Longitudinal association between toenail zinc levels and the incidence of diabetes among American young adults: The CARDIA Trace Element Study. <i>Scientific Reports</i> , 2016, 6, 23155.	3.3	15
28	Serum ferritin levels are associated with arterial stiffness in healthy Korean adults. <i>Vascular Medicine</i> , 2016, 21, 325-330.	1.5	6
29	Normal-weight obesity is associated with increased risk of subclinical atherosclerosis. <i>Cardiovascular Diabetology</i> , 2015, 14, 58.	6.8	55
30	All-TransRetinoic Acid Has a Potential Therapeutic Role for Diabetic Nephropathy. <i>Yonsei Medical Journal</i> , 2015, 56, 1597.	2.2	7
31	Association between nonalcoholic fatty liver disease and coronary artery calcification in postmenopausal women. <i>Menopause</i> , 2015, 22, 1323-1327.	2.0	33
32	Hemorheological Approach for Early Detection of Chronic Kidney Disease and Diabetic Nephropathy in Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 808-815.	4.4	18
33	Efficacy and Safety of Weekly Alendronate Plus Vitamin D ₃ 5600 IU versus Weekly Alendronate Alone in Korean Osteoporotic Women: 16-Week Randomized Trial. <i>Yonsei Medical Journal</i> , 2014, 55, 715.	2.2	11
34	Association between Apolipoprotein B/Apolipoprotein A-1 and arterial stiffness in metabolic syndrome. <i>Clinica Chimica Acta</i> , 2014, 437, 115-119.	1.1	9
35	Subclinical vascular inflammation in subjects with normal weight obesity and its association with body Fat: an ¹⁸ F-FDG-PET/CT study. <i>Cardiovascular Diabetology</i> , 2014, 13, 70.	6.8	46
36	Serum Adiponectin and Type 2 Diabetes: A 6-Year Follow-Up Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2013, 37, 252.	4.7	14

#	ARTICLE	IF	CITATIONS
37	Association Between Blood Sugar Level, Psychological Impact, and Emotional Symptoms in Patients Newly Diagnosed with Diabetes. <i>Journal of Korean Diabetes</i> , 2013, 14, 46.	0.3	1
38	The association of insulin resistance and carotid atherosclerosis with thigh and calf circumference in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2012, 11, 62.	6.8	38
39	Relationships between serum uric acid, adiponectin and arterial stiffness in postmenopausal women. <i>Maturitas</i> , 2012, 73, 344-348.	2.4	31
40	Association between γ -Glutamyltransferase, Adiponectin and Arterial Stiffness. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 90-97.	2.0	18
41	A Case of Adrenocortical Carcinoma Secreting Cortisol and Aldosterone. <i>Yeungnam University Journal of Medicine</i> , 2012, 29, 132.	0.1	0
42	Change in waist circumference and the progression of subclinical atherosclerosis in type 2 diabetes patients. <i>Obesity Research and Clinical Practice</i> , 2011, 5, e202-e209.	1.8	0
43	Serum Cystatin C Reflects the Progress of Albuminuria. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 602.	4.7	7
44	Predictive Clinical Parameters for the Therapeutic Efficacy of Sitagliptin in Korean Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 159.	4.7	43
45	Dietary Oleate Has Beneficial Effects on Every Step of Non-Alcoholic Fatty Liver Disease Progression in a Methionine- and Choline-Deficient Diet-Fed Animal Model. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 489.	4.7	26
46	Comparison of the Efficacy of Glimepiride, Metformin, and Rosiglitazone Monotherapy in Korean Drug-Naïve Type 2 Diabetic Patients: The Practical Evidence of Antidiabetic Monotherapy Study. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 26.	4.7	32
47	Up-regulation of hepatic low-density lipoprotein receptor-related protein 1: a possible novel mechanism of antiatherogenic activity of hydroxymethylglutaryl-coenzyme A reductase inhibitor. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 930-940.	3.4	37
48	Effect of pioglitazone on serum concentrations of osteoprotegerin in patients with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2011, 164, 69-74.	3.7	39
49	Visceral adiposity and leptin are independently associated with C-reactive protein in Korean type 2 diabetic patients. <i>Acta Diabetologica</i> , 2010, 47, 113-118.	2.5	30
50	Dietary Monounsaturated Fatty Acids but not Saturated Fatty Acids Preserve the Insulin Signaling Pathway via IRS-1/PI3K in Rat Skeletal Muscle. <i>Lipids</i> , 2010, 45, 1109-1116.	1.7	37
51	Adiponectin is independently associated with apolipoprotein B to A-1 ratio in Koreans. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 677-682.	3.4	9
52	Autoimmune Thyroiditis during Antiviral Therapy with Peginterferon. <i>Journal of Korean Endocrine Society</i> , 2010, 25, 68.	0.1	0
53	Hypoadiponectinemia Is Strongly Associated with Metabolic Syndrome in Korean Type 2 Diabetes Patients. <i>Journal of the American College of Nutrition</i> , 2010, 29, 171-178.	1.8	10
54	Triiodothyronine level predicts visceral obesity and atherosclerosis in euthyroid, overweight and obese subjects: T3 and visceral obesity. <i>Obesity Research and Clinical Practice</i> , 2010, 4, e315-e323.	1.8	14

#	ARTICLE	IF	CITATIONS
55	Insulin resistance independently influences arterial stiffness in normoglycemic normotensive postmenopausal women. <i>Menopause</i> , 2010, 17, 779-784.	2.0	44
56	High-density Lipoprotein (HDL) Cholesterol in Type 2 Diabetes. <i>Korean Clinical Diabetes</i> , 2010, 11, 114.	0.1	0
57	Usefulness of brachial-ankle pulse wave velocity as a predictive marker of multiple coronary artery occlusive disease in Korean type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , 2009, 85, 30-34.	2.8	45
58	Dietary patterns and metabolic syndrome in Korean type 2 DM patients. <i>FASEB Journal</i> , 2009, 23, 550.19.	0.5	0
59	The Characteristic of Korean type 2 diabetes mellitus patients with nephropathy. <i>FASEB Journal</i> , 2009, 23, 551.18.	0.5	0
60	Cerebral arterial pulsatility and insulin resistance in type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 237-242.	2.8	20
61	The activation of NF- κ B and AP-1 in peripheral blood mononuclear cells isolated from patients with diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2008, 81, 25-32.	2.8	41
62	Association of Abdominal Obesity with Atherosclerosis in Type 2 Diabetes Mellitus (T2DM) in Korea. <i>Journal of Korean Medical Science</i> , 2008, 23, 781.	2.5	15
63	The Association of Plasma HDL-Cholesterol Level with Cardiovascular Disease Related Factors in Korean Type 2 Diabetic Patients. <i>Korean Diabetes Journal</i> , 2008, 32, 215.	0.8	4
64	Visceral Fat Thickness Predicts Fatty Liver in Koreans with Type 2 Diabetes Mellitus. <i>Journal of Korean Medical Science</i> , 2008, 23, 256.	2.5	5
65	Riedel's Thyroiditis in a Patient with Recurrent Subacute Thyroiditis: A Case Report and Review of the Literature. <i>Endocrine Journal</i> , 2007, 54, 559-562.	1.6	28
66	Educational program for diabetic patients in Korea—Multidisciplinary intensive management. <i>Diabetes Research and Clinical Practice</i> , 2007, 77, S194-S198.	2.8	11
67	The effects of pioglitazone on cerebrovascular resistance in patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 1081-1086.	3.4	8
68	A Case of Turner's Syndrome with Transient Hypopituitarism. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 266.	0.1	0
69	In vivo Corneal Confocal Microscopy and Nerve Growth Factor in Diabetic Microvascular Complications. <i>The Journal of Korean Diabetes Association</i> , 2007, 31, 351.	0.1	0
70	Activation of NF- κ B and AP-1 in Peripheral Blood Mononuclear Cells Isolated from Patients with Diabetic Nephropathy. <i>The Journal of Korean Diabetes Association</i> , 2007, 31, 261.	0.1	0
71	Relationship of low-density lipoprotein particle size to insulin resistance and intima-media thickness in nondiabetic Koreans. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 1610-1615.	3.4	4
72	Effects of Pioglitazone on Cerebral Hemodynamics in Patients of Type 2 Diabetes. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 96.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Relation between Cerebral Arterial Pulsatility and Insulin Resistance in Type 2 Diabetic Patients. The Journal of Korean Diabetes Association, 2006, 30, 347.	0.1	1
74	Effects of growth hormone on insulin resistance and atherosclerotic risk factors in obese type 2 diabetic patients with poor glycaemic control. Clinical Endocrinology, 2006, 64, 060301024427004.	2.4	23
75	A Case of Acromegaly Caused by Double Pituitary Adenomas. Journal of Korean Endocrine Society, 2006, 21, 53.	0.1	0
76	A Case of Patient with Opioid-Induced Adrenocortical Insufficiency and Hypogonadism. Journal of Korean Endocrine Society, 2006, 21, 257.	0.1	0
77	A Case of Multiple Endocrine Neoplasia Type 1 with Papillary Thyroid Carcinoma. Journal of Korean Endocrine Society, 2006, 21, 79.	0.1	1
78	A Case of Acromegaly with Gall Bladder Cancer. Journal of Korean Endocrine Society, 2005, 20, 401.	0.1	0
79	Graves' Disease Associated with Klinefelter's Syndrome. Yonsei Medical Journal, 2004, 45, 341.	2.2	5