

# Jang-Kyo Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4976664/publications.pdf>

Version: 2024-02-01

411  
papers

37,428  
citations

1883

102  
h-index

3997

176  
g-index

422  
all docs

422  
docs citations

422  
times ranked

32411  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dispersion and functionalization of carbon nanotubes for polymer-based nanocomposites: A review. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010, 41, 1345-1367.	3.8	2,787
2	Highly Aligned Graphene/Polymer Nanocomposites with Excellent Dielectric Properties for High-Performance Electromagnetic Interference Shielding. <i>Advanced Materials</i> , 2014, 26, 5480-5487.	11.1	1,024
3	Correlations between Percolation Threshold, Dispersion State, and Aspect Ratio of Carbon Nanotubes. <i>Advanced Functional Materials</i> , 2007, 17, 3207-3215.	7.8	913
4	Recent advances in electrospun carbon nanofibers and their application in electrochemical energy storage. <i>Progress in Materials Science</i> , 2016, 76, 319-380.	16.0	579
5	Effects of silane functionalization on the properties of carbon nanotube/epoxy nanocomposites. <i>Composites Science and Technology</i> , 2007, 67, 2965-2972.	3.8	543
6	Functionalization of carbon nanotubes using a silane coupling agent. <i>Carbon</i> , 2006, 44, 3232-3238.	5.4	524
7	Dispersion, interfacial interaction and re-agglomeration of functionalized carbon nanotubes in epoxy composites. <i>Carbon</i> , 2010, 48, 1824-1834.	5.4	493
8	High strength, high fracture toughness fibre composites with interface control—A review. <i>Composites Science and Technology</i> , 1991, 41, 333-378.	3.8	458
9	Ultralight Graphene Foam/Conductive Polymer Composites for Exceptional Electromagnetic Interference Shielding. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 9059-9069.	4.0	438
10	Carbon nanotube (CNT)-based composites as electrode material for rechargeable Li-ion batteries: A review. <i>Composites Science and Technology</i> , 2012, 72, 121-144.	3.8	432
11	Percolation threshold of conducting polymer composites containing 3D randomly distributed graphite nanoplatelets. <i>Composites Science and Technology</i> , 2007, 67, 2114-2120.	3.8	403
12	Effect of CNT decoration with silver nanoparticles on electrical conductivity of CNT-polymer composites. <i>Carbon</i> , 2008, 46, 1497-1505.	5.4	399
13	Transparent Conductive Films Consisting of Ultralarge Graphene Sheets Produced by Langmuir-Blodgett Assembly. <i>ACS Nano</i> , 2011, 5, 6039-6051.	7.3	394
14	Effects of surfactant treatment on mechanical and electrical properties of CNT/epoxy nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2008, 39, 1876-1883.	3.8	393
15	Preparation of graphite nanoplatelets and graphene sheets. <i>Journal of Colloid and Interface Science</i> , 2009, 336, 592-598.	5.0	379
16	Carbon nanomaterials for advanced lithium sulfur batteries. <i>Nano Today</i> , 2018, 19, 84-107.	6.2	365
17	Spontaneous Formation of Liquid Crystals in Ultralarge Graphene Oxide Dispersions. <i>Advanced Functional Materials</i> , 2011, 21, 2978-2988.	7.8	362
18	Enhanced Electrical Conductivity of Nanocomposites Containing Hybrid Fillers of Carbon Nanotubes and Carbon Black. <i>ACS Applied Materials &amp; Interfaces</i> , 2009, 1, 1090-1096.	4.0	355

#	ARTICLE	IF	CITATIONS
19	Fabrication of Highly-Aligned, Conductive, and Strong Graphene Papers Using Ultralarge Graphene Oxide Sheets. ACS Nano, 2012, 6, 10708-10719.	7.3	344
20	Exceptional Electrical Conductivity and Fracture Resistance of 3D Interconnected Graphene Foam/Epoxy Composites. ACS Nano, 2014, 8, 5774-5783.	7.3	298
21	Moisture barrier characteristics of organoclay/epoxy nanocomposites. Composites Science and Technology, 2005, 65, 805-813.	3.8	291
22	Multilayer Graphene Enables Higher Efficiency in Improving Thermal Conductivities of Graphene/Epoxy Composites. Nano Letters, 2016, 16, 3585-3593.	4.5	289
23	Gassing in Li4Ti5O12-based batteries and its remedy. Scientific Reports, 2012, 2, 913.	1.6	284
24	Mesoporous, hierarchical core/shell structured ZnCo2O4/MnO2 nanocone forests for high-performance supercapacitors. Nano Energy, 2015, 11, 687-696.	8.2	284
25	Impact and delamination failure of woven-fabric composites. Composites Science and Technology, 2000, 60, 745-761.	3.8	276
26	Fabrication of highly conducting and transparent graphene films. Carbon, 2010, 48, 1815-1823.	5.4	276
27	Surface functionalities of multi-wall carbon nanotubes after UV/Ozone and TETA treatments. Carbon, 2006, 44, 768-777.	5.4	272
28	Self-alignment and high electrical conductivity of ultralarge graphene oxide/polyurethane nanocomposites. Journal of Materials Chemistry, 2012, 22, 12709.	6.7	269
29	Mode I interlaminar fracture behavior and mechanical properties of CFRPs with nanoclay-filled epoxy matrix. Composites Part A: Applied Science and Manufacturing, 2007, 38, 449-460.	3.8	266
30	Graphene oxide-based transparent conductive films. Progress in Materials Science, 2014, 64, 200-247.	16.0	263
31	Graphene-based wearable piezoresistive physical sensors. Materials Today, 2020, 36, 158-179.	8.3	262
32	Vibration damping characteristics of carbon fiber-reinforced composites containing multi-walled carbon nanotubes. Composites Science and Technology, 2011, 71, 1486-1494.	3.8	247
33	Porous graphene oxide/carbon nanotube hybrid films as interlayer for lithium-sulfur batteries. Carbon, 2016, 99, 624-632.	5.4	246
34	Highly aligned, ultralarge-size reduced graphene oxide/polyurethane nanocomposites: Mechanical properties and moisture permeability. Composites Part A: Applied Science and Manufacturing, 2013, 49, 42-50.	3.8	242
35	Cooling rate influences in carbon fibre/PEEK composites. Part 1. Crystallinity and interface adhesion. Composites Part A: Applied Science and Manufacturing, 2000, 31, 517-530.	3.8	238
36	Simultaneous in situ reduction, self-alignment and covalent bonding in graphene oxide/epoxy composites. Carbon, 2013, 59, 406-417.	5.4	238

#	ARTICLE	IF	CITATIONS
37	Graphene Aerogel/Epoxy Composites with Exceptional Anisotropic Structure and Properties. ACS Applied Materials & Interfaces, 2015, 7, 5538-5549.	4.0	235
38	Graphene Oxide-Based Amplified Fluorescent Biosensor for Hg <sup>2+</sup> Detection through Hybridization Chain Reactions. Analytical Chemistry, 2014, 86, 3209-3215.	3.2	224
39	Effect of solid electrolyte interface (SEI) film on cyclic performance of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> anodes for Li ion batteries. Journal of Power Sources, 2013, 239, 269-276.	4.0	223
40	Highly Thermally Conductive Dielectric Nanocomposites with Synergistic Alignments of Graphene and Boron Nitride Nanosheets. Advanced Functional Materials, 2020, 30, 1910826.	7.8	223
41	Wrinkling in graphene sheets and graphene oxide papers. Carbon, 2014, 66, 84-92.	5.4	213
42	Recent progress in rational design of anode materials for high-performance Na-ion batteries. Energy Storage Materials, 2017, 7, 64-114.	9.5	211
43	SnO <sub>2</sub> @"graphene" carbon nanotube mixture for anode material with improved rate capacities. Carbon, 2011, 49, 4524-4534.	5.4	206
44	Effects of carbon nanotube alignment on electrical and mechanical properties of epoxy nanocomposites. Composites Part A: Applied Science and Manufacturing, 2013, 49, 26-34.	3.8	206
45	Multifunctional microcellular PVDF/Ni-chains composite foams with enhanced electromagnetic interference shielding and superior thermal insulation performance. Chemical Engineering Journal, 2020, 379, 122304.	6.6	201
46	Ultrafine TiO <sub>2</sub> Decorated Carbon Nanofibers as Multifunctional Interlayer for High-Performance Lithium-Sulfur Battery. ACS Applied Materials & Interfaces, 2016, 8, 23105-23113.	4.0	200
47	Electrospun Carbon Nanofibers with in Situ Encapsulated Co <sub>3</sub> O <sub>4</sub> Nanoparticles as Electrodes for High-Performance Supercapacitors. ACS Applied Materials & Interfaces, 2015, 7, 13503-13511.	4.0	199
48	Effects of functional groups on the mechanical and wrinkling properties of graphene sheets. Carbon, 2010, 48, 4315-4322.	5.4	198
49	A highly sensitive graphene woven fabric strain sensor for wearable wireless musical instruments. Materials Horizons, 2017, 4, 477-486.	6.4	194
50	Mesoporous CuCo <sub>2</sub> O <sub>4</sub> nanograsses as multi-functional electrodes for supercapacitors and electro-catalysts. Journal of Materials Chemistry A, 2015, 3, 9769-9776.	5.2	192
51	Microscopically porous, interconnected single crystal LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> cathode material for Lithium ion batteries. Journal of Materials Chemistry, 2011, 21, 10777.	6.7	190
52	Morphology and properties of UV/ozone treated graphite nanoplatelet/epoxy nanocomposites. Composites Science and Technology, 2007, 67, 296-305.	3.8	189
53	Effect of functionalization on thermal conductivities of graphene/epoxy composites. Carbon, 2016, 108, 412-422.	5.4	184
54	Impact damage resistance of CFRP with nanoclay-filled epoxy matrix. Composites Science and Technology, 2009, 69, 1949-1957.	3.8	182

#	ARTICLE	IF	CITATIONS
55	Effect of fiber pretreatment condition on the interfacial strength and mechanical properties of wood fiber/PP composites. , 2000, 76, 1000-1010.		178
56	Novel interlayer made from Fe <sub>3</sub> C/carbon nanofiber webs for high performance lithium-sulfur batteries. Journal of Power Sources, 2015, 285, 43-50.	4.0	178
57	Self-assembled reduced graphene oxide/carbon nanotube thin films as electrodes for supercapacitors. Journal of Materials Chemistry, 2012, 22, 3591.	6.7	177
58	Lithium-Sulfur Battery Cable Made from Ultralight, Flexible Graphene/Carbon Nanotube/Sulfur Composite Fibers. Advanced Functional Materials, 2017, 27, 1604815.	7.8	176
59	Hybrid nanocomposites containing carbon nanotubes and graphite nanoplatelets. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 483-484, 660-663.	2.6	172
60	Nanosilicon anodes for high performance rechargeable batteries. Progress in Materials Science, 2017, 90, 1-44.	16.0	172
61	Graphene foam/carbon nanotube/poly(dimethyl siloxane) composites for exceptional microwave shielding. Composites Part A: Applied Science and Manufacturing, 2016, 85, 199-206.	3.8	171
62	Exceptional electrochemical performance of freestanding electrospun carbon nanofiber anodes containing ultrafine SnOx particles. Energy and Environmental Science, 2012, 5, 9895.	15.6	165
63	Dual-phase MoS <sub>2</sub> as a high-performance sodium-ion battery anode. Journal of Materials Chemistry A, 2020, 8, 2114-2122.	5.2	160
64	Br treated graphite nanoplatelets for improved electrical conductivity of polymer composites. Carbon, 2007, 45, 744-750.	5.4	158
65	Unveiling the Unique Phase Transformation Behavior and Sodiation Kinetics of 1D van der Waals Sb <sub>2</sub> S <sub>3</sub> Anodes for Sodium Ion Batteries. Advanced Energy Materials, 2017, 7, 1602149.	10.2	152
66	Highly transparent and conducting ultralarge graphene oxide/single-walled carbon nanotube hybrid films produced by Langmuir-Blodgett assembly. Journal of Materials Chemistry, 2012, 22, 25072.	6.7	151
67	Dendrite-free lithium metal and sodium metal batteries. Energy Storage Materials, 2020, 27, 522-554.	9.5	151
68	Rational design of two-dimensional nanofillers for polymer nanocomposites toward multifunctional applications. Progress in Materials Science, 2021, 115, 100708.	16.0	150
69	Improved interlaminar shear properties of multiscale carbon fiber composites with bucky paper interleaves made from carbon nanofibers. Carbon, 2012, 50, 5265-5277.	5.4	149
70	Conductive graphite nanoplatelet/epoxy nanocomposites: Effects of exfoliation and UV/ozone treatment of graphite. Scripta Materialia, 2005, 53, 235-240.	2.6	146
71	Nanoscale characterisation of interphase in silane treated glass fibre composites. Composites Part A: Applied Science and Manufacturing, 2001, 32, 607-618.	3.8	145
72	Environmental degradation of epoxy-organoclay nanocomposites due to UV exposure. Part I: Photo-degradation. Composites Science and Technology, 2007, 67, 3448-3456.	3.8	144

#	ARTICLE	IF	CITATIONS
73	Nano-indentation of polymer-glass interfaces Part I. Experimental and mechanical analysis. <i>Polymer</i> , 2000, 41, 6895-6905.	1.8	143
74	Combining Fast Li-Ion Battery Cycling with Large Volumetric Energy Density: Grain Boundary Induced High Electronic and Ionic Conductivity in $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Spheres of Densely Packed Nanocrystallites. <i>Chemistry of Materials</i> , 2015, 27, 5647-5656.	3.2	142
75	Impact response of woven glass-fabric composites. <i>Composites Science and Technology</i> , 1998, 58, 91-104.	3.8	139
76	Impact damage characterisation of carbon fibre/epoxy composites with multi-layer reinforcement. <i>Composites Part B: Engineering</i> , 2000, 31, 681-691.	5.9	137
77	Exceptional dielectric properties of chlorine-doped graphene oxide/poly (vinylidene fluoride) nanocomposites. <i>Carbon</i> , 2015, 89, 102-112.	5.4	137
78	Ultralow Electrical Percolation in Graphene Aerogel/Epoxy Composites. <i>Chemistry of Materials</i> , 2016, 28, 6731-6741.	3.2	137
79	Highly Aligned, Anisotropic Carbon Nanofiber Films for Multidirectional Strain Sensors with Exceptional Selectivity. <i>Advanced Functional Materials</i> , 2019, 29, 1901623.	7.8	137
80	Cobalt Carbonate/ and Cobalt Oxide/Graphene Aerogel Composite Anodes for High Performance Li-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 18971-18980.	4.0	135
81	Revealing Pseudocapacitive Mechanisms of Metal Dichalcogenide $\text{SnS}_2$ /Graphene-CNT Aerogels for High-Energy Na Hybrid Capacitors. <i>Advanced Energy Materials</i> , 2018, 8, 1702488.	10.2	135
82	Urchin-like $\text{Li}_4\text{Ti}_5\text{O}_{12}$ -carbon nanofiber composites for high rate performance anodes in Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 12133.	6.7	133
83	Correlation Between Atomic Structure and Electrochemical Performance of Anodes Made from Electrospun Carbon Nanofiber Films. <i>Advanced Energy Materials</i> , 2014, 4, 1301448.	10.2	133
84	Tensile strength of glass fibres with carbon nanotube-epoxy nanocomposite coating. <i>Composites Part A: Applied Science and Manufacturing</i> , 2009, 40, 1606-1614.	3.8	129
85	A three-dimensional multilayer graphene web for polymer nanocomposites with exceptional transport properties and fracture resistance. <i>Materials Horizons</i> , 2018, 5, 275-284.	6.4	129
86	Hierarchical $\text{MoS}_2$ /Carbon microspheres as long-life and high-rate anodes for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5668-5677.	5.2	128
87	Impact and Delamination Failure of Multiscale Carbon Nanotube-Fiber Reinforced Polymer Composites: A Review. <i>International Journal of Aeronautical and Space Sciences</i> , 2011, 12, 115-133.	1.0	128
88	Interfacial debonding and fibre pull-out stresses. <i>Journal of Materials Science</i> , 1992, 27, 3143-3154.	1.7	127
89	$\text{NiCo}_2\text{O}_4$ /CNT nanocomposites as bi-functional electrodes for Li ion batteries and supercapacitors. <i>Carbon</i> , 2016, 102, 262-272.	5.4	127
90	Electrospun carbon nanofiber anodes containing monodispersed Si nanoparticles and graphene oxide with exceptional high rate capacities. <i>Nano Energy</i> , 2014, 6, 27-35.	8.2	125

#	ARTICLE	IF	CITATIONS
91	Co <sub>3</sub> O <sub>4</sub> /porous electrospun carbon nanofibers as anodes for high performance Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16939-16944.	5.2	115
92	Ultrahigh dielectric constant and low loss of highly-aligned graphene aerogel/poly(vinyl alcohol) composites with insulating barriers. <i>Carbon</i> , 2017, 123, 385-394.	5.4	114
93	Percolation threshold of graphene nanosheets as conductive additives in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> anodes of Li-ion batteries. <i>Nanoscale</i> , 2013, 5, 2100.	2.8	113
94	Enhanced conversion reaction kinetics in low crystallinity SnO <sub>2</sub> /CNT anodes for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10964-10973.	5.2	111
95	Fracture toughness of CFRP with modified epoxy resin matrices. <i>Composites Science and Technology</i> , 1992, 43, 283-297.	3.8	110
96	Effects of reduction process and carbon nanotube content on the supercapacitive performance of flexible graphene oxide papers. <i>Carbon</i> , 2012, 50, 4239-4251.	5.4	109
97	Novel mussel-inspired zwitterionic hydrophilic polymer to boost membrane water-treatment performance. <i>Journal of Membrane Science</i> , 2019, 582, 1-8.	4.1	109
98	Correlation between Li Plating Behavior and Surface Characteristics of Carbon Matrix toward Stable Li Metal Anodes. <i>Advanced Energy Materials</i> , 2019, 9, 1802777.	10.2	109
99	Sol-gel synthesis of multiwalled carbon nanotube-LiMn <sub>2</sub> O <sub>4</sub> nanocomposites as cathode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 4290-4296.	4.0	108
100	Fatigue damage behaviors of carbon fiber-reinforced epoxy composites containing nanoclay. <i>Composites Science and Technology</i> , 2010, 70, 2077-2085.	3.8	106
101	Heterogeneous, mesoporous NiCo <sub>2</sub> O <sub>4</sub> -MnO <sub>2</sub> /graphene foam for asymmetric supercapacitors with ultrahigh specific energies. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3547-3557.	5.2	106
102	Spider-Web-Inspired Stretchable Graphene Woven Fabric for Highly Sensitive, Transparent, Wearable Strain Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 2282-2294.	4.0	105
103	Interfacial debonding and fibre pull-out stresses. <i>Journal of Materials Science</i> , 1992, 27, 3155-3166.	1.7	104
104	Ultrafine Amorphous SnO <sub>x</sub> Embedded in Carbon Nanofiber/Carbon Nanotube Composites for Li-ion and Na-ion Batteries. <i>Advanced Functional Materials</i> , 2015, 25, 5222-5228.	7.8	104
105	Mesoporous ZnCo <sub>2</sub> O <sub>4</sub> nanoflakes grown on nickel foam as electrodes for high performance supercapacitors. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 17016-17022.	1.3	104
106	Three-Dimensional Porous Graphene Aerogel Cathode with High Sulfur Loading and Embedded TiO <sub>2</sub> Nanoparticles for Advanced Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 28663-28670.	4.0	100
107	Ultrathin ZnS nanosheet/carbon nanotube hybrid electrode for high-performance flexible all-solid-state supercapacitor. <i>Nano Research</i> , 2017, 10, 2570-2583.	5.8	100
108	Hierarchical Core/Shell NiCo <sub>2</sub> O <sub>4</sub> @NiCo <sub>2</sub> O <sub>4</sub> Nanocactus Arrays with Dual-functionalities for High Performance Supercapacitors and Li-ion Batteries. <i>Scientific Reports</i> , 2015, 5, 12099.	1.6	98

#	ARTICLE	IF	CITATIONS
109	Forming and failure behaviour of coated, laminated and sandwiched sheet metals: a review. <i>Journal of Materials Processing Technology</i> , 1997, 63, 33-42.	3.1	95
110	Improved rate capability of carbon coated Li <sub>3.9</sub> Sn <sub>0.1</sub> Ti <sub>5</sub> O <sub>12</sub> porous electrodes for Li-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 10692-10697.	4.0	95
111	Exceptional rate performance of functionalized carbon nanofiber anodes containing nanopores created by (Fe) sacrificial catalyst. <i>Nano Energy</i> , 2014, 4, 88-96.	8.2	94
112	Integrated Water and Thermal Managements in Bioinspired Hierarchical MXene Aerogels for Highly Efficient Solar-Powered Water Evaporation. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	94
113	In Situ TEM Study of Volume Expansion in Porous Carbon Nanofiber/Sulfur Cathodes with Exceptional High-Rate Performance. <i>Advanced Energy Materials</i> , 2017, 7, 1602078.	10.2	93
114	Metallic MoS <sub>2</sub> nanosheets: multifunctional electrocatalyst for the ORR, OER and Li-O <sub>2</sub> batteries. <i>Nanoscale</i> , 2018, 10, 22549-22559.	2.8	93
115	Novel 2D Sb <sub>2</sub> S <sub>3</sub> Nanosheet/CNT Coupling Layer for Exceptional Polysulfide Recycling Performance. <i>Advanced Energy Materials</i> , 2018, 8, 1800710.	10.2	93
116	Drop-weight impact damage tolerance of CFRP with rubber-modified epoxy matrix. <i>Composites</i> , 1993, 24, 485-494.	0.9	92
117	Manufacturing and characterization of carbon fibre/epoxy composite prepregs containing carbon nanotubes. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 1412-1420.	3.8	92
118	Non-flammable electrolyte for dendrite-free sodium-sulfur battery. <i>Energy Storage Materials</i> , 2019, 23, 8-16.	9.5	92
119	A 3D porous FeP/rGO modulated separator as a dual-function polysulfide barrier for high-performance lithium sulfur batteries. <i>Nanoscale Horizons</i> , 2020, 5, 530-540.	4.1	90
120	The effects of water aging on the interphase region and interlaminar fracture toughness in polymer-glass composites. <i>Composites Science and Technology</i> , 2004, 64, 2185-2195.	3.8	89
121	Facile Synthesis of Graphene-Like Copper Oxide Nanofilms with Enhanced Electrochemical and Photocatalytic Properties in Energy and Environmental Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 9682-9690.	4.0	89
122	Improved electrical and optical characteristics of transparent graphene thin films produced by acid and doping treatments. <i>Carbon</i> , 2011, 49, 2905-2916.	5.4	88
123	Role of the anatase/TiO <sub>2</sub> (B) heterointerface for ultrastable high-rate lithium and sodium energy storage performance. <i>Nanoscale Horizons</i> , 2020, 5, 150-162.	4.1	88
124	Barrier performance of silane-clay nanocomposite coatings on concrete structure. <i>Composites Science and Technology</i> , 2008, 68, 2828-2836.	3.8	86
125	Tensile strength of glass fibres with carbon nanotube-epoxy nanocomposite coating: Effects of CNT morphology and dispersion state. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010, 41, 539-548.	3.8	86
126	Mechanisms of capacity degradation in reduced graphene oxide/±-MnO <sub>2</sub> nanorod composite cathodes of Li-air batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1163-1170.	5.2	85

#	ARTICLE	IF	CITATIONS
127	Sb-doped SnO <sub>2</sub> /graphene-CNT aerogels for high performance Li-ion and Na-ion battery anodes. <i>Energy Storage Materials</i> , 2017, 9, 85-95.	9.5	85
128	Rational Assembly of Hollow Microporous Carbon Spheres as P Hosts for Long-Life Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1702267.	10.2	85
129	Cooling rate influences in carbon fibre/PEEK composites. Part II: interlaminar fracture toughness. <i>Composites Part A: Applied Science and Manufacturing</i> , 2001, 32, 763-774.	3.8	84
130	Positive role of oxygen vacancy in electrochemical performance of CoMn <sub>2</sub> O <sub>4</sub> cathodes for Li-O <sub>2</sub> batteries. <i>Journal of Power Sources</i> , 2017, 365, 134-147.	4.0	84
131	Sliced graphene foam films for dual-functional wearable strain sensors and switches. <i>Nanoscale Horizons</i> , 2018, 3, 35-44.	4.1	84
132	Hierarchical, porous CuS microspheres integrated with carbon nanotubes for high-performance supercapacitors. <i>Scientific Reports</i> , 2015, 5, 16584.	1.6	81
133	Carbon-coated mesoporous silicon microsphere anodes with greatly reduced volume expansion. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6098-6106.	5.2	81
134	Graphene/Boron Nitride-Polyurethane Microlaminates for Exceptional Dielectric Properties and High Energy Densities. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 26641-26652.	4.0	81
135	Cleaning and Functionalization of Polymer Surfaces and Nanoscale Carbon Fillers by UV/Ozone Treatment: A Review. <i>Journal of Composite Materials</i> , 2009, 43, 1537-1564.	1.2	80
136	In Situ Formation of Copper-Based Hosts Embedded within 3D N-Doped Hierarchically Porous Carbon Networks for Ultralong Cycle Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1804520.	7.8	80
137	Unravelling intercalation-regulated nanoconfinement for durably ultrafast sieving graphene oxide membranes. <i>Journal of Membrane Science</i> , 2021, 619, 118791.	4.1	80
138	Sandwich-structured graphene-NiFe <sub>2</sub> O <sub>4</sub> -carbon nanocomposite anodes with exceptional electrochemical performance for Li ion batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 8314.	5.2	79
139	Electrospun graphitic carbon nanofibers with in-situ encapsulated Co-Ni nanoparticles as freestanding electrodes for Li-O <sub>2</sub> batteries. <i>Carbon</i> , 2016, 100, 329-336.	5.4	79
140	2D MoS <sub>2</sub> grown on biomass-based hollow carbon fibers for energy storage. <i>Applied Surface Science</i> , 2019, 469, 854-863.	3.1	79
141	Impact response of woven glass-fabric composites-II. Effect of temperature. <i>Composites Science and Technology</i> , 1998, 58, 119-128.	3.8	78
142	Environmental degradation of epoxy-organoclay nanocomposites due to UV exposure: Part II residual mechanical properties. <i>Composites Science and Technology</i> , 2008, 68, 2149-2155.	3.8	78
143	Atomic scale, amorphous FeOx/carbon nanofiber anodes for Li-ion and Na-ion batteries. <i>Energy Storage Materials</i> , 2017, 8, 10-19.	9.5	78
144	3D network graphene interlayer for excellent interlaminar toughness and strength in fiber reinforced composites. <i>Carbon</i> , 2015, 95, 978-986.	5.4	76

#	ARTICLE	IF	CITATIONS
145	Quasi-static and impact fracture behaviors of CFRPs with nanoclay-filled epoxy matrix. Composites Part A: Applied Science and Manufacturing, 2011, 42, 253-264.	3.8	75
146	Experimental study on RC beams with FRP strips bonded with rubber modified resins. Composites Science and Technology, 2004, 64, 2557-2564.	3.8	74
147	Effect of surfactant treatment on thermal stability and mechanical properties of CNT/polybenzoxazine nanocomposites. Composites Science and Technology, 2012, 72, 1968-1976.	3.8	74
148	Anisotropic, Wrinkled, and Crack-Bridging Structure for Ultrasensitive, Highly Selective Multidirectional Strain Sensors. Nano-Micro Letters, 2021, 13, 122.	14.4	74
149	Rationally designed nanostructured metal chalcogenides for advanced sodium-ion batteries. Energy Storage Materials, 2021, 34, 582-628.	9.5	73
150	NaF-rich solid electrolyte interphase for dendrite-free sodium metal batteries. Energy Storage Materials, 2022, 44, 477-486.	9.5	73
151	A molecular beacon and graphene oxide-based fluorescent biosensor for Cu <sup>2+</sup> detection. Biosensors and Bioelectronics, 2013, 43, 379-383.	5.3	72
152	Graphene Size-Dependent Multifunctional Properties of Unidirectional Graphene Aerogel/Epoxy Nanocomposites. ACS Applied Materials & Interfaces, 2018, 10, 6580-6592.	4.0	71
153	Cooling rate influences in carbon fibre/PEEK composites. Part III: impact damage performance. Composites Part A: Applied Science and Manufacturing, 2001, 32, 775-785.	3.8	70
154	Effects of interfacial coating and temperature on the fracture behaviours of unidirectional Kevlar and carbon fibre reinforced epoxy resin composites. Journal of Materials Science, 1991, 26, 4702-4720.	1.7	69
155	Nanodiamond/poly (lactic acid) nanocomposites: Effect of nanodiamond on structure and properties of poly (lactic acid). Composites Part B: Engineering, 2010, 41, 646-653.	5.9	69
156	Nano-indentation and nano-scratch of polymer/glass interfaces. II: model of interphases in water aged composite materials. Polymer, 2001, 42, 5701-5710.	1.8	68
157	Cable-like double-carbon layers for fast ion and electron transport: An example of CNT@NCT@MnO <sub>2</sub> 3D nanostructure for high-performance supercapacitors. Carbon, 2019, 143, 335-342.	5.4	66
158	Mesoporous MnCo <sub>2</sub> S <sub>4</sub> nanosheet arrays as an efficient catalyst for Li <sup>+</sup> /O <sub>2</sub> batteries. Nanoscale, 2018, 10, 15588-15599.	2.8	65
159	Enhancement of mechanical properties of natural fiber composites via carbon nanotube addition. Journal of Materials Science, 2014, 49, 3225-3233.	1.7	63
160	Novel onion-like graphene aerogel beads for efficient solar vapor generation under non-concentrated illumination. Journal of Materials Chemistry A, 2019, 7, 4400-4407.	5.2	62
161	Effects of processing and material parameters on synthesis of monolayer ultralarge graphene oxide sheets. Carbon, 2014, 77, 244-254.	5.4	61
162	Understanding the roles of activated porous carbon nanotubes as sulfur support and separator coating for lithium-sulfur batteries. Electrochimica Acta, 2018, 268, 1-9.	2.6	61

#	ARTICLE	IF	CITATIONS
163	An Ultralight Graphene Honeycomb Sandwich for Stretchable Light-Emitting Displays. <i>Advanced Functional Materials</i> , 2018, 28, 1707043.	7.8	61
164	A stretchable, conformable, and biocompatible graphene strain sensor based on a structured hydrogel for clinical application. <i>Journal of Materials Chemistry A</i> , 2019, 7, 27099-27109.	5.2	61
165	Flexible temperature sensors made of aligned electrospun carbon nanofiber films with outstanding sensitivity and selectivity towards temperature. <i>Materials Horizons</i> , 2021, 8, 1488-1498.	6.4	61
166	Behavior of load transfer in functionalized carbon nanotube/epoxy nanocomposites. <i>Polymer</i> , 2012, 53, 6081-6088.	1.8	60
167	Low temperature synthesis of graphene-wrapped LiFePO <sub>4</sub> nanorod cathodes by the polyol method. <i>Journal of Materials Chemistry</i> , 2012, 22, 17215.	6.7	60
168	Excellent optoelectrical properties of graphene oxide thin films deposited on a flexible substrate by Langmuir-Blodgett assembly. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6869.	2.7	59
169	In-Situ Amino Functionalization of Carbon Nanotubes Using Ball Milling. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 749-753.	0.9	58
170	Ultrafast-Charging and Long-Life Li-Ion Battery Anodes of TiO <sub>2</sub> -B and Anatase Dual-Phase Nanowires. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 35917-35926.	4.0	57
171	Application of nano-indentation, nano-scratch and single fibre tests in investigation of interphases in composite materials. <i>Micron</i> , 2001, 32, 765-775.	1.1	56
172	Human skin-inspired integrated multidimensional sensors based on highly anisotropic structures. <i>Materials Horizons</i> , 2020, 7, 2378-2389.	6.4	56
173	Prediction of concrete cover separation failure for RC beams strengthened with CFRP strips. <i>Engineering Structures</i> , 2005, 27, 177-189.	2.6	55
174	Two-dimensional porous silicon nanosheets as anode materials for high performance lithium-ion batteries. <i>Nanoscale</i> , 2019, 11, 10984-10991.	2.8	55
175	Graphene foam/carbon nanotube/poly(dimethyl siloxane) composites as excellent sound absorber. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 102, 391-399.	3.8	54
176	Highly Conductive and Fracture-Resistant Epoxy Composite Based on Non-oxidized Graphene Flake Aerogel. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 37507-37516.	4.0	54
177	Electrosprayed multiscale porous carbon microspheres as sulfur hosts for long-life lithium-sulfur batteries. <i>Carbon</i> , 2019, 141, 16-24.	5.4	54
178	Tunable thermal conductivities of graphene oxide by functionalization and tensile loading. <i>Carbon</i> , 2014, 80, 235-245.	5.4	53
179	Hierarchical porous CuO nanostructures with tunable properties for high performance supercapacitors. <i>RSC Advances</i> , 2015, 5, 10773-10781.	1.7	53
180	3D pomegranate-like TiN@graphene composites with electrochemical reaction chambers as sulfur hosts for ultralong-life lithium-sulfur batteries. <i>Nanoscale Horizons</i> , 2019, 4, 531-539.	4.1	53

#	ARTICLE	IF	CITATIONS
181	MXene/polyurethane auxetic composite foam for electromagnetic interference shielding and impact attenuation. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 147, 106430.	3.8	53
182	Ultrafine SnO <sub>2</sub> nanoparticles encapsulated in ordered mesoporous carbon framework for Li-ion battery anodes. <i>Electrochimica Acta</i> , 2018, 284, 436-443.	2.6	52
183	On the single fibre pull-out problem: effect of loading method. <i>Composites Science and Technology</i> , 1992, 45, 153-160.	3.8	51
184	Fracture toughness and failure mechanisms in silica-filled epoxy resin composites: effects of temperature and loading rate. <i>Polymer</i> , 1993, 34, 3446-3455.	1.8	51
185	Reprint of Graphene foam/carbon nanotube/poly(dimethyl siloxane) composites for exceptional microwave shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017, 92, 190-197.	3.8	51
186	Ultrathin Sb <sub>2</sub> S <sub>3</sub> nanosheet anodes for exceptional pseudocapacitive contribution to multi-battery charge storage. <i>Energy Storage Materials</i> , 2019, 20, 36-45.	9.5	51
187	Effects of epoxy treatment of organoclay on structure, thermo-mechanical and transport properties of poly(ethylene terephthalate-co-ethylene naphthalate)/organoclay nanocomposites. <i>Polymer</i> , 2005, 46, 4722-4734.	1.8	50
188	Restoration of Degraded Nickel-Rich Cathode Materials for Long-Life Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2018, 5, 78-83.	1.7	49
189	Molybdenum Disulfide Based Nanomaterials for Rechargeable Batteries. <i>Chemistry - A European Journal</i> , 2020, 26, 6296-6319.	1.7	49
190	Recent advances of bimetallic nanomaterials and its nanocomposites for biosensing applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 135, 116159.	5.8	49
191	Micromechanical characterisation of fibre/matrix interfaces. <i>Composites Science and Technology</i> , 1993, 48, 227-236.	3.8	48
192	Controlled synthesis of cobalt carbonate/graphene composites with excellent supercapacitive performance and pseudocapacitive characteristics. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17827-17836.	5.2	48
193	Nanoscale characterisation of thickness and properties of interphase in polymer matrix composites. <i>Journal of Adhesion</i> , 2003, 79, 383-414.	1.8	47
194	Experimental torsional shear properties of carbon fiber reinforced epoxy composites containing carbon nanotubes. <i>Composite Structures</i> , 2013, 104, 230-238.	3.1	47
195	Anomalous Enhancement of Li <sub>2</sub> Battery Performance with Li <sub>2</sub> O <sub>2</sub> Films Assisted by NiFeO <sub>x</sub> Nanofiber Catalysts: Insights into Morphology Control. <i>Advanced Functional Materials</i> , 2016, 26, 8290-8299.	7.8	47
196	Study of lithiation mechanisms of high performance carbon-coated Si anodes by in-situ microscopy. <i>Energy Storage Materials</i> , 2016, 3, 45-54.	9.5	47
197	Room-temperature liquid metal-based anodes for high-energy potassium-based electrochemical devices. <i>Chemical Communications</i> , 2018, 54, 8032-8035.	2.2	47
198	Metal-organic framework-induced mesoporous carbon nanofibers as an ultrastable Na metal anode host. <i>Journal of Materials Chemistry A</i> , 2020, 8, 10269-10282.	5.2	47

#	ARTICLE	IF	CITATIONS
199	Highly Sodiophilic, Defect-Rich, Lignin-Derived Skeletal Carbon Nanofiber Host for Sodium Metal Batteries. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	47
200	Correlation among crystalline morphology of PEEK, interface bond strength, and in-plane mechanical properties of carbon/PEEK composites. <i>Journal of Applied Polymer Science</i> , 2002, 84, 1155-1167.	1.3	46
201	Numerical analysis of ultrasonic wire bonding: Effects of bonding parameters on contact pressure and frictional energy. <i>Mechanics of Materials</i> , 2006, 38, 11-24.	1.7	46
202	In-situ TEM examination and exceptional long-term cyclic stability of ultrafine Fe <sub>3</sub> O <sub>4</sub> nanocrystal/carbon nanofiber composite electrodes. <i>Energy Storage Materials</i> , 2015, 1, 25-34.	9.5	46
203	Conversion of semiconducting behavior of carbon nanotubes using ball milling. <i>Chemical Physics Letters</i> , 2008, 458, 166-169.	1.2	45
204	Correlation between electrokinetic potential, dispersibility, surface chemistry and energy of carbon nanotubes. <i>Composites Science and Technology</i> , 2011, 71, 1644-1651.	3.8	45
205	Evolution of flexible 3D graphene oxide/carbon nanotube/polyaniline composite papers and their supercapacitive performance. <i>Composites Science and Technology</i> , 2013, 88, 126-133.	3.8	45
206	Optimization of black oxide coating thickness as an adhesion promoter for copper substrate in plastic integrated-circuit packages. <i>Journal of Electronic Materials</i> , 2003, 32, 558-563.	1.0	44
207	A Catalytic Etching-Wetting-Dewetting Mechanism in the Formation of Hollow Graphitic Carbon Fiber. <i>CheM</i> , 2017, 2, 299-310.	5.8	44
208	Chemical interactions between red P and functional groups in NiP <sub>3</sub> /CNT composite anodes for enhanced sodium storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20184-20194.	5.2	44
209	Scanning acoustic microscopy as a tool for quantitative characterisation of damage in CFRPs. <i>Composites Science and Technology</i> , 1999, 59, 345-354.	3.8	43
210	Evolution of residual stresses in modified epoxy resins for electronic packaging applications. <i>Composites Part A: Applied Science and Manufacturing</i> , 2004, 35, 537-546.	3.8	43
211	Solvothermal synthesis and magnetic properties of magnetite nanoplatelets. <i>Materials Letters</i> , 2009, 63, 428-430.	1.3	43
212	Understanding solid electrolyte interphases: Advanced characterization techniques and theoretical simulations. <i>Nano Energy</i> , 2021, 89, 106489.	8.2	43
213	Nanocavity-engineered Si/multi-functional carbon nanofiber composite anodes with exceptional high-rate capacities. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17944-17951.	5.2	42
214	Facile Solution Synthesis of Tungsten Trioxide Doped with Nanocrystalline Molybdenum Trioxide for Electrochromic Devices. <i>Scientific Reports</i> , 2017, 7, 13258.	1.6	42
215	Core-shell structured Ni <sub>3</sub> S <sub>2</sub> nanorods grown on interconnected Ni-graphene foam for symmetric supercapacitors. <i>Electrochimica Acta</i> , 2018, 271, 507-518.	2.6	42
216	Graphene Oxide Aerogel Beads Filled with Phase Change Material for Latent Heat Storage and Release. <i>ACS Applied Energy Materials</i> , 2019, 2, 3657-3664.	2.5	42

#	ARTICLE	IF	CITATIONS
217	Warping in plastic packages: effects of process conditions, geometry and materials. IEEE Transactions on Electronics Packaging Manufacturing, 2003, 26, 245-252.	1.6	41
218	Use of Polymer/Organoclay Nanocomposite Surface Treatment as Water/Ion Barrier for Concrete. Journal of Materials in Civil Engineering, 2008, 20, 484-492.	1.3	41
219	Facile Polycyclotrimerization of $\alpha$ -Arylene Bipropiolates: A Metal-Free, Regioselective Route to Functional Hyperbranched Polymers with High Optical Transparency, Tunable Refractive Index, Low Chromatic Aberration, and Photoresponsive Patternability. Macromolecules, 2009, 42, 4099-4109.	2.2	41
220	Electrical and mechanical properties of carbon nanofiber/graphene oxide hybrid papers. Composites Science and Technology, 2014, 100, 166-173.	3.8	41
221	Graphene for Transparent Conductors. , 2015, , .		38
222	Nitrogen-doped graphene fiber webs for multi-battery energy storage. Nanoscale, 2019, 11, 6334-6342.	2.8	38
223	Thin solid electrolyte interface on chemically bonded Sb <sub>2</sub> Te <sub>3</sub> /CNT composite anodes for high performance sodium ion full cells. Nano Energy, 2020, 71, 104613.	8.2	38
224	Numerical analysis of plastic encapsulated electronic package reliability: Viscoelastic properties of underfill resin. Computational Materials Science, 2007, 40, 81-89.	1.4	37
225	Carbon nanofibers containing Si nanoparticles and graphene-covered Ni for high performance anodes in Li ion batteries. RSC Advances, 2014, 4, 22359-22366.	1.7	37
226	Sodiophilically Graded Gold Coating on Carbon Skeletons for Highly Stable Sodium Metal Anodes. Small, 2020, 16, e2003815.	5.2	37
227	Interfacial debonding and fibre pull-out stresses. Journal of Materials Science, 1994, 29, 554-561.	1.7	36
228	Improvement of adhesive bonding in aluminium alloys using a laser surface texturing process. Journal of Materials Processing Technology, 1997, 63, 579-584.	3.1	36
229	Planar Porous Graphene Woven Fabric/Epoxy Composites with Exceptional Electrical, Mechanical Properties, and Fracture Toughness. ACS Applied Materials & Interfaces, 2015, 7, 21455-21464.	4.0	36
230	NiFe <sub>2</sub> O <sub>4</sub> /graphene nanocomposites with tunable magnetic properties. Journal of Magnetism and Magnetic Materials, 2015, 379, 95-101.	1.0	36
231	Porous RuO <sub>2</sub> nanosheet/CNT electrodes for DMSO-based Li-O <sub>2</sub> and Li ion O <sub>2</sub> batteries. Energy Storage Materials, 2017, 8, 110-118.	9.5	36
232	Vertically aligned ultrathin MoS <sub>2</sub> nanosheets grown on graphene-wrapped hollow carbon microtubes derived from loofah sponge as advanced anodes for highly reversible lithium storage. Electrochimica Acta, 2019, 296, 989-998.	2.6	36
233	Superinsulating BNNS/PVA Composite Aerogels with High Solar Reflectance for Energy-Efficient Buildings. Nano-Micro Letters, 2022, 14, 54.	14.4	36
234	Tensile and tearing fracture properties of graphene oxide papers intercalated with carbon nanotubes. Carbon, 2014, 77, 481-491.	5.4	35

#	ARTICLE	IF	CITATIONS
235	A high-performance lithium ion oxygen battery consisting of Li <sub>2</sub> O <sub>2</sub> cathode and lithiated aluminum anode with nafion membrane for reduced O <sub>2</sub> crossover. Nano Energy, 2017, 40, 258-263.	8.2	35
236	Tungsten Nitride/Carbon Cloth as Bifunctional Electrode for Effective Polysulfide Recycling. ACS Applied Energy Materials, 2019, 2, 3314-3322.	2.5	35
237	Graphene Oxide Papers Simultaneously Doped with Mg <sup>2+</sup> and Cl <sup>-</sup> for Exceptional Mechanical, Electrical, and Dielectric Properties. ACS Applied Materials & Interfaces, 2016, 8, 2360-2371.	4.0	34
238	Morphology, chemistry, performance trident: Insights from hollow, mesoporous carbon nanofibers for dendrite-free sodium metal batteries. Nano Energy, 2021, 86, 106132.	8.2	34
239	Size-dependent effects of graphene oxide on the osteogenesis of human adipose-derived mesenchymal stem cells. Colloids and Surfaces B: Biointerfaces, 2018, 169, 20-29.	2.5	33
240	Rational Design of All Resistive Multifunctional Sensors with Stimulus Discriminability. Advanced Functional Materials, 2022, 32, .	7.8	33
241	Graphene/RuO <sub>2</sub> nanocrystal composites as sulfur host for lithium-sulfur batteries. Journal of Energy Chemistry, 2019, 35, 204-211.	7.1	32
242	Failure diagrams of FRP strengthened RC beams. Composite Structures, 2007, 77, 493-508.	3.1	31
243	Cost-effective CuO nanotube electrodes for energy storage and non-enzymatic glucose detection. RSC Advances, 2014, 4, 46814-46822.	1.7	31
244	Fabrication of Ti <sup>3+</sup> doped TiO <sub>2</sub> coated Mn <sub>3</sub> O <sub>4</sub> nanorods with voids and channels for lithium storage. Chemical Engineering Journal, 2019, 370, 1425-1433.	6.6	31
245	Effects of bonding force on contact pressure and frictional energy in wire bonding. Microelectronics Reliability, 2006, 46, 1101-1112.	0.9	30
246	Glass fibers with clay nanocomposite coating: Improved barrier resistance in alkaline environment. Composites Part A: Applied Science and Manufacturing, 2011, 42, 2051-2059.	3.8	30
247	Transparent, electrically conductive, and flexible films made from multiwalled carbon nanotube/epoxy composites. Composites Part B: Engineering, 2012, 43, 2973-2979.	5.9	30
248	Li <sup>+</sup> Ion Reaction to Improve the Rate Performance of Nanoporous Anatase TiO <sub>2</sub> Anodes. Energy Technology, 2013, 1, 668-674.	1.8	30
249	Detecting Arbitrary DNA Mutations Using Graphene Oxide and Ethidium Bromide. Analytical Chemistry, 2015, 87, 12254-12261.	3.2	30
250	Inter-overlapped MoS <sub>2</sub> /C composites with large-interlayer-spacing for high-performance sodium-ion batteries. Nanoscale Horizons, 2020, 5, 1127-1135.	4.1	30
251	Green Strategies to Printed Sensors for Healthcare Applications. Polymer Reviews, 2021, 61, 116-156.	5.3	30
252	Metal-organic framework-derived carbon as a positive electrode for high-performance vanadium redox flow batteries. Journal of Materials Chemistry A, 2021, 9, 5648-5656.	5.2	30

#	ARTICLE	IF	CITATIONS
253	LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> with a novel one-dimensional porous structure: A high-power cathode material for rechargeable Li-ion batteries. <i>Scripta Materialia</i> , 2011, 64, 122-125.	2.6	29
254	In situ grown graphitic carbon/Fe <sub>2</sub> O <sub>3</sub> /carbon nanofiber composites for high performance freestanding anodes in Li-ion batteries. <i>RSC Advances</i> , 2014, 4, 12298-12301.	1.7	29
255	Effects of silane surfactant on Nano-ZnO and rheology properties of nano-ZnO/epoxy on the UV absorbability of nano-ZnO/epoxy/micron-HGF composite. <i>Composites Part B: Engineering</i> , 2016, 90, 378-385.	5.9	28
256	Copper sulfide nanoneedles on CNT backbone composite electrodes for high-performance supercapacitors and Li-S batteries. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 349-359.	1.2	28
257	Rational Design of 3D Honeycomb-Like SnS <sub>2</sub> Quantum Dots/rGO Composites as High-Performance Anode Materials for Lithium/Sodium-Ion Batteries. <i>Nanoscale Research Letters</i> , 2018, 13, 389.	3.1	28
258	MoSe <sub>2</sub> nanosheets embedded in nitrogen/phosphorus co-doped carbon/graphene composite anodes for ultrafast sodium storage. <i>Journal of Power Sources</i> , 2020, 476, 228660.	4.0	28
259	Interlaminar Fracture Properties of Carbon Fibre/Epoxy Matrix Composites Interleaved with Polyethylene Terephthalate (Pet) Films. <i>Polymers and Polymer Composites</i> , 2001, 9, 141-145.	1.0	27
260	Effects of moisture and elevated temperature on reliability of interfacial adhesion in plastic packages. <i>Journal of Electronic Materials</i> , 2003, 32, 574-582.	1.0	27
261	Porous Ca <sup>2+</sup> /LiFePO <sub>4</sub> /C composite microspheres with a hierarchical conductive architecture as a high performance cathode for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 19643.	6.7	27
262	Strain-sensitive Raman spectroscopy and electrical resistance of carbon nanotube-coated glass fibre sensors. <i>Composites Science and Technology</i> , 2012, 72, 1548-1555.	3.8	27
263	Discovering a First-Order Phase Transition in the Li <sup>+</sup> /CeO <sub>2</sub> System. <i>Nano Letters</i> , 2017, 17, 1282-1288.	4.5	27
264	Highly conductive porous graphene/sulfur composite ribbon electrodes for flexible lithium-sulfur batteries. <i>Nanoscale</i> , 2018, 10, 21132-21141.	2.8	27
265	Recent advances in emerging nonaqueous K-ion batteries: from mechanistic insights to practical applications. <i>Energy Storage Materials</i> , 2021, 39, 305-346.	9.5	27
266	Stress transfer in the fibre fragmentation test. <i>Journal of Materials Science</i> , 1993, 28, 6233-6245.	1.7	26
267	Fracture Mechanics Analysis of the Fibre Fragmentation Test. <i>Journal of Composite Materials</i> , 1995, 29, 881-902.	1.2	26
268	Effects of metallization characteristics on gold wire bondability of organic printed circuit boards. <i>Journal of Electronic Materials</i> , 2001, 30, 1001-1011.	1.0	26
269	Co Nanoparticles Encapsulated in Porous N-Doped Carbon Nanofibers as an Efficient Electrocatalyst for Hydrogen Evolution Reaction. <i>Journal of the Electrochemical Society</i> , 2018, 165, J3271-J3275.	1.3	26
270	Forming behaviour of sheet steel laminate. <i>Journal of Materials Processing Technology</i> , 1990, 22, 45-64.	3.1	25

#	ARTICLE	IF	CITATIONS
271	Interfacial debonding and fibre pull-out stresses. <i>Journal of Materials Science</i> , 1993, 28, 3923-3930.	1.7	25
272	Growth of Carbon Nanotubes on Electrospun Cellulose Fibers for High Performance Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2017, 164, A3220-A3228.	1.3	25
273	Hydrogel-derived VPO <sub>4</sub> /porous carbon framework for enhanced lithium and sodium storage. <i>Nanoscale</i> , 2020, 12, 3812-3819.	2.8	25
274	Effect of hybrid layers with different silane coupling agents on impact response of glass fabric reinforced vinylester matrix composites. <i>Polymer</i> , 2001, 42, 7455-7460.	1.8	24
275	Numerical analysis of ultrasonic wire bonding: Part 2. Effects of bonding parameters on temperature rise. <i>Microelectronics Reliability</i> , 2008, 48, 149-157.	0.9	24
276	Optical Dephasing of Triply Ionized Rare Earths in Transparent Glass Ceramics Containing LaF <sub>3</sub> Nanocrystals. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 1214-1217.	0.9	23
277	Static indentation and impact behaviour of reformed bamboo/aluminium laminated composites. <i>Composite Structures</i> , 2000, 50, 207-216.	3.1	22
278	Orientation and the extent of exfoliation of clay on scratch damage in polyamide 6 nanocomposites. <i>Nanotechnology</i> , 2008, 19, 055708.	1.3	22
279	Affinity-engineered carbon nanofibers as a scaffold for Na metal anodes. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14757-14768.	5.2	22
280	Effects of fibre volume fraction on the stress transfer in fibre pull-out tests. <i>Composites</i> , 1994, 25, 470-475.	0.9	21
281	Effect of plasma treatment of Au-Ni-Cu bond pads on process windows of Au wire bonding. <i>IEEE Transactions on Advanced Packaging</i> , 2005, 28, 674-684.	1.7	21
282	3D graphene and boron nitride structures for nanocomposites with tailored thermal conductivities: recent advances and perspectives. <i>Functional Composites and Structures</i> , 2020, 2, 022001.	1.6	21
283	Enhancement of MoTe <sub>2</sub> near-infrared absorption with gold hollow nanorods for photodetection. <i>Nano Research</i> , 2020, 13, 1636-1643.	5.8	21
284	Unveiling solid electrolyte interface morphology and electrochemical kinetics of amorphous Sb <sub>2</sub> Se <sub>3</sub> /CNT composite anodes for ultrafast sodium storage. <i>Carbon</i> , 2021, 171, 119-129.	5.4	21
285	Beyond homogeneous dispersion: oriented conductive fillers for high $\sigma_c$ nanocomposites. <i>Materials Horizons</i> , 2021, 8, 3009-3042.	6.4	21
286	Rational Exploration of Conversion-Alloying Reaction Based Anodes for High-Performance K-Ion Batteries. , 2021, 3, 406-413.		21
287	The Electrical Conductivity of Graphite Nanoplatelet Filled Conjugated Polyacrylonitrile. <i>Macromolecular Rapid Communications</i> , 2008, 29, 1254-1258.	2.0	20
288	Degradation of glass fiber-reinforced plastic composites containing nanoclay in alkaline environment. <i>Journal of Composite Materials</i> , 2011, 45, 2147-2156.	1.2	20

#	ARTICLE	IF	CITATIONS
289	Elevated temperature nanoindentation behaviour of polyamide 6. <i>Polymer International</i> , 2011, 60, 1753-1761.	1.6	20
290	Addition of Silane-Functionalized Carbon Nanotubes for Improved Rate Capability of $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ Cathodes for Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2012, 159, A2024-A2028.	1.3	20
291	$\text{Cr}_2\text{O}_3$ nanosheet/carbon cloth anode with strong interaction and fast charge transfer for pseudocapacitive energy storage in lithium-ion batteries. <i>RSC Advances</i> , 2019, 9, 33446-33453.	1.7	20
292	Molecular Dynamics Study of the Effect of Chemical Functionalization on the Elastic Properties of Graphene Sheets. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 7070-7074.	0.9	19
293	Effects of Stage, Intercalant Species and Expansion Technique on Exfoliation of Graphite Intercalation Compound into Graphene Sheets. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 1084-1091.	0.9	19
294	Dense graphene monolith oxygen cathodes for ultrahigh volumetric energy densities. <i>Energy Storage Materials</i> , 2017, 9, 134-139.	9.5	19
295	Rational design of double-confined $\text{Mn}_2\text{O}_3/\text{S}@/\text{Al}_2\text{O}_3$ nanocube cathodes for lithium-sulfur batteries. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 849-858.	1.2	19
296	Bonding strengths at plastic encapsulant-gold-plated copper leadframe interface. <i>Microelectronics Reliability</i> , 2000, 40, 1207-1214.	0.9	18
297	A failure criterion for debonding between encapsulants and leadframes in plastic IC packages. <i>Journal of Adhesion Science and Technology</i> , 2000, 14, 93-105.	1.4	18
298	Effect of rubber modifier on interlaminar fracture toughness of CFRP-concrete interface. <i>Composites Science and Technology</i> , 2003, 63, 883-892.	3.8	18
299	Adhesion performance of black oxide coated copper substrates: Effects of moisture sensitivity test. <i>Surface and Coatings Technology</i> , 2006, 201, 320-328.	2.2	18
300	Synthesis, Structure, and Properties of Graphene and Graphene Oxide. , 2015, , 29-94.		18
301	Densely-stacked N-doped mesoporous $\text{TiO}_2$ /carbon microsphere derived from outdated milk as high-performance electrode material for energy storages. <i>Ceramics International</i> , 2018, 44, 16265-16272.	2.3	18
302	Accelerating the dissolution kinetics of iodine with a cosolvent for a high-current zinc-iodine flow battery. <i>Journal of Materials Chemistry A</i> , 2022, 10, 14090-14097.	5.2	18
303	Tensile properties degradation of GFRP composites containing nanoclay in three different environments. <i>Journal of Composite Materials</i> , 2012, 46, 2179-2192.	1.2	17
304	Facile Synthesis of Holothurian-Like $\text{MnS}$ /Carbon Nanotube Nanocomposites for Flexible All-Solid-State Supercapacitors. <i>ChemNanoMat</i> , 2017, 3, 551-559.	1.5	17
305	Nano-fibrous composite sound absorbers inspired by owl feather surfaces. <i>Applied Acoustics</i> , 2019, 156, 151-157.	1.7	17
306	Ultrafast $\text{Li}^+$ Diffusion Kinetics of 2D Oxidized Phosphorus for Quasi-Solid-State Bendable Batteries with Exceptional Energy Densities. <i>Chemistry of Materials</i> , 2019, 31, 4113-4123.	3.2	17

#	ARTICLE	IF	CITATIONS
307	Instability of interfacial debonding during fibre pull-out. <i>Scripta Metallurgica Et Materialia</i> , 1991, 25, 315-320.	1.0	16
308	Anisotropic tribological properties of the coating on a magnetic recording disk. <i>Thin Solid Films</i> , 2000, 360, 187-194.	0.8	16
309	Thermal performance of flip chip packages: Numerical study of thermo-mechanical interactions. <i>Computational Materials Science</i> , 2008, 43, 469-480.	1.4	16
310	Construction of tubular polypyrrole-wrapped biomass-derived carbon nanospheres as cathode materials for lithium-sulfur batteries. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 115002.	1.3	16
311	Graphene-Directed Formation of a Nitrogen-Doped Porous Carbon Sheet with High Catalytic Performance for the Oxygen Reduction Reaction. <i>Journal of Physical Chemistry C</i> , 2018, 122, 13508-13514.	1.5	16
312	In situ TEM study of lithiation into a PPy coated $\text{MnO}_2/\text{graphene}$ foam freestanding electrode. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1481-1488.	3.2	16
313	In situ growth of Sn nanoparticles confined carbon-based $\text{TiO}_2/\text{TiN}$ composite with long-term cycling stability for sodium-ion batteries. <i>Electrochimica Acta</i> , 2021, 367, 137450.	2.6	16
314	Highly porous carbon nanofiber electrodes for vanadium redox flow batteries. <i>Nanoscale</i> , 2022, 14, 5804-5813.	2.8	16
315	Separation behaviour of sheet steel laminate during forming. <i>Journal of Materials Processing Technology</i> , 1990, 22, 147-161.	3.1	15
316	Fracture of CFRP containing impregnated fibre bundles. <i>Composites Science and Technology</i> , 1993, 49, 51-60.	3.8	15
317	Measurements of interface/interlaminar properties. , 1998, , 43-92.		15
318	Interface adhesion between copper lead frame and epoxy moulding compound: effects of surface finish, oxidation and dimples. , 0, , .		15
319	Effect of surface treatment on mode I interlaminar fracture behaviour of plain glass woven fabric composites: Part I. Report of the 2nd round-robin test results. <i>Composite Interfaces</i> , 2000, 7, 227-242.	1.3	15
320	Effects of dimple and metal coating on interfacial adhesion in plastic packages. <i>Journal of Electronic Materials</i> , 2003, 32, 564-573.	1.0	15
321	Effects of moisture and temperature ageing on reliability of interfacial adhesion with black copper oxide substrate. <i>Journal of Adhesion Science and Technology</i> , 2005, 19, 427-444.	1.4	15
322	Interdigitated Three-Dimensional Heterogeneous Nanocomposites for High-Performance Mechanochromic Smart Membranes. <i>ACS Nano</i> , 2022, 16, 68-77.	7.3	15
323	Improved Underfill Adhesion in Flip-Chip Packages by Means of Ultraviolet Light/Ozone Treatment. <i>IEEE Transactions on Advanced Packaging</i> , 2004, 27, 179-187.	1.7	14
324	Curing behavior and residual stresses in polymeric resins used for encapsulating electronic packages. <i>Journal of Applied Polymer Science</i> , 2005, 96, 175-182.	1.3	14

#	ARTICLE	IF	CITATIONS
325	Encapsulation of Se/C into ultra-thin Ni(OH) <sub>2</sub> nanosheets as cathode materials for lithium-selenium batteries. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 3611-3618.	1.2	14
326	Building 3D Architecture in 2D Thin Film for Effective EMI Shielding. <i>Matter</i> , 2019, 1, 796-798.	5.0	14
327	Self-limiting electrode with double-carbon layers as walls for efficient sodium storage performance. <i>Nanoscale</i> , 2019, 11, 11025-11032.	2.8	14
328	Deciphering the exceptional kinetics of hierarchical nitrogen-doped carbon electrodes for high-performance vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 5605-5613.	5.2	14
329	Surface analysis of carbon fibres modified with PVAL coating and the composite interfaces. <i>Journal of Materials Science</i> , 1992, 27, 6811-6816.	1.7	13
330	Stress transfer in the fibre fragmentation test. <i>Journal of Materials Science</i> , 1995, 30, 3024-3032.	1.7	13
331	Mechanical behavior and failure modes of aluminum/bamboo sandwich plates under quasi-static loading. <i>Journal of Materials Science</i> , 2000, 35, 1445-1452.	1.7	13
332	Hardness of bi-layer films on a leadframe substrate. <i>Journal of Materials Science</i> , 2000, 35, 4185-4192.	1.7	13
333	Adhesion characteristics of underfill resins with flip chip package components. <i>Journal of Adhesion Science and Technology</i> , 2003, 17, 1923-1944.	1.4	13
334	Process windows for low-temperature Au wire bonding. <i>Journal of Electronic Materials</i> , 2004, 33, 146-155.	1.0	13
335	Epoxy-organoclay nanocomposites: morphology, moisture absorption behavior and thermo-mechanical properties. <i>Composite Interfaces</i> , 2005, 12, 271-289.	1.3	13
336	Low velocity impact and delamination buckling behavior of composite laminates with embedded optical fibers. <i>Smart Materials and Structures</i> , 1999, 8, 41-48.	1.8	12
337	Optimization of black oxide coating thickness as adhesion promoter for copper substrate. , 0, , .		12
338	Adhesion Strengths of Epoxy Molding Compounds to Gold-plated Copper Leadframes. <i>Journal of Adhesion</i> , 2000, 73, 1-17.	1.8	12
339	Effect of tapered FRP sheets on interlaminar fracture behaviour of FRP-concrete interface. <i>Composites Part A: Applied Science and Manufacturing</i> , 2006, 37, 1605-1612.	3.8	12
340	Comparative performance of gold wire bonding on rigid and flexible substrates. <i>Journal of Materials Science: Materials in Electronics</i> , 2006, 17, 597-606.	1.1	12
341	Free-standing Ni mesh with in-situ grown MnO <sub>2</sub> nanoparticles as cathode for Li-air batteries. <i>Solid State Ionics</i> , 2014, 262, 197-201.	1.3	12
342	Enhanced Oxygen Evolution Reaction by Efficient Bubble Dynamics of Aligned Nonoxidized Graphene Aerogels. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 10326-10334.	3.2	12

#	ARTICLE	IF	CITATIONS
343	Springback and side-wall curl of galvanized and galvalume steel sheet. Journal of Mechanical Working Technology, 1989, 19, 223-238.	0.1	11
344	The nano-scratch technique as a novel method for measurement of an interphase width. Journal of Materials Science Letters, 2000, 19, 1665-1667.	0.5	11
345	Surface characteristics and adhesion performance of black oxide coated copper substrates with epoxy resins. Journal of Adhesion Science and Technology, 2003, 17, 1543-1560.	1.4	11
346	Effects of hygrothermal ageing and thermal shock on reliability of interfacial adhesion between black oxide coated copper substrate and epoxy resin. Composite Interfaces, 2005, 12, 739-756.	1.3	11
347	Characterization of interfaces. , 1998, , 5-41.		10
348	Evolution of Hollow Nâ€Doped Mesoporous Carbon Microspheres from Outdated Milk as Sulfur Cathodes for Lithiumâ€Sulfur Batteries. ChemistrySelect, 2018, 3, 3952-3957.	0.7	10
349	Effect of embedded optical fibers on the interlaminar fracture toughness of composite laminates. Composite Interfaces, 1997, 5, 225-240.	1.3	9
350	Impact Damage Resistance of Carbon Fibre/Epoxy Composite Laminates Containing Short Kevlar Fibres. Polymers and Polymer Composites, 2001, 9, 157-168.	1.0	9
351	Thermo-structural analysis of space structures using Fourier tube elements. Computational Mechanics, 2005, 36, 289-297.	2.2	9
352	Optimization of tapered end design for FRP strips bonded to RC beams. Composites Science and Technology, 2006, 66, 1266-1273.	3.8	9
353	Strengthening efficiency of taper ended FRP strips bonded to RC beams. Composites Science and Technology, 2006, 66, 2257-2264.	3.8	9
354	Hierarchical crumpled NiMn <sub>2</sub> O <sub>4</sub> @MXene composites for high rate ion transport electrochemical supercapacitors. Dalton Transactions, 2021, 50, 9827-9832.	1.6	9
355	Interface mechanics and fracture toughness theories. , 1998, , 239-277.		8
356	Micromechanics of stress transfer across the interface. , 1998, , 93-169.		8
357	Experiment and Numerical Analysis of the Residual Stresses in Underfill Resins for Flip Chip Package Applications. Journal of Electronic Packaging, Transactions of the ASME, 2005, 127, 47-51.	1.2	8
358	Revealing Cathodeâ€Electrolyte Interface on Flowerâ€Shaped Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C Cathode through Cryogenic Electron Microscopy. Advanced Energy and Sustainability Research, 2021, 2, 2100072.	2.8	8
359	Friction and stress distribution in coated steel sheet during forming. Journal of Materials Processing Technology, 1990, 21, 29-42.	3.1	7
360	Thermal performance and flame retardancy studies of vinyl ester and glass fiber reinforced plastic composites containing nanoclay. Journal of Composite Materials, 2014, 48, 165-177.	1.2	7

#	ARTICLE	IF	CITATIONS
361	Damage Modes in Impact Loading of Glass Woven Fabric Composites. <i>Advanced Composites Letters</i> , 1996, 5, 096369359600500.	1.3	6
362	Characterization of nano-wear mechanisms of hard disk coatings. <i>Journal of Electronic Materials</i> , 2001, 30, 503-512.	1.0	6
363	Title is missing!. <i>Applied Composite Materials</i> , 2001, 8, 361-369.	1.3	6
364	Title is missing!. <i>Journal of Materials Science</i> , 1997, 32, 701-711.	1.7	5
365	Surface treatments of fibers and effects on composite properties. , 1998, , 171-237.		5
366	Adhesion characteristics of underfill material with various package components after plasma and UV/ozone treatments. , 0, , .		5
367	Residual properties of reformed bamboo/aluminium laminates after hygrothermal aging. <i>Composites Science and Technology</i> , 2001, 61, 1041-1048.	3.8	5
368	Viscoelastic properties of underfill for numerical analysis of flip chip packages. , 0, , .		5
369	Surface characterization and adhesion of black-oxide-coated copper substrate: effect of surface hardening processes. <i>Journal of Adhesion Science and Technology</i> , 2004, 18, 983-1001.	1.4	5
370	Effects of underfill adhesion on flip chip package reliability. , 0, , .		5
371	Indentation properties of copper leadframe with hard coatings. <i>Metals and Materials International</i> , 1998, 4, 812-817.	0.2	4
372	Effects of flux residue and thermomechanical stresses on delamination failure in flip chip packages. , 0, , .		4
373	Effects of surface treatment and weave structure on interlaminar fracture behaviour of plain glass woven fabric composites: Part II. Report of the 2nd round robin test results. <i>Composite Interfaces</i> , 2002, 9, 207-218.	1.3	4
374	Hydrothermal Synthesis of Layered Sodium Manganese Oxide Nanowires and Their Electrochemical Performance. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 7378-7381.	0.9	4
375	Fabrication of Graphene-Based Transparent Conducting Thin Films. , 2015, , 95-122.		4
376	An Analysis of Microdroplet Test: Effects of Specimen Geometry, Matrix Type, Fibre Treatment and Water Ageing. <i>Polymers and Polymer Composites</i> , 2001, 9, 499-508.	1.0	3
377	Effects of moisture and temperature ageing on reliability of interfacial adhesion with black copper oxide surface. , 0, , .		3
378	Effects of bonding frequency on Au wedge wire bondability. <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 281-288.	1.1	3

#	ARTICLE	IF	CITATIONS
379	Molecular Dynamic Simulation on Mechanism of Ultrasonic Wire Bonding in Electronic Package. Advanced Materials Research, 2010, 97-101, 2639-2643.	0.3	3
380	4.2 Effect of Interface Strength on Metal Matrix Composites Properties. , 2018, , 22-59.		3
381	Modelling of stress transfer across the fibre-matrix interface. , 1996, , 287-326.		3
382	Monodisperse Copper Nanoparticles on Porphyrin-Derived Fe-N-Doped Carbon for Hydrogen Generation from Ammonia Borane. Science of Advanced Materials, 2017, 9, 1572-1577.	0.1	3
383	Effect of Interface Strength on MMC Properties. , 2000, , 117-138.		2
384	Effects of Fibre Surface Treatment on Dynamic Tensile Properties of Glass Woven Fabric Reinforced Vinylester Composites. Polymers and Polymer Composites, 2005, 13, 453-466.	1.0	2
385	Improvements in Au wire bondability of rigid and flexible substrates using plasma cleaning. , 0, , .		2
386	Electrical conducting behavior of hybrid nanocomposites containing carbon nanotubes and carbon black. , 2007, , .		2
387	Self-aligned Graphene Sheets-Polyurethane Nanocomposites. Materials Research Society Symposia Proceedings, 2011, 1344, 1.	0.1	2
388	Highly transparent conducting graphene films produced by langmuir blodgett assembly as flexible electrodes. , 2012, , .		2
389	Application of Graphene-Based Transparent Conductors (TCs). , 2015, , 179-203.		2
390	Discovering melamine-specific bioreceptors via phage display, constructing its validation method based on the quenching on nanocomplex, and applying screened bioreceptor to the electrochemical assay of melamine. Sensors and Actuators B: Chemical, 2021, 330, 129279.	4.0	2
391	Micromechanics of Fiber-Matrix Interface and Fracture of Advanced Composites with Engineered Interfaces. , 0, , 125-125-15.		2
392	Iosipescu Shear Test of Composite Joint Specimens in Tensile Loading. Advanced Composites Letters, 1995, 4, 096369359500400.	1.3	1
393	Improvement of transverse fracture toughness with interface control. , 1998, , 279-327.		1
394	EFFECT OF COOLING RATE ON INTERPHASE PROPERTIES OF CARBON FIBRE/PEEK COMPOSITES. Zairyo/Journal of the Society of Materials Science, Japan, 1999, 48, 157-162.	0.1	1
395	Interlaminar fracture behaviour of re-formed bamboo/aluminium sheet laminates. Journal of Adhesion Science and Technology, 2001, 15, 535-552.	1.4	1
396	Wire bondability of Au/Ni bond pads: effects of metallisation schemes and processing conditions. , 0, , .		1

#	ARTICLE	IF	CITATIONS
397	Numerical study of the single fibre push-out test: Part III. Singularity of interface stresses. Composite Interfaces, 2003, 10, 17-39.	1.3	1
398	Introduction to Transparent Conductive Films. , 2015, , 1-27.		1
399	Sodium Batteries: Sodiophilically Graded Gold Coating on Carbon Skeletons for Highly Stable Sodium Metal Anodes (Small 40/2020). Small, 2020, 16, 2070223.	5.2	1
400	Improvement of Electrical Conductivity and Transparency. , 2015, , 123-178.		1
401	Numerical study of the single fibre push-out test. Composite Interfaces, 1997, 5, 323-343.	1.3	0
402	Numerical study of the single fibre push-out test: Part II. Influence of materials and test variables. Composite Interfaces, 1998, 6, 103-120.	1.3	0
403	Improvement of interlaminar fracture toughness with interface control. , 1998, , 329-365.		0
404	CURVATURE GAUGES EMBEDDED IN COMPOSITES. Zairyo/Journal of the Society of Materials Science, Japan, 1999, 48, 210-215.	0.1	0
405	Measurement of residual stresses in flip chip underfill resins. , 0, , .		0
406	Feasibility and characterization study of Al and Au wire bonding on immersion Ag and Sn coatings. , 0, , .		0
407	New Nano-Scale Characterization Techniques for Interphases. , 2005, , 237-242.		0
408	Frontispiece: Molybdenum Disulfide Based Nanomaterials for Rechargeable Batteries. Chemistry - A European Journal, 2020, 26, .	1.7	0
409	THE EFFECT OF FIBRE PRE-TENSION ON RESIDUAL STRESSES IN FIBRE COMPOSITES. , 1992, , 11-16.		0
410	THE EFFECT OF IMPREGNATED FIBRE BUNDLES ON THE FRACTURE BEHAVIOURS OF CFRP. , 1992, , 17-22.		0
411	Liquefaction for performance versatility. Nature Energy, 2022, 7, 478-479.	19.8	0