

Mohsen Nazari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/497672/publications.pdf>

Version: 2024-02-01

58
papers

1,366
citations

279798

23
h-index

345221

36
g-index

58
all docs

58
docs citations

58
times ranked

1163
citing authors

#	ARTICLE	IF	CITATIONS
1	Flow characteristics prediction in a flow-focusing microchannel for a desired droplet size using an inverse model: experimental and numerical study. <i>Microfluidics and Nanofluidics</i> , 2022, 26, 1.	2.2	4
2	A systematic overview of electrode configuration in electrically driven micropumps. <i>Electrophoresis</i> , 2022, 43, 1476-1520.	2.4	9
3	Experimental study and visualization of impacting spherical hydrophobic particles on an air-liquid interface: Newtonian and Boger liquid analysis. <i>Chemical Engineering Science</i> , 2021, 229, 116155.	3.8	2
4	Direct numerical simulation of freely falling particles by hybrid immersed boundary- Lattice Boltzmann discrete element method. <i>Particulate Science and Technology</i> , 2020, 38, 286-298.	2.1	1
5	Experimental study of the effects of surfactant material and hydrocarbon agent on foam stability with the approach of enhanced oil recovery. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 585, 124047.	4.7	18
6	Droplet size prediction in a microfluidic flow focusing device using an adaptive network based fuzzy inference system. <i>Biomedical Microdevices</i> , 2020, 22, 61.	2.8	11
7	Proposing a lattice spring damper model for simulation of interaction between elastic/ viscoelastic filaments and fluid flow in immersed boundary-lattice Boltzmann framework. <i>Journal of Molecular Liquids</i> , 2019, 296, 111969.	4.9	1
8	Effect of Obstacle Type on Methane-Air Flame Propagation in a Closed Duct: An Experimental Study. <i>Journal of Energy Resources Technology, Transactions of the ASME</i> , 2019, 141, .	2.3	8
9	Immersed boundary-thermal lattice Boltzmann method for the moving simulation of non-isothermal elliptical particles. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 4003-4017.	3.6	32
10	Thermal characteristics of CPU cooling by using a novel porous heat sink and nanofluids. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 805-817.	3.6	35
11	3D experimental visualization of water flooding in proton exchange membrane fuel cells. <i>Energy</i> , 2019, 175, 967-977.	8.8	42
12	The effects of grain geometry on waterflooding and viscous fingering in micro-fractures and porous media from a lattice Boltzmann method study. <i>Molecular Simulation</i> , 2018, 44, 708-721.	2.0	1
13	Natural convection and entropy generation analysis inside a channel with a porous plate mounted as a cooling system. <i>Thermal Science and Engineering Progress</i> , 2018, 6, 186-193.	2.7	33
14	Sedimentation of elliptical particles using Immersed Boundary- Lattice Boltzmann Method: A complementary repulsive force model. <i>Journal of Molecular Liquids</i> , 2018, 262, 180-193.	4.9	55
15	Increasing the performance of gas diffusion layer by insertion of small hydrophilic layer in proton-exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 2410-2428.	7.1	39
16	An immersed boundary-lattice Boltzmann method combined with a robust lattice spring model for solving flow-structure interaction problems. <i>Applied Mathematical Modelling</i> , 2018, 55, 502-521.	4.2	42
17	Drop formation of ferrofluid at co-flowing microchannel under uniform magnetic field. <i>European Journal of Mechanics, B/Fluids</i> , 2018, 67, 87-96.	2.5	29
18	PREDICTING THE PENETRATION AND NAVIGATING THE MOTION OF A LIQUID DROP IN A LAYERED POROUS MEDIUM: VISCOUS FINGERING VS. CAPILLARY FINGERING. <i>Brazilian Journal of Chemical Engineering</i> , 2018, 35, 731-744.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Tailored Surface Wettability of Gas Diffusion Layer in Polymer Electrolyte Membrane Fuel Cells: Proposing a Pore Scale Two Phase Design. <i>Fuel Cells</i> , 2018, 18, 698-710.	2.4	3
20	Numerical investigation on falling ferrofluid droplet under uniform magnetic field. <i>European Journal of Mechanics, B/Fluids</i> , 2018, 72, 1-11.	2.5	11
21	Developing a fast and tunable micro-mixer using induced vortices around a conductive flexible link. <i>Physics of Fluids</i> , 2017, 29, .	4.0	27
22	Unsteady heat transfer from a reservoir fluid by employing metal foam tube, helically tube and straight tube: A comparative experimental study. <i>Applied Thermal Engineering</i> , 2017, 111, 39-48.	6.0	5
23	Direct-forcing immersed boundary " non-Newtonian lattice Boltzmann method for transient non-isothermal sedimentation. <i>Journal of Aerosol Science</i> , 2017, 104, 106-122.	3.8	40
24	Fluid physics around conductive deformable flaps within an induced-charge electrokinetically driven microsystem. <i>Microfluidics and Nanofluidics</i> , 2016, 20, 1.	2.2	6
25	Comparative study of forced convection of a power-law fluid in a channel with a built-in square cylinder. <i>Journal of Applied Mechanics and Technical Physics</i> , 2016, 57, 55-68.	0.5	40
26	Non-Newtonian particulate flow simulation: A direct-forcing immersed boundary lattice Boltzmann approach. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2016, 447, 1-20.	2.6	53
27	Numerical simulation of muco-ciliary clearance: immersed boundary-lattice Boltzmann method. <i>Computers and Fluids</i> , 2016, 131, 91-101.	2.5	16
28	On the effect of mucus rheology on the muco-ciliary transport. <i>Mathematical Biosciences</i> , 2016, 272, 44-53.	1.9	27
29	A non-Newtonian direct numerical study for stationary and moving objects with various shapes: An immersed boundary " Lattice Boltzmann approach. <i>Journal of Aerosol Science</i> , 2016, 93, 45-62.	3.8	34
30	Immersed Boundary " Thermal Lattice Boltzmann Methods for Non-Newtonian Flows Over a Heated Cylinder: A Comparative Study. <i>Communications in Computational Physics</i> , 2015, 18, 489-515.	1.7	35
31	Immersed boundary-lattice Boltzmann method for simulation of muco-ciliary transport: effect of mucus depth at various amounts of cilia beat frequency. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015, 100, 012065.	0.6	2
32	NOVEL SIMILARITY-SOLUTION WHICH IS APPLICABLE FOR FREE CONVECTION OVER A BODY OF ARBITRARY SHAPE: THERMAL NON-EQUILIBRIUM IN A POROUS MEDIUM. <i>Brazilian Journal of Chemical Engineering</i> , 2015, 32, 225-235.	1.3	1
33	Lattice Boltzmann simulation of natural convection in open end cavity with inclined hot wall. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2015, 36, 523-540.	3.6	6
34	Control of convective heat transfer by changing the right-angle position and the base angle of triangular storages: lattice Boltzmann simulation. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2015, 37, 149-161.	1.6	4
35	Lattice Boltzmann simulation of double diffusive natural convection in a square cavity with a hot square obstacle. <i>Chinese Journal of Chemical Engineering</i> , 2015, 23, 22-30.	3.5	41
36	Experimental study of convective heat transfer of a nanofluid through a pipe filled with metal foam. <i>International Journal of Thermal Sciences</i> , 2015, 88, 33-39.	4.9	84

#	ARTICLE	IF	CITATIONS
37	Thermal non-equilibrium heat transfer in a porous cavity in the presence of bio-chemical heat source. <i>Thermal Science</i> , 2015, 19, 579-590.	1.1	1
38	New models for heat flux splitting at the boundary of a porous medium: three energy equations for nanofluid flow under local thermal nonequilibrium conditions. <i>Canadian Journal of Physics</i> , 2014, 92, 1312-1319.	1.1	10
39	Power-law fluid flow and heat transfer in a channel with a built-in porous square cylinder: Lattice Boltzmann simulation. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2014, 204, 38-49.	2.4	55
40	Cooling of an electronic board situated in various configurations inside an enclosure: lattice Boltzmann method. <i>Meccanica</i> , 2014, 49, 645-658.	2.0	10
41	Non-Newtonian unconfined flow and heat transfer over a heated cylinder using the direct-forcing immersed boundary thermal lattice Boltzmann method. <i>Physical Review E</i> , 2014, 89, 053312.	2.1	34
42	Comparing the thermal performance of water, Ethylene Glycol, Alumina and CNT nanofluids in CPU cooling: Experimental study. <i>Experimental Thermal and Fluid Science</i> , 2014, 57, 371-377.	2.7	115
43	Effects of Particle Migration on Nanofluid Forced Convection Heat Transfer in a Local Thermal Non-Equilibrium Porous Channel. <i>Journal of Nanofluids</i> , 2014, 3, 51-59.	2.7	12
44	Natural Convection Induced by a Heated Vertical Plate Embedded in a Porous Medium with Transpiration: Local Thermal Non-equilibrium Similarity Solutions. <i>Transport in Porous Media</i> , 2013, 98, 223-238.	2.6	13
45	HEAT TRANSFER ENHANCEMENT IN A CHANNEL PARTIALLY FILLED WITH A POROUS BLOCK: LATTICE BOLTZMANN METHOD. <i>International Journal of Modern Physics C</i> , 2013, 24, 1350060.	1.7	44
46	Comparison of the Mollification and Wavelet Prefiltering of Temperature Data in an Ill-Posed Inverse Heat Conduction Problem, Application: Nonthermal Equilibrium Porous Medium. <i>Heat Transfer Engineering</i> , 2012, 33, 704-711.	1.9	4
47	Experimental analysis of turbulent convective heat transfer and pressure drop of Al ₂ O ₃ /water nanofluid in horizontal tube. <i>Micro and Nano Letters</i> , 2012, 7, 223.	1.3	16
48	Forced Convection Heat Transfer of Nanofluids in a Porous Channel. <i>Transport in Porous Media</i> , 2012, 93, 401-413.	2.6	65
49	Free Convection Heat Transfer over a Vertical Cylinder in a Saturated Porous Medium Using a Local Thermal Non-equilibrium Model. <i>Transport in Porous Media</i> , 2012, 93, 453-460.	2.6	8
50	Experimental study of convective heat transfer and pressure drop of TiO ₂ /water nanofluid. <i>International Communications in Heat and Mass Transfer</i> , 2012, 39, 456-462.	5.6	159
51	A NEW APPROACH FOR POROSITY ESTIMATION IN A MULTILAYER POROUS CHANNEL USING NONLINEAR CONJUGATE GRADIENTS METHOD. <i>Journal of Porous Media</i> , 2012, 15, 63-72.	1.9	0
52	NATURAL CONVECTION HEAT TRANSFER IN A POROUS CAVITY IN THE PRESENCE OF A BIOCHEMICAL HEAT SOURCE WHICH IS DEPENDENT ON SOLUTE CONCENTRATION GENERATION RATE. <i>Journal of Porous Media</i> , 2012, 15, 383-392.	1.9	0
53	The Effects of Fluid-to-Solid Conductivity Ratio, Rayleigh Number and Interstitial Heat Transfer Coefficient on the TNE Free Convection in a Porous Enclosure. <i>Transport in Porous Media</i> , 2011, 87, 625-633.	2.6	6
54	A FEASIBILITY STUDY OF EMPLOYING SEQUENTIAL FUNCTION SPECIFICATION METHOD FOR ESTIMATION OF TRANSIENT HEAT FLUX IN A NON-THERMAL EQUILIBRIUM POROUS CHANNEL. <i>Journal of Porous Media</i> , 2011, 14, 375-381.	1.9	0

#	ARTICLE	IF	CITATIONS
55	Analysis of Thermal Nonequilibrium Inverse Heat Transfer in a Porous Channel. Numerical Heat Transfer; Part A: Applications, 2010, 57, 54-68.	2.1	5
56	Analytical Solution of Nonequilibrium Heat Conduction in Porous Medium Incorporating a Variable Porosity Model With Heat Generation. Journal of Heat Transfer, 2009, 131, .	2.1	6
57	Heat Transfer and Fluid Flow in Porous Media With Two Equations Non-Darcian Model. , 2005, , 637.		0
58	Visualization of Flame Propagation and Quenching of Methane/Air Mixture in a cubic enclosure with Perforated Plates: Experimental Study. Combustion Science and Technology, 0, , 1-20.	2.3	1