

Igor Larrosa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4977068/igor-larrosa-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

5,485
citations

40
h-index

73
g-index

114
ext. papers

6,117
ext. citations

9.1
avg. IF

6.34
L-index

#	Paper	IF	Citations
83	Gold-mediated C-H bond functionalisation. <i>Chemical Society Reviews</i> , 2011 , 40, 1910-25	58.5	416
82	Room temperature and phosphine free palladium catalyzed direct C-2 arylation of indoles. <i>Journal of the American Chemical Society</i> , 2008 , 130, 2926-7	16.4	382
81	Overriding ortho-para selectivity via a traceless directing group relay strategy: the meta-selective arylation of phenols. <i>Journal of the American Chemical Society</i> , 2014 , 136, 4109-12	16.4	277
80	Intermolecular decarboxylative direct C-3 arylation of indoles with benzoic acids. <i>Organic Letters</i> , 2009 , 11, 5506-9	6.2	271
79	Carboxylic acids as traceless directing groups for formal meta-selective direct arylation. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 9429-32	16.4	270
78	Synthesis of six-membered oxygenated heterocycles through carbon-oxygen bond-forming reactions. <i>Tetrahedron</i> , 2008 , 64, 2683-2723	2.4	209
77	Decarboxylative Carbon-Carbon Bond-Forming Transformations of (Hetero)aromatic Carboxylic Acids. <i>Synthesis</i> , 2012 , 44, 653-676	2.9	204
76	Silver-catalyzed protodecarboxylation of heteroaromatic carboxylic acids. <i>Organic Letters</i> , 2009 , 11, 5710-3	6.2	151
75	Au-Catalyzed Cross-Coupling of Arenes via Double C-H Activation. <i>Journal of the American Chemical Society</i> , 2015 , 137, 15636-9	16.4	145
74	Silver-catalysed protodecarboxylation of ortho-substituted benzoic acids. <i>Chemical Communications</i> , 2009 , 7176-8	5.8	145
73	Bismuth-catalyzed benzylic oxidations with tert-butyl hydroperoxide. <i>Organic Letters</i> , 2005 , 7, 4549-52	6.2	140
72	The use of carboxylic acids as traceless directing groups for regioselective C-H bond functionalisation. <i>Chemical Communications</i> , 2017 , 53, 5584-5597	5.8	138
71	C-H Carboxylation of Aromatic Compounds through CO Fixation. <i>ChemSusChem</i> , 2017 , 10, 3317-3332	8.3	127
70	Highly convergent three component benzyne coupling: the total synthesis of ent-clavilactone B. <i>Journal of the American Chemical Society</i> , 2006 , 128, 14042-3	16.4	118
69	Gold(I)-mediated C-H activation of arenes. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5580-1	16.4	107
68	Decarboxylative homocoupling of (hetero)aromatic carboxylic acids. <i>Chemical Communications</i> , 2010 , 46, 8276-8	5.8	106
67	Carboxylic Acids as Traceless Directing Groups for Formal meta-Selective Direct Arylation. <i>Angewandte Chemie</i> , 2011 , 123, 9601-9604	3.6	100

66	Ru-Catalyzed C-H Arylation of Fluoroarenes with Aryl Halides. <i>Journal of the American Chemical Society</i> , 2016 , 138, 3596-606	16.4	98
65	Ag(I)-Catalyzed C-H Activation: The Role of the Ag(I) Salt in Pd/Ag-Mediated C-H Arylation of Electron-Deficient Arenes. <i>Journal of the American Chemical Society</i> , 2016 , 138, 8384-7	16.4	97
64	Room-Temperature Direct β Arylation of Thiophenes and Benzo[b]thiophenes and Kinetic Evidence for a Heck-type Pathway. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1677-83	16.4	97
63	Recent Progress in Decarboxylative Oxidative Cross-Coupling for Biaryl Synthesis. <i>European Journal of Organic Chemistry</i> , 2017 , 2017, 3517-3527	3.2	93
62	An organic cation as a silver(I) analogue for the arylation of sp ² and sp ³ C-H bonds with iodoarenes. <i>Chemical Science</i> , 2014 , 5, 3509-3514	9.4	87
61	Direct ortho-arylation of ortho-substituted benzoic acids: overriding Pd-catalyzed protodecarboxylation. <i>Organic Letters</i> , 2013 , 15, 910-3	6.2	83
60	Transition-Metal-Free Decarboxylative Iodination: New Routes for Decarboxylative Oxidative Cross-Couplings. <i>Journal of the American Chemical Society</i> , 2017 , 139, 11527-11536	16.4	81
59	Cyclometallated ruthenium catalyst enables late-stage directed arylation of pharmaceuticals. <i>Nature Chemistry</i> , 2018 , 10, 724-731	17.6	79
58	Redox-controlled selectivity of C-H activation in the oxidative cross-coupling of arenes. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 1781-4	16.4	77
57	"On water", phosphine-free palladium-catalyzed room temperature C-H arylation of indoles. <i>Chemistry - A European Journal</i> , 2013 , 19, 15093-6	4.8	75
56	Metalation dictates remote regioselectivity: ruthenium-catalyzed functionalization of meta C(Ar)-H Bonds. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 11458-60	16.4	74
55	Ruthenium-Catalyzed C-H Arylation of Benzoic Acids and Indole Carboxylic Acids with Aryl Halides. <i>Chemistry - A European Journal</i> , 2017 , 23, 549-553	4.8	67
54	Arene-metal π complexation as a traceless reactivity enhancer for C-H arylation. <i>Journal of the American Chemical Society</i> , 2013 , 135, 13258-61	16.4	61
53	Salicylic acids as readily available starting materials for the synthesis of meta-substituted biaryls. <i>Chemical Communications</i> , 2015 , 51, 3127-30	5.8	61
52	Two flavors of PEPPSI-IPr: activation and diffusion control in a single NHC-ligated Pd catalyst?. <i>Organic Letters</i> , 2011 , 13, 146-9	6.2	57
51	A Novel Mode of Reactivity for Gold(I): The Decarboxylative Activation of (Hetero)Aromatic Carboxylic Acids. <i>Advanced Synthesis and Catalysis</i> , 2011 , 353, 1359-1366	5.6	57
50	Ag(I)-C-H Activation Enables Near-Room-Temperature Direct β Arylation of Benzo[b]thiophenes. <i>Journal of the American Chemical Society</i> , 2018 , 140, 9638-9643	16.4	55
49	Photoelectrocatalysis of Rhodamine B and Solar Hydrogen Production by TiO ₂ and Pd/TiO ₂ Catalyst Systems. <i>Electrochimica Acta</i> , 2017 , 231, 641-649	6.7	52

48	The ortho-substituent effect on the Ag-catalysed decarboxylation of benzoic acids. <i>Chemistry - A European Journal</i> , 2014 , 20, 16680-7	4.8	49
47	Carboxylation of Phenols with CO ₂ at Atmospheric Pressure. <i>Chemistry - A European Journal</i> , 2016 , 22, 6798-802	4.8	48
46	Enzymatic Carboxylation of 2-Furoic Acid Yields 2,5-Furandicarboxylic Acid (FDCA). <i>ACS Catalysis</i> , 2019 , 9, 2854-2865	13.1	44
45	Recent Advances in the C2 and C3 Regioselective Direct Arylation of Indoles. <i>Advances in Heterocyclic Chemistry</i> , 2012 , 105, 309-351	2.4	40
44	Mild cleavage of aryl mesylates: methanesulfonate as potent protecting group for phenols. <i>Organic Letters</i> , 2004 , 6, 1513-4	6.2	40
43	Selective deuteration of (hetero)aromatic compounds via deuterio-decarboxylation of carboxylic acids. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 3172-4	3.9	39
42	Plasmon enhanced visible light photocatalysis for TiO ₂ supported Pd nanoparticles. <i>Nanoscale</i> , 2015 , 7, 12331-5	7.7	34
41	Transition-metal-free decarboxylative bromination of aromatic carboxylic acids. <i>Chemical Science</i> , 2018 , 9, 3860-3865	9.4	34
40	Tuning reactivity and site selectivity of simple arenes in C-H activation: ortho-arylation of anisoles via arene-metal π -complexation. <i>Journal of the American Chemical Society</i> , 2014 , 136, 18082-6	16.4	32
39	-C-H arylation of fluoroarenes traceless directing group relay strategy. <i>Chemical Science</i> , 2018 , 9, 7133-7137	9.7	31
38	Unprecedented highly stereoselective alpha- and beta-C-glycosidation with chiral titanium enolates. <i>Organic Letters</i> , 2002 , 4, 4651-4	6.2	29
37	Stereoselective synthesis of the western hemisphere of salinomycin. <i>Organic Letters</i> , 2006 , 8, 527-30	6.2	27
36	A Domino Oxidation/Arylation/Protodecarboxylation Reaction of Salicylaldehydes: Expanded Access to meta-Arylphenols. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 347-50	4.5	27
35	Direct ortho-Arylation of Pyridinecarboxylic Acids: Overcoming the Deactivating Effect of sp-Nitrogen. <i>Organic Letters</i> , 2016 , 18, 6094-6097	6.2	24
34	A silver-free system for the direct C-H arylation of arenes and heteroarenes from gold chloride complexes. <i>Catalysis Science and Technology</i> , 2013 , 3, 2892	5.5	24
33	C-H activation: Good things come in threes. <i>Nature Chemistry</i> , 2016 , 8, 1086-1088	17.6	23
32	Redox-Controlled Selectivity of C-H Activation in the Oxidative Cross-Coupling of Arenes. <i>Angewandte Chemie</i> , 2013 , 125, 1825-1828	3.6	23
31	Biaryl Synthesis via C-H Bond Activation. <i>Advances in Organometallic Chemistry</i> , 2017 , 67, 299-399	3.8	20

30	Catalytic Asymmetric C-H Arylation of (EArene)Chromium Complexes: Facile Access to Planar-Chiral Phosphines. <i>ACS Catalysis</i> , 2019 , 9, 5268-5278	13.1	18
29	Benzoate Cyclometalation Enables Oxidative Addition of Haloarenes at a Ru(II) Center. <i>Journal of the American Chemical Society</i> , 2018 , 140, 11836-11847	16.4	18
28	Ferngesteuerte Regioselektivität durch Metallierung: Ruthenium-katalysierte meta-C-H-Funktionalisierung von Arenen. <i>Angewandte Chemie</i> , 2013 , 125, 11670-11672	3.6	18
27	Selective and general exhaustive cross-coupling of di-chloroarenes with a deficit of nucleophiles mediated by a Pd-NHC complex. <i>Chemical Communications</i> , 2015 , 51, 3832-4	5.8	17
26	Cyclometalated Ruthenium Catalyst Enables Ortho-Selective C-H Alkylation with Secondary Alkyl Bromides. <i>Chem</i> , 2020 , 6, 1459-1468	16.2	14
25	Studies on the intramolecular C-H...X (X = O, S) interactions in (S)-N-acyl-4-isopropyl-1,3-thiazolidine-2-thiones and related 1,3-oxazolidin-2-ones. <i>Organic Letters</i> , 2003 , 5, 2809-12	6.2	14
24	Stable, concentrated, biocompatible, and defect-free graphene dispersions with positive charge. <i>Nanoscale</i> , 2020 , 12, 12383-12394	7.7	13
23	Ag/Pd Cocatalyzed Direct Arylation of Fluoroarene Derivatives with Aryl Bromides. <i>ACS Catalysis</i> , 2020 , 10, 2100-2107	13.1	13
22	Decarboxylative Suzuki-Miyaura coupling of (hetero)aromatic carboxylic acids using iodine as the terminal oxidant. <i>Chemical Communications</i> , 2019 , 55, 6445-6448	5.8	12
21	-Selective olefination of fluoroarenes with alkynes using CO as a traceless directing group. <i>Chemical Science</i> , 2020 , 11, 4204-4208	9.4	12
20	A Direct Arylation-Cyclisation Reaction for the Construction of Medium-Sized Rings. <i>Chemistry - A European Journal</i> , 2017 , 23, 12763-12766	4.8	12
19	Charge-tunable graphene dispersions in water made with amphoteric pyrene derivatives. <i>Molecular Systems Design and Engineering</i> , 2019 , 4, 503-510	4.6	10
18	Studies on the Total Synthesis of Lactonamycin: Synthesis of the Fused Pentacyclic B Ring Unit. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 107-113	3.2	8
17	Structure and Mechanism of PA0254/HudA, a pFMN-Dependent Pyrrole-2-carboxylic Acid Decarboxylase Linked to Virulence. <i>ACS Catalysis</i> , 2021 , 11, 2865-2878	13.1	8
16	Reaction monitoring reveals poisoning mechanism of Pd(dba) and guides catalyst selection. <i>Chemical Communications</i> , 2017 , 53, 12890-12893	5.8	7
15	Recent Advances in the C-2 Regioselective Direct Arylation of Indoles. <i>Progress in Heterocyclic Chemistry</i> , 2011 , 22, 1-20	0.8	6
14	C-H Functionalisation of Heteroaromatic Compounds via Gold Catalysis. <i>Topics in Heterocyclic Chemistry</i> , 2016 , 175-226	0.2	6
13	Enhanced liquid phase exfoliation of graphene in water using an insoluble bis-pyrene stabiliser. <i>Faraday Discussions</i> , 2021 , 227, 46-60	3.6	6

12	Palladium catalysed C-H arylation of pyrenes: access to a new class of exfoliating agents for water-based graphene dispersions. <i>Chemical Science</i> , 2020 , 11, 2472-2478	9.4	5
11	Evidence for Site-Specific Reversible Hydrogen Adsorption on Graphene by Sum-Frequency Generation Spectroscopy and Density Functional Theory. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 25883-25889	3.8	4
10	Ketone C=O Bond Activation Meets the Suzuki-Miyaura Cross-coupling. <i>Chem</i> , 2018 , 4, 1203-1204	16.2	4
9	Transition metal-free cross-dehydrogenative arylation of unactivated benzylic C-H bonds. <i>Chemical Communications</i> , 2020 , 56, 14479-14482	5.8	3
8	Ru-catalyzed room-temperature alkylation and late-stage alkylation of arenes with primary alkyl bromides. <i>Chem Catalysis</i> , 2021 , 1, 691-703		3
7	Determination of H KIEs from Competition Experiments: Increased Accuracy via Isotopic Enrichment. <i>Topics in Catalysis</i> , 2017 , 60, 589-593	2.3	2
6	Stereoselective Synthesis of β - and γ -Glycosides by Addition of Titanium Enolates to Glycals. <i>Synlett</i> , 2009 , 2009, 2982-2986	2.2	2
5	Insights into the exfoliation mechanism of pyrene-assisted liquid phase exfoliation of graphene from lateral size-thickness characterisation. <i>Carbon</i> , 2022 , 186, 550-559	10.4	2
4	Highly Efficient Plasmonic Palladium-Titanium Dioxide Co-Catalyst in the Photodegradation of Rhodamine B Dye. <i>Advances in Science and Technology</i> , 2014 , 93, 184-189	0.1	1
3	Catalysis with cycloruthenated complexes.. <i>Chemical Science</i> , 2022 , 13, 3335-3362	9.4	1
2	Development of High Surface Area Titania on Glass Fibre Supports for Photocatalysis. <i>Advances in Science and Technology</i> , 2014 , 93, 196-202	0.1	
1	C=C Borylation: No Need to Stop for Directions. <i>Trends in Chemistry</i> , 2020 , 2, 957-959	14.8	