Huan-Tsung Chang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4977727/huan-tsung-chang-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

392 21,673 76 133 g-index

415 23,432 6.4 7.29 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 392 | Surface-enhanced Raman spectroscopy and density functional theory study of thymine-1-acetic acid interaction with silver nanoparticles. <i>Canadian Journal of Chemistry</i> , 2022 , 100, 55-62 | 0.9 | |
| 391 | Anti-microbial/oxidative/inflammatory nanogels accelerate chronic wound healing. <i>Smart Materials in Medicine</i> , 2022 , 3, 148-158 | 12.9 | 4 |
| 390 | Development of Fluorescent Carbon Nanoparticle-Based Probes for Intracellular pH and Hypochlorite Sensing. <i>Chemosensors</i> , 2022 , 10, 64 | 4 | O |
| 389 | Screening of synthetic cannabinoids in herbal mixtures using 1-dodecanethiol-gold nanoclusters. Sensors and Actuators B: Chemical, 2022 , 353, 131151 | 8.5 | 0 |
| 388 | Carbon dots with polarity-tunable characteristics for the selective detection of sodium copper chlorophyllin and copper ions <i>Analytica Chimica Acta</i> , 2022 , 1191, 339311 | 6.6 | 3 |
| 387 | Detection of pathogens using graphene quantum dots and gold nanoclusters on paper-based analytical devices. <i>Sensors and Actuators B: Chemical</i> , 2022 , 363, 131824 | 8.5 | 1 |
| 386 | Ratiometric Fluorescence Probe of Vesicle-like Carbon Dots and Gold Clusters for Quantitation of Cholesterol. <i>Chemosensors</i> , 2022 , 10, 160 | 4 | 1 |
| 385 | Evaluation of chemotherapeutic response in living cells using subcellular Organelle-Selective amphipathic carbon dots. <i>Biosensors and Bioelectronics</i> , 2022 , 114362 | 11.8 | 0 |
| 384 | Self-redox reaction driven in situ formation of CuO/TiCT nanosheets boost the photocatalytic eradication of multi-drug resistant bacteria from infected wound <i>Journal of Nanobiotechnology</i> , 2022 , 20, 235 | 9.4 | 2 |
| 383 | Multifunctional carbonized nanogels to treat lethal acute hepatopancreatic necrosis disease <i>Journal of Nanobiotechnology</i> , 2021 , 19, 448 | 9.4 | 1 |
| 382 | Catalytic and photoresponsive BiZ/CuS heterojunctions with surface vacancies for the treatment of multidrug-resistant clinical biofilm-associated infections. <i>Nanoscale</i> , 2021 , 13, 18632-18646 | 7.7 | 3 |
| 381 | Copper Sulfide Nanoassemblies for Catalytic and Photoresponsive Eradication of Bacteria from Infected Wounds. <i>ACS Applied Materials & Samp; Interfaces</i> , 2021 , 13, 7865-7878 | 9.5 | 18 |
| 380 | Polymer/glutathione Au nanoclusters for detection of sulfides. <i>Sensors and Actuators B: Chemical</i> , 2021 , 333, 129356 | 8.5 | 3 |
| 379 | Carbonized nanogels for simultaneous antibacterial and antioxidant treatment of bacterial keratitis. <i>Chemical Engineering Journal</i> , 2021 , 411, 128469 | 14.7 | 17 |
| 378 | CD28 engagement inhibits CD73-mediated regulatory activity of CD8 T cells. <i>Communications Biology</i> , 2021 , 4, 595 | 6.7 | |
| 377 | Grand Challenges in Analytical Science 2021 , 1, | | 2 |
| 376 | Electrochemical synthesis of carbon dots with a Stokes shift of 309 hm for sensing of Fe3+ and ascorbic acid. <i>Dyes and Pigments</i> , 2021 , 185, 108878 | 4.6 | 12 |

(2020-2021)

| 375 | Silver oxide model surface improves computational simulation of surface-enhanced Raman spectroscopy on silver nanoparticles. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 15480-15484 | 3.6 | 1 |
|-------------|--|-------|-----|
| 374 | MXene Nanosheet-Based Microneedles for Monitoring Muscle Contraction and Electrostimulation Treatment. <i>ACS Applied Nano Materials</i> , 2021 , 4, 7917-7924 | 5.6 | 8 |
| 373 | Controlling morphology evolution of titanium oxide-gold nanourchin for photocatalytic degradation of dyes and photoinactivation of bacteria in the infected wound. <i>Journal of Colloid and Interface Science</i> , 2021 , 598, 260-273 | 9.3 | 3 |
| 372 | A critical review of copper nanoclusters for monitoring of water quality. <i>Sensors and Actuators Reports</i> , 2021 , 3, 100026 | 4.7 | 8 |
| 371 | Electrocatalytic CuBr@CuO nanoparticles based salivary glucose probes. <i>Biosensors and Bioelectronics</i> , 2021 , 194, 113610 | 11.8 | 4 |
| 370 | Thermally driven formation of polyphenolic carbonized nanogels with high anticoagulant activity from polysaccharides. <i>Biomaterials Science</i> , 2021 , 9, 4679-4690 | 7.4 | 2 |
| 369 | Fluorescent Carbon Dots for Selective Labeling of Subcellular Organelles. ACS Omega, 2020, 5, 11248-1 | 13261 | 37 |
| 368 | Importance of Cobalt-Doping for the Preparation of Hollow CuBr/[email[protected] Nanocorals on Copper Foils with Enhanced Electrocatalytic Activity and Stability for Oxygen Evolution Reaction. ACS Sustainable Chemistry and Engineering, 2020, 8, 9794-9802 | 8.3 | 6 |
| 367 | Tuning the photoluminescence of metal nanoclusters for selective detection of multiple heavy metal ions. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128539 | 8.5 | 16 |
| 366 | Self-Sufficient and Highly Efficient Gold Sandwich Upconversion Nanocomposite Lasers for Stretchable and Bio-applications. <i>ACS Applied Materials & Discourse Materials & Discou</i> | 9.5 | 10 |
| 365 | Carbon dots as artificial peroxidases for analytical applications. <i>Journal of Food and Drug Analysis</i> , 2020 , 28, 559-575 | 7 | 9 |
| 364 | The analytical and biomedical applications of carbon dots and their future theranostic potential: A review. <i>Journal of Food and Drug Analysis</i> , 2020 , 28, 678-696 | 7 | 5 |
| 363 | Platinum ions mediate the interactions between DNA and carbon quantum dots: diagnosis of MRSA infections. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 3506-3512 | 7.3 | 5 |
| 362 | Highly adhesive carbon quantum dots from biogenic amines for prevention of biofilm formation. <i>Chemical Engineering Journal</i> , 2020 , 386, 123913 | 14.7 | 31 |
| 361 | Bead-String-Shaped DNA Nanowires with Intrinsic Structural Advantages and Their Potential for Biomedical Applications. <i>ACS Applied Materials & Amp; Interfaces</i> , 2020 , 12, 3341-3353 | 9.5 | 18 |
| 3 60 | A Carbon-Dot Sensing Probe for Screening of Date Rape Drugs: Nitro-containing Benzodiazepines. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127441 | 8.5 | 8 |
| 359 | Capping 1,3-propanedithiol to boost the antibacterial activity of protein-templated copper nanoclusters. <i>Journal of Hazardous Materials</i> , 2020 , 389, 121821 | 12.8 | 10 |
| 358 | Excellent oxidation resistive MXene aqueous ink for micro-supercapacitor application. <i>Energy Storage Materials</i> , 2020 , 25, 563-571 | 19.4 | 124 |

| 357 | Recent Advances and Sensing Applications of Carbon Dots. Small Methods, 2020, 4, 1900387 | 12.8 | 75 |
|-----|--|------|----|
| 356 | DNA engineered copper oxide-based nanocomposites with multiple enzyme-like activities for specific detection of mercury species in environmental and biological samples. <i>Analytica Chimica Acta</i> , 2019 , 1084, 106-115 | 6.6 | 13 |
| 355 | Dual-functional gold nanoparticles with antimicrobial and proangiogenic activities improve the healing of multidrug-resistant bacteria-infected wounds in diabetic mice. <i>Biomaterials Science</i> , 2019 , 7, 4482-4490 | 7.4 | 19 |
| 354 | Effect of Precursor Structure on Unibody Core-Shell Properties and the in-vitro Study of a Dual Anti-drug/ Drug System. <i>Materials Today: Proceedings</i> , 2019 , 17, 1964-1970 | 1.4 | |
| 353 | Carbon dots functionalized papers for high-throughput sensing of 4-chloroethcathinone and its analogues in crime sites. <i>Royal Society Open Science</i> , 2019 , 6, 191017 | 3.3 | 12 |
| 352 | Linking opiate metabolites to heroin through gas chromatography-combustion-isotope ratio mass spectrometry. <i>Analytical Methods</i> , 2019 , 11, 712-716 | 3.2 | |
| 351 | Mesoporous manganese oxide/manganese ferrite nanopopcorns with dual enzyme mimic activities: A cascade reaction for selective detection of ketoses. <i>Journal of Colloid and Interface Science</i> , 2019 , 541, 75-85 | 9.3 | 11 |
| 350 | Parameters affecting the synthesis of carbon dots for quantitation of copper ions. <i>Nanoscale Advances</i> , 2019 , 1, 2553-2561 | 5.1 | 8 |
| 349 | Synergistically dual-functional nano eye-drops for simultaneous anti-inflammatory and anti-oxidative treatment of dry eye disease. <i>Nanoscale</i> , 2019 , 11, 5580-5594 | 7.7 | 39 |
| 348 | Chiral Ag and Au Nanomaterials Based Optical Approaches for Analytical Applications. <i>Particle and Particle Systems Characterization</i> , 2019 , 36, 1800552 | 3.1 | 8 |
| 347 | First trimester placental vascular indices and volume by three-dimensional ultrasound in pre-gravid overweight women. <i>Placenta</i> , 2019 , 80, 12-17 | 3.4 | 4 |
| 346 | Porous aluminum electrodes with 3D channels and zig-zag edges for efficient hydrogen evolution. <i>Chemical Communications</i> , 2019 , 55, 5447-5450 | 5.8 | 6 |
| 345 | Synthesis and fluorescent properties of N(9)-alkylated 2-amino-6-triazolylpurines and 7-deazapurines. <i>Beilstein Journal of Organic Chemistry</i> , 2019 , 15, 474-489 | 2.5 | 12 |
| 344 | Nitrogen-doped carbon nanodots prepared from polyethylenimine for fluorometric determination of salivary uric acid. <i>Mikrochimica Acta</i> , 2019 , 186, 166 | 5.8 | 15 |
| 343 | A Photoluminescent Colorimetric Probe of Bovine Serum Albumin-Stabilized Gold Nanoclusters for New Psychoactive Substances: Cathinone Drugs in Seized Street Samples. <i>Sensors</i> , 2019 , 19, | 3.8 | 7 |
| 342 | Polydopamine-coated gold nanostar for combined antitumor and antiangiogenic therapy in multidrug-resistant breast cancer. <i>Nanotheranostics</i> , 2019 , 3, 266-283 | 5.6 | 26 |
| 341 | Carbon Dots for Bacterial Detection and Antibacterial Applications-A Minireview. <i>Current Pharmaceutical Design</i> , 2019 , 25, 4848-4860 | 3.3 | 5 |
| 340 | Quantification of glucose via in situ growth of Cu2O/Ag nanoparticles. <i>Sensors and Actuators B:</i> Chemical, 2019 , 285, 224-231 | 8.5 | 6 |

| 339 | Detection of urinary spermine by using silver-gold/silver chloride nanozymes. <i>Analytica Chimica Acta</i> , 2018 , 1009, 89-97 | 6.6 | 32 |
|-----|---|------|----|
| 338 | Signal Amplified Gold Nanoparticles for Cancer Diagnosis on Paper-Based Analytical Devices. <i>ACS Sensors</i> , 2018 , 3, 174-182 | 9.2 | 55 |
| 337 | Facet- and structure-dependent catalytic activity of cuprous oxide/polypyrrole particles towards the efficient reduction of carbon dioxide to methanol. <i>Nanoscale</i> , 2018 , 10, 11869-11880 | 7.7 | 38 |
| 336 | Hybridizing Strong Quadrupole Gap Plasmons Using Optimized Nanoantennas with Bilayer MoS2 for Excellent Photo-Electrochemical Hydrogen Evolution. <i>Advanced Energy Materials</i> , 2018 , 8, 1801184 | 21.8 | 17 |
| 335 | Graphene oxide membrane as an efficient extraction and ionization substrate for spray-mass spectrometric analysis of malachite green and its metabolite in fish samples. <i>Analytica Chimica Acta</i> , 2018 , 1003, 42-48 | 6.6 | 26 |
| 334 | Visual detection of cyanide ions by membrane-based nanozyme assay. <i>Biosensors and Bioelectronics</i> , 2018 , 102, 510-517 | 11.8 | 42 |
| 333 | Adsorption orientation of 8-azaadenine on silver nanoparticles determined by SERS and DFT. Journal of Raman Spectroscopy, 2018 , 49, 376-382 | 2.3 | 4 |
| 332 | Detection of Metabolites in Cells through Surface-Assisted Laser Desorption/Ionization Mass Spectrometry. <i>ACS Omega</i> , 2018 , 3, 17386-17391 | 3.9 | 4 |
| 331 | Quadrupole Gap Plasmons: Hybridizing Strong Quadrupole Gap Plasmons Using Optimized Nanoantennas with Bilayer MoS2 for Excellent Photo-Electrochemical Hydrogen Evolution (Adv. Energy Mater. 29/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870127 | 21.8 | 1 |
| 330 | Branched DNA Junction-Enhanced Isothermal Circular Strand Displacement Polymerization for Intracellular Imaging of MicroRNAs. <i>Analytical Chemistry</i> , 2018 , 90, 13891-13899 | 7.8 | 21 |
| 329 | Self-Assembled Chiral Gold Supramolecules with Efficient Laser Absorption for Enantiospecific Recognition of Carnitine. <i>Analytical Chemistry</i> , 2018 , 90, 7283-7291 | 7.8 | 19 |
| 328 | Green synthesis of catalytic gold/bismuth oxyiodide nanocomposites with oxygen vacancies for treatment of bacterial infections. <i>Nanoscale</i> , 2018 , 10, 11808-11819 | 7.7 | 25 |
| 327 | Smart app-based on-field colorimetric quantification of mercury via analyte-induced enhancement of the photocatalytic activity of TiO-Au nanospheres. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4555-4564 | 4.4 | 13 |
| 326 | Self-assembled, bivalent aptamers on graphene oxide as an efficient anticoagulant. <i>Biomaterials Science</i> , 2018 , 6, 1882-1891 | 7.4 | 12 |
| 325 | The effect of ligand-ligand interactions on the formation of photoluminescent gold nanoclusters embedded in Au(i)-thiolate supramolecules. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 12085-12093 | 3.6 | 27 |
| 324 | Fe2O3/Al2O3 microboxes for efficient removal of heavy metal ions. <i>New Journal of Chemistry</i> , 2017 , 41, 7751-7757 | 3.6 | 19 |
| 323 | Control of the Fluorescence of DNA-templated Silver Nanoclusters by Adenosine Triphosphate and Mercury(II). <i>Journal of the Chinese Chemical Society</i> , 2017 , 64, 8-16 | 1.5 | 5 |
| 322 | Metal-deposited bismuth oxyiodide nanonetworks with tunable enzyme-like activity: sensing of mercury and lead ions. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 893-899 | 7.8 | 24 |

| 321 | Biomarkers of cigarette smoking and DNA methylating agents: Raman, SERS and DFT study of 3-methyladenine and 7-methyladenine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 176, 1-7 | 4.4 | 11 |
|-----|---|---------------------|------|
| 320 | Wrinkled 2D Materials: A Versatile Platform for Low-Threshold Stretchable Random Lasers. <i>Advanced Materials</i> , 2017 , 29, 1703549 | 24 | 64 |
| 319 | Enhancing carbohydrate ion yield by controlling crystalline structures in matrix-assisted laser desorption/ionization mass spectrometry. <i>Analytica Chimica Acta</i> , 2017 , 994, 49-55 | 6.6 | 2 |
| 318 | Satellite-like Gold Nanocomposites for Targeted Mass Spectrometry Imaging of Tumor Tissues. <i>Nanotheranostics</i> , 2017 , 1, 141-153 | 5.6 | 11 |
| 317 | Control of pH for separated quantitation of nitrite and cyanide ions using photoluminescent copper nanoclusters. <i>Analytical Methods</i> , 2017 , 9, 5254-5259 | 3.2 | 13 |
| 316 | Dirac point induced ultralow-threshold laser and giant optoelectronic quantum oscillations in graphene-based heterojunctions. <i>Nature Communications</i> , 2017 , 8, 256 | 17.4 | 22 |
| 315 | Quantitation of Egalactosidase and E. coli through electrochemical oxidation of glucose on CuO/Cu2O/Ppy paper electrode. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 1063-1070 | 8.5 | 6 |
| 314 | Stable and Photoswitchable Carbon-Dot Liposome. ACS Applied Materials & amp; Interfaces, 2017, 9, 44. | 259 5 44 | 263) |
| 313 | Polymer/reduced graphene oxide functionalized sponges as superabsorbents for oil removal and recovery. <i>Marine Pollution Bulletin</i> , 2017 , 114, 888-895 | 6.7 | 33 |
| 312 | Glutathione assisted preparation of gold nanoclusters using minimum amount of protein. <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 1258-1265 | 8.5 | 20 |
| 311 | Functionalized HgTe nanoparticles promote laser-induced solid phase ionization/dissociation for comprehensive glycan sequencing. <i>Analyst, The</i> , 2016 , 141, 6093-6103 | 5 | 9 |
| 310 | Aminophenylboronic acid polymer nanoparticles for quantitation of glucose and for insulin release. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 6557-65 | 4.4 | 8 |
| 309 | Glucose Oxidase and Horseradish Peroxidase Like Activities of Cuprous Oxide/Polypyrrole Composites. <i>Electrochimica Acta</i> , 2016 , 215, 253-260 | 6.7 | 23 |
| 308 | Critical factors determining the quantification capability of matrix-assisted laser desorption/ionization- time-of-flight mass spectrometry. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences,</i> 2016 , 374, | 3 | 16 |
| 307 | CarbonBoron coreBhell microspheres for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 12987-12994 | 13 | 8 |
| 306 | Generation of Enzymatic Hydrogen Peroxide to Accelerate the Etching of Silver Nanocrystals with Selectivity. <i>Chemistry of Materials</i> , 2016 , 28, 7519-7527 | 9.6 | 5 |
| 305 | Size-tunable copper nanocluster aggregates and their application in hydrogen sulfide sensing on paper-based devices. <i>Scientific Reports</i> , 2016 , 6, 24882 | 4.9 | 58 |
| 304 | Green synthesis of SiliQD nanocomposites as cost-effective catalysts for oxygen reduction reaction. <i>RSC Advances</i> , 2016 , 6, 108941-108947 | 3.7 | 6 |

(2016-2016)

| 303 | Preparation of Homogeneous MALDI Samples for Quantitative Applications. <i>Journal of Visualized Experiments</i> , 2016 , | 1.6 | 3 |
|-----|---|------|----|
| 302 | Reducing Spatial Heterogeneity of MALDI Samples with Marangoni Flows During Sample Preparation. <i>Journal of the American Society for Mass Spectrometry</i> , 2016 , 27, 1314-21 | 3.5 | 25 |
| 301 | Photoluminescence sensing systems based on copper, gold and silver nanomaterials. <i>Coordination Chemistry Reviews</i> , 2016 , 320-321, 129-138 | 23.2 | 42 |
| 300 | Gold nanoparticles as sensitive optical probes. <i>Analyst, The</i> , 2016 , 141, 1611-26 | 5 | 67 |
| 299 | Ultrasound-mediated modulation of the emission of gold nanodots. <i>Nanoscale</i> , 2016 , 8, 5162-9 | 7.7 | 16 |
| 298 | Silver nanoclusters as fluorescent nanosensors for selective and sensitive nitrite detection. <i>Analytical Methods</i> , 2016 , 8, 2628-2633 | 3.2 | 45 |
| 297 | Intrinsic magnetic properties of plant leaf-derived graphene quantum dots. <i>Materials Letters</i> , 2016 , 170, 110-113 | 3.3 | 6 |
| 296 | Self-templated formation of aptamer-functionalized copper oxide nanorods with intrinsic peroxidase catalytic activity for protein and tumor cell detection. <i>Sensors and Actuators B: Chemical</i> , 2016 , 227, 100-107 | 8.5 | 23 |
| 295 | Highly Stretchable and Sensitive Photodetectors Based on Hybrid Graphene and Graphene Quantum Dots. <i>ACS Applied Materials & amp; Interfaces</i> , 2016 , 8, 466-71 | 9.5 | 74 |
| 294 | Gold nanoparticles modified with self-assembled hybrid monolayer of triblock aptamers as a photoreversible anticoagulant. <i>Journal of Controlled Release</i> , 2016 , 221, 9-17 | 11.7 | 23 |
| 293 | Immobilization of aptamer-modified gold nanoparticles on BiOCl nanosheets: Tunable peroxidase-like activity by protein recognition. <i>Biosensors and Bioelectronics</i> , 2016 , 75, 181-7 | 11.8 | 50 |
| 292 | Sensitive detection of cyanide using bovine serum albumin-stabilized cerium/gold nanoclusters. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 287-94 | 4.4 | 21 |
| 291 | Synthesis, Optical Properties, and Sensing Applications of Gold Nanodots. <i>Chemical Record</i> , 2016 , 16, 1664-75 | 6.6 | 3 |
| 290 | Biomedical Applications of DNA-Conjugated Gold Nanoparticles. <i>ChemBioChem</i> , 2016 , 17, 1052-62 | 3.8 | 37 |
| 289 | Electrical-Polarization-Induced Ultrahigh Responsivity Photodetectors Based on Graphene and Graphene Quantum Dots. <i>Advanced Functional Materials</i> , 2016 , 26, 620-628 | 15.6 | 74 |
| 288 | Photoassisted photoluminescence fine-tuning of gold nanodots through free radical-mediated ligand-assembly. <i>Nanoscale</i> , 2016 , 8, 9771-9 | 7.7 | 9 |
| 287 | Controlled synthesis of Se-supported Au/Pd nanoparticles with photo-assisted electrocatalytic activity and their application in self-powered sensing systems. <i>Nano Energy</i> , 2016 , 22, 564-571 | 17.1 | 33 |
| 286 | Carbon Dot-Mediated Synthesis of Manganese Oxide Decorated Graphene Nanosheets for Supercapacitor Application. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 3008-3016 | 8.3 | 76 |

| 285 | The isomeric effect of mercaptobenzoic acids on the preparation and fluorescence properties of copper nanoclusters. <i>Chemical Communications</i> , 2015 , 51, 11983-6 | 5.8 | 62 |
|-----|---|---------------------|------|
| 284 | Nanomaterial based mass spectrometry of oligodeoxynucleotidedrug complexes. <i>Analytical Methods</i> , 2015 , 7, 6360-6364 | 3.2 | |
| 283 | Selective Colorimetric Detection of Hydrogen Sulfide Based on Primary Amine-Active Ester Cross-Linking of Gold Nanoparticles. <i>Analytical Chemistry</i> , 2015 , 87, 7267-73 | 7.8 | 83 |
| 282 | Aptamer-conjugated polymeric nanoparticles for the detection of cancer cells through "turn-on" retro-self-quenched fluorescence. <i>Analytical Chemistry</i> , 2015 , 87, 4925-32 | 7.8 | 32 |
| 281 | Palladium copper nanosponges for electrocatalytic reduction of oxygen and glucose detection. Journal of Materials Chemistry A, 2015 , 3, 9675-9681 | 13 | 32 |
| 280 | Photoluminescent carbon nanodots: synthesis, physicochemical properties and analytical applications. <i>Materials Today</i> , 2015 , 18, 447-458 | 21.8 | 317 |
| 279 | Fluorescent gold nanodots based sensor array for proteins discrimination. <i>Analytical Chemistry</i> , 2015 , 87, 4253-9 | 7.8 | 101 |
| 278 | One-step synthesis of biofunctional carbon quantum dots for bacterial labeling. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 1-6 | 11.8 | 113 |
| 277 | Photoluminescent graphene quantum dots for in vivo imaging of apoptotic cells. <i>Nanoscale</i> , 2015 , 7, 2504-10 | 7.7 | 83 |
| 276 | Synthesis of photoluminescent carbon dots for the detection of cobalt ions. <i>RSC Advances</i> , 2015 , 5, 228 | 5 ₃ 2/29 | 1 57 |
| 275 | Unibody core-shell smart polymer as a theranostic nanoparticle for drug delivery and MR imaging. <i>Biomaterials</i> , 2015 , 37, 436-46 | 15.6 | 23 |
| 274 | Fluorescent gold nanoclusters: recent advances in sensing and imaging. <i>Analytical Chemistry</i> , 2015 , 87, 216-29 | 7.8 | 609 |
| 273 | Self-Assembly of Antimicrobial Peptides on Gold Nanodots: Against Multidrug-Resistant Bacteria and Wound-Healing Application. <i>Advanced Functional Materials</i> , 2015 , 25, 7189-7199 | 15.6 | 198 |
| 272 | Analyses of functional polymer-modified nanoparticles for protein sensing by surface-assisted laser desorption/ionization mass spectrometry coupled with HgTe nanomatrices. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 130, 157-63 | 6 | 5 |
| 271 | Optical and electrochemical applications of silicon-carbon dots/silicon dioxide nanocomposites. <i>ACS Nano</i> , 2015 , 9, 312-9 | 16.7 | 51 |
| 270 | Sensitive and selective DNA probe based on "turn-on" photoluminescence of C-dots@RGO. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 6917-23 | 4.4 | 7 |
| 269 | Electrochemical synthesis of photoluminescent carbon nanodots from glycine for highly sensitive detection of hemoglobin. <i>Green Chemistry</i> , 2014 , 16, 2509 | 10 | 125 |
| 268 | Photoluminescent AuCu bimetallic nanoclusters as pH sensors and catalysts. <i>Nanoscale</i> , 2014 , 6, 3503-7 | 7.7 | 61 |

(2014-2014)

| 267 | Gold and Silver Nanomaterial-Based Optical Sensing Systems. <i>Particle and Particle Systems Characterization</i> , 2014 , 31, 917-942 | 3.1 | 37 |
|-------------|---|--------------|-----|
| 266 | Aggregation-induced emission of GFP-like chromophores via exclusion of solvent-solute hydrogen bonding. <i>Chemical Communications</i> , 2014 , 50, 620-2 | 5.8 | 22 |
| 265 | Carbon nanodots prepared from o-phenylenediamine for sensing of Cu(2+) ions in cells. <i>Nanoscale</i> , 2014 , 6, 13119-25 | 7.7 | 169 |
| 264 | Effects of deposited ions on the photocatalytic activity of TiO2Au nanospheres. <i>RSC Advances</i> , 2014 , 4, 57290-57296 | 3.7 | 12 |
| 263 | Synthesis of Cu9S8/carbon nanotube nanocomposites with high electrocatalytic activity for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11899 | 13 | 20 |
| 262 | Plant leaf-derived graphene quantum dots and applications for white LEDs. <i>New Journal of Chemistry</i> , 2014 , 38, 4946-4951 | 3.6 | 102 |
| 261 | Photoluminescent gold nanodots: role of the accessing ligands. RSC Advances, 2014, 4, 33629 | 3.7 | 21 |
| 2 60 | Immobilization of iron hydroxide/oxide on reduced graphene oxide: peroxidase-like activity and selective detection of sulfide ions. <i>RSC Advances</i> , 2014 , 4, 37705 | 3.7 | 26 |
| 259 | Sensitive detection of platelet-derived growth factor through surface-enhanced Raman scattering. <i>Analytical Chemistry</i> , 2014 , 86, 7606-11 | 7.8 | 22 |
| 258 | Self-assembly of hybridized ligands on gold nanodots: tunable photoluminescence and sensing of nitrite. <i>Nanoscale</i> , 2014 , 6, 11078-83 | 7.7 | 29 |
| 257 | Synthesis and antimicrobial activity of gold/silver-tellurium nanostructures. <i>ACS Applied Materials & Amp; Interfaces</i> , 2014 , 6, 8305-12 | 9.5 | 26 |
| 256 | One-pot synthesis of fluorescent BSA-Ce/Au nanoclusters as ratiometric pH probes. <i>Chemical Communications</i> , 2014 , 50, 8571-4 | 5.8 | 68 |
| 255 | Fluorescent silver nanoclusters stabilized by DNA scaffolds. <i>Chemical Communications</i> , 2014 , 50, 9800-1 | 5 5.8 | 137 |
| 254 | Quantification of saccharides in honey samples through surface-assisted laser desorption/ionization mass spectrometry using HgTe nanostructures. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 1247-52 | 3.5 | 13 |
| 253 | Logic control of enzyme-like gold nanoparticles for selective detection of lead and mercury ions. <i>Analytical Chemistry</i> , 2014 , 86, 2065-72 | 7.8 | 90 |
| 252 | Graphene oxide modified with aptamer-conjugated gold nanoparticles and heparin: a potent targeted anticoagulant. <i>Biomaterials Science</i> , 2014 , 2, 1332-1337 | 7.4 | 8 |
| 251 | Detection of mercury(II) ions using colorimetric gold nanoparticles on paper-based analytical devices. <i>Analytical Chemistry</i> , 2014 , 86, 6843-9 | 7.8 | 387 |
| 250 | Functional microgels assisted tryptic digestion and quantification of cytochrome c through internal standard mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2014 , 25, 1944-52 | 3.5 | 2 |

| 249 | Carbon dots prepared from ginger exhibiting efficient inhibition of human hepatocellular carcinoma cells. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 4564-4571 | 7.3 | 179 |
|-----|---|------|-----|
| 248 | Sensitive and Selective Gold Nanomaterials Based Optical Probes. <i>Journal of the Chinese Chemical Society</i> , 2014 , 61, 163-174 | 1.5 | 8 |
| 247 | Detection of hydrogen sulfide through photoluminescence quenching of penicillamine-copper nanocluster aggregates. <i>Nanotechnology</i> , 2014 , 25, 195502 | 3.4 | 34 |
| 246 | Detection of adenosine 5@triphosphate by fluorescence variation of oligonucleotide-templated silver nanoclusters. <i>Biosensors and Bioelectronics</i> , 2014 , 58, 266-71 | 11.8 | 23 |
| 245 | Using surface-assisted laser desorption/ionization mass spectrometry to detect ss- and ds-oligodeoxynucleotides. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 877-83 | 3.5 | 5 |
| 244 | Synthesis of fluorescent gold nanodot-liposome hybrids for detection of phospholipase C and its inhibitor. <i>Analytical Chemistry</i> , 2013 , 85, 8834-40 | 7.8 | 51 |
| 243 | Synthesis and catalysis of copper sulfide/carbon nanodots for oxygen reduction in direct methanol fuel cells. <i>Applied Catalysis B: Environmental</i> , 2013 , 132-133, 363-369 | 21.8 | 49 |
| 242 | Sensitive pH probes of retro-self-quenching fluorescent nanoparticles. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 2425-2432 | 7.3 | 15 |
| 241 | Detection of adenosine triphosphate through polymerization-induced aggregation of actin-conjugated gold/silver nanorods. <i>Nanotechnology</i> , 2013 , 24, 444003 | 3.4 | 5 |
| 240 | Logical regulation of the enzyme-like activity of gold nanoparticles by using heavy metal ions. <i>Nanoscale</i> , 2013 , 5, 8227-34 | 7.7 | 86 |
| 239 | Gold Nanomaterials Based Absorption and Fluorescence Detection of Mercury, Lead, and Copper. <i>ACS Symposium Series</i> , 2013 , 39-62 | 0.4 | 1 |
| 238 | Conformational dynamics of DNA bulge loops investigated by CE-LIF. <i>Analytical Methods</i> , 2013 , 5, 2773 | 3.2 | |
| 237 | Photoluminescent organosilane-functionalized carbon dots as temperature probes. <i>Chemical Communications</i> , 2013 , 49, 1639-41 | 5.8 | 127 |
| 236 | Synthesis of fluorescent BSAAu NCs for the detection of Hg2+ ions. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1 | 2.3 | 30 |
| 235 | Analysis of the formation process of gold nanoparticles by surface-assisted laser desorption/ionization mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 305-8 | 3.5 | 4 |
| 234 | Photoluminescent C-dots@RGO for sensitive detection of hydrogen peroxide and glucose. <i>Talanta</i> , 2013 , 115, 718-23 | 6.2 | 27 |
| 233 | Synthesis of Anatase Se/Te-TiO2 Nanorods with Dominant {100} Facets: Photocatalytic and Antibacterial Activity Induced by Visible Light. <i>ChemPlusChem</i> , 2013 , 78, 302-309 | 2.8 | 18 |
| 232 | Using photoluminescent gold nanodots to detect hemoglobin in diluted blood samples. <i>Biosensors and Bioelectronics</i> , 2013 , 43, 38-44 | 11.8 | 47 |

(2012-2013)

| 231 | Porous palladium copper nanoparticles for the electrocatalytic oxidation of methanol in direct methanol fuel cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 4773 | 13 | 104 |
|-----|--|------|-----|
| 230 | Highly efficient inhibition of human immunodeficiency virus type 1 reverse transcriptase by aptamers functionalized gold nanoparticles. <i>Nanoscale</i> , 2013 , 5, 2756-64 | 7.7 | 42 |
| 229 | Extremely high inhibition activity of photoluminescent carbon nanodots toward cancer cells. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 1774-1781 | 7.3 | 141 |
| 228 | Fibrinolysis and thrombosis of fibrinogen-modified gold nanoparticles for detection of fibrinolytic-related proteins. <i>Analytica Chimica Acta</i> , 2013 , 774, 67-72 | 6.6 | 6 |
| 227 | Ligand effect on the luminescence of gold nanodots and its application for detection of total mercury ions in biological samples. <i>RSC Advances</i> , 2013 , 3, 4588 | 3.7 | 45 |
| 226 | Synthesis of aluminum oxide supported fluorescent gold nanodots for the detection of silver ions. <i>Nanoscale</i> , 2013 , 5, 4691-5 | 7.7 | 32 |
| 225 | Synthesis of copper nanowire decorated reduced graphene oxide for electro-oxidation of methanol. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 5973 | 13 | 62 |
| 224 | Synthesis of graphene-ZnO-Au nanocomposites for efficient photocatalytic reduction of nitrobenzene. <i>Environmental Science & Environmental Science & E</i> | 10.3 | 179 |
| 223 | Disassembly mediated fluorescence recovery of gold nanodots for selective sulfide sensing. <i>Nanoscale</i> , 2013 , 5, 4683-6 | 7.7 | 44 |
| 222 | Photoluminescent C-dots@RGO probe for sensitive and selective detection of acetylcholine. <i>Analytical Chemistry</i> , 2013 , 85, 3263-70 | 7.8 | 84 |
| 221 | Te/Pt nanonetwork modified carbon fiber microelectrodes for methanol oxidation. <i>Nanotechnology</i> , 2013 , 24, 195402 | 3.4 | 11 |
| 220 | Synthesis of photoluminescent Au ND-PNIPAM hybrid microgel for the detection of Hg2+. <i>ACS Applied Materials & Applied & Applied Materials & Applied & Appli</i> | 9.5 | 53 |
| 219 | Gold nanosponges: green synthesis, characterization, and cytotoxicity. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 6566-74 | 1.3 | 3 |
| 218 | Detection of mercury ions using silver telluride nanoparticles as a substrate and recognition element through surface-enhanced Raman scattering. <i>Frontiers in Chemistry</i> , 2013 , 1, 20 | 5 | 7 |
| 217 | High-Efficiency Photochemical Water Splitting of CdZnS/CdZnSe Nanostructures. <i>Journal of Materials</i> , 2013 , 2013, 1-7 | | 3 |
| 216 | Tea Identification through Surface-Assisted Laser Desorption/Ionization Mass Spectrometry. International Journal of Analytical Mass Spectrometry and Chromatography, 2013, 01, 11-21 | 0.7 | 3 |
| 215 | Tellurium-nanowire-coated glassy carbon electrodes for selective and sensitive detection of dopamine. <i>Biosensors and Bioelectronics</i> , 2012 , 35, 479-483 | 11.8 | 21 |
| 214 | Enzyme mimics of Au/Ag nanoparticles for fluorescent detection of acetylcholine. <i>Analytical Chemistry</i> , 2012 , 84, 9706-12 | 7.8 | 116 |

| 213 | DNA Functional Gold and Silver Nanomaterials for Bioanalysis. ACS Symposium Series, 2012, 287-322 | 0.4 | 2 |
|-----|--|------------------|-----|
| 212 | Synthesis of high-quality carbon nanodots from hydrophilic compounds: role of functional groups. <i>Chemical Communications</i> , 2012 , 48, 3984-6 | 5.8 | 389 |
| 211 | Detection of carbohydrates using surface-assisted laser desorption/ionization mass spectrometry with HgTe nanostructures. <i>Chemical Science</i> , 2012 , 3, 2147 | 9.4 | 24 |
| 210 | Highly flexible and stable aptamer-caged nanoparticles for control of thrombin activity. <i>RSC Advances</i> , 2012 , 2, 1577-1584 | 3.7 | 15 |
| 209 | Peroxidase-mimic bismuth-gold nanoparticles for determining the activity of thrombin and drug screening. <i>Chemical Communications</i> , 2012 , 48, 7952-4 | 5.8 | 105 |
| 208 | Peroxidase mimicking DNA-gold nanoparticles for fluorescence detection of the lead ions in blood. <i>Analyst, The</i> , 2012 , 137, 5222-8 | 5 | 40 |
| 207 | Catalytic gold nanoparticles for fluorescent detection of mercury(II) and lead(II) ions. <i>Analytica Chimica Acta</i> , 2012 , 745, 124-30 | 6.6 | 86 |
| 206 | Carbon nanotubes/cobalt sulfide composites as potential high-rate and high-efficiency supercapacitors. <i>Journal of Power Sources</i> , 2012 , 215, 43-47 | 8.9 | 108 |
| 205 | Preparation of photocatalytic Au-Ag2Te nanomaterials. <i>Chemistry - A European Journal</i> , 2012 , 18, 12330 | -.6 .8 | 13 |
| 204 | Pulsed-laser desorption/ionization of clusters from biofunctional gold nanoparticles: implications for protein detections. <i>ACS Applied Materials & English Research</i> , 1012, 10241-8 | 9.5 | 21 |
| 203 | Synthesis of enzyme mimics of iron telluride nanorods for the detection of glucose. <i>Chemical Communications</i> , 2012 , 48, 4079-81 | 5.8 | 56 |
| 202 | Iron telluride nanorods-based system for the detection of total mercury in blood. <i>Journal of Hazardous Materials</i> , 2012 , 243, 286-91 | 12.8 | 7 |
| 201 | Fluorescent gold and silver nanoclusters for the analysis of biopolymers and cell imaging. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12972 | | 160 |
| 200 | Gold nanoparticle-aluminum oxide adsorbent for efficient removal of mercury species from natural waters. <i>Environmental Science & Environmental Scienc</i> | 10.3 | 71 |
| 199 | Using surface-assisted laser desorption/ionization mass spectrometry to detect proteins and protein-protein complexes. <i>Analytical Chemistry</i> , 2012 , 84, 1924-30 | 7.8 | 24 |
| 198 | Detection of melamine in infant formula and grain powder by surface-assisted laser desorption/ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 1393-8 | 3 ^{2.2} | 14 |
| 197 | Synthesis and analytical applications of photoluminescent carbon nanodots. <i>Green Chemistry</i> , 2012 , 14, 917 | 10 | 329 |
| 196 | Molecularly imprinted aptamers of gold nanoparticles for the enzymatic inhibition and detection of thrombin. <i>Langmuir</i> , 2012 , 28, 8944-51 | 4 | 36 |

| 195 | Antibacterial activities of tellurium nanomaterials. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 930-4 | 4.5 | 47 |
|--------------------------|--|------------------------------------|------------------------------|
| 194 | Gold nanoparticle probes for the detection of mercury, lead and copper ions. <i>Analyst, The</i> , 2011 , 136, 863-71 | 5 | 322 |
| 193 | Nanoparticle-based mass spectrometry for the analysis of biomolecules. <i>Chemical Society Reviews</i> , 2011 , 40, 1269-81 | 58.5 | 255 |
| 192 | Fluorescence detection of lead(II) ions through their induced catalytic activity of DNAzymes. <i>Analytical Chemistry</i> , 2011 , 83, 225-30 | 7.8 | 145 |
| 191 | Fluorescence detection of mercury(II) and lead(II) ions using aptamer/reporter conjugates. <i>Talanta</i> , 2011 , 84, 324-9 | 6.2 | 70 |
| 190 | Use of fluorescent DNA-templated gold/silver nanoclusters for the detection of sulfide ions. <i>Analytical Chemistry</i> , 2011 , 83, 9450-5 | 7.8 | 250 |
| 189 | Preparation of highly electroactive cobalt sulfide corellhell nanosheets as counter electrodes for CdZnSSe nanostructure-sensitized solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 2867-2873 | 3 ^{6.4} | 17 |
| 188 | Preparation of highly luminescent mannose-gold nanodots for detection and inhibition of growth of Escherichia coli. <i>Biosensors and Bioelectronics</i> , 2011 , 27, 95-100 | 11.8 | 27 |
| 187 | Colorimetric detection of platelet-derived growth factors through competitive interactions between proteins and functional gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2011 , 29, 204-9 | 11.8 | 33 |
| | | | |
| 186 | Detection of Nucleoside Monophosphates through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 761-768 | 1.5 | 4 |
| 186 | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. Journal of the Chinese Chemical | 1.5 | 11 |
| | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 761-768 Analysis of Biomolecules through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry | | |
| 185 | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 761-768 Analysis of Biomolecules through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry Employing Nanomaterials. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 769-778 Quantum dot-sensitized solar cells incorporating nanomaterials. <i>Chemical Communications</i> , 2011 , | 1.5 | 11 |
| 185 184 | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 761-768 Analysis of Biomolecules through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry Employing Nanomaterials. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 769-778 Quantum dot-sensitized solar cells incorporating nanomaterials. <i>Chemical Communications</i> , 2011 , 47, 9561-71 Using self-assembled aptamers and fibrinogen-conjugated gold nanoparticles to detect DNA based | 1.5 5.8 | 11 230 |
| 185 184 183 | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 761-768 Analysis of Biomolecules through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry Employing Nanomaterials. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 769-778 Quantum dot-sensitized solar cells incorporating nanomaterials. <i>Chemical Communications</i> , 2011 , 47, 9561-71 Using self-assembled aptamers and fibrinogen-conjugated gold nanoparticles to detect DNA based on controlled thrombin activity. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3464-8 Using a Functional Nanogold Membrane Coupled with Laser Desorption/Ionization Mass | 1.5 5.8 11.8 | 11 230 15 |
| 185 184 183 | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 761-768 Analysis of Biomolecules through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry Employing Nanomaterials. <i>Journal of the Chinese Chemical Society</i> , 2011 , 58, 769-778 Quantum dot-sensitized solar cells incorporating nanomaterials. <i>Chemical Communications</i> , 2011 , 47, 9561-71 Using self-assembled aptamers and fibrinogen-conjugated gold nanoparticles to detect DNA based on controlled thrombin activity. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3464-8 Using a Functional Nanogold Membrane Coupled with Laser Desorption/Ionization Mass Spectrometry to Detect Lead Ions in Biofluids. <i>Advanced Functional Materials</i> , 2011 , 21, 4448-4455 Quantum DotBensitized Solar Cells Featuring CuS/CoS Electrodes Provide 4.1% Efficiency. | 1.5 5.8 11.8 | 11 230 15 35 |
| 185 184 183 182 | Mass Spectrometry Using CTAB-Adsorbed Gold, Nanoparticles. Journal of the Chinese Chemical Society, 2011, 58, 761-768 Analysis of Biomolecules through Surface-Assisted Laser, Desorption/Ionization Mass Spectrometry Employing Nanomaterials. Journal of the Chinese Chemical Society, 2011, 58, 769-778 Quantum dot-sensitized solar cells incorporating nanomaterials. Chemical Communications, 2011, 47, 9561-71 Using self-assembled aptamers and fibrinogen-conjugated gold nanoparticles to detect DNA based on controlled thrombin activity. Biosensors and Bioelectronics, 2011, 26, 3464-8 Using a Functional Nanogold Membrane Coupled with Laser Desorption/Ionization Mass Spectrometry to Detect Lead Ions in Biofluids. Advanced Functional Materials, 2011, 21, 4448-4455 Quantum DotBensitized Solar Cells Featuring CuS/CoS Electrodes Provide 4.1% Efficiency. Advanced Energy Materials, 2011, 1, 259-264 Quantitation of branched-chain amino acids in ascites by capillary electrophoresis with | 1.5 5.8 11.8 15.6 21.8 | 11 230 15 35 234 |

| 177 | Highly efficient control of thrombin activity by multivalent nanoparticles. <i>Chemistry - A European Journal</i> , 2011 , 17, 10994-1000 | 4.8 | 30 |
|-----|---|------|-----|
| 176 | One-pot synthesis of fluorescent oligonucleotide Ag nanoclusters for specific and sensitive detection of DNA. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2431-5 | 11.8 | 125 |
| 175 | Protein A-conjugated luminescent gold nanodots as a label-free assay for immunoglobulin G in plasma. <i>Analyst, The</i> , 2011 , 136, 1177-82 | 5 | 40 |
| 174 | Detection of human serum albumin through surface-enhanced Raman scattering using gold "pearl necklace" nanomaterials as substrates. <i>Chemical Communications</i> , 2011 , 47, 7116-8 | 5.8 | 25 |
| 173 | Gold/Platinum nanosponges for electrocatalytic oxidation of methanol. <i>Green Chemistry</i> , 2011 , 13, 1029 | 910 | 23 |
| 172 | Cascade quantum dots sensitized TiO2 nanorod arrays for solar cell applications. <i>Nanoscale</i> , 2011 , 3, 4940 | 7.7 | 29 |
| 171 | Detection of mercury and phenylmercury ions using DNA-based fluorescent probe. <i>Analyst, The</i> , 2011 , 136, 3323-8 | 5 | 15 |
| 170 | Control of synthesis and optical properties of DNA templated silver nanoclusters by varying DNA length and sequence. <i>RSC Advances</i> , 2011 , 1, 802 | 3.7 | 65 |
| 169 | Characterization and application to the detection of single-stranded DNA binding protein of fluorescent DNA-templated copper/silver nanoclusters. <i>Analyst, The,</i> 2011 , 136, 3623-8 | 5 | 51 |
| 168 | Direct methanol fuel cells using Se/Ru core/shell cathodes provide high catalytic activity and stability. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 7303-7309 | 6.7 | 14 |
| 167 | Supercapacitors incorporating hollow cobalt sulfide hexagonal nanosheets. <i>Journal of Power Sources</i> , 2011 , 196, 7874-7877 | 8.9 | 131 |
| 166 | Electrocatalytic sulfur electrodes for CdS/CdSe quantum dot-sensitized solar cells. <i>Chemical Communications</i> , 2010 , 46, 5485-7 | 5.8 | 261 |
| 165 | Detection of proteins and protein-ligand complexes using HgTe nanostructure matrixes in surface-assisted laser desorption/ionization mass spectrometry. <i>Analytical Chemistry</i> , 2010 , 82, 4543-50 | 7.8 | 61 |
| 164 | Enrichment and fluorescence enhancement of adenosine using aptamer-gold nanoparticles, PDGF aptamer, and Oligreen. <i>Talanta</i> , 2010 , 81, 493-8 | 6.2 | 43 |
| 163 | Silver nanoclusters as fluorescent probes for selective and sensitive detection of copper ions. <i>Chemical Communications</i> , 2010 , 46, 1257-9 | 5.8 | 321 |
| 162 | Photoassisted synthesis of luminescent mannose-Au nanodots for the detection of thyroglobulin in serum. <i>Chemistry - an Asian Journal</i> , 2010 , 5, 334-41 | 4.5 | 41 |
| 161 | Detection of copper ions through recovery of the fluorescence of DNA-templated copper/silver nanoclusters in the presence of mercaptopropionic acid. <i>Analytical Chemistry</i> , 2010 , 82, 8566-72 | 7.8 | 220 |
| 160 | Label-free colorimetric detection of picomolar thrombin in blood plasma using a gold nanoparticle-based assay. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1922-7 | 11.8 | 104 |

| 159 | Synthesis and characterization of Zn x Hg1 Se y S1 quantum dots. <i>Journal of Nanoparticle Research</i> , 2010 , 12, 1377-1388 | 2.3 | 10 |
|-----|--|--------------------|-----|
| 158 | Analysis of DNA complexes with small solutes by CE with LIF detection. <i>Electrophoresis</i> , 2010 , 31, 1101- | 73.6 | 2 |
| 157 | Aptamer-Conjugated Nanoparticles Efficiently Control the Activity of Thrombin. <i>Advanced Functional Materials</i> , 2010 , 20, 3175-3182 | 15.6 | 47 |
| 156 | Quantification of captopril in urine through surface-assisted laser desorption/ionization mass spectrometry using 4-mercaptobenzoic acid-capped gold nanoparticles as an internal standard. <i>Journal of the American Society for Mass Spectrometry</i> , 2010 , 21, 864-7 | 3.5 | 41 |
| 155 | Nanomaterial-based surface-assisted laser desorption/ionization mass spectrometry of peptides and proteins. <i>Journal of the American Society for Mass Spectrometry</i> , 2010 , 21, 1204-7 | 3.5 | 69 |
| 154 | Accurate quantitation of glutathione in cell lysates through surface-assisted laser desorption/ionization mass spectrometry using gold nanoparticles. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2010 , 6, 530-7 | 6 | 52 |
| 153 | CdHgTe and CdTe quantum dot solar cells displaying an energy conversion efficiency exceeding 2%. <i>Solar Energy Materials and Solar Cells</i> , 2010 , 94, 2046-2051 | 6.4 | 49 |
| 152 | Analysis of amino acids and biogenic amines in breast cancer cells by capillary electrophoresis using polymer solutions containing sodium dodecyl sulfate. <i>Journal of Chromatography A</i> , 2010 , 1217, 582-7 | 4.5 | 36 |
| 151 | Exploring the interactions between gold nanoparticles and analytes through surface-assisted laser desorption/ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 933-8 | 2.2 | 19 |
| 150 | Controllable red, green, blue (RGB) and bright white upconversion luminescence of Lu2O3:Yb3+/Er3+/Tm3+ nanocrystals through single laser excitation at 980 nm. <i>Chemistry - A European Journal</i> , 2009 , 15, 4649-55 | 4.8 | 213 |
| 149 | Facile synthesis of catalytically active platinum nanosponges, nanonetworks, and nanodendrites. <i>Chemistry - A European Journal</i> , 2009 , 15, 4656-62 | 4.8 | 74 |
| 148 | Combining capillary electrophoresis with laser-induced fluorescence detection for the analysis of Escherichia coli lysates. <i>Electrophoresis</i> , 2009 , 30, 2397-402 | 3.6 | 2 |
| 147 | Using electrospray ionization mass spectrometry to explore the interactions among polythymine oligonucleotides, ethidium bromide, and mercury ions. <i>Journal of the American Society for Mass Spectrometry</i> , 2009 , 20, 1834-40 | 3.5 | 3 |
| 146 | Aptamer-modified gold nanoparticles for targeting breast cancer cells through light scattering. Journal of Nanoparticle Research, 2009 , 11, 775-783 | 2.3 | 77 |
| 145 | Detection of aminothiols through surface-assisted laser desorption/ionization mass spectrometry using mixed gold nanoparticles. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 3063-8 | 2.2 | 30 |
| 144 | Separation of amino acids and amines by capillary electrophoresis using poly(ethylene oxide) solution containing cetyltrimethylammonium bromide. <i>Journal of Chromatography A</i> , 2009 , 1216, 7576- | 8 ⁴ 1·5 | 12 |
| 143 | Fluorescence detection of single-nucleotide polymorphisms using a thymidine-based molecular beacon. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2541-6 | 11.8 | 47 |
| 142 | Gold nanodot-based luminescent sensor for the detection of hydrogen peroxide and glucose. <i>Chemical Communications</i> , 2009 , 3437-9 | 5.8 | 185 |

| 141 | Synthesis of wavelength-tunable luminescent gold and gold/silver nanodots. <i>Journal of Materials Chemistry</i> , 2009 , 19, 755-759 | | 99 |
|-----|---|---------------|-----|
| 140 | Colorimetric assay for lead ions based on the leaching of gold nanoparticles. <i>Analytical Chemistry</i> , 2009 , 81, 9433-9 | 7.8 | 186 |
| 139 | Synthesis of fluorescent carbohydrate-protected Au nanodots for detection of Concanavalin A and Escherichia coli. <i>Analytical Chemistry</i> , 2009 , 81, 875-82 | 7.8 | 195 |
| 138 | Highly selective DNA-based sensor for lead(II) and mercury(II) ions. <i>Analytical Chemistry</i> , 2009 , 81, 2383 | 3-7 .8 | 317 |
| 137 | A simple strategy for improving the energy conversion of multilayered CdTe quantum dot-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2009 , 19, 2349 | | 84 |
| 136 | DNA functionalized gold nanoparticles for bioanalysis. <i>Analytical Methods</i> , 2009 , 1, 14-24 | 3.2 | 54 |
| 135 | Time-resolved luminescence-based assay for thyroglobulin. <i>Journal of Biomedical Nanotechnology</i> , 2009 , 5, 579-85 | 4 | 7 |
| 134 | Aptamer-based fluorescence sensor for rapid detection of potassium ions in urine. <i>Chemical Communications</i> , 2008 , 1461-3 | 5.8 | 107 |
| 133 | Detection of mercury(II) based on Hg2+ -DNA complexes inducing the aggregation of gold nanoparticles. <i>Chemical Communications</i> , 2008 , 2242-4 | 5.8 | 359 |
| 132 | Bioconjugated gold nanodots and nanoparticles for protein assays based on photoluminescence quenching. <i>Analytical Chemistry</i> , 2008 , 80, 1497-504 | 7.8 | 182 |
| 131 | Control over surface DNA density on gold nanoparticles allows selective and sensitive detection of mercury(II). <i>Langmuir</i> , 2008 , 24, 8346-50 | 4 | 137 |
| 130 | Selective photothermal therapy for mixed cancer cells using aptamer-conjugated nanorods. <i>Langmuir</i> , 2008 , 24, 11860-5 | 4 | 200 |
| 129 | Synthesis of fluorescent and photovoltaic Cu(2)O nanocubes. <i>Nanotechnology</i> , 2008 , 19, 025604 | 3.4 | 56 |
| 128 | Cancer cell targeting using multiple aptamers conjugated on nanorods. <i>Analytical Chemistry</i> , 2008 , 80, 567-72 | 7.8 | 267 |
| 127 | Selective growth of gold nanoparticles onto tellurium nanowiresvia a green chemical route. <i>Journal of Materials Chemistry</i> , 2008 , 18, 2569 | | 30 |
| 126 | Identification of individual DNA molecule of Mycobacterium tuberculosis by nested PCR-RFLP and capillary electrophoresis. <i>Talanta</i> , 2008 , 77, 182-8 | 6.2 | 12 |
| 125 | Preparation of Fluorescent Tellurium Nanowires at Room Temperature. <i>Crystal Growth and Design</i> , 2008 , 8, 351-357 | 3.5 | 125 |
| 124 | Oligonucleotide-based fluorescence probe for sensitive and selective detection of mercury(II) in aqueous solution. <i>Analytical Chemistry</i> , 2008 , 80, 3716-21 | 7.8 | 285 |

| 123 | Preparation of gold-tellurium hybrid nanomaterials for surface-enhanced Raman spectroscopy. <i>Langmuir</i> , 2008 , 24, 365-7 | 4 | 51 |
|-----|---|--------------------|-----|
| 122 | Fluorescence detection of single nucleotide polymorphisms using a universal molecular beacon. <i>Nucleic Acids Research</i> , 2008 , 36, e123 | 20.1 | 56 |
| 121 | Determining estrogens using surface-assisted laser desorption/ionization mass spectrometry with silver nanoparticles as the matrix. <i>Journal of the American Society for Mass Spectrometry</i> , 2008 , 19, 1343 | 3- 3 .5 | 86 |
| 120 | Stacking and separation of protein derivatives of naphthalene-2,3-dicarboxaldehyde by CE with light-emitting diode induced fluorescence detection. <i>Electrophoresis</i> , 2008 , 29, 433-40 | 3.6 | 19 |
| 119 | Capillary electrophoretic separation of biologically active amines and acids using nanoparticle-coated capillaries. <i>Electrophoresis</i> , 2008 , 29, 1942-51 | 3.6 | 28 |
| 118 | Capillary electropherograms for restriction fragment length polymorphism of Helicobacter pylori. <i>Electrophoresis</i> , 2008 , 29, 3964-70 | 3.6 | 4 |
| 117 | Colorimetric determination of urinary adenosine using aptamer-modified gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2008 , 23, 1749-53 | 11.8 | 143 |
| 116 | Synthesis of novel benzothiazole compounds with an extended conjugated system. <i>Arkivoc</i> , 2008 , 2007, 113-122 | 0.9 | 26 |
| 115 | Control of the surface charges of Au-Ag nanorods: selective detection of iron in the presence of poly(sodium 4-styrenesulfonate). <i>Langmuir</i> , 2007 , 23, 12777-81 | 4 | 22 |
| 114 | Parameters for selective colorimetric sensing of mercury(II) in aqueous solutions using mercaptopropionic acid-modified gold nanoparticles. <i>Chemical Communications</i> , 2007 , 1215-7 | 5.8 | 297 |
| 113 | Preparation and characterization of flower-like gold nanomaterials and iron oxide/gold composite nanomaterials. <i>Nanotechnology</i> , 2007 , 18, 255606 | 3.4 | 22 |
| 112 | Synthesis of highly fluorescent gold nanoparticles for sensing mercury(II). <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 6824-8 | 16.4 | 645 |
| 111 | Synthesis of Highly Fluorescent Gold Nanoparticles for Sensing Mercury(II). <i>Angewandte Chemie</i> , 2007 , 119, 6948-6952 | 3.6 | 170 |
| 110 | CE with sequential light-emitting diode-induced fluorescence and electro-chemiluminescence detections for the determination of amino acids and alkaloids. <i>Electrophoresis</i> , 2007 , 28, 1092-9 | 3.6 | 42 |
| 109 | Analysis of magnolol and honokiol in biological fluids by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2007 , 1142, 240-4 | 4.5 | 19 |
| 108 | Stacking and separation of fluorescent derivatives of amino acids by micellar electrokinetic chromatography in the presence of poly(ethylene oxide). <i>Journal of Chromatography A</i> , 2007 , 1146, 118 | 3- 2 :4 | 31 |
| 107 | Fluorescence and interactions with thiol compounds of Nile Red-adsorbed gold nanoparticles. Journal of Colloid and Interface Science, 2007, 307, 340-8 | 9.3 | 37 |
| 106 | Determining enediol compounds in tea using surface-assisted laser desorption/ionization mass spectrometry with titanium dioxide nanoparticle matrices. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 2023-30 | 2.2 | 81 |

| 105 | Aptamer-functionalized gold nanoparticles for turn-on light switch detection of platelet-derived growth factor. <i>Analytical Chemistry</i> , 2007 , 79, 4798-804 | 7.8 | 148 |
|-----|--|-----|-----|
| 104 | Analysis of adenosine triphosphate and glutathione through gold nanoparticles assisted laser desorption/ionization mass spectrometry. <i>Analytical Chemistry</i> , 2007 , 79, 4852-9 | 7.8 | 229 |
| 103 | Nanomaterial based affinity matrix-assisted laser desorption/ionization mass spectrometry for biomolecules and pathogenic bacteria. <i>Recent Patents on Nanotechnology</i> , 2007 , 1, 99-111 | 1.2 | 26 |
| 102 | Analysis of Dynamic and Thermodynamic Adsorption of Nanoparticles on Solid Surfaces by Dark-Field Light Scattering Measurements. <i>Journal of the Chinese Chemical Society</i> , 2007 , 54, 869-878 | 1.5 | |
| 101 | Photoinduced self-assembly of Au-Ag-Hg trimetallic nanoparticles during their synthesis from gold seeds in glycine solution. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 3172-9 | 1.3 | 3 |
| 100 | The hsp65 gene patterns of less common Mycobacterium and Nocardia spp. by polymerase chain reaction-restriction fragment length polymorphism analysis with capillary electrophoresis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007 , 58, 315-23 | 2.9 | 15 |
| 99 | Photo-assisted synthesis of highly fluorescent ZnSe(S) quantum dots in aqueous solution. <i>Journal of Materials Chemistry</i> , 2007 , 17, 2661 | | 100 |
| 98 | Manipulation of the growth of gold and silver nanomaterials on glass by seeding approach. <i>Langmuir</i> , 2007 , 23, 1435-42 | 4 | 30 |
| 97 | Protein-Conjugated Quantum Dots for Detecting Trypsin and Trypsin Inhibitor Through Fluorescence Resonance Energy Transfer. <i>The Open Analytical Chemistry Journal</i> , 2007 , 1, 1-6 | | 10 |
| 96 | Preparation and Characterization of Different Shapes of Silver Nanostructures in Aqueous Solution. <i>The Open Nanoscience Journal</i> , 2007 , 1, 5-12 | | 12 |
| 95 | Stacking, derivatization, and separation by capillary electrophoresis of amino acids from cerebrospinal fluids. <i>Electrophoresis</i> , 2006 , 27, 1922-31 | 3.6 | 41 |
| 94 | Capillary electrophoresis-based separation techniques for the analysis of proteins. <i>Electrophoresis</i> , 2006 , 27, 3503-22 | 3.6 | 67 |
| 93 | Analysis of biologically active amines by CE. <i>Electrophoresis</i> , 2006 , 27, 4792-807 | 3.6 | 56 |
| 92 | Using a Layer-by-Layer Assembly Technique to Fabricate Multicolored-Light-Emitting Films of CdSe@CdS and CdTe Quantum Dots. <i>Advanced Materials</i> , 2006 , 18, 1381-1386 | 24 | 91 |
| 91 | Synthesis and properties of water-soluble core-shell-shell silica-CdSe/CdS-silica nanoparticles. Journal of Nanoscience and Nanotechnology, 2006 , 6, 1092-100 | 1.3 | 8 |
| 90 | Growth of various AuAg nanocomposites from gold seeds in amino acid solutions. <i>Nanotechnology</i> , 2006 , 17, 4885-4894 | 3.4 | 61 |
| 89 | Anisotropic syntheses of boat-shaped core@hell AuAg nanocrystals and nanowires. <i>Nanotechnology</i> , 2006 , 17, 2304-2310 | 3.4 | 29 |
| 88 | Selective gold-nanoparticle-based "turn-on" fluorescent sensors for detection of mercury(II) in aqueous solution. <i>Analytical Chemistry</i> , 2006 , 78, 8332-8 | 7.8 | 411 |

(2005-2006)

| 87 | Nile Red-adsorbed gold nanoparticle matrixes for determining aminothiols through surface-assisted laser desorption/ionization mass spectrometry. <i>Analytical Chemistry</i> , 2006 , 78, 1485-93 | 37.8 | 198 |
|----|--|--------------------|-----|
| 86 | On-line concentration of microheterogeneous proteins by capillary electrophoresis using SDS and PEO as additives. <i>Journal of Proteome Research</i> , 2006 , 5, 429-36 | 5.6 | 29 |
| 85 | Analysis of Nucleic Acids and Proteins in Capillary Electrophoresis and Microchip Capillary Electrophoresis Using Polymers as Additives of the Background Electrolytes. <i>Current Analytical Chemistry</i> , 2006 , 2, 17-33 | 1.7 | 22 |
| 84 | Determination of aristolochic acid in Chinese herbal medicine by capillary electrophoresis with laser-induced fluorescence detection. <i>Journal of Chromatography A</i> , 2006 , 1105, 127-34 | 4.5 | 38 |
| 83 | Impact of halides on the simultaneous separation of aromatic amines and their acidic metabolites by capillary electrophoresis with laser-induced native fluorescence detection under acidic conditions. <i>Journal of Chromatography A</i> , 2006 , 1102, 302-8 | 4.5 | 17 |
| 82 | Cyclodextrin-modified microemulsion electrokinetic chromatography for separation of alpha-, gamma-, delta-tocopherol and alpha-tocopherol acetate. <i>Journal of Chromatography A</i> , 2006 , 1110, 227 | ′- 3 45 | 22 |
| 81 | Analysis of double-stranded DNA by capillary electrophoresis using poly(ethylene oxide) in the presence of hexadecyltrimethylammonium bromide. <i>Journal of Chromatography A</i> , 2006 , 1130, 206-11 | 4.5 | 10 |
| 80 | Synthesis and characterization of Au core-Au-Ag shell nanoparticles from gold seeds: impacts of glycine concentration and pH. <i>Journal of Colloid and Interface Science</i> , 2006 , 301, 145-54 | 9.3 | 55 |
| 79 | Impacts that pH and metal ion concentration have on the synthesis of bimetallic and trimetallic nanorods from gold seeds. <i>Journal of Materials Chemistry</i> , 2005 , 15, 2450 | | 25 |
| 78 | Using nile red-adsorbed gold nanoparticles to locate glutathione within erythrocytes. <i>Langmuir</i> , 2005 , 21, 10676-83 | 4 | 15 |
| 77 | Determination of small phosphorus-containing compounds by capillary electrophoresis. <i>Talanta</i> , 2005 , 66, 411-21 | 6.2 | 25 |
| 76 | Aptamer-modified gold nanoparticles for colorimetric determination of platelet-derived growth factors and their receptors. <i>Analytical Chemistry</i> , 2005 , 77, 5735-41 | 7.8 | 503 |
| 75 | Modification of poly(methyl methacrylate) microchannels for highly efficient and reproducible electrophoretic separations of double-stranded DNA. <i>Journal of Chromatography A</i> , 2005 , 1073, 191-9 | 4.5 | 26 |
| 74 | Determination of glycine, glutamine, glutamate, and Emminobutyric acid in cerebrospinal fluids by capillary electrophoresis with light-emitting diode-induced fluorescence detection. <i>Analytica Chimica Acta</i> , 2005 , 538, 143-150 | 6.6 | 44 |
| 73 | Photoassisted synthesis of CdSe and core-shell CdSe/CdS quantum dots. <i>Langmuir</i> , 2005 , 21, 728-34 | 4 | 75 |
| 72 | Discontinuous electrolyte systems for improved detection of biologically active amines and acids by capillary electrophoresis with laser-induced native fluorescence detection. <i>Electrophoresis</i> , 2005 , 26, 187-95 | 3.6 | 50 |
| 71 | Nanomaterials and chip-based nanostructures for capillary electrophoretic separations of DNA. <i>Electrophoresis</i> , 2005 , 26, 320-30 | 3.6 | 61 |
| 70 | Silica nanoparticles for separation of biologically active amines by capillary electrophoresis with laser-induced native fluorescence detection. <i>Electrophoresis</i> , 2005 , 26, 2643-51 | 3.6 | 42 |
| | | | |

| 69 | Nanoparticle-filled capillary electrophoresis for the separation of long DNA molecules in the presence of hydrodynamic and electrokinetic forces. <i>Electrophoresis</i> , 2005 , 26, 3069-75 | 3.6 | 57 |
|----|--|-----|-----|
| 68 | Determination of tertiary amines based on pH junctions and field amplification in capillary electrophoresis with electrochemiluminescence detection. <i>Electrophoresis</i> , 2005 , 26, 2984-90 | 3.6 | 33 |
| 67 | Photosynthesis of gold nanoparticles in presence of proteins. <i>Journal of Nanoscience and Nanotechnology</i> , 2005 , 5, 2128-32 | 1.3 | 11 |
| 66 | Laser-Induced Fluorescence Detection for Capillary Electrophoresis 2005 , 914-920 | | |
| 65 | Capillary electrophoretic restriction fragment length polymorphism patterns for the Mycobacterial hsp65 gene. <i>Journal of Clinical Microbiology</i> , 2004 , 42, 3525-31 | 9.7 | 16 |
| 64 | Separation of long double-stranded DNA by nanoparticle-filled capillary electrophoresis. <i>Analytical Chemistry</i> , 2004 , 76, 192-6 | 7.8 | 108 |
| 63 | Fast and sensitive diagnosis of thalassemia by capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 404-10 | 4.4 | 11 |
| 62 | Separation of double-stranded DNA fragments by capillary electrophoresis: Impacts of poly(ethylene oxide), gold nanoparticles, ethidium bromide, and pH. <i>Electrophoresis</i> , 2004 , 25, 2186-92 | 3.6 | 50 |
| 61 | Synthesis of dumbbell-shaped Au-Ag core-shell nanorods by seed-mediated growth under alkaline conditions. <i>Langmuir</i> , 2004 , 20, 6089-92 | 4 | 165 |
| 60 | Nile red-adsorbed gold nanoparticles for selective determination of thiols based on energy transfer and aggregation. <i>Analytical Chemistry</i> , 2004 , 76, 3727-34 | 7.8 | 169 |
| 59 | Protein-protein interaction studies based on molecular aptamers by affinity capillary electrophoresis. <i>Analytical Chemistry</i> , 2004 , 76, 6973-81 | 7.8 | 94 |
| 58 | Plasmon absorption of gold nanoparticles in linear polymer solutions. <i>Journal of Nanoscience and Nanotechnology</i> , 2004 , 4, 622-7 | 1.3 | 4 |
| 57 | Capillary electrophoretic separation of dsDNA under nonuniform electric fields. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 376, 379-83 | 4.4 | 7 |
| 56 | A simple, rapid, and sensitive method for analysis of SYPRO Red labeled sodium dodecyl sulfate-protein complexes by capillary electrophoresis with laser-induced fluorescence. <i>Electrophoresis</i> , 2003 , 24, 1730-6 | 3.6 | 23 |
| 55 | Improved separation of double-stranded DNA fragments by capillary electrophoresis using poly(ethylene oxide) solution containing colloids. <i>Electrophoresis</i> , 2003 , 24, 2896-902 | 3.6 | 51 |
| 54 | On-column concentration and separation of double-stranded DNA by gradient capillary electrophoresis. <i>Electrophoresis</i> , 2003 , 24, 3339-47 | 3.6 | 19 |
| 53 | Light-emitting diode-based indirect fluorescence detection for simultaneous determination of anions and cations in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2003 , 1017, 215-24 | 4.5 | 32 |
| 52 | Analysis of double-stranded DNA by microchip capillary electrophoresis using polymer solutions containing gold nanoparticles. <i>Journal of Chromatography A</i> , 2003 , 1014, 47-55 | 4.5 | 51 |

(2001-2003)

| 51 | Laser-induced fluorescence technique for DNA and proteins separated by capillary electrophoresis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 793, 37-4 | 18 ^{.2} | 49 | |
|----|--|--------------------------------|----|--|
| 50 | Exploring the Activity and Specificity of Gold Nanoparticle-Bound Trypsin by Capillary Electrophoresis with Laser-Induced Fluorescence Detection. <i>Langmuir</i> , 2003 , 19, 7498-7502 | 4 | 33 | |
| 49 | Indirect Fluorescence of Amines in Capillary Electrophoresis, Using Cresyl Violet. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2003 , 26, 3387-3400 | 1.3 | 5 | |
| 48 | Indirect fluorescence of aliphatic carboxylic acids in nonaqueous capillary electrophoresis using merocyanine 540. <i>Electrophoresis</i> , 2002 , 23, 449-55 | 3.6 | 12 | |
| 47 | Immunoaffinity capillary electrophoresis: determination of binding constant and stoichiometry for antibody-antigen interaction. <i>Electrophoresis</i> , 2002 , 23, 836-46 | 3.6 | 40 | |
| 46 | Electroelution without gel sectioning of proteins from sodium dodecyl sulfate-polyacrylamide gel electrophoresis: fluorescent detection, recovery, isoelectric focusing and matrix assisted laser desorption/ionization-time of flight of the electroeluate. <i>Electrophoresis</i> , 2002 , 23, 985-92 | 3.6 | 12 | |
| 45 | Amplification of small analytes in polymer solution by capillary electrophoresis. <i>Electrophoresis</i> , 2002 , 23, 1633-41 | 3.6 | 31 | |
| 44 | The impact of a plug of salts on the analysis of large volumes of dsDNA by capillary electrophoresis. <i>Electrophoresis</i> , 2002 , 23, 2388-93 | 3.6 | 5 | |
| 43 | DNA analysis on microfabricated electrophoretic devices with bubble cells. <i>Electrophoresis</i> , 2002 , 23, 2477-84 | 3.6 | 18 | |
| 42 | Effects of metal ions on concentration of DNA in high-conductivity media by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002 , 966, 195-203 | 4.5 | 8 | |
| 41 | Comparison of the separation of large DNA fragments in the presence and absence of electroosmotic flow at high pH. <i>Journal of Chromatography A</i> , 2002 , 979, 299-306 | 4.5 | 11 | |
| 40 | On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection. <i>Journal of Chromatography A</i> , 2002 , 979, 261-70 | 4.5 | 47 | |
| 39 | Improved separation of microheterogeneities and isoforms of proteins by capillary electrophoresis using segmental filling with SDS and PEO in the background electrolyte. <i>Analytical Chemistry</i> , 2002 , 74, 4828-34 | 7.8 | 41 | |
| 38 | Electroelution of proteins from bands in gel electrophoresis without gel sectioning for the purpose of protein transfer into mass spectrometry: elements of a new procedure. <i>Electrophoresis</i> , 2001 , 22, 39 | 4 ⁻³ 8 ⁶ | 15 | |
| 37 | A new strategy for optimizing sensitivity, speed, and resolution in capillary electrophoretic separation of DNA. <i>Electrophoresis</i> , 2001 , 22, 763-70 | 3.6 | 34 | |
| 36 | Maximization of injection volumes for DNA analysis in capillary electrophoresis. <i>Electrophoresis</i> , 2001 , 22, 4328-32 | 3.6 | 15 | |
| 35 | Separation of dsDNA in the presence of electroosmotic flow under discontinuous conditions. <i>Electrophoresis</i> , 2001 , 22, 2281-90 | 3.6 | 22 | |
| 34 | Direct vertical electroelution of protein from a PhastSystem band for mass spectrometric identification at the level of a few picomoles. <i>Proteomics</i> , 2001 , 1, 691-8 | 4.8 | 14 | |

| 33 | Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting. <i>Journal of Chromatography A</i> , 2001 , 924, 93-101 | 4.5 | 25 |
|----|--|-------------------|----|
| 32 | Optimizing separation conditions for polycyclic aromatic hydrocarbons in micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2001 , 924, 397-405 | 4.5 | 8 |
| 31 | Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow. <i>Journal of Chromatography A</i> , 2001 , 927, 179-9 | 00 ^{4.5} | 25 |
| 30 | ANALYSIS OF ALBUMINS, USING ALBUMIN BLUE 580, BY CAPILLARY ELECTROPHORESIS AND LASER-INDUCED FLUORESCENCE. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001 , 24, 2971-2982 | 1.3 | 13 |
| 29 | On-column preconcentration and separation of DNA fragments using polymer solutions in the presence of electroosmotic flow. <i>Electrophoresis</i> , 2000 , 21, 2904-10 | 3.6 | 39 |
| 28 | Effect of ionic strength, pH and polymer concentration on the separation of DNA fragments in the presence of electroosmotic flow. <i>Journal of Chromatography A</i> , 2000 , 894, 219-30 | 4.5 | 32 |
| 27 | Dynamic modification of the capillary wall for electrophoretic separations of small ions. <i>Journal of Chromatography A</i> , 2000 , 898, 133-9 | 4.5 | 3 |
| 26 | CAPILLARY ELECTROPHORETIC SEPARATION OF DNA FRAGMENTS UNDER STEPWISE CHANGES OF POLYMER SOLUTIONS. <i>Instrumentation Science and Technology</i> , 2000 , 28, 387-401 | 1.4 | 4 |
| 25 | ELECTROPHORETIC SEPARATION OF DNA IN THE PRESENCE OF ELECTROOSMOTIC FLOW. <i>Reviews in Analytical Chemistry</i> , 2000 , 19, | 2.3 | 7 |
| 24 | On-line concentration and separation of proteins by capillary electrophoresis using polymer solutions. <i>Analytical Chemistry</i> , 2000 , 72, 4805-11 | 7.8 | 72 |
| 23 | On-column preconcentration and separation of DNA fragments using polymer solutions in the presence of electroosmotic flow 2000 , 21, 2904 | | 1 |
| 22 | Stepwise capillary electrophoretic separation of DNA fragments using poly(ethylene oxide) solutions in the presence of electroosmotic flow. <i>Journal of Chromatography A</i> , 1999 , 853, 337-47 | 4.5 | 24 |
| 21 | Indirect detection of organic acids in non-aqueous capillary electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 853, 171-80 | 4.5 | 24 |
| 20 | Electrophoretic separation of small DNA fragments in the presence of electroosmotic flow using poly(ethylene oxide) solutions. <i>Analytical Chemistry</i> , 1999 , 71, 2033-6 | 7.8 | 44 |
| 19 | Dynamic control for the separation of organic acids in capillary electrophoresis. <i>Journal of Chromatography A</i> , 1998 , 793, 145-152 | 4.5 | 7 |
| 18 | Dynamic control for ultra-fast separations of organic acids in capillary zone electrophoresis: A new direction to improve resolution. <i>Journal of Chromatography A</i> , 1998 , 817, 129-137 | 4.5 | 3 |
| 17 | Dynamic control and indirect absorption detection for high-speed capillary electrophoretic separation of organic acids. <i>Journal of Chromatography A</i> , 1998 , 800, 339-344 | 4.5 | 7 |
| 16 | The band areas of proteins determined by fluorescent scanning in the commercial automated gel electrophoresis apparatus. <i>Electrophoresis</i> , 1998 , 19, 1625-30 | 3.6 | 3 |

LIST OF PUBLICATIONS

| 15 | Capillary electrophoretic separation of 1 to 10 kbp sized dsDNA using poly(ethylene oxide) solutions in the presence of electroosmotic counterflow. <i>Electrophoresis</i> , 1998 , 19, 3149-53 | 3.6 | 17 |
|----|--|-----|-----|
| 14 | Preparative electrophoresis in a concentrated polymer solution: automated procedure for microsome isolation. <i>Analytical Biochemistry</i> , 1997 , 247, 111-4 | 3.1 | 7 |
| 13 | Application of gels of 0.5 mm thickness to electrophoresis in the automated HPGE-1000 apparatus: improved resolution. <i>Electrophoresis</i> , 1996 , 17, 80-3 | 3.6 | 5 |
| 12 | Reproducibility of mobility in gel electrophoresis. <i>Electrophoresis</i> , 1996 , 17, 84-90 | 3.6 | 11 |
| 11 | Separation and isolation of subcellular-sized particles by electrophoresis in polymer solution using the commercial scanning apparatus. <i>Electrophoresis</i> , 1996 , 17, 776-80 | 3.6 | 8 |
| 10 | Poly(ethyleneoxide) for high-resolution and high-speed separation of DNA by capillary electrophoresis. <i>Biomedical Applications</i> , 1995 , 669, 113-23 | | 89 |
| 9 | Determination of catecholamines in single adrenal medullary cells by capillary electrophoresis and laser-induced native fluorescence. <i>Analytical Chemistry</i> , 1995 , 67, 1079-83 | 7.8 | 112 |
| 8 | Determination of optimally resolving gel concentration and migration time (path) in gel electrophoresis. <i>Analytical Biochemistry</i> , 1995 , 231, 432-6 | 3.1 | 5 |
| 7 | Dispersion coefficients of a protein and DNA fragment in polyacrylamide gel electrophoresis as a function of parameters defining the effective gel pore size and particle size. <i>Electrophoresis</i> , 1995 , 16, 895-8 | 3.6 | 5 |
| 6 | Horizontal gel electrophoresis with sample volumes up to 1.5 mL, using a discontinuous buffer system and automated apparatus. <i>Electrophoresis</i> , 1995 , 16, 952-7 | 3.6 | 6 |
| 5 | Dynamic control to improve the separation performance in capillary electrophoresis. <i>Electrophoresis</i> , 1995 , 16, 2069-73 | 3.6 | 8 |
| 4 | Feasibility of electrophoresis of a subcellular-sized particle in polymer solutions, using automated horizontal gel apparatus. <i>Applied and Theoretical Electrophoresis: the Official Journal of the International Electrophoresis Society</i> , 1995 , 5, 73-7 | | |
| 3 | Optimization of selectivity in capillary zone electrophoresis via dynamic pH gradient and dynamic flow gradient. <i>Journal of Chromatography A</i> , 1992 , 608, 65-72 | 4.5 | 37 |
| 2 | Determination of microamounts of iron by hydroxamate resin colorimetry. <i>Fresenius Zeitschrift F</i> 1 <i>Analytische Chemie</i> , 1987 , 328, 61-63 | | 3 |
| 1 | Highly Efficient Photodetection in Metal Nanocluster/Graphene Heterojunctions. ACS Photonics, | 6.3 | 1 |