

Daniel Jablonski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4978137/publications.pdf>

Version: 2024-02-01

88
papers

992
citations

567281
15
h-index

552781
26
g-index

100
all docs

100
docs citations

100
times ranked

883
citing authors

#	ARTICLE	IF	CITATIONS
1	Species list of the European herpetofauna – 2020 update by the Taxonomic Committee of the Societas Europaea Herpetologica. <i>Amphibia - Reptilia</i> , 2020, 41, 139-189.	0.5	107
2	Slow worm, <i>Anguis fragilis</i> (Reptilia: Anguidae) as a species complex: Genetic structure reveals deep divergences. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 460-472.	2.7	75
3	Fifteen shades of green: The evolution of <i>Bufo</i> toads revisited. <i>Molecular Phylogenetics and Evolution</i> , 2019, 141, 106615.	2.7	65
4	Mitochondrial phylogeography, contact zones and taxonomy of grass snakes (<i>Natrix</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf _{1.7} 63		
5	Hybridization patterns in two contact zones of grass snakes reveal a new Central European snake species. <i>Scientific Reports</i> , 2017, 7, 7378.	3.3	55
6	Contrasting evolutionary histories of the legless lizards slow worms (<i>Anguis</i>) shaped by the topography of the Balkan Peninsula. <i>BMC Evolutionary Biology</i> , 2016, 16, 99.	3.2	46
7	Phylogeography of the <i>Lacerta viridis</i> complex: mitochondrial and nuclear markers provide taxonomic insights. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2016, 54, 85-105.	1.4	43
8	Multilocus phylogeny and coalescent species delimitation in Kotschy's gecko, <i>Mediodactylus kotschyi</i> : Hidden diversity and cryptic species. <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 177-187.	2.7	42
9	Hidden diversity in the <i>Podarcis tauricus</i> (Sauria, Lacertidae) species subgroup in the light of multilocus phylogeny and species delimitation. <i>Molecular Phylogenetics and Evolution</i> , 2017, 106, 6-17.	2.7	34
10	Resolving complex phylogeographic patterns in the Balkan Peninsula using closely related wall-lizard species as a model system. <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 100-115.	2.7	29
11	Nuclear markers support the mitochondrial phylogeny of <i>Vipera ursinii</i> -renardi complex (Squamata:) Tj ETQq1 1 0.784314 rgBT /Over _{0.5} 24		
12	Pleistocene extinctions and recent expansions in an anguid lizard of the genus <i>Pseudopus</i> . <i>Zoologica Scripta</i> , 2018, 47, 21-32.	1.7	22
13	Slovak section of the Danube has its well-established breeding ground of marbled crayfish <i>Procambarus fallax</i> f. <i>virginalis</i> . <i>Knowledge and Management of Aquatic Ecosystems</i> , 2017, , 40.	1.1	20
14	The biogeography of <i>Elaphe sauromates</i> (Pallas, 1814), with a description of a new rat snake species. <i>PeerJ</i> , 2019, 7, e6944.	2.0	19
15	Molecular phylogenetics and taxonomic reassessment of the widespread agamid lizard <i>Calotes versicolor</i> (Daudin, 1802) (Squamata, Agamidae) across South Asia. <i>Vertebrate Zoology</i> , 0, 71, 669-696.	2.0	16
16	It takes two to tango – Phylogeography, taxonomy and hybridization in grass snakes and dice snakes (Serpentes: Natricidae: <i>Natrix natrix</i> , <i>N. tessellata</i>). <i>Vertebrate Zoology</i> , 0, 71, 813-834.	2.0	16
17	Cryptic diversity in the smooth snake (<i>Coronella austriaca</i>). <i>Amphibia - Reptilia</i> , 2019, 40, 179-192.	0.5	15
18	A river runs through it: tree frog genomics supports the Dead Sea Rift as a rare phylogeographical break. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 130-137.	1.6	13

#	ARTICLE	IF	CITATIONS
19	The first record of amphisbaenian and anguimorph lizards (Reptilia, Squamata) from the upper Miocene Solnechnodolsk locality in Russia. <i>Historical Biology</i> , 2020, 32, 869-879.	1.4	13
20	The evolutionary history of an accidental model organism, the leopard gecko <i>Eublepharis macularius</i> (Squamata: Eublepharidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 168, 107414.	2.7	13
21	Distribution and diversity of reptiles in Albania: a novel database from a Mediterranean hotspot. <i>Amphibia - Reptilia</i> , 2017, 38, 157-173.	0.5	11
22	Phylogeography and postglacial colonization of Central Europe by <i>Anguis fragilis</i> and <i>Anguis colchica</i> . <i>Amphibia - Reptilia</i> , 2017, 38, 562-569.	0.5	11
23	Distribution and diversity of amphibians in Albania: new data and foundations of a comprehensive database. <i>Amphibia - Reptilia</i> , 2017, 38, 435-448.	0.5	11
24	Genetic diversity and Quaternary range dynamics in Iranian and Transcaucasian tortoises. <i>Biological Journal of the Linnean Society</i> , 2017, 121, 627-640.	1.6	10
25	Tracing the maternal origin of the common wall lizard (<i>Podarcis muralis</i>) on the northern range margin in Central Europe. <i>Mitochondrion</i> , 2019, 46, 149-157.	3.4	10
26	Population Genomics of Wall Lizards Reflects the Dynamic History of the Mediterranean Basin. <i>Molecular Biology and Evolution</i> , 2022, 39, .	8.9	10
27	The species identity and biogeography of <i>< i>Blanus</i></i> (Amphisbaenia: Blanidae) in Lebanon. <i>Zoology in the Middle East</i> , 2019, 65, 208-214.	0.6	7
28	Morphological and genetic differentiation in the anguid lizard <i>Pseudopus apodus</i> supports the existence of an endemic subspecies in the Levant. <i>Vertebrate Zoology</i> , 0, 71, 175-200.	2.0	7
29	Relict groups of spiny frogs indicate Late Paleogene-Early Neogene trans-Tibet dispersal of thermophile faunal elements. <i>PeerJ</i> , 2021, 9, e11793.	2.0	7
30	TWO CASES OF UNCLEAR HINDLIMB MALFORMATION IN BOMBINA VARIEGATA. <i>Ecologica Montenegrina</i> , 0, 9, 56-58.	0.5	6
31	Landscape Genomics of a Widely Distributed Snake, <i>Dolichophis caspius</i> (Gmelin, 1789) across Eastern Europe and Western Asia. <i>Genes</i> , 2020, 11, 1218.	2.4	6
32	Revisited Molecular Phylogeny of the Genus <i>Sphaerotheca</i> (Anura: Dicroididae): The Biogeographic Status of Northernmost Populations and Further Taxonomic Changes. <i>Diversity</i> , 2021, 13, 216.	1.7	6
33	Biodiversity research in a changing Afghanistan. <i>Science</i> , 2021, 372, 1402-1402.	12.6	6
34	Morphological and molecular data on tadpoles of the westernmost Himalayan spiny frog <i>Allopaa hazarensis</i> (Dubois & Khan, 1979). <i>ZooKeys</i> , 2021, 1049, 67-77.	1.1	6
35	The possible origin of the common wall lizard, <i>Podarcis muralis</i> (Laurenti, 1768) in Ukraine. <i>Herpetozoa</i> , 0, 33, 87-93.	1.0	6
36	The genus <i>Microhyla</i> (Anura: Microhylidae) in Pakistan: species status and origins. <i>Zootaxa</i> , 2020, 4845, zootaxa.4845.2.11.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Quaternary range dynamics and taxonomy of the Mediterranean collared dwarf racer, <i>Platyceps collaris</i> (Squamata: Colubridae). <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 655-672.	2.3	5
38	Additional data to the herpetofauna of Afghanistan. <i>Herpetozoa</i> , 0, 32, 177-193.	1.0	5
39	Evidence of cryptic diversity in <i>Podarcis peloponnesiacus</i> and re-evaluation of its current taxonomy; insights from genetic, morphological, and ecological data. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 2350-2370.	1.4	5
40	First records of the Italian wall lizard, <i>Podarcis siculus</i> (Rafinesque-Schmaltz, 1810) (Squamata:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 0.9		
41	A four-tailed Iguana delicatissima (Squamata: Iguanidae) on Petite Terre, Guadeloupe (Lesser Antilles,) Tj ETQq1 1 0 784314 rgBT /Overlock 0.2 4		
42	Molecular phylogeny of <i>Eremias</i> spp. from Pakistan contributes to a better understanding of the diversity of racerunners. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 466-483.	1.4	4
43	Stability in the Balkans: phylogeography of the endemic Greek stream frog, <i>Rana graeca</i> . <i>Biological Journal of the Linnean Society</i> , 2021, 132, 829-846.	1.6	4
44	Phylogeography and systematics of <i>Algyrodes</i> (Sauria: Lacertidae) of the Balkan Peninsula. <i>Zoologica Scripta</i> , 2021, 50, 282-299.	1.7	4
45	Male-Male Combat in <i>Pseudopus apodus</i> (Reptilia: Anguidae). <i>Russian Journal of Herpetology</i> , 2018, 25, 293.	0.5	4
46	An unknown collection of lizards from Afghanistan. <i>ZooKeys</i> , 2019, 843, 129-147.	1.1	4
47	The Caucasian Toad, <i>Bufo verrucosissimus</i> (Pallas, 1814) in the Levant: evidence from mitochondrial DNA. <i>Herpetozoa</i> , 0, 32, 255-258.	1.0	4
48	Axanthism in amphibians: A review and the first record in the widespread toad of the <i>Bufo viridis</i> complex (Anura: Bufonidae). <i>Belgian Journal of Zoology</i> , 2020, 144, .	0.5	4
49	Color and pattern variation of the Balkan whip snake, <i>Hierophis gemonensis</i> (Laurenti, 1768). <i>Turkish Journal of Zoology</i> , 2017, 41, 363-369.	0.9	3
50	New data concerning the distribution of pseudoscorpions in Albania (Pseudoscorpiones:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (0.4		
51	Complete mitochondrial genome of the four-lined snake, <i>Elaphe quatuorlineata</i> (Bonnaterre, 1790). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 897-898.	0.4	3
52	The first comprehensive data on the distribution of reptiles within the Southern Bug eco-corridor, Ukraine. <i>Herpetozoa</i> , 0, 34, 97-114.	1.0	3
53	Albinism in Two Snake Species Recorded from Slovakia. <i>Russian Journal of Herpetology</i> , 2018, 25, 79.	0.5	3
54	On the edge of the Shivaliks: An insight into the origin and taxonomic position of Pakistani toads from the <i>Duttaphrynus melanostictus</i> complex (Amphibia, Bufonidae). <i>Zoosystematics and Evolution</i> , 2022, 98, 275-284.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Two new species of Cricetidae for the fauna of Albania. <i>Biologia (Poland)</i> , 2017, 72, 581-585.	1.5	2
56	Molecular identification of <i>Eremias stummeri</i> (Squamata: Lacertidae) as a prey for <i>Gloydius halys</i> complex (Serpentes: Viperidae) from Kyrgyzstan. <i>Phyllomedusa</i> , 2017, 16, 121.	0.2	2
57	Complete mitochondrial genome of the Blotched snake, <i>Elaphe sauromates</i> (Pallas, 1814). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 468-469.	0.4	2
58	Species-specific habitat preferences do not shape the structure of a crested newt hybrid zone () Tj ETQq0 0 0 rgBT _{1.9} /Overlock 10 Tf 50		
59	Biology and origin of isolated north-easternmost populations of the common wall lizard, <i>Podarcis muralis</i> . <i>Amphibia - Reptilia</i> , 2020, 41, 429-443.	0.5	2
60	<p>A new species of Microgecko Nikolsky, 1907 (Squamata: Gekkonidae) from Pakistan</p>. <i>Zootaxa</i> , 2020, 4780, 147-164.	0.5	2
61	A new species of <i>Eremias</i> (Squamata: Lacertidae) from the arid mountains of Pakistan. <i>Zootaxa</i> , 2020, 4786, zootaxa.4786.1.8.	0.5	2
62	Albinism in Two Snake Species Recorded from Slovakia. <i>Russian Journal of Herpetology</i> , 2018, 25, 79.	0.5	2
63	Weak population genetic structure of a widely distributed nematode parasite of frogs in the western Palearctic. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1689.	1.4	2
64	Evolutionary divergence of the smooth snake (Serpentes, Colubridae): The role of the Balkans and Anatolia. <i>Zoologica Scripta</i> , 0, , .	1.7	2
65	<i>Macrovipera lebetinus</i> in Pakistan. <i>Herpetological Bulletin</i> , 2020, , 44-45.	0.1	1
66	An assessment of vouchered records and field observations of the rare anguid, <i>Dopasia buettikoferi</i> (Lidth de Jeude, 1905) in Borneo. <i>Herpetozoa</i> , 0, 33, 59-65.	1.0	1
67	ABBREVIATA ABBREVIATA (RUDOLPHI, 1819) AS A NEW NEMATODE PARASITE FOR MALPOLON INSIGNITUS (GEOFFROY SAINT-HILAIRE, 1827) RECORDED IN ALBANIA. <i>Ecologica Montenegrina</i> , 2015, 2, 194-196.	0.5	1
68	Addition to the snake fauna of Pakistan: Mackinnonâ™s Wolf Snake, <i>Lycodon mackinnoni</i> Wall, 1906. <i>Herpetological Bulletin</i> , 2019, , 21-23.	0.1	1
69	A case study on illegal reptile poaching from Balochistan, Pakistan. <i>Herpetozoa</i> , 0, 33, 67-75.	1.0	1
70	The Importance of Small Water Bodiesâ™ Conservation for Maintaining Local Amphibian Diversity in the Western Balkans. <i>Springer Water</i> , 2022, , 351-387.	0.3	1
71	»The sheltopusik (<i>Pseudopus apodus</i>) in southwestern Ukraine? Insights from the museum collection. <i>Evolutionary Systematics</i> , 2022, 6, 71-76.	0.7	1
72	Checklist of Pseudoscorpions (Arachnida, Pseudoscorpiones) of Albania. <i>Zoological Studies</i> , 2021, 60, e17.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Temperature regulation in the Balkan spadefoot (<i>Pelobates balcanicus</i>) Karaman, 1928 at the beginning of nocturnal activity. PeerJ, 0, 10, e13647.	2.0	1
74	Complete mitochondrial genome of the endemic legless lizard <i>Anguis cephalonica</i> Werner, 1894 and its comparison with mitogenome of <i>Anguis fragilis</i> Linnaeus, 1758. Mitochondrial DNA Part B: Resources, 2016, 1, 83-85.	0.4	0
75	Complete mitochondrial genome of the Eastern slow worm, <i>Anguis colchica</i> (Nordmann, 1840). Mitochondrial DNA Part B: Resources, 2017, 2, 67-68.	0.4	0
76	Complete mitochondrial genome of the Italian slow-worm <i>Anguis veronensis</i> Pollini, 1818, and its comparison with mitogenomes of other <i>Anguis</i> species. Mitochondrial DNA Part B: Resources, 2017, 2, 71-72.	0.4	0
77	A Record of an Asian House Gecko, <i>Hemidactylus frenatus</i> , from Laos as a Host of the Pentastome, <i>Kiricephalus pattoni</i> , with Comments on the Distribution and Natural History of This Parasite. Comparative Parasitology, 2018, 85, 189-192.	0.4	0
78	First record of <i>Carebara oertzeni</i> Forel, 1886 (Hymenoptera: Formicidae) from Albania. Natura Croatica, 2019, 28, 173-176.	0.4	0
79	Discovery of the Black-headed Ground Snake <i>Rhynchocalamus melanocephalus</i> (Jan, 1862) in Cyprus (Reptilia: Colubridae). Zoology in the Middle East, 2020, 66, 118-123.	0.6	0
80	Distribution and morphological characters of <i>Laudakia nuristanica</i> (Anderson & Leviton, 1969) from Afghanistan. Zoology in the Middle East, 2021, 67, 240-246.	0.6	0
81	Genetic variation and tadpoles of the westernmost Himalayan lazy toad <i>Scutiger occidentalis</i> . Zoologischer Anzeiger, 2021, 294, 205-209.	0.9	0
82	First record and genetic affiliation of the Balkan Snow Vole <i>Dinaromys bogdanovi</i> (Rodentia: Thomasomys) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 500.3	0.3	0
83	The easternmost distribution and highest elevation record of the rare Desert Cat Snake <i>Telescopus rhinopoma</i> (Reptilia: Colubridae) in Pakistan. Journal of Threatened Taxa, 2019, 11, 13180-13183.	0.3	0
84	Defensive behaviour in <i>Rana graeca</i> . Herpetological Bulletin, 2019, , 19-20.	0.1	0
85	First record of <i>Platyceps rhodorachis</i> (Jan in de Filippi, 1865) from the Alay Mountains, southern Kyrgyzstan. Herpetozoa, 0, 32, 73-76.	1.0	0
86	New records of <i>Xerophylops vermicularis</i> (Merrem, 1820) indicate the northernmost locality of the species in the Balkan Peninsula. Check List, 2021, 17, 1623-1626.	0.4	0
87	Molecular and Morphological Data Confirmed First Record of <i>Abbreviata kazakhstanica</i> Markov and Paraskiv, 1956 (Spirurida: Physalopteridae) in Iran. Iranian Journal of Parasitology, 2021, 16, 686-691.	0.6	0
88	The distribution of the critically endangered salamander <i>Paradactyodon (Afghanodon) mustersi</i> (Smith, 1940) in Afghanistan. Herpetozoa, 0, 35, 133-139.	1.0	0