

Daniel Jablonski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4978137/publications.pdf>

Version: 2024-02-01

88
papers

992
citations

567281
15
h-index

552781
26
g-index

100
all docs

100
docs citations

100
times ranked

883
citing authors

#	ARTICLE	IF	CITATIONS
1	Population Genomics of Wall Lizards Reflects the Dynamic History of the Mediterranean Basin. <i>Molecular Biology and Evolution</i> , 2022, 39, .	8.9	10
2	The Importance of Small Water Bodiesâ™ Conservation for Maintaining Local Amphibian Diversity in the Western Balkans. <i>Springer Water</i> , 2022, , 351-387.	0.3	1
3	The evolutionary history of an accidental model organism, the leopard gecko <i>Eublepharis macularius</i> (Squamata: Eublepharidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 168, 107414.	2.7	13
4	»The sheltopusik (<i>Pseudopus apodus</i>) in southwestern Ukraine? Insights from the museum collection. <i>Evolutionary Systematics</i> , 2022, 6, 71-76.	0.7	1
5	On the edge of the Shivaliks: An insight into the origin and taxonomic position of Pakistani toads from the <i>Duttaphrynus melanostictus</i> complex (Amphibia, Bufonidae). <i>Zoosystematics and Evolution</i> , 2022, 98, 275-284.	1.1	3
6	Molecular phylogeny of <i>Eremias</i> spp. from Pakistan contributes to a better understanding of the diversity of racerunners. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 466-483.	1.4	4
7	Stability in the Balkans: phylogeography of the endemic Greek stream frog, <i>Rana graeca</i> . <i>Biological Journal of the Linnean Society</i> , 2021, 132, 829-846.	1.6	4
8	Distribution and morphological characters of <i>Laudakia nuristanica</i> (Anderson & Leviton, 1969) from Afghanistan. <i>Zoology in the Middle East</i> , 2021, 67, 240-246.	0.6	0
9	Revisited Molecular Phylogeny of the Genus <i>Sphaerotheca</i> (Anura: Dicroididae): The Biogeographic Status of Northernmost Populations and Further Taxonomic Changes. <i>Diversity</i> , 2021, 13, 216.	1.7	6
10	Biodiversity research in a changing Afghanistan. <i>Science</i> , 2021, 372, 1402-1402.	12.6	6
11	Relict groups of spiny frogs indicate Late Paleogene-Early Neogene trans-Tibet dispersal of thermophile faunal elements. <i>PeerJ</i> , 2021, 9, e11793.	2.0	7
12	Morphological and molecular data on tadpoles of the westernmost Himalayan spiny frog <i>Allopaa hazarensis</i> (Dubois & Khan, 1979). <i>ZooKeys</i> , 2021, 1049, 67-77.	1.1	6
13	Genetic variation and tadpoles of the westernmost Himalayan lazy toad <i>Scutiger occidentalis</i> . <i>Zoologischer Anzeiger</i> , 2021, 294, 205-209.	0.9	0
14	Phylogeography and systematics of <i>Algyrodes</i> (Sauria: Lacertidae) of the Balkan Peninsula. <i>Zoologica Scripta</i> , 2021, 50, 282-299.	1.7	4
15	Quaternary range dynamics and taxonomy of the Mediterranean collared dwarf racer, <i>Platyceps collaris</i> (Squamata: Colubridae). <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 655-672.	2.3	5
16	Evidence of cryptic diversity in <i>Podarcis peloponnesiacus</i> and re-evaluation of its current taxonomy; insights from genetic, morphological, and ecological data. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 2350-2370.	1.4	5
17	Weak populationâ€¢genetic structure of a widely distributed nematode parasite of frogs in the western Palearctic. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 1689.	1.4	2
18	New records of <i>Xerophylops vermicularis</i> (Merrem, 1820) indicate the northernmost locality of the species in the Balkan Peninsula. <i>Check List</i> , 2021, 17, 1623-1626.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Molecular and Morphological Data Confirmed First Record of <i>Abbreviata kazakhstanica</i> Markov and Paraskiv, 1956 (Spirurida: Physalopteridae) in Iran. <i>Iranian Journal of Parasitology</i> , 2021, 16, 686-691.	0.6	0
20	Checklist of Pseudoscorpions (Arachnida, Pseudoscorpiones) of Albania. <i>Zoological Studies</i> , 2021, 60, e17.	0.3	1
21	The first record of amphisbaenian and anguimorph lizards (Reptilia, Squamata) from the upper Miocene Solnechnodolsk locality in Russia. <i>Historical Biology</i> , 2020, 32, 869-879.	1.4	13
22	Landscape Genomics of a Widely Distributed Snake, <i>Dolichophis caspius</i> (Gmelin, 1789) across Eastern Europe and Western Asia. <i>Genes</i> , 2020, 11, 1218.	2.4	6
23	The genus <i>Microhyla</i> (Anura: Microhylidae) in Pakistan: species status and origins. <i>Zootaxa</i> , 2020, 4845, zootaxa.4845.2.11.	0.5	5
24	Species list of the European herpetofaunaâ€“ 2020 update by the Taxonomic Committee of the Societas Europaea Herpetologica. <i>Amphibia - Reptilia</i> , 2020, 41, 139-189.	0.5	107
25	Biology and origin of isolated north-easternmost populations of the common wall lizard, <i>Podarcis muralis</i> . <i>Amphibia - Reptilia</i> , 2020, 41, 429-443.	0.5	2
26	<p>A new species of Microgecko Nikolsky, 1907 (Squamata: Gekkonidae) from Pakistan</p>. <i>Zootaxa</i> , 2020, 4780, 147-164.	0.5	2
27	A new species of <i>Eremias</i> (Squamata: Lacertidae) from the arid mountains of Pakistan. <i>Zootaxa</i> , 2020, 4786, zootaxa.4786.1.8.	0.5	2
28	Discovery of the Black-headed Ground Snake <i>Rhynchocalamus melanocephalus</i> (Jan, 1862) in Cyprus (Reptilia: Colubridae). <i>Zoology in the Middle East</i> , 2020, 66, 118-123.	0.6	0
29	<i>Macrovipera lebetinus</i> in Pakistan. <i>Herpetological Bulletin</i> , 2020, , 44-45.	0.1	1
30	Axanthism in amphibians: A review and the first record in the widespread toad of the <i>Bufo viridis</i> complex (Anura: Bufonidae). <i>Belgian Journal of Zoology</i> , 2020, 144, .	0.5	4
31	A river runs through it: tree frog genomics supports the Dead Sea Rift as a rare phylogeographical break. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 130-137.	1.6	13
32	Complete mitochondrial genome of the Blotched snake, <i>Elaphe sauromates</i> (Pallas, 1814). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 468-469.	0.4	2
33	Species-specific habitat preferences do not shape the structure of a crested newt hybrid zone () Tj ETQq1 1 0.784314 rgBT ₂ /Overlock		
34	Fifteen shades of green: The evolution of <i>Bufo viridis</i> revisited. <i>Molecular Phylogenetics and Evolution</i> , 2019, 141, 106615.	2.7	65
35	Complete mitochondrial genome of the four-lined snake, <i>Elaphe quatuorlineata</i> (Bonnaterre, 1790). <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 897-898.	0.4	3
36	The species identity and biogeography of <i>Blanus</i> (Amphisbaenia: Blanidae) in Lebanon. <i>Zoology in the Middle East</i> , 2019, 65, 208-214.	0.6	7

#	ARTICLE	IF	CITATIONS
37	First record of <i>Carebara oertzeni</i> Forel, 1886 (Hymenoptera: Formicidae) from Albania. <i>Natura Croatica</i> , 2019, 28, 173-176.	0.4	0
38	Cryptic diversity in the smooth snake (<i>Coronella austriaca</i>). <i>Amphibia - Reptilia</i> , 2019, 40, 179-192.	0.5	15
39	Tracing the maternal origin of the common wall lizard (<i>Podarcis muralis</i>) on the northern range margin in Central Europe. <i>Mitochondrion</i> , 2019, 46, 149-157.	3.4	10
40	An unknown collection of lizards from Afghanistan. <i>ZooKeys</i> , 2019, 843, 129-147.	1.1	4
41	The biogeography of <i>Elaphe sauromates</i> (Pallas, 1814), with a description of a new rat snake species. <i>PeerJ</i> , 2019, 7, e6944.	2.0	19
42	The easternmost distribution and highest elevation record of the rare Desert Cat Snake <i>Telescopus rhinopoma</i> (Reptilia: Colubridae) in Pakistan. <i>Journal of Threatened Taxa</i> , 2019, 11, 13180-13183.	0.3	0
43	Addition to the snake fauna of Pakistan: Mackinnonâ€™s Wolf Snake, <i>Lycodon mackinnoni</i> Wall, 1906. <i>Herpetological Bulletin</i> , 2019, , 21-23.	0.1	1
44	Defensive behaviour in <i>Rana graeca</i> . <i>Herpetological Bulletin</i> , 2019, , 19-20.	0.1	0
45	Resolving complex phylogeographic patterns in the Balkan Peninsula using closely related wall-lizard species as a model system. <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 100-115.	2.7	29
46	Multilocus phylogeny and coalescent species delimitation in Kotschy's gecko, <i>Mediodactylus kotschyi</i> : Hidden diversity and cryptic species. <i>Molecular Phylogenetics and Evolution</i> , 2018, 125, 177-187.	2.7	42
47	Pleistocene extinctions and recent expansions in an anguid lizard of the genus <i>Pseudopus</i> . <i>Zoologica Scripta</i> , 2018, 47, 21-32.	1.7	22
48	A Record of an Asian House Gecko, <i>Hemidactylus frenatus</i> , from Laos as a Host of the Pentastome, <i>Kiricephalus pattoni</i> , with Comments on the Distribution and Natural History of This Parasite. <i>Comparative Parasitology</i> , 2018, 85, 189-192.	0.4	0
49	A four-tailed Iguana delicatissima (Squamata: Iguanidae) on Petite Terre, Guadeloupe (Lesser Antilles,) Tj ETQq1 1 0.784314 rgBT /Over	0.2	4
50	Male-Male Combat in <i>Pseudopus apodus</i> (Reptilia: Anguidae). <i>Russian Journal of Herpetology</i> , 2018, 25, 293.	0.5	4
51	Albinism in Two Snake Species Recorded from Slovakia. <i>Russian Journal of Herpetology</i> , 2018, 25, 79.	0.5	2
52	Albinism in Two Snake Species Recorded from Slovakia. <i>Russian Journal of Herpetology</i> , 2018, 25, 79.	0.5	3
53	Nuclear markers support the mitochondrial phylogeny of <i>Vipera ursini</i> â€“renardi complex (Squamata:) Tj ETQq1 1 0.784314 rgBT /Over	0.5	24
54	Complete mitochondrial genome of the Eastern slow worm, <i>Anguis colchica</i> (Nordmann, 1840). <i>Mitochondrial DNA Part B: Resources</i> , 2017, 2, 67-68.	0.4	0

#	ARTICLE	IF	CITATIONS
55	Complete mitochondrial genome of the Italian slow-worm <i>Anguis veronensis</i> Pollini, 1818, and its comparison with mitogenomes of other <i>Anguis</i> species. Mitochondrial DNA Part B: Resources, 2017, 2, 71-72.	0.4	0
56	Distribution and diversity of reptiles in Albania: a novel database from a Mediterranean hotspot. Amphibia - Reptilia, 2017, 38, 157-173.	0.5	11
57	Genetic diversity and Quaternary range dynamics in Iranian and Transcaucasian tortoises. Biological Journal of the Linnean Society, 2017, 121, 627-640.	1.6	10
58	Hybridization patterns in two contact zones of grass snakes reveal a new Central European snake species. Scientific Reports, 2017, 7, 7378.	3.3	55
59	Two new species of Cricetidae for the fauna of Albania. Biologia (Poland), 2017, 72, 581-585.	1.5	2
60	Hidden diversity in the Podarcis tauricus (Sauria, Lacertidae) species subgroup in the light of multilocus phylogeny and species delimitation. Molecular Phylogenetics and Evolution, 2017, 106, 6-17.	2.7	34
61	Phylogeography and postglacial colonization of Central Europe by Anguis fragilis and Anguis colchica. Amphibia - Reptilia, 2017, 38, 562-569.	0.5	11
62	Distribution and diversity of amphibians in Albania: new data and foundations of a comprehensive database. Amphibia - Reptilia, 2017, 38, 435-448.	0.5	11
63	Slovak section of the Danube has its well-established breeding ground of marbled crayfish <i>Procambarus fallax</i> f. <i>virginalis</i>. Knowledge and Management of Aquatic Ecosystems, 2017, , 40.	1.1	20
64	Color and pattern variation of the Balkan whip snake, Hierophis gemonensis (Laurenti, 1768). Turkish Journal of Zoology, 2017, 41, 363-369.	0.9	3
65	New data concerning the distribution of pseudoscorpions in Albania (Pseudoscorpiones:) Tj ETQq1 1 0.784314 rgBT 0.4 /Overlock 10 Tf 50		
66	Molecular identification of Eremias stummeri (Squamata: Lacertidae) as a prey for Gloydius halys complex (Serpentes: Viperidae) from Kyrgyzstan. Phyllomedusa, 2017, 16, 121.	0.2	2
67	First record and genetic affiliation of the Balkan Snow Vole <i>Dinaromys bogdanovi</i> (Rodentia:) Tj ETQq1 1 0.784314 rgBT 0.3 /Overlock 10 Tf 50		
68	First records of the Italian wall lizard, Podarcis siculus (Rafinesque-Schmaltz, 1810) (Squamata:) Tj ETQq0 0 0 rgBT 0.9 /Overlock 10 Tf 50 22		
69	Phylogeography of the <i>Lacerta viridis</i> complex: mitochondrial and nuclear markers provide taxonomic insights. Journal of Zoological Systematics and Evolutionary Research, 2016, 54, 85-105.	1.4	43
70	Complete mitochondrial genome of the endemic legless lizard <i>Anguis cephalonica</i> Werner, 1894 and its comparison with mitogenome of <i>Anguis fragilis</i> Linnaeus, 1758. Mitochondrial DNA Part B: Resources, 2016, 1, 83-85.	0.4	0
71	Contrasting evolutionary histories of the legless lizards slow worms (Anguis) shaped by the topography of the Balkan Peninsula. BMC Evolutionary Biology, 2016, 16, 99.	3.2	46
72	ABBREVIATA ABBREVIATA (RUDOLPHI, 1819) AS A NEW NEMATODE PARASITE FOR MALPOLON INSIGNITUS (GEOFFROY SAINT-HILAIRE, 1827) RECORDED IN ALBANIA. Ecologica Montenegrina, 2015, 2, 194-196.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Mitochondrial phylogeography, contact zones and taxonomy of grass snakes (<i>Natrix</i>) Tj ETQq1 1 0.784314 rgBT /Over 63	1.7	
74	Slow worm, <i>Anguis fragilis</i> (Reptilia: Anguidae) as a species complex: Genetic structure reveals deep divergences. Molecular Phylogenetics and Evolution, 2010, 55, 460-472.	2.7	75
75	TWO CASES OF UNCLEAR HINDLIMB MALFORMATION IN BOMBINA VARIEGATA. Ecologica Montenegrina, 0, 9, 56-58.	0.5	6
76	The first comprehensive data on the distribution of reptiles within the Southern Bug eco-corridor, Ukraine. Herpetozoa, 0, 34, 97-114.	1.0	3
77	Morphological and genetic differentiation in the anguid lizard <i>Pseudopus apodus</i> supports the existence of an endemic subspecies in the Levant. Vertebrate Zoology, 0, 71, 175-200.	2.0	7
78	Additional data to the herpetofauna of Afghanistan. Herpetozoa, 0, 32, 177-193.	1.0	5
79	The possible origin of the common wall lizard, <i>Podarcis muralis</i> (Laurenti, 1768) in Ukraine. Herpetozoa, 0, 33, 87-93.	1.0	6
80	An assessment of vouchered records and field observations of the rare anguid, <i>Dopasia buettikoferi</i> (Lidth de Jeude, 1905) in Borneo. Herpetozoa, 0, 33, 59-65.	1.0	1
81	Molecular phylogenetics and taxonomic reassessment of the widespread agamid lizard <i>Calotes versicolor</i> (Daudin, 1802) (Squamata, Agamidae) across South Asia. Vertebrate Zoology, 0, 71, 669-696.	2.0	16
82	First record of <i>Platyceps rhodorachis</i> (Jan in de Filippi, 1865) from the Alay Mountains, southern Kyrgyzstan. Herpetozoa, 0, 32, 73-76.	1.0	0
83	The Caucasian Toad, <i>Bufo verrucosissimus</i> (Pallas, 1814) in the Levant: evidence from mitochondrial DNA. Herpetozoa, 0, 32, 255-258.	1.0	4
84	A case study on illegal reptile poaching from Balochistan, Pakistan. Herpetozoa, 0, 33, 67-75.	1.0	1
85	Evolutionary divergence of the smooth snake (Serpentes, Colubridae): The role of the Balkans and Anatolia. Zoologica Scripta, 0, , .	1.7	2
86	It takes two to tango – Phylogeography, taxonomy and hybridization in grass snakes and dice snakes (Serpentes: Natricidae: <i>Natrix natrix</i> , <i>N. tessellata</i>). Vertebrate Zoology, 0, 71, 813-834.	2.0	16
87	The distribution of the critically endangered salamander <i>Paradactyodon (Afghanodon) mustersi</i> (Smith, 1940) in Afghanistan. Herpetozoa, 0, 35, 133-139.	1.0	0
88	Temperature regulation in the Balkan spadefoot (<i>Pelobates balcanicus</i> Karaman, 1928) at the beginning of nocturnal activity. PeerJ, 0, 10, e13647.	2.0	1