

# Matthew J Turner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4978178/publications.pdf>

Version: 2024-02-01

27  
papers

1,502  
citations

623574

14  
h-index

552653

26  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Allergic airway recall responses require IL-9 from resident memory CD4 <sup>+</sup> T cells. <i>Science Immunology</i> , 2022, 7, eabg9296.	5.6	22
2	Epidermal PPAR $\gamma$ Is a Key Homeostatic Regulator of Cutaneous Inflammation and Barrier Function in Mouse Skin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8634.	1.8	7
3	Transcriptomic Analysis of Healthy and Atopic Dermatitis Samples Reveals the Role of IL-37 in Human Skin. <i>ImmunoHorizons</i> , 2021, 5, 830-843.	0.8	6
4	Ex vivo culture of mouse skin activates an interleukin 1 alpha-dependent inflammatory response. <i>Experimental Dermatology</i> , 2020, 29, 102-106.	1.4	1
5	Bcl6 and Blimp1 reciprocally regulate ST2 <sup>+</sup> Treg cell development in the context of allergic airway inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 1121-1136.e9.	1.5	35
6	Exposure: Staphylococcus aureus skin colonization predisposes to food allergy in the Learning Early about Allergy to Peanut (LEAP) and LEAP-On studies. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 404-406.	1.5	14
7	Treatment of estrogen-induced dermatitis with omalizumab. <i>JAAD Case Reports</i> , 2019, 5, 481-483.	0.4	1
8	Designer covalent heterobivalent inhibitors prevent IgE-dependent responses to peanut allergen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8966-8974.	3.3	14
9	Roles of T Follicular Helper Cells and T Follicular Regulatory Cells in Autoantibody Production in IL-2-Deficient Mice. <i>ImmunoHorizons</i> , 2019, 3, 306-316.	0.8	12
10	Phenotyping acute and chronic atopic dermatitis-like lesions in Stat6 <sup>VT</sup> mice identifies a role for IL-33 in disease pathogenesis. <i>Archives of Dermatological Research</i> , 2018, 310, 197-207.	1.1	9
11	Poly(ADP-ribose) polymerase-4 limits severity of allergic skin disease. <i>Immunology</i> , 2017, 152, 451-461.	2.0	7
12	IL-4 impairs wound healing potential in the skin by repressing fibronectin expression. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 142-151.e5.	1.5	52
13	Capecitabine-induced lichenoid drug eruption: a case report. <i>Dermatology Online Journal</i> , 2017, 23, .	0.2	1
14	Increased Th2 activity and diminished skin barrier function cooperate in allergic skin inflammation. <i>European Journal of Immunology</i> , 2016, 46, 2609-2613.	1.6	22
15	ST2 blockade reduces sST2-producing T cells while maintaining protective mST2-expressing T cells during graft-versus-host disease. <i>Science Translational Medicine</i> , 2015, 7, 308ra160.	5.8	131
16	STAT6-Mediated Keratitis and Blepharitis: A Novel Murine Model of Ocular Atopic Dermatitis. , 2014, 55, 3803.		12
17	A new itch to scratch for TSLP. <i>Trends in Immunology</i> , 2014, 35, 49-50.	2.9	33
18	Topical Application of a Vitamin D Analogue Exacerbates Atopic Dermatitis and Induces the Atopic Dermatitis-like Phenotype in Stat6 <sup>VT</sup> Mice. <i>Pediatric Dermatology</i> , 2013, 30, 574-578.	0.5	16

#	ARTICLE	IF	CITATIONS
19	Cigarette Smoke Exposure Inhibits Contact Hypersensitivity via the Generation of Platelet-Activating Factor Agonists. <i>Journal of Immunology</i> , 2013, 190, 2447-2454.	0.4	41
20	The environmental stressor ultraviolet B radiation inhibits murine antitumor immunity through its ability to generate platelet-activating factor agonists. <i>Carcinogenesis</i> , 2012, 33, 1360-1367.	1.3	61
21	Treatment Outcomes of Secondarily Impetiginized Pediatric Atopic Dermatitis Lesions and the Role of Oral Antibiotics. <i>Pediatric Dermatology</i> , 2012, 29, 289-296.	0.5	20
22	T helper cell subsets in the development of atopic dermatitis. <i>Journal of Drugs in Dermatology</i> , 2012, 11, 1174-8.	0.4	9
23	HLA-B*27 misfolding and the unfolded protein response augment interleukin-23 production and are associated with Th17 activation in transgenic rats. <i>Arthritis and Rheumatism</i> , 2009, 60, 2633-2643.	6.7	342
24	Endoplasmic reticulum stress and the unfolded protein response are linked to synergistic IFN- $\gamma$ induction via X-box binding protein 1. <i>European Journal of Immunology</i> , 2008, 38, 1194-1203.	1.6	278
25	HLA-B*27 up-regulation causes accumulation of misfolded heavy chains and correlates with the magnitude of the unfolded protein response in transgenic rats: Implications for the pathogenesis of spondylarthritis-like disease. <i>Arthritis and Rheumatism</i> , 2007, 56, 215-223.	6.7	128
26	HLA-B*27 Misfolding in Transgenic Rats Is Associated with Activation of the Unfolded Protein Response. <i>Journal of Immunology</i> , 2005, 175, 2438-2448.	0.4	218
27	HLA-B*27 and pathogenesis of spondyloarthropathies. <i>Current Opinion in Rheumatology</i> , 2002, 14, 367-372.	2.0	10