

Oleh Pochynyuk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4979925/publications.pdf>

Version: 2024-02-01

62
papers

2,151
citations

172457

29
h-index

223800

46
g-index

62
all docs

62
docs citations

62
times ranked

1557
citing authors

#	ARTICLE	IF	CITATIONS
1	Angiotensin II Increases Activity of the Epithelial Na ⁺ Channel (ENaC) in Distal Nephron Additively to Aldosterone. <i>Journal of Biological Chemistry</i> , 2012, 287, 660-671.	3.4	127
2	Paracrine Regulation of the Epithelial Na ⁺ Channel in the Mammalian Collecting Duct by Purinergic P2Y ₂ Receptor Tone. <i>Journal of Biological Chemistry</i> , 2008, 283, 36599-36607.	3.4	119
3	Dietary Na ⁺ inhibits the open probability of the epithelial sodium channel in the kidney by enhancing apical P2Y ₂ receptor tone. <i>FASEB Journal</i> , 2010, 24, 2056-2065.	0.5	92
4	Insight toward epithelial Na ⁺ channel mechanism revealed by the acid-sensing ion channel 1 structure. <i>IUBMB Life</i> , 2008, 60, 620-628.	3.4	89
5	Acute Regulation of the Epithelial Na ⁺ Channel by Phosphatidylinositide 3-OH Kinase Signaling in Native Collecting Duct Principal Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1652-1661.	6.1	87
6	Function of Transient Receptor Potential Cation Channel Subfamily V Member 4 (TRPV4) as a Mechanical Transducer in Flow-sensitive Segments of Renal Collecting Duct System. <i>Journal of Biological Chemistry</i> , 2012, 287, 8782-8791.	3.4	87
7	Purinergic control of apical plasma membrane PI(4,5)P ₂ levels sets ENaC activity in principal cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F38-F46.	2.7	77
8	Molecular Determinants of PI(4,5)P ₂ and PI(3,4,5)P ₃ Regulation of the Epithelial Na ⁺ Channel. <i>Journal of General Physiology</i> , 2007, 130, 399-413.	1.9	73
9	Activation of the epithelial Na ⁺ channel in the collecting duct by vasopressin contributes to water reabsorption. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F1411-F1418.	2.7	72
10	Rapid Translocation and Insertion of the Epithelial Na ⁺ Channel in Response to RhoA Signaling. <i>Journal of Biological Chemistry</i> , 2006, 281, 26520-26527.	3.4	71
11	Regulation of the epithelial Na ⁺ channel (ENaC) by phosphatidylinositides. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, F949-F957.	2.7	68
12	TRPV4 Dysfunction Promotes Renal Cystogenesis in Autosomal Recessive Polycystic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 604-616.	6.1	63
13	Identification of a Functional Phosphatidylinositol 3,4,5-Trisphosphate Binding Site in the Epithelial Na ⁺ Channel. <i>Journal of Biological Chemistry</i> , 2005, 280, 37565-37571.	3.4	62
14	Purinergic Inhibition of ENaC Produces Aldosterone Escape. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1903-1911.	6.1	62
15	Direct Activation of ENaC by Angiotensin II: Recent Advances and New Insights. <i>Current Hypertension Reports</i> , 2013, 15, 17-24.	3.5	61
16	Chronic Angiotensin II Infusion Drives Extensive Aldosterone-Independent Epithelial Na ⁺ Channel Activation. <i>Hypertension</i> , 2013, 62, 1111-1122.	2.7	61
17	Ion Channel Regulation by Ras, Rho, and Rab Small GTPases. <i>Experimental Biology and Medicine</i> , 2007, 232, 1258-1265.	2.4	55
18	Binding and direct activation of the epithelial Na ⁺ channel (ENaC) by phosphatidylinositides. <i>Journal of Physiology</i> , 2007, 580, 365-372.	2.9	50

#	ARTICLE	IF	CITATIONS
19	Direct inhibition of basolateral $K_{ir}4.1/5.1$ and $K_{ir}4.1$ channels in the cortical collecting duct by dopamine. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1277-F1287.	2.7	49
20	Quantifying RhoA Facilitated Trafficking of the Epithelial Na^+ Channel toward the Plasma Membrane with Total Internal Reflection Fluorescence-Fluorescence Recovery after Photobleaching. <i>Journal of Biological Chemistry</i> , 2007, 282, 14576-14585.	3.4	48
21	Bradykinin acutely inhibits activity of the epithelial Na^{+} channel in mammalian aldosterone-sensitive distal nephron. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, F1105-F1115.	2.7	44
22	Discrete Control of TRPV4 Channel Function in the Distal Nephron by Protein Kinases A and C. <i>Journal of Biological Chemistry</i> , 2013, 288, 20306-20314.	3.4	44
23	Purinergic Activation of Ca^{2+} -Permeable TRPV4 Channels Is Essential for Mechano-Sensitivity in the Aldosterone-Sensitive Distal Nephron. <i>PLoS ONE</i> , 2011, 6, e22824.	2.5	40
24	Novel insights into TRPV4 function in the kidney. <i>Pflügers Archiv European Journal of Physiology</i> , 2013, 465, 177-186.	2.8	37
25	The sodium chloride cotransporter (NCC) and epithelial sodium channel (ENaC) associate. <i>Biochemical Journal</i> , 2016, 473, 3237-3252.	3.7	37
26	Salt-Dependent Inhibition of Epithelial Na^{+} Channel-Mediated Sodium Reabsorption in the Aldosterone-Sensitive Distal Nephron by Bradykinin. <i>Hypertension</i> , 2012, 60, 1234-1241.	2.7	36
27	Role of renal TRP channels in physiology and pathology. <i>Seminars in Immunopathology</i> , 2016, 38, 371-383.	6.1	36
28	Insulin and IGF-1 activate $K_{ir}4.1/5.1$ channels in cortical collecting duct principal cells to control basolateral membrane voltage. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F311-F321.	2.7	35
29	Defective Store-Operated Calcium Entry Causes Partial Nephrogenic Diabetes Insipidus. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 2035-2048.	6.1	32
30	Emerging Role of the Calcium-Activated, Small Conductance, SK3 K^{+} Channel in Distal Tubule Function: Regulation by TRPV4. <i>PLoS ONE</i> , 2014, 9, e95149.	2.5	28
31	Direct regulation of ENaC by bradykinin in the distal nephron. Implications for renal sodium handling. <i>Current Opinion in Nephrology and Hypertension</i> , 2014, 23, 122-129.	2.0	24
32	New perspective of $ClC-Kb/2 Cl^{-}$ channel physiology in the distal renal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F923-F930.	2.7	24
33	Recording Ion Channels in Isolated, Split-Opened Tubules. <i>Methods in Molecular Biology</i> , 2013, 998, 341-353.	0.9	24
34	Dietary K^{+} and Cl^{-} independently regulate basolateral conductance in principal and intercalated cells of the collecting duct. <i>Pflügers Archiv European Journal of Physiology</i> , 2018, 470, 339-353.	2.8	23
35	Deficient transient receptor potential vanilloid type 4 function contributes to compromised $[Ca^{2+}]$ homeostasis in human autosomal-recessive polycystic kidney disease cells. <i>FASEB Journal</i> , 2018, 32, 4612-4623.	0.5	21
36	IGF-1 and insulin exert opposite actions on $ClC-K2$ activity in the cortical collecting ducts. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F39-F48.	2.7	18

#	ARTICLE	IF	CITATIONS
37	PTH modulation of NCC activity regulates TRPV5 Ca^{2+} reabsorption. American Journal of Physiology - Renal Physiology, 2016, 310, F144-F151.	2.7	18
38	Distal tubule basolateral potassium channels. Current Opinion in Nephrology and Hypertension, 2018, 27, 373-378.	2.0	17
39	Ca ²⁺ Imaging as a Tool to Assess TRP Channel Function in Murine Distal Nephrons. Methods in Molecular Biology, 2013, 998, 371-384.	0.9	16
40	TRPC3 determines osmosensitive $[Ca^{2+}]_i$ signaling in the collecting duct and contributes to urinary concentration. PLoS ONE, 2019, 14, e0226381.	2.5	16
41	Compromised regulation of the collecting duct ENaC activity in mice lacking $AT1a$ receptor. Journal of Cellular Physiology, 2018, 233, 7217-7225.	4.1	11
42	Intrinsic Voltage Dependence of the Epithelial Na ⁺ Channel Is Masked by a Conserved Transmembrane Domain Tryptophan. Journal of Biological Chemistry, 2009, 284, 25512-25521.	3.4	10
43	Implementing Patch Clamp and Live Fluorescence Microscopy to Monitor Functional Properties of Freshly Isolated PKD Epithelium. Journal of Visualized Experiments, 2015, , .	0.3	10
44	Polymodal roles of TRPC3 channel in the kidney. Channels, 2020, 14, 257-267.	2.8	10
45	PF-06869206 is a selective inhibitor of renal P_{Na} transport: evidence from in vitro and in vivo studies. American Journal of Physiology - Renal Physiology, 2020, 319, F541-F551.	2.7	10
46	Angiotensin II increases activity of the ClC-K2 Cl^{-} channel in collecting duct intercalated cells by stimulating production of reactive oxygen species. Journal of Biological Chemistry, 2021, 296, 100347.	3.4	9
47	TRPV4 deletion protects against hypokalemia during systemic K^{+} deficiency. American Journal of Physiology - Renal Physiology, 2019, 316, F948-F956.	2.7	7
48	Urinary concentrating defect in mice lacking Epac1 or Epac2. FASEB Journal, 2019, 33, 2156-2170.	0.5	7
49	With-No-Lysine Kinase 1 (WNK1) Augments TRPV4 Function in the Aldosterone-Sensitive Distal Nephron. Cells, 2021, 10, 1482.	4.1	7
50	Control of ENaC-Mediated Sodium Reabsorption in the Distal Nephron by Bradykinin. Vitamins and Hormones, 2015, 98, 137-154.	1.7	5
51	A peek into Epac physiology in the kidney. American Journal of Physiology - Renal Physiology, 2019, 317, F1094-F1097.	2.7	5
52	Epac1 ^{-/-} and Epac2 ^{-/-} mice exhibit deficient epithelial Na ⁺ channel regulation and impaired urinary Na ⁺ conservation. JCI Insight, 2022, 7, .	5.0	5
53	ClC-K2 Cl^{-} channel allows identification of A and B type of intercalated cells in split-opened collecting ducts. FASEB Journal, 2022, 36, e22275.	0.5	5
54	Adenosine inhibits the basolateral Cl^{-} ClC-K2/b channel in collecting duct intercalated cells. American Journal of Physiology - Renal Physiology, 2020, 318, F870-F877.	2.7	3

#	ARTICLE	IF	CITATIONS
55	Evolving concepts of TRPV4 in controlling flow-sensitivity of the renal nephron. <i>Current Topics in Membranes</i> , 2022, , 75-94.	0.9	3
56	TRPV4 channel activation is required for flow-dependent K ⁺ secretion/BK channel activation in mouse cortical collecting duct (CCD). <i>FASEB Journal</i> , 2011, 25, 1041.29.	0.5	1
57	Separate control of TRPV4 activity and trafficking in the distal nephron. <i>FASEB Journal</i> , 2013, 27, 912.4.	0.5	0
58	Dopamine inhibits basolateral potassium channels in the murine distal nephron. <i>FASEB Journal</i> , 2013, 27, 912.11.	0.5	0
59	Salt-dependent inhibition of the epithelial sodium channel (ENaC) by Bradykinin. <i>FASEB Journal</i> , 2013, 27, 911.5.	0.5	0
60	Regulation of Renal TRPV4 Activity by Dietary Potassium Intake is Essential for The Maintenance of K ⁺ Homeostasis. <i>FASEB Journal</i> , 2015, 29, .	0.5	0
61	Increased susceptibility to hypertensive renal disease in spontaneously hypertensive rats due to a mutation in Stim1. <i>FASEB Journal</i> , 2018, 32, 716.20.	0.5	0
62	TRP Channels in Renal Epithelia. <i>Physiology in Health and Disease</i> , 2020, , 1081-1129.	0.3	0