

Naoki Nakagawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4980278/publications.pdf>

Version: 2024-02-01

61
papers

1,143
citations

361045

20
h-index

433756

31
g-index

61
all docs

61
docs citations

61
times ranked

1738
citing authors

#	ARTICLE	IF	CITATIONS
1	Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2012, 16, 903-920.	0.7	91
2	MicroRNAs as novel therapeutic targets to treat kidney injury and fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F931-F944.	1.3	71
3	The intrinsic prostaglandin E2-EP4 system of the renal tubular epithelium limits the development of tubulointerstitial fibrosis in mice. <i>Kidney International</i> , 2012, 82, 158-171.	2.6	65
4	Dicer1 activity in the stromal compartment regulates nephron differentiation and vascular patterning during mammalian kidney organogenesis. <i>Kidney International</i> , 2015, 87, 1125-1140.	2.6	49
5	An Oral Adsorbent, AST-120, Suppresses Oxidative Stress in Uremic Rats. <i>American Journal of Nephrology</i> , 2006, 26, 455-461.	1.4	48
6	A Newly Estimated Glomerular Filtration Rate Is Independently Associated with Arterial Stiffness in Japanese Patients. <i>Hypertension Research</i> , 2008, 31, 193-201.	1.5	48
7	Pentraxin-2 suppresses c-Jun/AP-1 signaling to inhibit progressive fibrotic disease. <i>JCI Insight</i> , 2016, 1, e87446.	2.3	48
8	Malnutrition Increases the Incidence of Death, Cardiovascular Events, and Infections in Patients with Stroke after Rehabilitation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 716-723.	0.7	46
9	Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0236132.	1.1	46
10	TWEAK-Fn14 Signaling Activates Myofibroblasts to Drive Progression of Fibrotic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3639-3652.	3.0	45
11	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.	4.3	42
12	J-CKD-DB: a nationwide multicentre electronic health record-based chronic kidney disease database in Japan. <i>Scientific Reports</i> , 2020, 10, 7351.	1.6	37
13	Severe Pulmonary Hypertension Associated with Primary Sjogren's Syndrome. <i>Internal Medicine</i> , 2003, 42, 1248-1252.	0.3	32
14	Impact of Decreased Estimated Glomerular Filtration Rate on Japanese Acute Stroke and Its Subtype. <i>Internal Medicine</i> , 2012, 51, 1661-1666.	0.3	28
15	Hyperactive FOXO1 results in lack of tip stalk identity and deficient microvascular regeneration during kidney injury. <i>Biomaterials</i> , 2017, 141, 314-329.	5.7	28
16	Malnutrition, renal dysfunction and left ventricular hypertrophy synergistically increase the long-term incidence of cardiovascular events. <i>Hypertension Research</i> , 2016, 39, 633-639.	1.5	26
17	Utility of Geriatric Nutritional Risk Index in Patients with Chronic Kidney Disease: A Mini-Review. <i>Nutrients</i> , 2021, 13, 3688.	1.7	26
18	Impact of Metabolic Disturbances and Malnutrition-Induced Inflammation on 6-Year Mortality in Japanese Patients Undergoing Hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 30-39.	0.4	25

#	ARTICLE	IF	CITATIONS
19	Inflammation as a cardiovascular risk factor and pulse wave velocity as a marker of early-stage atherosclerosis in the Japanese population. <i>Environmental Health and Preventive Medicine</i> , 2009, 14, 159-164.	1.4	24
20	Myofibroblasts in Fibrotic Kidneys. <i>Current Pathobiology Reports</i> , 2013, 1, 189-198.	1.6	23
21	Clinical features and pathogenesis of membranoproliferative glomerulonephritis: a nationwide analysis of the Japan renal biopsy registry from 2007 to 2015. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 797-807.	0.7	19
22	Impact of the 2017 American College of Cardiology/American Heart Association Blood Pressure Guidelines on the Next Blood Pressure Guidelines in Asia. <i>Current Hypertension Reports</i> , 2019, 21, 2.	1.5	19
23	Capillary-resident EphA7 + pericytes are multipotent cells with anti-ischemic effects through capillary formation. <i>Stem Cells Translational Medicine</i> , 2020, 9, 120-130.	1.6	18
24	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0240402.	1.1	17
25	Unexpectedly High Prevalence of Coronary Spastic Angina in Patients With Anderson-Fabry Disease. <i>Circulation Journal</i> , 2019, 83, 481-484.	0.7	16
26	High-risk screening for Anderson-Fabry disease in patients with cardiac, renal, or neurological manifestations. <i>Journal of Human Genetics</i> , 2019, 64, 891-898.	1.1	15
27	Potential impact of renin-angiotensin system inhibitors and calcium channel blockers on plasma high-molecular-weight adiponectin levels in hemodialysis patients. <i>Hypertension Research</i> , 2011, 34, 592-598.	1.5	13
28	The balance of fetuin-A and osteoprotegerin is independently associated with diastolic dysfunction in hemodialysis patients. <i>Hypertension Research</i> , 2012, 35, 426-433.	1.5	13
29	A Case of Idiopathic Systemic Capillary Leak Syndrome with High Serum Levels of G-CSF on Exacerbation. <i>Internal Medicine</i> , 2011, 50, 597-600.	0.3	12
30	Pericyte-specific deletion of ninjurin-1 induces fragile vasa vasorum formation and enhances intimal hyperplasia of injured vasculature. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H2438-H2447.	1.5	12
31	Clinical and Genetic Investigation of a Japanese Family With Cardiac Fabry Disease Identification of a Novel .ALPHA-Galactosidase A Missense Mutation (G195V). <i>International Heart Journal</i> , 2011, 52, 308-311.	0.5	11
32	Demographic, clinical characteristics and treatment outcomes of immune-complex membranoproliferative glomerulonephritis and C3 glomerulonephritis in Japan: A retrospective analysis of data from the Japan Renal Biopsy Registry. <i>PLoS ONE</i> , 2021, 16, e0257397.	1.1	10
33	Retrospective Comparison of the Efficacy of Tonsillectomy with and without Steroid-pulse Therapy in IgA Nephropathy Patients. <i>Internal Medicine</i> , 2012, 51, 1323-1328.	0.3	9
34	Novel Detection of CALR-Mutated Cells in Myeloproliferative Neoplasm-Related Glomerulopathy With Interstitial Extramedullary Hematopoiesis: A Case Report. <i>American Journal of Kidney Diseases</i> , 2019, 74, 844-848.	2.1	9
35	Diffuse Alveolar Hemorrhaging with Hypertensive Emergency: A Rare but Important Cause of Hemoptysis. <i>Internal Medicine</i> , 2019, 58, 1511-1516.	0.3	9
36	EphA7+ perivascular cells as myogenic and angiogenic precursors improving skeletal muscle regeneration in a muscular dystrophic mouse model. <i>Stem Cell Research</i> , 2020, 47, 101914.	0.3	9

#	ARTICLE	IF	CITATIONS
37	Sarcopenia-derived exosomal micro-RNA 16-5p disturbs cardio-repair via a pro-apoptotic mechanism in myocardial infarction in mice. <i>Scientific Reports</i> , 2021, 11, 19163.	1.6	9
38	A Sporadic Case of Fabry Disease Involving Repeated Fever, Psychiatric Symptoms, Headache, and Ischemic Stroke in an Adult Japanese Woman. <i>Internal Medicine</i> , 2015, 54, 3069-3074.	0.3	8
39	Pazopanib-induced Endothelial Injury with Podocyte Changes. <i>Internal Medicine</i> , 2018, 57, 987-991.	0.3	8
40	Impaired Glutathione Redox System Paradoxically Suppresses Angiotensin II-Induced Vascular Remodeling. <i>PLoS ONE</i> , 2014, 9, e108115.	1.1	7
41	Angiotensin II receptor blocker and long-acting calcium channel blocker combination therapy decreases urinary albumin excretion while maintaining glomerular filtration rate. <i>Hypertension Research</i> , 2011, 34, 1121-1126.	1.5	6
42	The antioxidant and DNA-repair enzyme apurinic/apyrimidinic endonuclease 1 limits the development of tubulointerstitial fibrosis partly by modulating the immune system. <i>Scientific Reports</i> , 2019, 9, 7823.	1.6	6
43	Characteristics of Neurological Symptoms in Adult Japanese Patients with Fabry Disease. <i>Internal Medicine</i> , 2021, 60, 1819-1826.	0.3	6
44	New-onset and relapse of nephrotic syndrome following COVID-19 vaccination: a questionnaire survey in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 909-916.	0.7	6
45	Insight into specific pro-arrhythmic triggers in Brugada and early repolarization syndromes: results of long-term follow-up. <i>Heart and Vessels</i> , 2016, 31, 2035-2044.	0.5	5
46	Impact of mild-to-moderate alcohol consumption and smoking on kidney function. <i>Hypertension Research</i> , 2017, 40, 809-810.	1.5	3
47	Comparison between unattended automated office blood pressure and conventional office blood pressure under the environment of health checkup among Japanese general population. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1800-1806.	1.0	3
48	Assessment of suitable antihypertensive therapies: Combination with high-dose amlodipine/irbesartan vs triple combination with amlodipine/irbesartan/indapamide (ASAHI study). <i>Journal of Clinical Hypertension</i> , 2020, 22, 1577-1584.	1.0	3
49	A nationwide analysis of renal and patient outcomes for adults with lupus nephritis in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 898-908.	0.7	3
50	Left atrial enlargement and blood pressure variability in untreated hypertensive patients. <i>Hypertension Research</i> , 2016, 39, 581-582.	1.5	2
51	Seasonal variation and predictors of intradialytic hypotension. <i>Hypertension Research</i> , 2021, 44, 1551-1553.	1.5	2
52	Unexpectedly high renal pathological scores of two female siblings with Fabry disease presenting with urinary mulberry cells without microalbuminuria. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100874.	0.4	2
53	Mizoribine for crescentic glomerulonephritis with sarcoidosis: effectiveness not only for urinalysis abnormalities but also for hilar lymph node enlargement. <i>Modern Rheumatology</i> , 2013, 23, 146-150.	0.9	1
54	Hemocholecyst complicated in a hemodialysis patient with microscopic polyangiitis. <i>Modern Rheumatology</i> , 2017, 27, 708-711.	0.9	1

#	ARTICLE	IF	CITATIONS
55	Complete healing of spontaneous coronary artery dissection extending from the left main trunk to the left anterior descending and the left circumflex artery. <i>Journal of Cardiology Cases</i> , 2018, 18, 103-105.	0.2	1
56	Mizoribine for crescentic glomerulonephritis with sarcoidosis: effectiveness not only for urinalysis abnormalities but also for hilar lymph node enlargement. <i>Modern Rheumatology</i> , 2013, 23, 146-150.	0.9	1
57	Prognostic value of target organ damage in patients with cardiovascular risks. <i>Hypertension Research</i> , 2022, 45, 1269-1270.	1.5	1
58	Systemic Capillary Leak Syndrome Caused by Granulocyte Colony-Stimulating Factor. <i>Internal Medicine</i> , 2011, 50, 2261-2261.	0.3	0
59	Central hemodynamics and left ventricular hypertrophy in chronic kidney disease. <i>Hypertension Research</i> , 2018, 41, 572-574.	1.5	0
60	Potential common pathophysiological pathway of hypertension-mediated organ damage in hypertensive emergency. <i>Hypertension Research</i> , 2021, 44, 124-125.	1.5	0
61	Influence of Nutrients on Kidney Diseases. <i>Nutrients</i> , 2022, 14, 1234.	1.7	0