

Song-Liang Cai

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4981043/song-liang-cai-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

2,092

citations

25

h-index

43

g-index

93

ext. papers

2,606

ext. citations

4.6

avg, IF

5.01

L-index

#	Paper	IF	Citations
88	Tunable electrical conductivity in oriented thin films of tetrathiafulvalene-based covalent organic framework. <i>Chemical Science</i> , 2014 , 5, 4693-4700	9.4	235
87	Facile transformation of imine covalent organic frameworks into ultrastable crystalline porous aromatic frameworks. <i>Nature Communications</i> , 2018 , 9, 2998	17.4	168
86	The Organic Flatland-Recent Advances in Synthetic 2D Organic Layers. <i>Advanced Materials</i> , 2015 , 27, 5762-70	24	138
85	The construction of amorphous metal-organic cage-based solid for rapid dye adsorption and time-dependent dye separation from water. <i>Chemical Engineering Journal</i> , 2019 , 357, 129-139	14.7	82
84	Stable Hydrazone-Linked Covalent Organic Frameworks Containing O,N,ORChelating Sites for Fe(III) Detection in Water. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 12830-12837	9.5	77
83	Hydrolytically Stable Nanotubular Cationic Metal-Organic Framework for Rapid and Efficient Removal of Toxic Oxo-Anions and Dyes from Water. <i>Inorganic Chemistry</i> , 2019 , 58, 2899-2909	5.1	71
82	Construction of a hydrazone-linked chiral covalent organic framework-silica composite as the stationary phase for high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2017 , 1519, 100-109	4.5	70
81	The construction of coordination networks based on imidazole-based dicarboxylate ligand containing hydroxymethyl group. <i>CrystEngComm</i> , 2011 , 13, 883-888	3.3	66
80	A Series of New Three-Dimensional d ¹⁰ Heterometallic Coordination Polymers with Rare 10-Connected bct Net Topology Based on Planar Hexanuclear Heterometallic Second Building Units. <i>Crystal Growth and Design</i> , 2012 , 12, 5737-5745	3.5	63
79	Two Types of New Three-Dimensional d ¹⁰ Heterometallic Coordination Polymers Based on 2-(Pyridin-3-yl)-1H-Imidazole-4,5-Dicarboxylate and Oxalate Ligands: Syntheses, Structures, Luminescence, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2012 , 12, 4441-4449	3.5	60
78	Construction of Ba(II) Coordination Polymers Based on Imidazole-Based Dicarboxylate Ligands: Structural Diversity Tuned by Alcohol Solvents. <i>Crystal Growth and Design</i> , 2012 , 12, 3575-3582	3.5	58
77	Dynamic Covalent Synthesis of Crystalline Porous Graphitic Frameworks. <i>Chem</i> , 2020 , 6, 933-944	16.2	56
76	Assembly of Chiral/Achiral Coordination Polymers Based on 2-(Pyridine-3-yl)-1H-4,5-imidazoledicarboxylic Acid: Chirality Transfer between Chiral Two-Dimensional Networks Containing Helical Chains. <i>Crystal Growth and Design</i> , 2012 , 12, 2355-2361	3.5	54
75	Tubular metal-organic framework-based capillary gas chromatography column for separation of alkanes and aromatic positional isomers. <i>Journal of Chromatography A</i> , 2013 , 1285, 132-8	4.5	49
74	Covalent Organic Frameworks as the Coating Layer of Ceramic Separator for High-Efficiency LithiumSulfur Batteries. <i>ACS Applied Nano Materials</i> , 2018 , 1, 132-138	5.6	46
73	An Anionic Nanotubular Metal-Organic Framework for High-Capacity Dye Adsorption and Dye Degradation in Darkness. <i>Inorganic Chemistry</i> , 2019 , 58, 13979-13987	5.1	44
72	Rationally Designed 2D Covalent Organic Framework with a Brick-Wall Topology. <i>ACS Macro Letters</i> , 2016 , 5, 1348-1352	6.6	41

71	An unprecedented (3,4,14)-connected 3D metal-organic framework based on planar octanuclear lead(II) clusters as a secondary building unit. <i>CrystEngComm</i> , 2012 , 14, 1193-1196	3.3	36
70	Anion-dependent assembly and solvent-mediated structural transformations of three Cd(II) coordination polymers based on 1H-imidazole-4-carboxylic acid. <i>CrystEngComm</i> , 2012 , 14, 2308	3.3	34
69	Expeditious synthesis of covalent organic frameworks: a review. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 16045-16060	13	33
68	Three new complexes synthesized from an imidazole-based dicarboxylate ligand containing hydroxymethyl group. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 1097-1101	3.1	31
67	Construction of luminescent three-dimensional Ln(III)-Zn(II) heterometallic coordination polymers based on 2-pyridyl imidazole dicarboxylate. <i>CrystEngComm</i> , 2012 , 14, 8236	3.3	29
66	A new sensor based on luminescent terbium-organic framework for detection of Fe ³⁺ in water. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 937-939	3.1	27
65	Two novel porous luminescent lanthanide-organic frameworks with new four-nodal (3,4)-connected network topology. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 826-830	3.1	26
64	Chemically Robust Covalent Organic Frameworks: Progress and Perspective. <i>Matter</i> , 2020 , 3, 1507-1540	12.7	25
63	The construction of Cu(I)/Cu(II) coordination polymers based on pyrazine-carboxylate: Structural diversity tuned by in situ hydrolysis reaction. <i>CrystEngComm</i> , 2013 , 15, 5359	3.3	25
62	Reversible Interlayer Sliding and Conductivity Changes in Adaptive Tetrathiafulvalene-Based Covalent Organic Frameworks. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 19054-19061	9.5	24
61	An unprecedented supramolecular network with channels filled by 1D coordination polymer chains: Cocrystallization of Ag(I)-4,4'-bipyridine and Ag(I)-benzimidazole complexes. <i>CrystEngComm</i> , 2011 , 13, 6345	3.3	17
60	An unprecedented 2D covalent organic framework with an htb net topology. <i>Chemical Communications</i> , 2019 , 55, 13454-13457	5.8	17
59	A hydrolytically stable cage-based metal-organic framework containing two types of building blocks for the adsorption of iodine and dyes. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 1083-1092	6.8	17
58	A Benzimidazole-Containing Covalent Organic Framework-Based QCM Sensor for Exceptional Detection of CEES. <i>Crystal Growth and Design</i> , 2019 , 19, 3543-3550	3.5	16
57	Anion- and temperature-dependent assembly, crystal structures and luminescence properties of six new Cd(II) coordination polymers based on 2,3,5,6-tetrakis(2-pyridyl)pyrazine. <i>CrystEngComm</i> , 2016 , 18, 5164-5176	3.3	16
56	A series of alkaline earth metal coordination polymers constructed from two newly designed imidazole-based dicarboxylate ligands containing pyridinylmethyl groups. <i>CrystEngComm</i> , 2017 , 19, 3003-3016	3.3	15
55	LC-UV-Guided Isolation and Structure Determination of Lancolide E: A Norriterpenoid with a Tetracyclo[5.4.0.0(2,4).0(3,7)]undecane-Bridged System from a "Talented" Schisandra Plant. <i>Organic Letters</i> , 2016 , 18, 100-3	6.2	15
54	Homochiral Cu(I) Coordination Polymers Based on a Double-Stranded Helical Building Block from Achiral Ligands: Symmetry-Breaking Crystallization, Photophysical and Photocatalytic Properties. <i>Inorganic Chemistry</i> , 2019 , 58, 14660-14666	5.1	15

53	Resistive Switching Memory Performance of Two-Dimensional Polyimide Covalent Organic Framework Films. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 51837-51845	9.5	14
52	Two new three-dimensional metal-organic frameworks with 4-connected diamondoid and unusual (6,16)-connected net topologies based on planar tetranuclear squares as secondary building units. <i>CrystEngComm</i> , 2016 , 18, 1174-1183	3.3	14
51	Structures and luminescent properties of two new main group coordination polymers based on 2-(hydroxymethyl)-1H-imidazole-4,5-dicarboxylic acid. <i>Inorganic Chemistry Communication</i> , 2014 , 48, 40-43	2.1	14
50	Structures and properties of five main group coordination polymers based on 2-(pyridin-4-yl)-1H-imidazole-4,5-dicarboxylate. <i>Polyhedron</i> , 2012 , 38, 190-197	2.7	14
49	Spontaneous resolution of a coordination polymer containing stereogenic five-coordinate Zn(II) centers and achiral ligands with axially chiral conformation. <i>CrystEngComm</i> , 2012 , 14, 6241	3.3	13
48	Recognition of H ₂ PO ₄ ⁻ and Cu ²⁺ in water by luminescent terbium silica xerogel. <i>Journal of Fluorescence</i> , 2011 , 21, 1117-22	2.4	13
47	Cationic Amorphous Metal-Organic Cage-Based Materials for the Removal of Oxo-Anions from Water. <i>ACS Applied Nano Materials</i> , 2019 , 2, 5824-5832	5.6	12
46	Construction of six new luminescent Ln(III)-Zn(II) heterometallic coordination polymers based on heterometallic secondary building units. <i>CrystEngComm</i> , 2016 , 18, 8672-8682	3.3	11
45	Construction of achiral/chiral coordination polymers with helical structures based on an imidazole-based dicarboxylate ligand containing the trifluoromethyl group. <i>Inorganic Chemistry Communication</i> , 2014 , 48, 61-64	3.1	10
44	Two new 2D coordination polymers containing bowl-shaped voids assembled from the bis(chelating) bridging ligand. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 818-821	3.1	10
43	Lanthanide contraction effect on the crystal structures of 2D lanthanide coordination polymers based on 2-(trifluoromethyl)-1H-imidazole-4,5-dicarboxylic acid. <i>Structural Chemistry</i> , 2017 , 28, 577-586	1.8	9
42	Solvent-regulated assembly of two new Cd(II) coordination polymers based on 3-(1H-benzimidazol-2-yl) propanoic acid. <i>Inorganic Chemistry Communication</i> , 2012 , 21, 100-103	3.1	9
41	Approach to tuned emitting color of luminescent liquid crystals with substituted fluoropyrrole acceptor unit. <i>Dyes and Pigments</i> , 2017 , 145, 324-330	4.6	8
40	Cu-MOF derived Cu-C nanocomposites towards high performance electrochemical supercapacitors.. <i>RSC Advances</i> , 2020 , 10, 4621-4629	3.7	8
39	trans-Diaqua-bis-(1H-imidazole-4-carboxylato- κ^2 ,O)nickel(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m865		8
38	Construction of Four Coordination Polymers based on 2-[4-(Pyridine-4-yl)phenyl]-1H-imidazole-4,5-dicarboxylic Acid. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2017 , 643, 593-600	1.3	7
37	Fabrication of a hydrazone-linked covalent organic framework-bound capillary column for gas chromatography separation. <i>Separation Science Plus</i> , 2019 , 2, 120-128	1.1	7
36	Structures and luminescent properties of three new lanthanide (III) coordination polymers based on 2-(pyridin-3-yl)-1H-imidazole-4, 5-dicarboxylate. <i>Inorganic Chemistry Communication</i> , 2014 , 46, 98-102	3.1	7

35	Two new coordination frameworks based on rod-shaped secondary building blocks with five-nodal (3, 4, 5, 6)-connected and (3, 5, 6)-connected network topologies. <i>Inorganic Chemistry Communication</i> , 2011 , 14, 1156-1160	3.1	7
34	Temperature/anion-dependent self-assembly of Co(II) coordination polymers based on a heterotopic imidazole-tetrazole-bifunctional ligand: Structures and magnetic properties. <i>Inorganic Chemistry Communication</i> , 2017 , 84, 10-14	3.1	6
33	A new QCM signal enhancement strategy based on streptavidin@metal-organic framework complex for miRNA detection. <i>Analytica Chimica Acta</i> , 2020 , 1095, 212-218	6.6	6
32	A new hydrazone-linked covalent organic framework for Fe(III) detection by fluorescence and QCM technologies. <i>CrystEngComm</i> , 2021 , 23, 3594-3601	3.3	6
31	Synthesis of two Zn(II) compounds from terpyridine-based ligand: Structures, crystal-to-crystal transformation and detection of nerve agent mimics. <i>Inorganic Chemistry Communication</i> , 2016 , 73, 16-20	3.1	5
30	Construction of four d10 coordination polymers containing binuclear rings as building blocks from 4'-(2H-tetrazol-5-yl)biphenyl-4-carboxylic acid. <i>Journal of Coordination Chemistry</i> , 2016 , 69, 976-984	1.6	5
29	Two new three-dimensional (3,4)-connected lanthanide (III) coordination polymers based on 2-(3-Pyridyl)-1H-imidazole-4, 5-dicarboxylate: Structures and luminescent properties. <i>Inorganic Chemistry Communication</i> , 2015 , 55, 165-168	3.1	5
28	Two mononuclear octahedral complexes with benzimidazole-2-carboxylate: supramolecular networks constructed by hydrogen bonds. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011 , 67, m346-50		5
27	Diaqua-bis-(1H-imidazole-4-carboxylato-N,O)zinc. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m897		5
26	Stable hydrazone-linked chiral covalent organic frameworks: Synthesis, modification, and chiral signal inversion from monomers. <i>Chinese Chemical Letters</i> , 2021 , 32, 107-112	8.1	5
25	Anion and pH-regulated assembly of three Cd(II) coordination polymers based on 3,5-di(1H-benzo[d]imidazol-1-yl)benzoate. <i>Journal of Coordination Chemistry</i> , 2017 , 70, 135-144	1.6	4
24	Construction of d10 metal coordination polymers based on in situ formed 3,5-di(1H-1,2,4-triazol-1-yl)benzoic acid from different precursors: influence of in situ hydrolysis reactions on assembly process. <i>CrystEngComm</i> , 2018 , 20, 5531-5543	3.3	4
23	Construction of coordination polymers based on a rigid tripodal nitrogen-containing heterotopic ligand that designed by mixed-donors strategy. <i>Journal of Solid State Chemistry</i> , 2018 , 265, 64-71	3.3	4
22	Anion-dependent construction of three Cd(II) coordination polymers containing helical chains: Structures and luminescence properties. <i>Inorganic Chemistry Communication</i> , 2014 , 50, 79-83	3.1	4
21	A new amplification strategy for a quartz crystal microbalance miRNA sensor based on selective interactions between a metal-organic framework and miRNA. <i>New Journal of Chemistry</i> , 2020 , 44, 1684-1688	3.6	4
20	A Mn(II)-MOF with inherent missing metal-ion defects based on an imidazole-tetrazole tripodal ligand and its application in supercapacitors. <i>Dalton Transactions</i> , 2020 , 49, 12150-12155	4.3	4
19	Protein A-mesoporous silica composites for chromatographic purification of immunoglobulin G. <i>New Journal of Chemistry</i> , 2020 , 44, 7884-7890	3.6	3
18	A new two-dimensional cadmium coordination polymer with 1H-imidazole-4-carboxylate and oxalate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2012 , 68, m177-80		3

17	Self-assembly of two 3D microporous coordination polymers based on 2-oxynicotinate and oxalate ligands. <i>Inorganic Chemistry Communication</i> , 2012 , 21, 178-181	3.1	3
16	Covalent Cross-Linking of Metal-Organic Cages: Formation of an Amorphous Cationic Porous Extended Framework for the Uptake of Oxo-Anions from Water. <i>ChemPlusChem</i> , 2020 , 86, 709-715	2.8	3
15	Construction of a New 3D Zn(II) MOF with a mog Topology From 2-(Hydroxymethyl)-1H-imidazole-4,5-dicarboxylate. <i>Journal of Chemical Crystallography</i> , 2018 , 48, 47-53	0.5	2
14	Syntheses, Crystal Structures, and Properties of Two IB Group Metal Coordination Polymers Based on 2-(Trifluoromethyl)-1H-Imidazole-4,5-Dicarboxylate. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2018 , 44, 64-71	1.6	2
13	Assembly of two new Mn(II) coordination polymers based on 5-aminoisophthalate: Structural diversity and properties. <i>Inorganic Chemistry Communication</i> , 2012 , 22, 93-97	3.1	2
12	Assembly of a New 2D Heterometallic 3d ^{df} Coordination Polymer Bearing Planar Tetranuclear Square Building Blocks. <i>Journal of Chemical Crystallography</i> , 2019 , 49, 21-28	0.5	2
11	A hydrolytically stable hydrogen-bonded inorganic-organic network as a luminescence turn-on sensor for the detection of Bi ³⁺ and Fe ³⁺ cations in water. <i>Polyhedron</i> , 2021 , 205, 115284	2.7	2
10	Synthesis, crystal structure and adsorption property of a microporous Cd(II) metal-organic framework based on 1H-imidazo[4,5-f][1,10]phenanthroline. <i>Polyhedron</i> , 2018 , 152, 17-21	2.7	1
9	Construction of three Cd(II) coordination polymers based on extended pyridyl-tetrazolyl-bifunctional ligands: Structures and luminescent properties. <i>Inorganic Chemistry Communication</i> , 2017 , 83, 76-80	3.1	1
8	Syntheses, Structures, and Luminescent Properties of Two Alkaline Earth Metal Coordination Polymers from Hydroxymethyl Imidazole Dicarboxylate. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2018 , 44, 792-799	1.6	1
7	A recyclable bipyridine-containing covalent organic framework-based QCM sensor for detection of Hg(II) ion in aqueous solution. <i>Journal of Solid State Chemistry</i> , 2021 , 302, 122421	3.3	1
6	Facile and Site-Selective Synthesis of an Amine-Functionalized Covalent Organic Framework.. <i>ACS Macro Letters</i> , 2021 , 10, 1590-1596	6.6	0
5	A hydrolytically stable Zn(II) coordination polymer based on a new imidazolyl-pyrazolyl heterotopic ligand as a scavenger of MnO ₄ ⁻ and a luminescent sensor for MnO ₄ ⁻ and Cr ₂ O ₇ ²⁻ <i>Inorganic Chemistry Communication</i> , 2021 , 130, 108720	3.1	0
4	Fabrication of cellulose derivative coated spherical covalent organic frameworks as chiral stationary phases for high-performance liquid chromatographic enantioseparation. <i>Journal of Chromatography A</i> , 2022 , 1675, 463155	4.5	0
3	Assembly of two new heterometallic coordination polymers derived from 3-(1H-benzimidazol-2-yl)propanoic acid. <i>Inorganic and Nano-Metal Chemistry</i> , 2019 , 49, 297-305	1.2	
2	(5S)-3-Chloro-5-[(1R,2S,5R)-2-isopropyl-5-methyl-cyclo-hex-yloxy]-4-(4-methyl-piperidin-1-yl)furan-2(5H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o656		
1	Covalent Cross-Linking of Metal-Organic Cages: Formation of an Amorphous Cationic Porous Extended Framework for the Uptake of Oxo-Anions from Water. <i>ChemPlusChem</i> , 2021 , 86, 699	2.8	