

Alessandro Geminiani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4981700/publications.pdf>

Version: 2024-02-01

19
papers

637
citations

758635

12
h-index

887659

17
g-index

19
all docs

19
docs citations

19
times ranked

736
citing authors

#	ARTICLE	IF	CITATIONS
1	Digital versus conventional impressions for fixed prosthodontics: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2016, 116, 184-190.e12.	1.1	262
2	The influence of veneering porcelain thickness of all-ceramic and metal ceramic crowns on failure resistance after cyclic loading. <i>Journal of Prosthetic Dentistry</i> , 2009, 101, 119-127.	1.1	65
3	Temperature change during non-contact diode laser irradiation of implant surfaces. <i>Lasers in Medical Science</i> , 2012, 27, 339-342.	1.0	51
4	Thermodynamic effects of laser irradiation of implants placed in bone: an in vitro study. <i>Lasers in Medical Science</i> , 2013, 28, 1435-1440.	1.0	43
5	Temperature Increase During CO2 and Er:YAG Irradiation on Implant Surfaces. <i>Implant Dentistry</i> , 2011, 20, 379-382.	1.7	35
6	Bibliometrics Study on Authorship Trends in Periodontal Literature From 1995 to 2010. <i>Journal of Periodontology</i> , 2014, 85, e136-43.	1.7	33
7	Buccal bone thickness of maxillary anterior teeth: A systematic review and meta-analysis. <i>Journal of Clinical Periodontology</i> , 2020, 47, 1326-1343.	2.3	29
8	Sonosurgery for atraumatic tooth extraction: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2012, 108, 339-343.	1.1	22
9	Maxillary sinus augmentation with a sonic handpiece for the osteotomy of the lateral window: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2011, 106, 279-283.	1.1	20
10	A Comparative Study of the Incidence of Schneiderian Membrane Perforations during Maxillary Sinus Augmentation with a Sonic Oscillating Handpiece versus a Conventional Turbine Handpiece. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, 327-334.	1.6	20
11	Dimensional stability of double-processed complete denture bases fabricated with compression molding, injection molding, and CAD-CAM subtraction milling. <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 116-121.	1.1	20
12	The influence of incisal veneering porcelain thickness of two metal ceramic crown systems on failure resistance after cyclic loading. <i>Journal of Prosthetic Dentistry</i> , 2010, 103, 275-282.	1.1	14
13	Influence of oscillating and rotary cutting instruments with electric and turbine handpieces on tooth preparation surfaces. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 51-58.	1.1	14
14	Immediate digital implant scanning workflow for posterior single implant-supported crowns: A case series. <i>Journal of Prosthetic Dentistry</i> , 2020, 124, 503-508.	1.1	3
15	A combined analog and digital workflow for retrofitting a monolithic ceramic crown to an existing removable partial denture. <i>Journal of Prosthetic Dentistry</i> , 2021, 125, 585-587.	1.1	3
16	Periapical Implant Cystic Lesion With Unusual Cellular Changes: A Case Report. <i>Clinical Advances in Periodontics</i> , 2014, 4, 240-245.	0.4	2
17	Simplified orthodontic tooth movement with dental implants and orthodontic elastics: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2011, 105, 363-366.	1.1	1
18	Ring liner and burn-out temperature affect the clinical time required to fit a cast post. <i>Journal of Prosthetic Dentistry</i> , 2009, 102, 224-228.	1.1	0

#	ARTICLE	IF	CITATIONS
19	Letters to the Editor: Authors'™ Response. Journal of Periodontology, 2015, 86, 7-8.	1.7	0