

Alessandro Geminiani

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4981700/alessandro-geminiani-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

444
citations

10
h-index

19
g-index

19
ext. papers

542
ext. citations

3.7
avg, IF

3.52
L-index

#	Paper	IF	Citations
19	Digital versus conventional impressions for fixed prosthodontics: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 184-190.e12	4	170
18	The influence of veneering porcelain thickness of all-ceramic and metal ceramic crowns on failure resistance after cyclic loading. <i>Journal of Prosthetic Dentistry</i> , 2009 , 101, 119-27	4	59
17	Temperature change during non-contact diode laser irradiation of implant surfaces. <i>Lasers in Medical Science</i> , 2012 , 27, 339-42	3.1	41
16	Thermodynamic effects of laser irradiation of implants placed in bone: an in vitro study. <i>Lasers in Medical Science</i> , 2013 , 28, 1435-40	3.1	35
15	Temperature increase during CO(2) and Er:YAG irradiation on implant surfaces. <i>Implant Dentistry</i> , 2011 , 20, 379-82	2.4	29
14	Bibliometrics study on authorship trends in periodontal literature from 1995 to 2010. <i>Journal of Periodontology</i> , 2014 , 85, e136-43	4.6	26
13	Sonosurgery for atraumatic tooth extraction: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2012 , 108, 339-43	4	17
12	Maxillary sinus augmentation with a sonic handpiece for the osteotomy of the lateral window: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2011 , 106, 279-83	4	17
11	A comparative study of the incidence of Schneiderian membrane perforations during maxillary sinus augmentation with a sonic oscillating handpiece versus a conventional turbine handpiece. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 327-34	3.9	14
10	The influence of incisal veneering porcelain thickness of two metal ceramic crown systems on failure resistance after cyclic loading. <i>Journal of Prosthetic Dentistry</i> , 2010 , 103, 275-82	4	11
9	Dimensional stability of double-processed complete denture bases fabricated with compression molding, injection molding, and CAD-CAM subtraction milling. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 116-121	4	8
8	Buccal bone thickness of maxillary anterior teeth: A systematic review and meta-analysis. <i>Journal of Clinical Periodontology</i> , 2020 , 47, 1326-1343	7.7	7
7	Influence of oscillating and rotary cutting instruments with electric and turbine handpieces on tooth preparation surfaces. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 51-8	4	5
6	Immediate digital implant scanning workflow for posterior single implant-supported crowns: A case series. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 503-508	4	2
5	Peri-Implant Cystic Lesion With Unusual Cellular Changes: A Case Report. <i>Clinical Advances in Periodontics</i> , 2014 , 4, 240-245	0.9	1
4	Simplified orthodontic tooth movement with dental implants and orthodontic elastics: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2011 , 105, 363-6	4	1
3	A combined analog and digital workflow for retrofitting a monolithic ceramic crown to an existing removable partial denture. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 585-587	4	1

2 Authorsdresponse. *Journal of Periodontology*, **2015**, 86, 7-8 4.6

1 Ring liner and burn-out temperature affect the clinical time required to fit a cast post. *Journal of Prosthetic Dentistry*, **2009**, 102, 224-8 4